No. 6457.1 9-95
1935-36



GIVEN BY

MASS. SECRETARY OF THE COMMONWEALTH

Public Document No. 1

The Commonwealth of Massachusetts

OFFICE OF THE SECRETARY

DIVISION OF VITAL STATISTICS

ANNUAL REPORT

ON THE

VITAL STATISTICS OF MASSACHUSETTS

BIRTHS, MARRIAGES, DIVORCES AND DEATHS

FOR THE YEAR ENDING DECEMBER 31, 1936

PREPARED BY
FREDERIC W. COOK
THE SECRETARY OF THE COMMONWEALTH

EDITED BY
ARTHUR J. HASSETT
STATE REGISTRAR OF VITAL STATISTICS

PUBLICATION OF THIS DOCUMENT APPROVED BY THE COMMISSION ON ADMINISTRATION AND FINANCE

600—8-'37. No. 648

CONTENTS

EDITORIAL REVIEW OF THE VITAL STATISTICS OF MASSACHUSETTS: 1936.

Part I.

Mortality Statistics.

	PAGE
Introduction	1–10
General mortality	1–4
Death registration	1
Purpose	1
Mortality statistics	2
Source of data	2
Death rates and their comparability	2
Allocation	2, 3
Number of deaths and death rates	3
Sex	3
Age	3
Sex and age	3
Marital condition	3, 4
Centenarians	4
Nativity	4
Seasonable distribution of deaths	4
Infant mortality	4, 5
Causes of death	5–9
Sources of error in mortality statistics	5
Principal causes of death	5–9
Deaths investigated by medical examiners	9, 10
Source of data	9
Number of deaths investigated	9
Autopsies	10
Causes of death	10
Statistical tables	11–195
General mortality	11–158
Table 1.—Deaths occurring in cities and towns, by sex and nativity, population, and death rates in each county and city: 1936	11–16
Table 2.—Deaths allocated by cities and towns, by sex and nativity, population and death rates in each county and city: 1936	17–21
Table 3.—Deaths, by sex and age, in each county: 1936	22, 23
Table 3a.—Deaths, by sex and age, in municipalities having over 10,000 inhabitants in 1935: 1936	24–29
Table 4.—Population, deaths, and death rates per 1,000 population: 1912 to 1936	30
Table 5.—Mortality of males and females: 1912 to 1936	30
Table 6. Deaths at specified ages: census years 1910 to 1935	31
Table 7.—Per cent of deaths at specified ages—both sexes: 1912 to 1936	31
Table 8.—Male deaths per 1,000 female deaths at specified ages: 1933 to 1936	31
Table 9.—Deaths of males and females at specified ages: 1927 to 1936	32
Table 10.—Deaths of persons 100 years of age and over, by age, sex, place of death, place of birth, marital condition, date of death and name of decedent: 1936	33
Table 11.—Deaths of persons 100 years of age and over, by sex, nativity, marital condition, and age of oldest decedent: 1912 to 1936	33
Table 12.—Deaths by sex, age, and marital condition: 1936	34
Table 13.—Deaths in counties, and in cities having over 50,000 inhabitants, in 1935, by months: 1936	35
Table 14.—Deaths allocated from each cause and class of causes, according to the detailed International List, by months and sex: 1936	36–54
Table 14a.—Deaths allocated from each cause and class of causes, according to the detailed International List, by sex and 5-year age periods: 1936	56–93
Table 14b.—Deaths of residents out of state dying in Massachusetts from each cause and class of causes, according to the detailed International List, by months and sex and by age and sex: 1936	94–111
Table 14c.—Deaths of residents of Massachusetts dying out of state, from each cause and class of causes, according to the detailed International List by months and sex and by age and sex: 1936	112–123
Table 15.—Deaths from important causes in each municipality: 1936	124–148
Table 16.—Deaths from principal causes: 1912 to 1936	149
Table 16a.—Deaths from principal communicable diseases: 1912 to 1936	149
Table 17.—Deaths, death rates per 100,000 population, and per cent distribution by each cause and class of causes according to the Abridged International List: 1930 to 1936	150, 151
Table 18.—Death rates per 100,000 population based on annual average number of deaths for the five-year period of which the census year is the median year: census years 1905 to 1930	152
Table 19.—Deaths produced by external causes: 1912 to 1936	152
Table 20.—Deaths from cancer, by sex, age, and marital condition: 1936	153–158
Infant mortality	159–182
Table 21.—Deaths under 1 month of age; also under 1 year of age, by sex, in the State and each municipality: 1936	159–161
Table 22.—Live births, deaths under 1 year, infant mortality rates, and per cent of deaths under 1 year to deaths at all ages: 1912 to 1936	161
Table 23.—Infant deaths per 1,000 live births in municipalities having over 15,000 inhabitants in 1935: 1929 to 1936	162
Table 24.—Birth rates, death rates, natural increase, infant mortality rates, and survivorship in municipalities having over 15,000 inhabitants in 1935: 1936	162, 163
Table 25.—Infant mortality in Massachusetts, Boston, and the remainder of the State outside Boston: 1920 to 1936	163
Table 26.—Survivors at end of first year of life per 1,000 population and per 1,000 live births: 1911 to 1936	164

Mass. Secretary of the Commonwealth

STATISTICAL TABLES—*Concluded.* PAGE
Infant mortality—*Concluded.*
TABLE 27.—Infant deaths per 1,000 live births, by causes: 1929 to 1936 . . . 164
TABLE 28.—Deaths under 2 years of age from diarrhea and enteritis, by months: 1929 to 1936 . . . 164
TABLE 29.—Deaths from important causes for certain subdivisions of the first year of life for the State and for cities having 50,000 inhabitants or more in 1935: 1936. . . 165–182
Deaths from special causes . . . 183–185
TABLE 30.—Deaths from influenza, by months, in municipalities having over 10,000 inhabitants in 1935: 1936 . . . 183
TABLE 31.—Deaths from lobar pneumonia, by months, in municipalities having over 10,000 inhabitants in 1935: 1936 . . . 184
TABLE 32.—Deaths from bronchopneumonia, by months, in municipalities having over 10,000 inhabitants in 1935: 1936 . . . 185
Maternal mortality . . . 186
TABLE 33.—Deaths and death rates per 100,000 population, and per 100,000 female population, from diseases caused by pregnancy and confinement: 1912 to 1936 . . . 186
TABLE 34.—Death rates per 10,000 confinements, per 10,000 births, and per 10,000 live births, from diseases caused by pregnancy and confinement: 1912 to 1936 . . . 186
Deaths investigated by medical examiners . . . 187–195
TABLE 35.—Deaths (inclusive of stillbirths) due to violence and other causes, investigated by medical examiners in each county, by causes; and number and per cent of deaths autopsied in each county: 1936 . . . 187
TABLE 36.—Deaths (inclusive of stillbirths) due to violence and other causes, investigated by medical examiners, by causes, sex, and months, and by causes, sex, and age: 1936 . 188–193
TABLE 37.—Deaths (inclusive of stillbirths) investigated and autopsies made by medical examiners in each county: 1927 to 1936 . . . 194, 195

PART II A.
BIRTH STATISTICS.

INTRODUCTION . . . 196–199
Birth registration . . . 196, 197
Certain records impounded . . . 197
Allocation . . . 197
Live births . . . 198
Birth rate . . . 198
Changes in the birth rate . . . 198
Stillbirths . . . 198
Birth rates of the principal cities . . . 198
Sex proportions at birth . . . 198
Nativity of parents . . . 198, 199
Plural births . . . 199
Natural increase . . . 199
STATISTICAL TABLES . . . 200–212
TABLE 38.—Live births, by sex and parent nativity; and birth rates in each county and municipality: 1936 . . . 200–204
TABLE 38a.—Allocated live births, by sex and parent nativity and birth rates in each county and municipality: 1936 . . . 205–209
TABLE 39.—Live births by month of birth in counties, and in cities having over 50,000 inhabitants in 1935: 1936 . . . 210
TABLE 40.—Plural births, by sex, and stillbirths, in counties and in cities having over 50,000 inhabitants in 1935: 1936 . . . 210
TABLE 41.—Live births and birth rates for the State and cities having over 100,000 inhabitants in 1935: 1912 to 1936 . . . 211
TABLE 42.—Live births, by sex and parent nativity, and sex proportions at birth: 1912 to 1936 . . . 211
TABLE 43.—Live birth rates per 1,000 population, excess of births over deaths, natural increase per 1,000 population, plural births (cases of twins and triplets), and stillbirths by sex, per 1,000 live births, and sex proportions of stillborn: 1912 to 1936 . . . 212

PART II B.
MARRIAGE STATISTICS.

INTRODUCTION . . . 213, 214
Marriage registration . . . 213
Source of data . . . 213
Solemnization . . . 213
Accuracy . . . 213, 214
Purpose, marriage requirements . . . 214
STATISTICAL TABLES . . . 215–225
TABLE 44.—Marriages, classified by nativity and residence of bride and groom, in each county and municipality: 1936 . . . 215–219
TABLE 45.—Marriages by sex, age, and marital condition: 1936 . . . 219
TABLE 46.—Marriages by months, in counties, and in cities having over 100,000 inhabitants in 1935: 1936 . . . 220, 221
TABLE 47.—Marriages in each county, by sex and age: 1936 . . . 220, 221
TABLE 48.—Marriages, by sex and age: 1936 . . . 222
TABLE 49.—First marriages, by sex and age: 1936 . . . 222
TABLE 50.—First marriages of grooms and remarriages of brides, by age: 1936 . . . 222
TABLE 51.—Remarriages of grooms and first marriages of brides, by age: 1936 . . . 223
TABLE 52.—Remarriages of both parties, by age: 1936 . . . 223
TABLE 53.—First marriages and remarriages: 1936 . . . 223
TABLE 54.—Marriages, marriage rates, and nativity of persons married: 1912 to 1936 . 224
TABLE 55.—Proportions of first marriages and remarriages per 1,000 marriages: 1912 to 1936 224
TABLE 56.—Marriages and marriage rates in the State, and in cities having over 100,000 inhabitants in 1935: 1912 to 1936 . . . 225

Part II C.

Divorce Statistics.

PAGE

Introduction . . . 226, 227
Causes for divorce . . . 226
Source of data . . . 226
Applications for divorce . . . 226
Contested cases . . . 226
Number of divorces . . . 226
Divorce rates . . . 226, 227
Party to which granted . . . 227
Divorces classified by causes . . . 227
Annulled cases . . . 227
Duration of marriages . . . 227
Statistical tables . . . 228–246
Table 57.—Libels for divorces granted, refused, dismissed, contested, and not contested, and number of years libellants were married, by statutory causes and sex of libellant: The State—1936 . . . 228
A. Barnstable County . . . 229
B. Berkshire County . . . 230
C. Bristol County . . . 231
D. Dukes County . . . 232
E. Essex County . . . 233
F. Franklin County . . . 234
G. Hampden County . . . 235
H. Hampshire County . . . 236
I. Middlesex County . . . 237
J. Nantucket County . . . 238
K. Norfolk County . . . 239
L. Plymouth County . . . 240
M. Suffolk County . . . 241
N. Worcester County . . . 242
Table 58.—Number and per cent of divorces granted to husbands and to wives: 1912 to 1936 . . . 243
Table 59.—Divorces granted, number and per cent increase in each five-year period over preceding five-year period, and per cent increase in total population over preceding census: 1910 to 1934 . . . 243
Table 60.—Comparison of increase in divorces and divorce rates with increase in population: 1910 to 1935 . . . 243
Table 61.—Divorce rates based on total population and on married population: census years, 1905 to 1930 . . . 243
Table 62.—Annual average number of divorces in the State and in each county: census years, 1910 to 1930 . . . 244
Table 63.—Divorces granted for specified causes for 25 years: 1912 to 1936 . . . 244
Table 64.—Statutory causes of divorce: 1912 to 1936 . . . 244
Table 65.—Applications for divorce: 1912 to 1936 . . . 245
Table 66.—Divorces granted, classified by cause and party to which granted: 1936 . . . 245
Table 67.—Libels for divorce granted and not granted, contested and not contested, classified by party to which granted: 1936 . . . 245
Table 68.—Number of years libellants were married at time of application for divorce: 1912 to 1936 . . . 246

Part II D.

Population Statistics.

Introductory . . . 247
Estimated population . . . 247
Statistical table . . . 248
Table 69.—Census population of municipalities having over 15,000 inhabitants in 1935: 1910 to 1935 . . . 248

Appendix.

International classification of causes of death . . . 249–255
1. Detailed International List . . . 249–254
2. Abridged International List . . . 255

LETTER OF SUBMITTAL

The Commonwealth of Massachusetts,
Office of the Secretary,
Division of Vital Statistics, Boston, April 1, 1937.

To the Honorable Senate and House of Representatives:

I have the honor to submit herewith, as required by Chapter 46, section 21, and Chapter 208, section 47, of the General Laws, the ninety-fifth annual report on statistics of births, marriages, divorces, and deaths in Massachusetts, for the calendar year 1936 in two parts; Part I, Mortality Statistics; Part II, Statistics of Births, Marriages, and Divorces. The fact that deaths are reported monthly while births, marriages, and statistics of divorce are not required to be reported until March, April and May of the year following that in which the events occur, makes possible the availability of the mortality report earlier than the report of births, marriages, and divorces. Hence the presentation in two parts in one volume.

The editorial review and the method of presentation of the statistical data were prepared by Arthur J. Hassett, State Registrar, in charge of the Division of Vital Statistics. The statistical tables were prepared under the direction of Elizabeth M. Canty, statistician of the division. The exhibition of tabular results is restricted to such as are plainly of practical utility within the meaning of the statute by authority of which the tables are prepared.

Respectfully submitted,

Frederic W. Cook,
Secretary of the Commonwealth.

Editorial Review of the Vital Statistics of Massachusetts, 1936

BY ARTHUR J. HASSETT, STATE REGISTRAR OF VITAL STATISTICS.

PART I
MORTALITY STATISTICS

	PAGE
Introduction	1–10
General mortality	1–4
Death registration	1
Purpose	1
Mortality statistics	2
Source of data	2
Death rates and their comparability	2
Allocation	2, 3
Number of deaths and death rates	3
Sex	3
Age	3
Sex and age	3
Marital condition	3, 4
Centenarians	4
Nativity	4
Seasonal distribution of deaths	4
Infant mortality	4, 5
Cause of death	5–9
Sources of error in mortality statistics	5
Principal causes of death	5–9
Deaths investigated by medical examiners	9, 10
Source of data	9
Number of deaths investigated	9
Autopsies	10
Cause of death	10
Statistical tables	11–195

INTRODUCTION.

History.

Death Registration.—Massachusetts was the first colony to recognize the importance of the registration of vital statistics and as early as 1639 the Colony and Province of Massachusetts Bay required the registration of births, marriages and deaths; in 1840 statutes required that copies should be filed with the Secretary of the Commonwealth. In 1880 the registration area for deaths recognized by the United States Bureau of the Census, i.e., the States, and cities in other States, effectively enforcing satisfactory registration laws of all deaths registered, included but two States, Massachusetts and New Jersey, the District of Columbia, and a number of cities in non-registration States.

During the period 1841 to 1936, inclusive, 3,650,436 deaths have been reported, filed, and tabulated in the Division of Vital Statistics.

The original records are on file in the cities and towns in which they occurred, and in the city and town given as the residence of the deceased at the time of death, and copies are also on file at the State House.

Purpose.—Death registration often gives the first intimation of pestilential disease, permitting health officers to attack epidemics in their incipiency. It serves as evidence in the inheritance of property and in the settlement of life insurance. It is useful in preventing crime through the restriction placed upon the disposal of dead human bodies, and insures a permanent and uniform record of the death of each individual for all purposes.

Mortality Statistics. — Mortality statistics, or statistics of deaths, are useful in showing the extent and rate of change in population produced by deaths, the average duration of life, the relative frequency with which the several causes produce death, and for their service in creating an interest in public health administration and securing support for sanitary measures. In comparison with birth statistics they give useful information regarding population increase or decrease. Mortality statistics, however, cannot be used as an index of the prevalence of certain diseases, because there is no fixed ratio between sickness and fatality. Only cases of fatal sickness or disease are given, while morbidity statistics include all cases, whether fatal or not.

Source of Data. — Mortality statistics are based upon original data obtained by the registration of deaths, which is accomplished by the filing of a blank or schedule known as the standard death certificate.

The responsibility for seeing that a certificate is properly made out and filed with the local board of health rests primarily with the undertaker, who is required by law to present a satisfactory certificate of death before he may obtain a permit to remove the body from the city or town in which the death occurred, or to bury the body. The local board of health is required to transmit the death certificate to the city or town clerk, who in turn records the death and is required to transmit a certified copy to the Secretary of the Commonwealth on or before the tenth day of the month following that in which the death occurred. Hospitals and other institutions are required to obtain, when a person is received, the facts which would be required for record in the event of the death of such person.

Death Rates and Their Comparability. — The death rates given in this report are based upon the comparison of total deaths with the aggregate population. They are usually expressed in terms of the number of deaths per 1,000 population, and are calculated by dividing the total number of deaths by the population in thousands. This means that death rates vary with the character of the population and each element has its relation to the rate of mortality, and therefore, for comparison with other States or countries, the make-up of the population must be considered. The death rate per 1,000 males is generally higher than the rate per 1,000 females. Hence, a State having a relatively larger female population than another will normally show a lower death rate, and a community where the very young or old predominate will show a higher rate than a community made up largely of young adults. Rates will also vary with the color and nationality of the inhabitants.

Factors which seriously affect the comparability of the death rates of different communities are: (1) race composition; (2) the social, marital, and economic status of the people; (3) employment; (4) migration; and (5) the birth rate.

Allocation. — Deaths are charged to the place of the event and also are allocated to the place of residence of the deceased, having been charged previous to 1935 only to the place of death. This insures as near a true rate as possible and has a marked effect on municipalities which are large hospital centers. These cities and towns have been charged with a high rate and small communities without hospital facilities have shown a low rate. The usual place of residence has been used as a basis for all deaths occurring outside the State as well as for those in the State. In the case of institutions and jails deaths have been allocated to the place of residence before entrance. Such persons are regarded as temporary residents of these places since they did not voluntarily enter with the intention of remaining and without doubt would have returned, if discharged, to their usual residence. Accidental deaths have been treated in the same manner as those caused by sickness. While these deaths are often charged to municipalities in which they do not occur, it is probable that at some future time a plan will be devised whereby these deaths besides being allocated to the place of residence, will also be charged to the place where the accident actually happened. The foregoing outline does not by any means cover all cases that may and will arise but will serve as an explanation of the method used in preparing the allocated tables.

In addition to the erroneous and unwarranted conclusions sometimes arrived at by attempting to compare data which are not comparable, such as death rates of

different communities of varying sex and age composition, another possible source of error in mortality statistics is the original data, which are sometimes given by persons not fully cognizant of the true facts.

Number of Deaths and Death Rates. — There was an increase in the mortality of 1936 as compared with that of 1935, the number of deaths occurring in the State during the calendar year 1936 being 52,054, an increase as compared with 1935, of 1,768. Based on the estimated population of 1936 of 4,382,896, these deaths correspond to a rate of 11.9 per 1,000 population. The rate for 1935 was 11.6. Deaths of residents of Massachusetts numbered 51,435 in 1936, resulting in a death rate of 11.7 per 1,000 inhabitants.

During the ten-year periods, from 1917 to 1926, inclusive, the average death rate of the Commonwealth was 13.9, and 1927 to 1936, inclusive, 11.8.

This remarkable decrease in mortality has been the rule rather than the exception in the experiences of the other States. Since 1910 the average death rate for Massachusetts has been 13.2 per 1,000 living.

Table 4, on page 30, shows the number of deaths and the death rates per 1,000 population for the census years and per 1,000 estimated population for the intercensal years from 1912 to 1936.

Sex. — Of the 52,054 deaths in 1936, 27,104, or 52.1 per cent, were males, the percentage in 1935 being 51.7. The proportion of males in the living population, as shown by the United States Census of 1930, was 48.7 per cent. Expressed as a ratio there were 1,086 deaths of males per 1,000 deaths of females in 1936, as compared with 1,071 in 1935, 1,098 in 1934, and 1,058 in 1933. Of the 51,435 residents of the State who died in 1936, 26,773, or 52.1 per cent, were males.

Table 5, on page 30, shows that the death rate for males has been consistently greater than the death rate for females. The death rate of the sexes has fluctuated considerably, reaching the maximum in 1918, when the difference was 3 per 1,000.

Age. — Of the 51,435 deaths in 1936 of residents of the State, 2,854, or 5.5 per cent were of infants under 1 year of age. The rates for infant deaths in previous years, which included non-residents, were 6.1 per cent in 1935, and an average of 6.8 for the five years from 1931 to 1935, 10.0 for the five years from 1926 to 1930, and 13.3 for the five years from 1921 to 1925. A more detailed discussion of infant mortality may be found on pages 4 and 5.

Sex and Age. — The death rate of adult males might be expected to exceed the rate of adult females, on account of the more dangerous occupations of the males, but the excess in the death rate of male infants as compared with female infants has never been satisfactorily explained. Of the 2,854 decedents under 1 year of age in 1936, 1,605 or 56.2 per cent, were males. The ratio of male to female deaths among the higher age periods fluctuated somewhat. The proportion of male deaths was the larger from 1 year of age up to and including the age period 70 to 74 years. From the age of 75 years and upward the number of deaths of females exceeded the deaths of males. The ratios of male deaths per 1,000 deaths of females at the various age periods in the four years 1933–1936 are shown in Table 8, on page 31.

The excess of females in the population 65 years of age and over is so great that even though their mortality at each age period is below that of males, the absolute number of deaths is greater. Among the 26,773 male decedents in 1936, 1,605 or 6 per cent, were under 1 year of age; among the 24,662 female decedents, 1,249 or 5.1 per cent, were under 1 year; and among the decedents of both sexes 5.5 per cent were under 1 year (see Table 9, page 32).

Marital Condition. — Not quite one half (47.3 per cent) of the decedents 15 years of age and over, whose marital condition was reported in 1936 were married, 18.5 per cent were single, 32.6 per cent were widowed, 1.4 per cent were divorced, and .2 per cent were unknown. Among the male decedents 56.3 per cent were married, 18.8 per cent were single, 23 per cent were widowed, 1.6 per cent were divorced, and .3 per cent were unknown. Among the female decedents 37.7 per cent were married, 18.2 per cent were single, 43 per cent were widowed, 1.1 per cent were divorced, and less than one tenth of one per cent were unknown. No

precise study of the bearing of marital condition on mortality statistics can be made, however, without a detailed statement of the age distribution of the population. The age groups used in the census statistics do not coincide with the age groups used in the tabulation of death statistics, so that the two sets of figures cannot be used together. Table 12, on page 34, shows the number of deaths of males and females 15 years of age and over, by marital condition.

Centenarians. — Among the deaths of residents during 1936, there were 26 of reputed centenarians, 22 of whom were females, 14 were native, and 10 were foreign born, 20 were widowed, 5 single and 1 divorced. Table 11, on page 33, presents data concerning the deaths of centenarians by sex, nativity, marital condition, and maximum age at death for the twenty-five years 1912 to 1936.

Nativity. — Of the Massachusetts residents whose nativity was reported on the death certificates in 1936 nearly two-thirds (61.5 per cent) were native, and 38.1 per cent were foreign. There were four-tenths of one per cent whose nativity was not reported.

Seasonal Distribution of Deaths.—The largest number of deaths during any month occurred in January (5,045), and the next largest number in March (4,826). Since the months are not of equal length, the monthly incidence must be reduced to a uniform basis. The average daily number of deaths for 1936 was 141. The months showing the highest average for the year were February (165), January (163), March (156) and December (155). Table 13, on page 35, shows the number of deaths in each month of 1936, in counties, and in cities having over 50,000 inhabitants in 1935.

Infant Mortality.

The infant mortality for residents of the State in 1936 was 46.6 per 1,000 live births. This rate has been moving steadily downward being largely due to the reduction in deaths from gastro-intestinal, respiratory and communicable diseases and is the lowest ever recorded in the Commonwealth. Reference to Table 22, on page 161, shows in striking manner the remarkable reduction in infant mortality, actual decrements without regard for increase in the number of births and without regard for increase in population.

The greatest infant mortality occurred in 1896 (11,765 deaths); and the next greatest actual number of infant deaths occurred twelve years later, 1908 (11,606).

In the ten years from 1927 to 1936, there has been a decrease of 24.6 per cent in the number of live births registered. In 1936, deaths of Boston residents under 1 year of age numbered 615 or 50.8 per 1,000 live births. In previous years, the deaths under 1, which included non-residents, with the exception of 1935, were 49.1 per cent in 1935, 55 in 1934, 58.9 in 1933 and 59.3 in 1932. In the ten years from 1927 to 1936 there has been a decrease of 1,357 in the number of live births registered. For the remainder of the State, the number of births registered decreased 29.2 per cent during this period. The infant mortality rates for the State, exclusive of Boston, decreased from 91.2 per 1,000 live births in 1920 to 46.6 in 1936, as compared with a decrease in Boston from 100.2 in 1920 to 50.8 in 1936. (See Table 25 on page 163.)

Deaths under one month and also under one year of age in each municipality are shown in Table 21 on page 159 to 161.

The infant mortality rates in municipalities having 15,000 or more inhabitants in 1935 are shown for the years 1929 to 1936 in Table 23 on page 162.

The highest proportion of deaths occurs in the early period of infancy and especially is this true of the first few days. In 1936, 1,513 deaths occurred in the first week, constituting 53 per cent of all deaths under 1 year of age. On the first day the percentage of deaths (33.6) was higher than on any other day. In the first month of life there were 1,810 deaths, or 63.4 per cent of all infant deaths.

In the first three months there were 2,143 deaths, or 75.1 per cent of all infant deaths. Over three-fourths, 85.9 per cent, of the infant deaths occurred in the first half of the year.

Over three-fourths, 85 per cent, of the 1,513 babies who died less than one week after birth, died of prematurity, congenital debility, malformations, or in-

juries received at birth. Of the 1,674 babies who died from these causes before reaching the age of 1 year 50.4 per cent died in less than one day, 76.8 per cent died in less than one week, and 88 per cent died in less than one month. Gastric and intestinal diseases which were formerly important factors in causing infant deaths have greatly decreased due to the improvement of hygiene and popular education. These causes claimed 154, or 5.4 per cent of the babies who died before reaching 1 year of age, as compared with 7.1 per cent in 1935. Fourteen and nine-tenths per cent of the babies who died from this cause died in less than one month after birth, 11.7 per cent within one but less than two months after birth, and 14.3 per cent within two but less than three months after birth.

The largest number of deaths of infants is due to developmental and wasting diseases*, and the figures indicate a reduction in infant mortality due to these causes,— from 26.9 deaths per 1,000 live births in 1929 to 23.7 in 1936. Respiratory diseases also caused a considerable number of deaths. The number of infant deaths from bronchopneumonia has decreased somewhat since 1932 when there were 536 infant deaths from this cause, 477 in 1933, 447 in 1934, 455 in 1935, and 374 in 1936. The principal causes of infant deaths for the years 1929 to 1936 are shown in Table 27, page 164.

Causes of Death.[1]

Sources of Error in Mortality Statistics. — The chief element of error in mortality statistics lies in the inaccuracy of the statement of the cause of death as reported by the attending physician, who may not have been in a position to feel reasonably certain as to the nature of the terminal illness. Statements of cause of death are often incomplete as a result of the unintentional failure of the physician to state all the morbid conditions known to him which resulted in the death. Again, the physician sometimes fails to enter on the death certificate a qualifying term, which if given would modify the classification of the cause of death.

It should also be borne in mind that the process of classifying the thousands of different terms — some of them of a very indefinite or unsatisfactory character — under the 214 titles of the International List of Causes of Death presents many difficulties which are seldom fully appreciated by those who have not engaged in the work of classification. Even if each certificate of death out of the 52,054 received during 1936 bore only a single cause, the process would present many difficulties. Many certificates, however, bear statement of two or more causes instead of one and a system of selection, according to the precedents and rules of the International Committee, has been adopted by the United States Bureau of the Census, and is used in the Division of Vital Statistics. Because of the complications attendant upon any attempt to show all primary and secondary terms in relation, it becomes necessary to base all statistical compilations of causes of death on the selection of a preferred term. This means that when two or more morbid conditions are given on a certificate one of them must be selected as the cause under which the death must be classified. Special weight has usually been given to communicable diseases when combined with other causes, and assignments are made to external causes when serious enough to be a factor in the cause of death.

Principal Causes. — More than one-half of the 52,054 deaths reported in 1936 were caused by diseases of the heart, cancer, cerebral hemorrhage (including embolism and thrombosis) pneumonia and nephritis. These diseases, together with tuberculosis in all forms, external causes, malformations and the diseases of early infancy caused 81.1 per cent of the deaths for the year. There were 51,435 deaths of Massachusetts residents in 1936, the allocated rate being 11.7 and the registered rate, 11.9. Table 16 on page 149 shows the number of residents of the state who died from these causes.

Heart Disease,* as usual, was the leading cause of death in 1936, the total number being 16,197 corresponding to a rate of 369.6 per 100,000 population as compared with 14,980 deaths or 344.3 per 100,000 in 1935. Massachusetts residents who died from heart disease numbered 16,087 or 367.1 per 100,000 population. The great

[1] In this report an asterisk (*) has been used in the text to denote those certified causes of death which the committee, after careful consideration, reported were acceptable statements of causes of death without autopsy.

increase in the last few years was partly due to the fact that under the revised classification of causes of death diseases of the coronary artery, which were formerly classified as arterial diseases, are now classified under diseases of the heart.

Cancer and other Malignant Tumors showed an increase of 294 and were the cause of 6,777 deaths in 1936, corresponding to a death rate of 154.6 as compared with 149.0 in 1935. Of the deaths from cancer 49 per cent resulted from cancers of the digestive tract and peritoneum. Resident deaths from cancer were 6,599, the rate being 150.6 with cancers of the digestive tract and peritoneum claiming 48.9 per cent of these deaths. The death rate from cancer has steadily risen from 89.9 in 1910, to 149.0 in 1935 and 154.6 in 1936. It is possible that at least a part of this increase is due to more correct diagnosis and greater care on the part of the physicians in making reports, but a part at least is due to the lengthened span of life, resulting in a larger number of people reaching the older age groups.

Cerebral Hemorrhage, Cerebral Embolism and Thrombosis* were the causes of 4,191 deaths, or 95.6 per 100,000 population. The death rate from these diseases has fluctuated somewhat, being 97 in 1932, 100.9 in 1933, 98.4 in 1934 and 96.4 in 1935. These diseases caused 4,273 deaths of residents, corresponding to a rate of 97.5 per 100,000 population.

Pneumonia (including bronchopneumonia) caused 4,240 deaths in 1936, or 96.7 per 100,000 population. It was responsible for 4,020 deaths, or 92.4 per 100,000 population in 1935. It also was responsible for 4,220 deaths of residents with a rate of 96.2 per 100,000 population in 1936.

Nephritis*, both chronic and acute forms, was the cause of 3,149 deaths in 1936, corresponding to a rate of 71.8 per 100,000 population, as compared with 74.7 in 1935, 74.8 in 1934, 78.6 in 1933, 83.2 in 1932, and an average rate of 82.6 for the five years from 1927 to 1931. There were 3,087 deaths caused by chronic nephritis, and 62 by acute nephritis. Of the resident deaths 3,058 were from chronic nephritis* and 61 from acute nephritis resulting in a total of 3,119 and a death rate of 71.2 per 100,000 population.

Tuberculosis in its various forms claimed 1,941 victims in 1936, of whom 1,772 died from tuberculosis of the respiratory system.* Deaths due to the latter cause constituted 3.4 per cent of all deaths during the year, the rate being 40.4 per 100,000 population. In 1910 the death rate from tuberculosis of the respiratory system was 133.2. Since then the decline has been continuous from year to year with the exception of 1918 when the rate was 130. However, an increase of .2 per cent per 100,000 population has been noted in 1933. Tuberculosis (all forms) was responsible for 1,898 deaths of residents including 1,733 deaths from tuberculosis of the respiratory system.* The rates for the latter disease were 3.4 per cent of all deaths during the year and 39.5 per 100,000 population.

Diabetes* was the cause of 1,399 deaths in 1936, an increase of 85 over those reported in 1935 and was responsible for a rate of 31.9 per 100,000 population. The rate from this disease has shown a steady increase for the past five years with the exception of 1935 when the rate was 30.2 per 100,000 population, because of a decrease of 13 from the previous year. In 1934, the rate was 30.6, 28.6 in 1933 and 27.8 in 1932. Residents of the State who died from diabetes numbered 1,388, or 31.7 per 100,000 population.

Congenital Debility* and Malformations* caused 1,505 deaths in 1936, corresponding to a rate of 34.3 per 100,000 population. The death rates from these causes have shown a steady decline from 109.2 in 1910 (with the exception of 1912, 114.2). There were 1,490 deaths of residents from these diseases, resulting in a rate of 34.0 per 100,000 population.

Alcoholism and Cirrhosis of the Liver* (specified as alcoholic, etc.) were responsible for 603 deaths in 1936, corresponding to a rate of 13.8 per 100,000 population. Of these 208 were due to alcoholism which is a decrease of 2 from those reported in 1935, corresponding to a rate of 4.7 per 100,000 population. These diseases caused 599 deaths of residents with a rate of 13.6 per 100,000 population. Alcoholism claimed 207 of these, or 4.7 per 100,000 population.

Maternal Mortality.* Deaths from puerperal causes of residents of the state in 1936 totalled 270, corresponding to a rate of 44.6 per 10,000 confinements. This rate was a decrease from 1935, the rate being 51.2 and 48.7 for 1934.

Puerperal septicemia* was responsible for 80 resident deaths including 21 due to abortion with septic conditions, the rates for this cause in 1936 being 13.2 per 10,000 confinements. In 1935 the rate was 16.3 and in 1934, 14.3, non-residents being included in the number of deaths from these causes for 1934.

Diarrhea and Enteritis* caused 262 deaths in 1936, or 6.0 per 100,000 population. Fifty-eight and four-tenths per cent of the total number of deaths charged to these causes in 1936 were of infants under 2 years of age. The rates from this cause for all ages were 7.7 in 1932, 6.8 in 1933 and 1934, and 7.6 in 1935. During 1936 deaths of residents totalled 257, from these causes, or 5.9 per 100,000 population. The number of infants under 2 years of age was 153, or 59.5 per cent of the total number claimed by these diseases.

Principal Communicable Causes. (See Table 16a.) The deaths from epidemic and infectious diseases have shown a great decline in the last 25 years. While certain of these diseases have fluctuated considerably during this period they have, on the whole, shown a steady decrease.

Influenza was responsible for 286 deaths, or 6.5 per 100,000 inhabitants, as compared with 8.4 in 1932, 13.6 in 1933, 6.2 in 1934, and 7.4 in 1935. The number of Massachusetts residents was 280, or 6.4 per 100,000 population. In 1918 there were 13,783 deaths from this cause, corresponding to a rate of 352.7 per 100,000 population. Since 1921 this rate has fluctuated from 3.9 to 27.9 in 1929.

Whooping Cough,* one of the principal epidemic maladies of childhood, was responsible for 52 deaths of both adults and children, the number of resident deaths being the same, or 1.2 per 100,000 population. This is a decrease from 1935 of .3 per cent.

Measles,* another childhood disease, caused 35 deaths in 1936, or .8 per 100,000 population. This rate was .9 in 1935, 2.1 in 1934, .6 in 1933 and 1.5 in 1932. The total number and death rate for deaths of residents were the same in 1936.

Scarlet Fever,* another epidemic disease of childhood, was the cause of 45 deaths in 1936, corresponding to a rate of 1.0 per 100,000 population. These rates have changed from year to year during the period 1912 to 1936, the highest being 8.2 in 1913 and the lowest, 1.0 in 1936. There were 44 deaths of residents from scarlet fever, or 1.0 per 100,000 population.

Diphtheria and Croup* — which are classed together in the statistics, but practically all of which are of diphtheria — number 27, or .6 per 100,000 population. There has been a decided decrease in this disease since 1900 when the number of deaths was 1,475, with a corresponding rate of 52.6 per 100,000 inhabitants. This rate was .6 in 1935, 1.2 in 1934, 2.0 in 1933 and 2.5 in 1932. The total and death rate for deaths of residents were the same in 1936.

Epidemic Cerebrospinal Meningitis claimed 100 victims in 1936, as compared with 54 in 1935, 28 in 1934, 25 in 1933 and 34 in 1932. The rate for this cause was 2.3 per 100,000 population. This disease was responsible for the same number of deaths of residents.

Encephalitis Lethargica, commonly known as sleeping sickness, is a comparatively new disease and has varied little in the last five years, the number of deaths in 1936 being 14, 16 in 1935, 25 in 1934, 16 in 1933 and 19 in 1932. The resident deaths had the same total in 1936.

Dysentery shows an increase over 1935, the number of deaths in 1936 being 10. There were 8 in 1935, 24 in 1934, 9 in 1933 and 11 in 1932. This cause was also responsible for 10 deaths of residents.

Typhoid Fever* has shown a steady decline since 1910, having dropped from 12.2 in that year to .3 in 1936. This decline is greater, relatively, than that shown for any other important cause of death. The total number of deaths due to typhoid

fever in 1936 was 10, as compared with 10 in 1935, 14 in 1934, 24 in 1933 and 25 in 1932. The number and death rate for resident deaths were the same during 1936.

Acute Poliomyelitis* has shown a noticeable decrease for 1936, the number of deaths being 11, or .2 per 100,000 population, as compared with 1.4 in 1935, .2 in 1934, .7 in 1933, and .3 in 1932. Deaths of residents totalled 8, or .2 per 100,000 population.

There were no deaths from Smallpox in 1936.

Violent Deaths. Death rates from violence during the past five years per 100,000 population were 81.1 in 1932, 81.2 in 1933, 88.4 in 1934, 85.1 in 1935 and 85.0 in 1936. The death rate from violence was 83.6 per 100,000 population for resident deaths in 1936.

Deaths due to Railroad Accidents and Injuries* totalled 75 in 1936, and corresponded to a rate of 1.7 per 100,000 population. The rates for the previous years were 1.7 in 1935, 1.7 in 1934 and 1.6 in 1933. Resident deaths numbered 76 in 1936 with a rate of 1.7 per 100,000 population.

Deaths resulting from street-car accidents and injuries* numbered 20 or .5 per 100,000 population. The resident deaths had a total of 19, or .4 per 100,000 population.

Automobile Accidents and Injuries* caused 888 deaths in 1936, including 12 deaths from automobile and railroad collisions, and 6 deaths from automobile and street-car collisions. The rate was 20.3 per 100,000 population, as compared with 19.5 in 1935, 23.4 in 1934 and 18.9 in 1933. These accidents caused 866 deaths of residents in 1936, or 19.8 per 100,000 population. Of these, 13 deaths were from automobile and railroad collisions, and 6 deaths from automobile and street-car collisions. No accurate data are available for measuring the death rate per number of automobiles in use, as the statistics compiled by the Department of Public Works show the number of machines registered, and thus contain duplications, since one machine may be registered more than once in a calendar year. It is probable, however, that the increase has not been so rapid as that of the number of machines in use.

Effects of Heat. — In 1936 the deaths from this cause numbered 14. In 1935 there were 20 deaths; in 1934, 24; in 1933, 23; and in 1932, 12. The total deaths of residents from this cause were 13 in 1936. The highest temperature recorded in 1936 was 98 degrees on July 8. The highest temperature recorded at the Weather Bureau of the United States Department of Agriculture since 1900 was 104 degrees on July 4, 1911. The highest temperature recorded in 1925 was 100 degrees on July 6.

The maximum mean temperature for the months of June, July and August was as follows:

	June.	July.	August.
1936	74.1	80.0	78.0
1935	73.3	79.8	78.7
1934	75.7	81.6	75.1
1933	79.5	79.1	79.5
1932	79.7	82.1	82.5
1925	80.7	80.5	80.0
1911	73.2	86.0	76.3

The average monthly humidity was as follows:

	June.	July.	August.
1936	68	66	71
1935	70	70	64
1934	68	64	65
1933	61	67	70
1932	63	59	62
1925	69	68	67
1911	75	65	78

Deaths caused by machinery accidents* in 1936 numbered 38, or .9 per 100,000 population. The corresponding figures for previous years were .6 in 1932, .8 in both 1933 and 1934 and .9 in 1935. Deaths of residents totalled 37 in 1936, corresponding to a rate of .8 per 100,000 population.

The number of suicides* reported in 1936 was 568, or 13.0 per 100,000 population. The rates since 1931 have been: 1932, 14.9; 1933 and 1934, 13.8; and 1935, 13.2. Resident deaths from suicide in 1936 numbered 555 or 12.7 per 100,000 population.

Deaths caused by firearms numbered 145 in 1936, corresponding to a rate of 3.3 per 100,000 population. Of these deaths 107 were suicides, 16 were homicides, and 22 were accidental (including those concerning which the status as to suicide, homicide, or accident was in doubt). The total resident deaths caused by firearms in 1936 were 139, or 3.2 per 100,000 population. These deaths included 103 suicides, 15 homicides, and 21 accidents.

Deaths from homicide* numbered 72 in 1936, or 1.7 per 100,000 population. The rates for homicide in recent years are 2.1 in 1932, 2.6 in 1933, 2.1 in 1934 and 1.7 in 1935. There were 72 resident deaths from homicide in 1936, or 1.7 per 100,000 population.

The causes of deaths of males and females for each month for the Commonwealth for the complete International List of Causes of Death with certain subdivisions are shown in Table 14, on page 36 to 54. The causes denoted by letters, shown separately in indented type, Table 14, are a part of the total cause shown in the International List. Ages, grouped in five year periods, are shown in Table 14a, on pages 56 to 93. For comparative purposes those residents of other states dying in Massachusetts are shown in Table 14b by months and age periods according to the International List while those of residents of Massachusetts dying out of the State are shown in Table 14c. In Table 15, on pages 124 to 148, the deaths are shown for 50 causes and groups of causes for each municipality.

For the Commonwealth as a whole the deaths and death rates for the seven years 1930 to 1936 are shown for the 38 causes and groups of causes in the Abridged International List in Table 17, on pages 150 and 151. The relation of this list to the Detailed International List is shown in the Appendix. In addition to the above presentations, certain other tables showing the causes of deaths are presented on pages 152 to 186.

Deaths Investigated by Medical Examiners.

Source of Data. — The statistics of deaths investigated by medical examiners published in this report are based upon annual returns made by medical examiners and associate medical examiners to the Secretary of the Commonwealth of abstracts of the records of deaths supposably due to violence, the cause and manner of which have been investigated during the year. Deaths supposably due to violence include not only deaths caused directly or indirectly by traumatism (including resulting septicemia), and by the action of chemical (drugs and poisons), thermal, or electrical agents, and deaths following abortion, but also deaths from disease resulting from injury or infection related to occupation, the sudden deaths of persons not disabled by recognized disease, and those of persons found dead.

Medical examiners are often called upon to view cases in which the death was not due to violence (heart disease, apoplexy, etc.), but where the death was simply sudden or where no physician had been in recent attendance. Medical examiners are also required to certify that they have viewed bodies to be cremated, and to make personal inquiry into the cause and manner of death.

Discrepancies will be found in comparing deaths based upon certificates returned to the city and town clerks and those contained in the reports of medical examiners. The former are of residents of the State only while many of the views made by the medical examiners are of persons who reside elsewhere and die suddenly or as a result of accidents while in Massachusetts.

Number of Deaths Investigated. — The number of deaths investigated by the medical examiners in 1936 was 9,788, or 18.8 per cent of the total number of deaths which occurred during the year, as compared with 9,089 deaths in 1935, or 18.1 per cent of the total number of deaths. About two-thirds (65.8 per cent) of these deaths were of males. Of the deaths investigated by medical examiners, 3,428 or 35 per cent, were reported as due to violence, while among the deaths returned to the registrars, 3,662 were reported as due to violence.

The largest number of cases investigated by medical examiners in 1936 was in Suffolk County, 2,434 as compared with 2,103 in 1935. Of the deaths investigated in Suffolk County, 870, or 35.7 per cent, were reported as due to violence (see Table 35, page 187).

Autopsies. — Autopsies were made in 907, or 9.3 per cent, of the cases investigated by the medical examiners in 1936, as compared with 8.8 per cent in 1935, 8.6 per cent in 1934, 8 per cent in 1933 and 7.2 per cent in 1932.

The highest proportion of autopsies was in Suffolk County where 21.8 per cent of the views were autopsied, there being 21 per cent in 1935. Table 37, on pages 194 and 195, shows the number of views and the number of autopsies in each county in each year from 1927 to 1936, and the number and per cent of views autopsied for the ten-year period, 1927 to 1936.

Cause of Death. — Over one-half (54 per cent) of the deaths viewed by medical examiners in 1936 were from causes not due to violence, 35 per cent were due to violence, and .5 per cent were stillbirths. One thousand and twenty-six, or 10.5 per cent of the views were for cremations.

Deaths from causes not due to violence numbered 5,282, of which 5,041 were from natural causes and 211 were due to alcoholism.

Deaths due to violence numbered 3,428 of which 2,784 were due to accident or negligence, 571 were suicides, and 73 were homicides.

Of the 2,784 deaths due to accident or negligence, 1,072 were due to falls, blows, and falling bodies, 879 were due to automobile accidents, 11 of which were railroad and automobile accidents, and 6 were street car and automobile collisions, 167 resulted from drowning, 73 were due to railroad accidents, and 593 to other causes.

Suicides numbered 571, or 16.7 per cent of the deaths due to violence. Suicides committed by the use of illuminating and other gases, 159, and by hanging or strangulation, 132, constituted over one-half (51 per cent) of the total number. The number of suicides by firearms was 109, by poisons, 59, by drowning, 53, and other methods, 59. About three-fourths (73.7 per cent) of the suicides were males.

Of the 571 persons committing suicide, 129 were 50 to 59 years of age, 139 were 40 to 49 years of age, 79 were 30 to 39 years of age, 74 were 20 to 29 years of age, 137 were over 60 years of age, and 13 were under 20 years of age. Among the male suicides the largest numbers were from 50 to 59 years of age, 103, and from 40 to 49 years, 102, while among the female suicides the largest numbers were from 40 to 49 years of age, 37, and 50 to 59 years of age and 60 to 69 years of age, 26 in each group. The most common method of committing suicide was by the use of poisonous gas, chiefly carbon monoxide.

Homicide numbered 73, of which 17 were by firearms, 7 were by cutting or piercing instruments, 44 by other means, and 5 were cases of infanticide. Of the 73 homicides, 49, or 67.1 per cent, were males.

STATISTICAL TABLES

General Mortality

Table 1

Deaths[2] Occurring in Cities and Towns by Sex and Nativity, and Death Rates in Each County, City and Town Having Over 10,000 Inhabitants: 1936.

Counties and Municipalities.[1]	Total number.	Sex. Male.	Sex. Female.	Nativity. Native.	Nativity. Foreign born.	Nativity. Unknown.	Death rate per 1,000 population. Estimated June 30, 1936.	Death rate per 1,000 population. Including non-residents.	Death rate per 1,000 population. Excluding non-residents.
The State.	**52,054**	**27,104**	**24,950**	**32,112**	**19,755**	**187**	**4,382,896**	**11.9**	–
Counties.									
Barnstable	538	263	275	441	97	–	38,015	14.2	–
Berkshire	1,517	790	727	1,103	407	7	121,225	12.5	–
Bristol	4,548	2,365	2,183	2,439	2,102	7	367,059	12.4	–
Dukes	92	43	49	73	19	–	5,934	15.5	–
Essex	5,878	2,985	2,893	3,721	2,142	15	506,517	11.6	–
Franklin	605	305	300	470	133	2	51,493	11.7	–
Hampden	3,645	1,859	1,786	2,323	1,299	23	333,495	10.9	–
Hampshire	951	491	460	675	274	2	74,655	12.7	–
Middlesex	10,142	5,110	5,032	6,201	3,921	20	966,415	10.5	–
Nantucket	63	38	25	55	8	–	3,495	18.0	–
Norfolk	3,444	1,689	1,755	2,267	1,171	6	327,576	10.5	–
Plymouth	2,124	1,131	993	1,480	643	1	167,589	12.7	–
Suffolk	12,434	6,816	5,618	7,050	5,291	93	923,182	13.5	–
Worcester	6,073	3,219	2,854	3,814	2,248	11	496,930	12.2	–
Municipalities.									
Abington	51	28	23	41	10	–	–	–	–
Acton	24	16	8	16	8	–	–	–	–
Acushnet	57	31	26	33	24	–	–	–	–
Adams	143	71	72	77	66	–	12,912	11.1	–
Agawam	40	27	13	24	15	1	–	–	–
Alford	3	2	1	3	–	–	–	–	–
Amesbury	119	59	60	85	34	–	10,514	11.3	–
Amherst	57	33	24	52	5	–	–	–	–
Andover	109	55	54	74	35	–	10,722	10.2	–
Arlington	356	173	183	213	142	1	39,313	9.1	–
Ashburnham	17	10	7	10	7	–	–	–	–
Ashby	9	4	5	8	1	–	–	–	–
Ashfield	14	10	4	13	1	–	–	–	–
Ashland	12	5	7	9	3	–	–	–	–
Athol	108	63	45	86	22	–	10,769	10.0	–
Attleboro	274	132	142	179	95	–	21,853	12.5	–
Auburn	35	13	22	24	11	–	–	–	–
Avon	20	10	10	17	3	–	–	–	–
Ayer	53	25	28	45	7	1	–	–	–
Barnstable	175	89	86	148	27	–	–	–	–
Barre	34	23	11	19	15	–	–	–	–
Becket	10	8	2	8	1	1	–	–	–
Bedford	28	23	5	18	10	–	–	–	–
Belchertown	28	16	12	25	3	–	–	–	–
Bellingham	25	15	10	15	10	–	–	–	–
Belmont	135	63	72	78	56	1	25,803	5.2	–
Berkley	7	5	2	4	3	–	–	–	–
Berlin	8	2	6	6	2	–	–	–	–
Bernardston	7	4	3	6	1	–	–	–	–
Beverly	294	155	139	209	85	–	26,123	11.3	–
Billerica	56	25	31	43	13	–	–	–	–
Blackstone	39	16	23	25	14	–	–	–	–
Blandford	5	2	3	3	2	–	–	–	–
Bolton	6	3	3	6	–	–	–	–	–
Boston	11,504	6,222	5,282	6,565	4,849	90	829,251	13.9	–
Bourne	50	25	25	36	14	–	–	–	–
Boxborough	2	1	1	2	–	–	–	–	–
Boxford	11	4	7	8	3	–	–	–	–
Boylston	30	16	14	16	14	–	–	–	–
Braintree	152	89	63	101	51	–	17,572	8.7	–
Brewster	11	4	7	10	1	–	–	–	–
Bridgewater	133	96	37	76	57	–	–	–	–
Brimfield	9	2	7	8	1	–	–	–	–
Brockton	843	420	423	543	299	1	62,407	13.5	–
Brookfield	13	7	6	12	1	–	–	–	–
Brookline	528	196	332	334	192	2	51,219	10.3	–
Buckland	19	11	8	12	7	–	–	–	–
Burlington	13	7	6	7	6	–	–	–	–
Cambridge	1,435	722	713	824	609	2	119,479	12.0	–

[1] Cities are printed in small capitals.
[2] Exclusive of stillbirths.

Table 1

DEATHS[2] OCCURRING IN CITIES AND TOWNS BY SEX AND NATIVITY, AND DEATH RATES IN EACH COUNTY, CITY AND TOWN HAVING OVER 10,000 INHABITANTS: 1936.

MUNICIPALITIES.[1]	Total number.	SEX. Male.	SEX. Female.	NATIVITY. Native.	NATIVITY. Foreign born.	NATIVITY. Unknown.	DEATH RATE PER 1,000 POPULATION. Estimated June 30, 1936.	DEATH RATE PER 1,000 POPULATION. Including non-residents.	DEATH RATE PER 1,000 POPULATION. Excluding non-residents.
Canton	63	33	30	37	25	1	–	–	–
Carlisle	6	1	5	2	4	–	–	–	–
Carver	17	11	6	15	2	–	–	–	–
Charlemont	5	4	1	5	–	–	–	–	–
Charlton	30	17	13	20	10	–	–	–	–
Chatham	34	13	21	32	2	–	–	–	–
Chelmsford	61	32	29	45	16	–	–	–	–
CHELSEA	528	380	148	260	267	1	42,673	12.4	–
Cheshire	17	8	9	16	–	1	–	–	–
Chester	9	3	6	6	3	–	–	–	–
Chesterfield	4	2	2	4	–	–	–	–	–
CHICOPEE	245	123	122	114	131	–	41,952	5.8	–
Chilmark	3	2	1	3	–	–	–	–	–
Clarksburg	9	6	3	6	3	–	–	–	–
Clinton	165	84	81	92	73	–	12,373	13.3	–
Cohasset	57	35	22	49	8	–	–	–	–
Colrain	15	7	8	14	1	–	–	–	–
Concord	82	40	42	56	26	–	–	–	–
Conway	9	2	7	9	–	–	–	–	–
Cummington	10	4	6	10	–	–	–	–	–
Dalton	40	19	21	36	4	–	–	–	–
Dana	4	2	2	3	1	–	–	–	–
Danvers	404	212	192	260	144	–	14,172	28.5	–
Dartmouth	69	36	33	41	28	–	–	–	–
Dedham	99	46	53	60	39	–	15,443	6.4	–
Deerfield	22	10	12	13	9	–	–	–	–
Dennis	31	15	16	31	–	–	–	–	–
Dighton	34	14	20	21	13	–	–	–	–
Douglas	14	5	9	6	8	–	–	–	–
Dover	9	3	6	6	3	–	–	–	–
Dracut	45	22	23	26	19	–	–	–	–
Dudley	24	18	6	8	16	–	–	–	–
Dunstable	3	2	1	2	1	–	–	–	–
Duxbury	38	24	14	33	5	–	–	–	–
East Bridgewater	29	12	17	23	6	–	–	–	–
East Brookfield	7	5	2	4	3	–	–	–	–
East Longmeadow	30	15	15	21	9	–	–	–	–
Eastham	6	1	5	6	–	–	–	–	–
Easthampton	79	40	39	44	34	1	10,486	7.5	–
Easton	60	28	32	35	25	–	–	–	–
Edgartown	10	3	7	10	–	–	–	–	–
Egremont	6	4	2	6	–	–	–	–	–
Enfield	5	3	2	3	2	–	–	–	–
Erving	10	6	4	9	1	–	–	–	–
Essex	15	9	6	12	3	–	–	–	–
EVERETT	377	193	184	189	188	–	47,228	8.0	–
Fairhaven	94	43	51	58	36	–	11,022	8.5	–
FALL RIVER	1,614	901	713	791	822	1	118,098	13.6	–
Falmouth	38	23	15	25	13	–	–	–	–
FITCHBURG	444	237	207	250	194	–	42,024	10.6	–
Florida	3	2	1	3	–	–	–	–	–
Foxborough	130	56	74	83	47	–	–	–	–
Framingham	289	153	136	204	83	2	22,795	12.7	–
Franklin	62	28	34	45	17	–	–	–	–
Freetown	15	6	9	11	4	–	–	–	–
GARDNER	326	170	156	212	114	–	20,721	15.7	–
Gay Head	3	–	3	3	–	–	–	–	–
Georgetown	24	13	11	22	2	–	–	–	–
Gill	6	3	3	5	1	–	–	–	–
GLOUCESTER	291	136	155	194	97	–	24,164	12.0	–
Goshen	2	1	1	–	2	–	–	–	–
Gosnold	–	–	–	–	–	–	–	–	–
Grafton	110	61	49	68	41	1	–	–	–
Granby	9	8	1	4	5	–	–	–	–
Granville	11	7	4	8	3	–	–	–	–
Great Barrington	94	47	47	78	15	1	–	–	–
Greenfield	232	116	116	188	42	2	16,029	14.5	–
Greenwich	2	1	1	1	1	–	–	–	–
Groton	42	24	18	33	9	–	–	–	–
Groveland	29	10	19	23	5	1	–	–	–
Hadley	17	10	7	14	3	–	–	–	–
Halifax	6	3	3	5	1	–	–	–	–

[1] Cities are printed in small capitals.
[2] Exclusive of stillbirths.

Table 1

DEATHS[2] OCCURRING IN CITIES AND TOWNS BY SEX AND NATIVITY, AND DEATH RATES IN EACH COUNTY, CITY AND TOWN HAVING OVER 10,000 INHABITANTS: 1936.

MUNICIPALITIES.[1]	Total number.	SEX. Male.	SEX. Female.	NATIVITY. Native.	NATIVITY. Foreign born.	NATIVITY. Unknown.	DEATH RATE PER 1,000 POPULATION. Estimated June 30, 1936.	DEATH RATE PER 1,000 POPULATION. Including non-residents.	DEATH RATE PER 1,000 POPULATION. Excluding non-residents.
Hamilton	13	5	8	10	3	–	–	–	–
Hampden	7	2	5	7	–	–	–	–	–
Hancock	5	3	2	4	1	–	–	–	–
Hanover	27	15	12	24	3	–	–	–	–
Hanson	63	31	32	46	17	–	–	–	–
Hardwick	17	9	8	11	6	–	–	–	–
Harvard	6	3	3	6	–	–	–	–	–
Harwich	39	19	20	33	6	–	–	–	–
Hatfield	15	10	5	7	8	–	–	–	–
HAVERHILL	577	291	286	379	196	2	49,768	11.6	–
Hawley	5	3	2	5	–	–	–	–	–
Heath	6	5	1	6	–	–	–	–	–
Hingham	72	31	41	54	18	–	–	–	–
Hinsdale	9	5	4	6	3	–	–	–	–
Holbrook	55	24	31	39	16	–	–	–	–
Holden	63	46	17	46	16	1	–	–	–
Holland	1	–	1	1	–	–	–	–	–
Holliston	36	16	20	27	9	–	–	–	–
HOLYOKE	743	356	387	386	352	5	56,139	13.2	–
Hopedale	26	13	13	20	6	–	–	–	–
Hopkinton	31	13	18	26	5	–	–	–	–
Hubbardston	2	2	–	2	–	–	–	–	–
Hudson	62	30	32	39	22	1	–	–	–
Hull	21	10	11	14	7	–	–	–	–
Huntington	11	2	9	9	2	–	–	–	–
Ipswich	85	44	41	65	20	–	–	–	–
Kingston	33	19	14	24	9	–	–	–	–
Lakeville	35	17	18	27	8	–	–	–	–
Lancaster	23	12	11	16	7	–	–	–	–
Lanesborough	10	5	5	8	2	–	–	–	–
LAWRENCE	960	466	494	441	514	5	87,325	11.0	–
Lee	45	23	22	36	8	1	–	–	–
Leicester	49	24	25	30	19	–	–	–	–
Lenox	25	13	12	15	10	–	–	–	–
LEOMINSTER	238	125	113	166	72	–	21,912	10.9	–
Leverett	13	10	3	9	4	–	–	–	–
Lexington	101	48	53	71	30	–	11,245	9.0	–
Leyden	–	–	–	–	–	–	–	–	–
Lincoln	15	7	8	10	5	–	–	–	–
Littleton	11	3	8	9	2	–	–	–	–
Longmeadow	30	15	15	25	5	–	–	–	–
LOWELL	1,393	693	700	764	625	4	100,114	13.9	–
Ludlow	68	36	32	42	26	–	–	–	–
Lunenburg	13	4	9	9	4	–	–	–	–
LYNN	1,063	547	516	655	404	4	100,909	10.5	–
Lynnfield	17	5	12	12	5	–	–	–	–
MALDEN	557	281	276	336	220	1	57,277	9.7	–
Manchester	22	12	10	18	4	–	–	–	–
Mansfield	44	26	18	35	9	–	–	–	–
Marblehead	146	66	80	124	22	–	10,641	13.7	–
Marion	13	7	6	10	3	–	–	–	–
MARLBOROUGH	163	79	84	112	50	1	15,835	10.3	–
Marshfield	33	18	15	23	10	–	–	–	–
Mashpee	7	3	4	6	1	–	–	–	–
Mattapoisett	21	11	10	19	2	–	–	–	–
Maynard	49	20	29	17	32	–	–	–	–
Medfield	135	69	66	77	58	–	–	–	–
MEDFORD	473	239	234	286	186	1	61,984	7.6	–
Medway	26	13	13	18	8	–	–	–	–
MELROSE	277	130	147	195	82	–	24,598	11.3	–
Mendon	10	5	5	8	2	–	–	–	–
Merrimac	21	9	12	19	2	–	–	–	–
Methuen	194	90	104	86	108	–	21,074	9.2	–
Middleborough	133	64	69	103	30	–	–	–	–
Middlefield	–	–	–	–	–	–	–	–	–
Middleton	72	42	30	45	27	–	–	–	–
Milford	166	94	72	104	61	1	15,098	11.0	–
Millbury	48	25	23	33	15	–	–	–	–
Millis	12	5	7	9	3	–	–	–	–
Millville	17	10	7	11	6	–	–	–	–
Milton	166	80	86	109	57	–	18,687	8.9	–
Monroe	1	–	1	1	–	–	–	–	–
Monson	134	78	56	109	24	1	–	–	–

[1] Cities are printed in small capitals.
[2] Exclusive of stillbirths.

Table 1

Deaths[2] Occurring in Cities and Towns by Sex and Nativity, and Death Rates in Each County, City and Town Having Over 10,000 Inhabitants: 1936.

Municipalities.[1]	Total number.	Sex. Male.	Sex. Female.	Nativity. Native.	Nativity. Foreign born.	Nativity. Unknown.	Death rate per 1,000 population. Estimated June 30, 1936.	Death rate per 1,000 population. Including non-residents.	Death rate per 1,000 population. Excluding non-residents.
Montague	133	72	61	87	46	–	–	–	–
Monterey	2	–	2	–	2	–	–	–	–
Montgomery	3	2	1	2	1	–	–	–	–
Mount Washington	2	–	2	1	1	–	–	–	–
Nahant	16	8	8	9	6	1	–	–	–
Nantucket	63	38	25	55	8	–	–	–	–
Natick	143	66	77	107	36	–	14,646	9.8	–
Needham	92	40	52	54	37	1	12,134	7.6	–
New Ashford	1	1	–	–	1	–	–	–	–
New Bedford	1,308	638	670	644	661	3	110,022	11.9	–
New Braintree	1	1	–	–	1	–	–	–	–
New Marlborough	9	5	4	9	–	–	–	–	–
New Salem	6	2	4	6	–	–	–	–	–
Newbury	16	9	7	15	1	–	–	–	–
Newburyport	205	109	96	164	41	–	14,815	13.8	–
Newton	595	279	316	423	172	–	66,414	9.0	–
Norfolk	271	164	107	170	101	–	–	–	–
North Adams	321	177	144	212	109	–	22,229	14.4	–
North Andover	56	31	25	30	26	–	–	–	–
North Attleborough	79	31	48	52	27	–	10,204	7.7	–
North Brookfield	31	15	16	23	7	1	–	–	–
North Reading	36	16	20	28	8	–	–	–	–
Northampton	518	263	255	365	153	–	24,579	21.1	–
Northborough	27	8	19	19	8	–	–	–	–
Northbridge	70	38	32	38	32	–	10,847	6.5	–
Northfield	23	7	16	21	2	–	–	–	–
Norton	32	16	16	20	11	1	–	–	–
Norwell	21	13	8	14	7	–	–	–	–
Norwood	162	92	70	91	71	–	15,736	10.3	–
Oak Bluffs	52	24	28	37	15	–	–	–	–
Oakham	9	4	5	6	3	–	–	–	–
Orange	42	15	27	33	9	–	–	–	–
Orleans	17	8	9	15	2	–	–	–	–
Otis	5	1	4	5	–	–	–	–	–
Oxford	34	21	13	24	10	–	–	–	–
Palmer	98	55	43	69	28	1	–	–	–
Paxton	5	3	2	3	2	–	–	–	–
Peabody	229	114	115	134	95	–	22,316	10.3	–
Pelham	7	5	2	7	–	–	–	–	–
Pembroke	18	10	8	13	5	–	–	–	–
Pepperell	52	27	25	42	9	1	–	–	–
Peru	–	–	–	–	–	–	–	–	–
Petersham	6	2	4	6	–	–	–	–	–
Phillipston	4	1	3	4	–	–	–	–	–
Pittsfield	643	335	308	481	160	2	47,516	13.5	–
Plainfield	2	1	1	2	–	–	–	–	–
Plainville	20	8	12	18	2	–	–	–	–
Plymouth	180	105	75	120	60	–	13,219	13.6	–
Plympton	8	5	3	6	2	–	–	–	–
Prescott	–	–	–	–	–	–	–	–	–
Princeton	2	2	–	2	–	–	–	–	–
Provincetown	54	32	22	38	16	–	–	–	–
Quincy	649	336	313	397	251	1	78,457	8.3	–
Randolph	64	31	33	50	14	–	–	–	–
Raynham	12	5	7	10	2	–	–	–	–
Reading	91	45	46	67	24	–	10,991	8.3	–
Rehoboth	20	13	7	16	4	–	–	–	–
Revere	206	110	96	100	104	2	35,319	5.8	–
Richmond	10	3	7	6	4	–	–	–	–
Rochester	13	6	7	11	2	–	–	–	–
Rockland	75	40	35	58	17	–	–	–	–
Rockport	37	23	14	27	10	–	–	–	–
Rowe	3	2	1	3	–	–	–	–	–
Rowley	13	9	4	12	1	–	–	–	–
Royalston	6	2	4	5	1	–	–	–	–
Russell	7	6	1	5	2	–	–	–	–
Rutland	176	133	43	129	47	–	–	–	–
Salem	579	319	260	389	189	1	43,508	13.3	–
Salisbury	24	11	13	23	1	–	–	–	–
Sandisfield	6	4	2	5	1	–	–	–	–
Sandwich	20	6	14	14	6	–	–	–	–
Saugus	122	60	62	82	39	1	15,202	8.0	–
Savoy	2	–	2	2	–	–	–	–	–
Scituate	52	30	22	39	13	–	–	–	–
Seekonk	37	22	15	23	14	–	–	–	–

[1] Cities are printed in small capitals.
[2] Exclusive of stillbirths.

Table 1

DEATHS[2] OCCURRING IN CITIES AND TOWNS BY SEX AND NATIVITY, AND DEATH RATES IN EACH COUNTY, CITY AND TOWN HAVING OVER 10,000 INHABITANTS: 1936.

MUNICIPALITIES.[1]	Total number.	SEX. Male.	SEX. Female.	NATIVITY. Native.	NATIVITY. Foreign born.	NATIVITY. Unknown.	DEATH RATE PER 1,000 POPULATION. Estimated June 30, 1936.	DEATH RATE PER 1,000 POPULATION. Including non-residents	DEATH RATE PER 1,000 POPULATION. Excluding non-residents.
Sharon	54	23	31	36	18	–	–	–	–
Sheffield	19	11	8	15	4	–	–	–	–
Shelburne	13	6	7	10	3	–	–	–	–
Sherborn	8	5	8	8	–	–	–	–	–
Shirley	12	6	6	7	5	–	–	–	–
Shrewsbury	50	29	21	34	16	–	–	–	–
Shutesbury	2	–	2	–	2	–	–	–	–
Somerset	56	27	29	33	23	–	–	–	–
SOMERVILLE	965	463	502	570	393	2	100,773	9.6	–
South Hadley	41	19	22	23	18	–	–	–	–
Southampton	7	4	3	3	4	–	–	–	–
Southborough	11	3	8	4	7	–	–	–	–
Southbridge	150	72	78	94	55	1	16,272	9.2	–
Southwick	10	5	5	8	2	–	–	–	–
Spencer	56	30	26	31	25	–	–	–	–
SPRINGFIELD	1,853	946	907	1,241	600	12	149,642	12.4	–
Sterling	12	6	6	9	3	–	–	–	–
Stockbridge	14	6	8	13	1	–	–	–	–
Stoneham	130	43	87	86	44	–	11,093	11.7	–
Stoughton	89	43	46	70	19	–	–	–	–
Stow	13	5	8	8	5	–	–	–	–
Sturbridge	23	15	8	20	3	–	–	–	–
Sudbury	19	10	9	13	6	–	–	–	–
Sunderland	3	1	2	3	–	–	–	–	–
Sutton	16	10	6	9	7	–	–	–	–
Swampscott	94	49	45	76	18	–	10,516	8.9	–
Swansea	40	22	18	19	21	–	–	–	–
TAUNTON	646	340	306	383	261	2	37,449	17.3	–
Templeton	41	18	23	32	9	–	–	–	–
Tewksbury	26	12	14	12	14	–	–	–	–
State Infirmary	596	451	145	306	290	–	–	–	–
Tisbury	23	13	10	19	4	–	–	–	–
Tolland	1	–	1	1	–	–	–	–	–
Topsfield	6	6	–	6	–	–	–	–	–
Townsend	28	20	8	24	4	–	–	–	–
Truro	8	5	3	6	2	–	–	–	–
Tyngsborough	7	4	3	6	1	–	–	–	–
Tyringham	6	3	3	6	–	–	–	–	–
Upton	33	21	12	27	6	–	–	–	–
Uxbridge	46	21	25	33	13	–	–	–	–
Wakefield	117	55	62	79	38	–	16,548	7.1	–
Wales	4	1	3	3	1	–	–	–	–
Walpole	45	22	23	27	18	–	–	–	–
WALTHAM	453	204	249	292	160	1	40,971	11.1	–
Ware	99	51	48	67	31	1	–	–	–
Wareham	72	40	32	55	17	–	–	–	–
Warren	31	17	14	24	7	–	–	–	–
Warwick	4	4	–	2	2	–	–	–	–
Washington	6	3	3	5	1	–	–	–	–
Watertown	186	88	98	94	92	–	36,115	5.2	–
Wayland	28	11	17	22	6	–	–	–	–
Webster	121	67	54	66	55	–	14,107	8.6	–
Wellesley	90	35	55	66	24	–	13,988	6.4	–
Wellfleet	21	6	15	16	5	–	–	–	–
Wendell	3	2	1	3	–	–	–	–	–
Wenham	3	2	1	2	1	–	–	–	–
West Boylston	21	11	10	13	8	–	–	–	–
West Bridgewater	36	19	17	22	14	–	–	–	–
West Brookfield	24	13	11	19	4	1	–	–	–
West Newbury	12	5	7	11	1	–	–	–	–
West Springfield	88	50	38	62	26	–	17,262	5.1	–
West Stockbridge	14	8	6	12	2	–	–	–	–
West Tisbury	1	1	–	1	–	–	–	–	–
Westborough	214	88	126	140	74	–	–	–	–
WESTFIELD	228	117	111	169	58	1	18,788	12.1	–
Westford	38	23	15	21	16	1	–	–	–
Westhampton	11	6	5	11	–	–	–	–	–
Westminster	22	10	12	14	8	–	–	–	–
Weston	22	10	12	14	8	–	–	–	–
Westport	50	29	21	31	19	–	–	–	–
Westwood	19	10	9	16	3	–	–	–	–
Weymouth	276	134	142	207	68	1	22,018	12.5	–

[1] Cities are printed in small capitals.
[2] Exclusive of stillbirths.

Table 1

DEATHS[2] OCCURRING IN CITIES AND TOWNS BY SEX AND NATIVITY, AND DEATH RATES IN EACH COUNTY, CITY AND TOWN HAVING OVER 10,000 INHABITANTS: 1936.

MUNICIPALITIES.[1]	Total number.	SEX. Male.	SEX. Female.	NATIVITY. Native.	NATIVITY. Foreign born.	NATIVITY. Unknown.	DEATH RATE PER 1,000 POPULATION. Estimated June 30, 1936.	DEATH RATE PER 1,000 POPULATION. Including non-residents.	DEATH RATE PER 1,000 POPULATION. Excluding non-residents
Whately	9	3	6	7	2	–	–	–	–
Whitman	81	46	35	62	19	–	–	–	–
Wilbraham	21	11	10	9	10	2	–	–	–
Williamsburg	19	10	9	16	3	–	–	–	–
Williamstown	37	16	21	28	8	1	–	–	–
Wilmington	33	16	17	25	8	–	–	–	–
Winchendon	85	46	39	65	20	–	–	–	–
Winchester	139	60	79	105	34	–	13,569	10.2	–
Windsor	1	1	–	1	–	–	–	–	–
Winthrop	196	104	92	125	71	–	17,055	11.5	–
WOBURN	209	101	108	130	79	–	19,785	10.6	–
WORCESTER	2,654	1,388	1,266	1,592	1,057	5	190,471	13.9	–
Worthington	8	2	6	8	–	–	–	–	–
Wrentham	74	49	25	66	8	–	–	–	–
Yarmouth	27	14	13	25	2	–	–	–	–

[1] Cities are printed in small capitals.
[2] Exclusive of stillbirths.

Table 2

ALLOCATED DEATHS[2], BY CITIES AND TOWNS, BY SEX AND NATIVITY, AND DEATH RATES IN EACH COUNTY, CITY AND TOWN HAVING OVER 10,000 INHABITANTS: **1936.**

COUNTIES AND MUNICIPALITIES.[1]	Total number.	Sex. Male.	Sex. Female.	Sex. Unknown.	Nativity. Native.	Nativity. Foreign born.	Nativity. Unknown.	Death rate per 1,000 population. Estimated June 30, 1936.	Death rate per 1,000 population. Excluding non-residents.
The State.	**51,435**	**26,773**	**24,662**	–	**31,649**	**19,604**	**186**	**4,382,896**	**11.7**
COUNTIES.									
Barnstable	552	272	280	–	444	107	1	38,015	14.5
Berkshire	1,502	779	723	–	1,091	408	3	121,225	12.4
Bristol	4,439	2,299	2,140	–	2,386	2,048	5	367,059	12.1
Dukes	84	40	44	–	65	19	–	5,934	14.2
Essex	6,031	3,102	2,929	–	3,824	2,192	15	506,517	11.9
Franklin	657	338	319	–	517	138	2	51,493	12.8
Hampden	3,649	1,867	1,782	–	2,307	1,319	23	333,495	10.9
Hampshire	870	436	434	–	607	261	2	74,655	11.7
Middlesex	10,860	5,491	5,369	–	6,748	4,091	21	966,415	11.2
Nantucket	63	38	25	–	53	10	–	3,495	18.0
Norfolk	3,492	1,750	1,742	–	2,332	1,152	8	327,576	10.7
Plymouth	2,275	1,216	1,059	–	1,600	673	2	167,589	13.6
Suffolk	11,151	6,056	5,095	–	6,040	5,021	90	923,182	12.1
Worcester	5,810	3,089	2,721	–	3,635	2,165	10	496,930	11.7
MUNICIPALITIES.									
Abington	81	44	37	–	65	15	1	–	–
Acton	35	19	16	–	24	11	–	–	–
Acushnet	29	14	15	–	15	14	–	–	–
Adams	146	73	73	–	82	64	–	12,912	11.3
Agawam	73	47	26	–	47	25	1	–	–
Alford	3	2	1	–	3	–	–	–	–
Amesbury	120	59	61	–	85	35	–	10,514	11.4
Amherst	72	37	35	–	64	8	–	–	–
Andover	131	66	65	–	87	44	–	10,722	12.2
Arlington	446	229	217	–	265	181	–	39,313	11.3
Ashburnham	24	12	12	–	18	6	–	–	–
Ashby	18	11	7	–	15	3	–	–	–
Ashfield	19	14	5	–	18	1	–	–	–
Ashland	18	9	9	–	13	5	–	–	–
Athol	139	77	62	–	107	32	–	10,769	12.9
ATTLEBORO	227	107	120	–	143	84	–	21,853	10.4
Auburn	51	22	29	–	33	18	–	–	–
Avon	22	10	12	–	19	3	–	–	–
Ayer	59	27	32	–	48	10	1	–	–
Barnstable	114	58	56	–	92	22	–	–	–
Barre	46	33	13	–	28	17	1	–	–
Becket	11	8	3	–	10	1	–	–	–
Bedford	37	26	11	–	24	13	–	–	–
Belchertown	36	19	17	–	30	6	–	–	–
Bellingham	30	16	14	–	20	10	–	–	–
Belmont	227	123	104	–	145	81	1	25,803	8.8
Berkley	13	10	3	–	10	3	–	–	–
Berlin	14	7	7	–	12	2	–	–	–
Bernardston	16	9	7	–	13	3	–	–	–
BEVERLY	291	161	130	–	209	82	–	26,123	11.1
Billerica	87	46	41	–	60	27	–	–	–
Blackstone	48	21	27	–	32	16	–	–	–
Blanford	7	5	2	–	6	1	–	–	–
Bolton	9	4	5	–	9	–	–	–	–
BOSTON	10,172	5,495	4,677	–	5,586	4,500	86	829,251	12.3
Bourne	38	16	22	–	28	10	–	–	–
Boxborough	4	3	1	–	4	–	–	–	–
Boxford	16	8	8	–	12	4	–	–	–
Boylston	12	6	6	–	5	7	–	–	–
Braintree	164	91	73	–	112	52	–	17,572	9.3
Brewster	21	8	13	–	20	1	–	–	–
Bridgewater	123	76	47	–	77	46	–	–	–
Brimfield	15	7	8	–	13	2	–	–	–
BROCKTON	791	401	390	–	493	297	1	62,407	12.7
Brookfield	17	9	8	–	16	1	–	–	–
Brookline	578	245	333	–	377	199	2	51,219	11.3
Buckland	22	14	8	–	15	7	–	–	–
Burlington	25	12	13	–	17	8	–	–	–
CAMBRIDGE	1,354	689	665	–	787	565	2	119,479	11.3
Canton	91	48	43	–	57	34	–	–	–
Carlisle	9	3	6	–	4	5	–	–	–
Carver	20	13	7	–	15	5	–	–	–
Charlemont	7	4	3	–	6	1	–	–	–
Charlton	39	19	20	–	24	14	1	–	–
Chatham	37	16	21	–	33	4	–	–	–
Chelmsford	97	53	44	–	71	26	–	–	–
CHELSEA	441	260	181	–	167	272	2	42,673	10.3
Cheshire	23	11	12	–	21	1	1	–	–
Chester	13	7	6	–	9	4	–	–	–
Chesterfield	8	3	5	–	7	1	–	–	–

[1] Cities are printed in small capitals.
[2] Exclusive of stillbirths.

Table 2

ALLOCATED DEATHS[2], BY CITIES AND TOWNS, BY SEX AND NATIVITY, AND DEATH RATES IN EACH COUNTY, CITY AND TOWN HAVING OVER 10,000 INHABITANTS: **1936**.

MUNICIPALITIES.[1]	Total number.	Sex. Male.	Sex. Female.	Sex. Unknown.	Nativity. Native.	Nativity. Foreign born.	Nativity. Unknown.	Death rate per 1,000 population. Estimated June 30, 1936.	Death rate per 1,000 population. Excluding non-residents.
CHICOPEE	384	193	191	–	200	184	–	41,952	9.2
Chilmark	4	4	–	–	4	–	–	–	–
Clarksburg	14	8	6	–	10	4	–	–	–
Clinton	160	87	73	–	79	81	–	12,373	12.9
Cohasset	56	34	22	–	52	4	–	–	–
Colrain	18	7	11	–	16	2	–	–	–
Concord	72	32	40	–	46	26	–	–	–
Conway	9	4	5	–	9	–	–	–	–
Cummington	9	4	5	–	9	–	–	–	–
Dalton	64	36	28	–	57	7	–	–	–
Dana	8	5	3	–	7	1	–	–	–
Danvers	193	95	98	–	135	58	–	14,172	13.6
Dartmouth	102	54	48	–	64	38	–	–	–
Dedham	161	79	82	–	101	60	–	15,443	10.4
Deerfield	37	20	17	–	23	14	–	–	–
Dennis	39	19	20	–	37	2	–	–	–
Dighton	38	19	19	–	24	14	–	–	–
Douglas	23	12	11	–	10	12	1	–	–
Dover	14	4	10	–	9	5	–	–	–
Dracut	66	35	31	–	37	28	1	–	–
Dudley	37	25	12	–	20	17	–	–	–
Dunstable	8	6	2	–	6	2	–	–	–
Duxbury	48	30	18	–	41	7	–	–	–
East Bridgewater	50	23	27	–	35	15	–	–	–
East Brookfield	7	5	2	–	3	4	–	–	–
East Longmeadow	41	24	17	–	24	17	–	–	–
Eastham	7	3	4	–	7	–	–	–	–
Easthampton	126	67	59	–	74	51	1	10,486	12.0
Easton	85	40	45	–	53	32	–	–	–
Edgartown	20	9	11	–	18	2	–	–	–
Egremont	7	5	2	–	7	–	–	–	–
Enfield	8	6	2	–	5	3	–	–	–
Erving	11	7	4	–	10	1	–	–	–
Essex	23	15	8	–	21	2	–	–	–
EVERETT	477	256	221	–	252	225	–	47,228	10.1
Fairhaven	123	61	62	–	76	47	–	11,022	11.2
FALL RIVER	1,467	807	660	–	712	754	1	118,098	12.4
Falmouth	61	38	23	–	41	20	–	–	–
FITCHBURG	464	255	209	–	257	207	–	42,024	11.0
Florida	7	6	1	–	7	–	–	–	–
Foxborough	79	32	47	–	54	25	–	–	–
Framingham	274	145	129	–	192	79	3	22,795	12.0
Franklin	87	41	46	–	59	28	–	–	–
Freetown	17	7	10	–	14	3	–	–	–
GARDNER	242	122	120	–	142	100	–	20,721	11.7
Gay Head	3	–	3	–	3	–	–	–	–
Georgetown	36	22	14	–	31	5	–	–	–
Gill	10	4	6	–	9	1	–	–	–
GLOUCESTER	319	156	163	–	221	98	–	24,164	13.2
Goshen	2	1	1	–	–	2	–	–	–
Gosnold	1	–	1	–	–	1	–	–	–
Grafton	84	47	37	–	54	29	1	–	–
Granby	14	9	5	–	7	7	–	–	–
Granville	14	9	5	–	10	4	–	–	–
Great Barrington	77	33	44	–	60	17	–	–	–
Greenfield	214	105	109	–	173	39	2	16,029	13.4
Greenwich	1	–	1	–	–	1	–	–	–
Groton	47	27	20	–	39	8	–	–	–
Groveland	46	22	24	–	39	6	1	–	–
Hadley	27	16	11	–	21	6	–	–	–
Halifax	8	1	7	–	8	–	–	–	–
Hamilton	21	10	11	–	17	4	–	–	–
Hampden	11	4	7	–	11	–	–	–	–
Hancock	6	5	1	–	6	–	–	–	–
Hanover	38	22	16	–	33	5	–	–	–
Hanson	38	18	20	–	26	12	–	–	–
Hardwick	23	12	11	–	17	6	–	–	–
Harvard	8	2	6	–	8	–	–	–	–
Harwich	46	23	23	–	40	6	–	–	–
Hatfield	22	14	8	–	10	12	–	–	–
HAVERHILL	578	295	283	–	367	209	2	49,768	11.6
Hawley	6	2	4	–	5	1	–	–	–
Heath	9	8	1	–	9	–	–	–	–
Hingham	88	42	46	–	68	20	–	–	–
Hinsdale	15	6	9	–	9	6	–	–	–
Holbrook	58	25	33	–	44	14	–	–	–
Holden	37	26	11	–	26	11	–	–	–

[1] Cities are printed in small capitals.
[2] Exclusive of stillbirths.

Table 2

Allocated Deaths[2], by Cities and Towns, by Sex and Nativity, and Death Rates in Each County, City and Town Having Over 10,000 Inhabitants: 1936.

Municipalities.[1]	Total number.	Sex. Male.	Sex. Female.	Sex. Unknown.	Nativity. Native.	Nativity. Foreign born.	Nativity. Unknown.	Death rate per 1,000 population. Estimated June 30, 1936.	Death rate per 1,000 population. Excluding non-residents.
Holland	1	–	1	–	1	–	–	–	–
Holliston	45	22	23	–	32	13	–	–	–
Holyoke	670	333	337	–	348	317	5	56,139	11.9
Hopedale	28	18	10	–	24	4	–	–	–
Hopkinton	45	23	22	–	38	7	–	–	–
Hubbardston	11	7	4	–	9	2	–	–	–
Hudson	89	41	48	–	60	28	1	–	–
Hull	32	17	15	–	19	13	–	–	–
Huntington	16	6	10	–	14	2	–	–	–
Ipswich	83	42	41	–	59	24	–	–	–
Kingston	46	28	18	–	35	11	–	–	–
Lakeville	23	10	13	–	21	2	–	–	–
Lancaster	34	18	16	–	26	8	–	–	–
Lanesborough	18	9	9	–	16	2	–	–	–
Lawrence	955	471	484	–	428	522	5	87,325	10.9
Lee	70	42	28	–	57	13	–	–	–
Leicester	69	37	32	–	48	21	–	–	–
Lenox	43	20	23	–	24	19	–	–	–
Leominster	251	131	120	–	175	76	–	21,912	11.5
Leverett	19	13	6	–	15	4	–	–	–
Lexington	124	61	63	–	83	39	2	11,245	11.0
Leyden	2	1	1	–	2	–	–	–	–
Lincoln	17	9	8	–	13	4	–	–	–
Littleton	18	7	11	–	15	3	–	–	–
Longmeadow	50	28	22	–	43	7	–	–	–
Lowell	1,362	688	674	–	733	626	3	100,114	13.6
Ludlow	62	31	31	–	35	27	–	–	–
Lunenburg	21	7	14	–	17	4	–	–	–
Lynn	1,192	618	574	–	743	445	4	100,909	11.8
Lynnfield	26	11	15	–	21	5	–	–	–
Malden	646	325	321	–	384	261	1	57,277	11.3
Manchester	29	14	15	–	20	9	–	–	–
Mansfield	73	42	31	–	56	17	–	–	–
Marblehead	163	83	80	–	139	24	–	10,641	15.3
Marion	17	10	7	–	13	4	–	–	–
Marlborough	174	84	90	–	126	47	1	15,835	11.0
Marshfield	38	19	19	–	27	11	–	–	–
Mashpee	10	5	5	–	8	2	–	–	–
Mattapoisett	167	95	72	–	110	57	–	–	–
Maynard	72	32	40	–	29	43	–	–	–
Medfield	92	47	45	–	54	38	–	–	–
Medford	589	315	274	–	376	213	–	61,984	9.5
Medway	38	21	17	–	25	12	1	–	–
Melrose	267	120	147	–	189	78	–	24,598	10.9
Mendon	13	6	7	–	10	3	–	–	–
Merrimac	35	13	22	–	28	7	–	–	–
Methuen	236	115	121	–	101	135	–	21,074	11.2
Middleborough	141	72	69	–	109	32	–	–	–
Middlefield	1	–	1	–	–	1	–	–	–
Middleton	34	15	19	–	21	13	–	–	–
Milford	166	98	68	–	98	68	–	15,098	11.0
Millbury	80	44	36	–	52	28	–	–	–
Millis	19	12	7	–	15	4	–	–	–
Millville	21	13	8	–	12	9	–	–	–
Milton	202	103	99	–	128	74	–	18,687	10.8
Monroe	2	1	1	–	2	–	–	–	–
Monson	95	54	41	–	74	20	–	–	–
Montague	102	55	47	–	65	37	–	–	–
Monterey	–	–	–	–	–	–	–	–	–
Montgomery	3	2	1	–	2	1	–	–	–
Mount Washington	2	–	2	–	1	1	–	–	–
Nahant	23	9	14	–	13	9	1	–	–
Nantucket	63	38	25	–	53	10	–	–	–
Natick	156	77	79	–	117	39	–	14,646	10.7
Needham	99	45	54	–	58	40	1	12,134	8.2
New Ashford	1	1	–	–	–	1	–	–	–
New Bedford	1,326	653	673	–	632	691	3	110,022	12.1
New Braintree	3	2	1	–	2	1	–	–	–
New Marlborough	10	5	5	–	10	–	–	–	–
New Salem	10	4	6	–	10	–	–	–	–
Newbury	25	14	11	–	23	2	–	–	–
Newburyport	187	101	86	–	151	36	–	14,815	12.6
Newton	664	322	342	–	470	194	–	66,414	10.0
Norfolk	16	10	6	–	11	5	–	–	–
North Adams	303	167	136	–	191	112	–	22,229	13.6
North Andover	82	47	35	–	46	36	–	–	–
North Attleborough	114	53	61	–	82	32	–	10,204	11.2

[1] Cities are printed in small capitals.
[2] Exclusive of stillbirths.

Table 2

ALLOCATED DEATHS[2], BY CITIES AND TOWNS, BY SEX AND NATIVITY, AND DEATH RATES IN EACH COUNTY, CITY AND TOWN HAVING OVER 10,000 INHABITANTS: **1936.**

MUNICIPALITIES.[1]	Total number.	Sex. Male.	Sex. Female.	Sex. Unknown.	Nativity. Native.	Nativity. Foreign born.	Nativity. Unknown.	Death rate per 1,000 population. Estimated June 30, 1936.	Death rate per 1,000 population. Excluding non-residents.
North Brookfield	43	24	19	–	32	10	1	–	–
North Reading	32	13	19	–	23	9	–	–	–
NORTHAMPTON	303	144	159	–	213	90	–	24,579	12.3
Northborough	31	13	18	–	24	7	–	–	–
Northbridge	101	51	50	–	54	47	–	10,847	9.3
Northfield	20	6	14	–	20	–	–	–	–
Norton	43	22	21	–	28	14	1	–	–
Norwell	28	19	9	–	20	8	–	–	–
Norwood	138	77	61	–	80	58	–	15,736	8.8
Oak Bluffs	28	13	15	–	17	11	–	–	–
Oakham	11	6	5	–	7	4	–	–	–
Orange	64	27	37	–	49	15	–	–	–
Orleans	20	10	10	–	19	1	–	–	–
Otis	6	2	4	–	6	–	–	–	–
Oxford	51	31	20	–	32	19	–	–	–
Palmer	98	55	43	–	67	30	1	–	–
Paxton	9	6	3	–	5	4	–	–	–
PEABODY	228	119	109	–	137	91	–	22,316	10.2
Pelham	6	4	2	–	6	–	–	–	–
Pembroke	25	16	9	–	16	9	–	–	–
Pepperell	59	31	28	–	50	8	1	–	–
Peru	1	1	–	–	–	1	–	–	–
Petersham	8	2	6	–	7	1	–	–	–
Phillipston	6	2	4	–	6	–	–	–	–
PITTSFIELD	515	261	254	–	380	133	2	47,516	10.8
Plainfield	3	1	2	–	2	1	–	–	–
Plainville	28	11	17	–	26	2	–	–	–
Plymouth	167	95	72	–	110	57	–	13,219	12.6
Plympton	12	7	5	–	11	1	–	–	–
Prescott	–	–	–	–	–	–	–	–	–
Princeton	7	3	4	–	6	1	–	–	–
Provincetown	63	38	25	–	43	20	–	–	–
QUINCY	731	388	343	–	444	285	2	78,457	9.3
Randolph	89	49	40	–	72	17	–	–	–
Raynham	14	6	8	–	11	3	–	–	–
Reading	119	61	58	–	93	26	–	10,991	10.8
Rehoboth	23	14	9	–	18	5	–	–	–
REVERE	351	198	153	–	175	174	2	35,319	9.9
Richmond	11	3	8	–	6	5	–	–	–
Rochester	15	8	7	–	11	4	–	–	–
Rockland	112	59	53	–	89	23	–	–	–
Rockport	52	31	21	–	39	13	–	–	–
Rowe	5	4	1	–	5	–	–	–	–
Rowley	22	15	7	–	19	3	–	–	–
Royalston	12	7	5	–	10	2	–	–	–
Russell	9	8	1	–	6	3	–	–	–
Rutland	46	24	22	–	34	12	–	–	–
SALEM	528	287	241	–	342	185	1	43,508	12.1
Salisbury	31	14	17	–	26	5	–	–	–
Sandisfield	9	5	4	–	7	2	–	–	–
Sandwich	33	12	21	–	23	9	1	–	–
Saugus	164	87	77	–	111	52	1	15,202	10.8
Savoy	3	–	3	–	3	–	–	–	–
Scituate	63	35	28	–	51	12	–	–	–
Seekonk	47	26	21	–	28	19	–	–	–
Sharon	57	33	24	–	37	19	1	–	–
Sheffield	31	18	13	–	25	6	–	–	–
Shelburne	17	7	10	–	13	4	–	–	–
Sherborn	14	7	7	–	12	2	–	–	–
Shirley	21	10	11	–	15	6	–	–	–
Shrewsbury	59	36	23	–	39	20	–	–	–
Shutesbury	4	2	2	–	2	2	–	–	–
Somerset	64	33	31	–	38	26	–	–	–
SOMERVILLE	1,186	586	600	–	706	478	2	100,773	11.8
South Hadley	68	31	37	–	41	27	–	–	–
Southampton	11	6	5	–	7	4	–	–	–
Southborough	19	6	13	–	10	9	–	–	–
Southbridge	155	76	79	–	96	59	–	16,272	9.5
Southwick	10	8	2	–	6	4	–	–	–
Spencer	85	48	37	–	53	32	–	–	–
SPRINGFIELD	1,650	817	833	–	1,099	539	12	149,642	11.0
Sterling	22	9	13	–	18	4	–	–	–
Stockbridge	14	8	6	–	14	–	–	–	–
Stoneham	107	44	63	–	71	36	–	11,093	9.6
Stoughton	109	53	56	–	84	25	–	–	–
Stow	19	9	10	–	11	8	–	–	–
Sturbridge	27	19	8	–	24	3	–	–	–

[1] Cities are printed in small capitals.
[2] Exclusive of stillbirths.

Table 2

ALLOCATED DEATHS[2], BY CITIES AND TOWNS, BY SEX AND NATIVITY, AND DEATH RATES IN EACH COUNTY, CITY AND TOWN HAVING OVER 10,000 INHABITANTS: **1936.**

MUNICIPALITIES.[1]	Total number.	Sex. Male.	Sex. Female.	Sex. Unknown.	Nativity. Native.	Nativity. Foreign born.	Nativity. Unknown.	Death rate per 1,000 population. Estimated June 30, 1936.	Death rate per 1,000 population. Excluding non-residents.
Sudbury	19	10	9	–	17	2	–	–	–
Sunderland	7	4	3	–	5	2	–	–	–
Sutton	27	16	11	–	15	12	–	–	–
Swampscott	125	64	61	–	102	23	–	10,516	11.9
Swansea	51	29	22	–	25	26	–	–	–
TAUNTON	524	267	257	–	319	205	–	37,449	14.0
Templeton	60	28	32	–	44	16	–	–	–
Tewksbury	40	23	17	–	20	20	–	–	–
State Infirmary	126	91	35	–	53	73	–	–	–
Tisbury	27	13	14	–	22	5	–	–	–
Tolland	2	1	1	–	2	–	–	–	–
Topsfield	13	10	3	–	10	3	–	–	–
Townsend	29	19	10	–	24	5	–	–	–
Truro	8	4	4	–	6	2	–	–	–
Tyngsborough	15	9	6	–	11	4	–	–	–
Tyringham	7	4	3	–	7	–	–	–	–
Upton	48	27	21	–	39	9	–	–	–
Uxbridge	60	33	27	–	44	16	–	–	–
Wakefield	163	80	83	–	115	48	–	16,548	9.9
Wales	3	1	2	–	2	1	–	–	–
Walpole	73	42	31	–	48	25	–	–	–
WALTHAM	431	205	226	–	283	148	–	40,971	10.5
Ware	91	47	44	–	55	35	1	–	–
Wareham	89	51	38	–	68	21	–	–	–
Warren	40	22	18	–	32	8	–	–	–
Warwick	8	7	1	–	6	2	–	–	–
Washington	6	3	3	–	5	1	–	–	–
Watertown	330	163	167	–	183	147	–	36,115	9.1
Wayland	36	14	22	–	27	9	–	–	–
Webster	136	75	61	–	75	61	–	14,107	9.6
Wellesley	125	50	75	–	88	37	–	13,988	8.9
Wellfleet	22	6	16	–	17	5	–	–	–
Wendell	6	3	3	–	6	–	–	–	–
Wenham	7	4	3	–	10	3	–	–	–
West Boylston	34	19	15	–	26	8	–	–	–
West Bridgewater	47	26	21	–	32	15	–	–	–
West Brookfield	27	14	13	–	22	4	–	–	–
West Newbury	17	9	8	–	16	1	–	–	–
West Springfield	183	108	75	–	124	58	1	17,262	10.6
West Stockbridge	22	11	11	–	19	3	–	–	–
West Tisbury	1	1	–	–	1	–	–	–	–
Westborough	96	42	54	–	65	31	–	–	–
WESTFIELD	228	113	115	–	166	61	1	18,788	12.1
Westford	50	29	21	–	28	21	1	–	–
Westhampton	10	4	6	–	10	–	–	–	–
Westminster	28	14	14	–	19	9	–	–	–
Weston	35	18	17	–	23	12	–	–	–
Westport	59	35	24	–	38	21	–	–	–
Westwood	24	14	10	–	20	4	–	–	–
Weymouth	261	134	127	–	196	64	1	22,018	11.9
Whately	13	6	7	–	11	2	–	–	–
Whitman	111	62	49	–	85	26	–	–	–
Wilbraham	27	12	15	–	12	14	1	–	–
Williamsburg	28	14	14	–	25	3	–	–	–
Williamstown	55	25	30	–	46	9	–	–	–
Wilmington	44	24	20	–	32	12	–	–	–
Winchendon	78	41	37	–	59	19	–	–	–
Winchester	133	59	74	–	100	33	–	13,569	9.8
Windsor	2	1	1	–	2	–	–	–	–
Winthrop	187	103	84	–	112	75	–	17,055	11.0
WOBURN	224	109	115	–	137	86	1	19,785	11.3
WORCESTER	2,295	1,206	1,089	–	1,358	933	4	190,471	12.0
Worthington	8	3	5	–	7	1	–	–	–
Wrentham	51	36	15	–	42	9	–	–	–
Yarmouth	33	16	17	–	30	3	–	–	–

[1]Cities are printed in small capitals.
[2]Exclusive of stillbirths.

Table 3.

Line No.	State, Counties and Sex.	Allocated Deaths,[1] by Sex and											
		All ages.	Under 5 years.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
1	**The State.**	**51,435**	**3,667**	**2,854**	**347**	**176**	**146**	**144**	**439**	**436**	**519**	**758**	**860**
2	Males . . .	26,773	2,052	1,605	191	91	85	80	251	235	284	392	448
3	Females . . .	24,662	1,615	1,249	156	85	61	64	188	201	235	366	412
4	Barnstable.	552											
5	Males . . .	272	13	11	–	1	–	1	3	1	1	8	5
6	Females . . .	280	19	12	3	3	–	1	2	2	1	3	6
7	Berkshire.	1,502											
8	Males . . .	779	53	42	5	2	–	4	5	4	9	15	9
9	Females . . .	723	49	37	3	3	2	4	8	6	5	9	10
10	Bristol.	4,439											
11	Males . . .	2,299	183	144	15	12	9	3	17	15	19	27	42
12	Females . . .	2,140	154	115	18	9	6	6	12	17	26	53	36
13	Dukes County.	84											
14	Males . . .	40	3	3	–	–	–	–	–	–	–	1	2
15	Females . . .	44	2	2	–	–	–	–	–	–	–	2	1
16	Essex.	6,031											
17	Males . . .	3,102	240	181	25	9	12	13	25	26	30	35	41
18	Females . . .	2,929	176	143	19	6	5	3	15	22	23	35	38
19	Franklin.	657											
20	Males . . .	338	19	17	2	–	–	–	–	3	9	8	3
21	Females . . .	319	21	14	6	–	–	1	1	–	5	–	5
22	Hampden.	3,649											
23	Males . . .	1,867	167	140	14	7	1	5	15	14	26	34	33
24	Females . . .	1,782	120	91	9	7	4	9	21	25	20	25	23
25	Hampshire.	870											
26	Males . . .	436	21	16	1	2	2	–	3	3	6	10	3
27	Females . . .	434	25	22	–	2	–	1	3	6	4	8	10
28	Middlesex.	10,860											
29	Males . . .	5,491	423	334	42	16	17	14	63	51	52	91	90
30	Females . . .	5,369	367	280	41	17	16	13	44	43	49	94	88
31	Nantucket.	63											
32	Males . . .	38	4	2	1	–	–	1	–	2	–	–	–
33	Females . . .	25	3	2	–	1	–	–	–	1	–	–	1
34	Norfolk.	3,492											
35	Males . . .	1,750	109	84	9	7	3	6	19	18	20	25	35
36	Females . . .	1,742	87	63	12	3	4	5	12	10	12	19	22
37	Plymouth.	2,275											
38	Males . . .	1,216	63	54	–	2	6	1	9	9	14	10	19
39	Females . . .	1,059	57	43	8	2	3	1	8	8	6	14	13
40	Suffolk.	11,151											
41	Males . . .	6,056	503	383	54	20	23	23	53	52	63	88	109
42	Females . . .	5,095	367	290	30	24	11	12	36	36	51	73	119
43	Worcester.	5,810											
44	Males . . .	3,089	251	194	23	13	12	9	39	37	35	40	57
45	Females . . .	2,721	168	135	7	8	10	8	26	25	33	31	40

[1] Exclusive of stillbirths.

AGE,[2] IN EACH COUNTY: 1936.

Line No.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Age unknown.
1	**997**	**1,310**	**1,924**	**2,601**	**3,298**	**4,156**	**5,275**	**6,035**	**6,251**	**5,709**	**3,969**	**2,203**	**810**	**192**	**26**	–
2	532	741	1,154	1,509	1,919	2,395	2,888	3,214	3,167	2,675	1,759	830	266	58	4	–
3	465	569	770	1,092	1,379	1,761	2,387	2,821	3,084	3,034	2,210	1,373	544	134	22	–
4																
5	2	4	4	8	13	21	28	23	33	43	30	19	9	4	–	–
6	7	5	10	7	8	15	24	33	33	36	25	28	12	3	1	–
7																
8	6	22	24	49	48	82	78	108	96	86	48	25	10	2	–	–
9	14	20	23	35	41	50	52	84	91	93	64	47	17	5	–	–
10																
11	56	64	87	126	159	226	247	299	278	231	152	55	14	2	–	–
12	40	53	69	100	117	158	214	225	267	255	204	96	35	9	–	–
13																
14	–	1	1	–	3	2	5	3	7	5	3	3	1	–	–	–
15	–	1	2	–	2	1	3	4	–	11	10	2	1	2	–	–
16																
17	52	74	115	151	224	280	340	375	392	336	210	111	40	5	–	–
18	31	60	85	124	185	201	264	344	372	387	310	166	69	17	5	–
19																
20	6	7	14	17	25	20	29	40	47	41	31	9	9	1	–	–
21	8	7	11	14	18	18	23	23	40	47	43	21	9	4	1	–
22																
23	35	61	97	110	143	173	225	194	189	164	123	41	19	4	–	–
24	37	54	62	89	97	129	191	190	211	213	130	92	43	7	3	–
25																
26	6	6	17	22	26	43	52	58	54	47	34	16	7	2	–	–
27	6	7	5	17	22	23	43	53	66	51	48	21	12	4	–	–
28																
29	123	177	224	282	403	467	567	669	662	544	358	178	50	14	3	–
30	111	128	157	224	294	424	495	620	649	658	473	292	125	33	1	–
31																
32	3	–	–	1	–	–	3	3	8	7	5	–	1	1	–	–
33	–	–	–	2	–	1	1	3	3	4	3	2	1	–	–	–
34																
35	21	44	77	84	103	143	186	207	221	201	140	70	22	4	1	–
36	35	37	48	56	90	110	167	187	226	240	198	129	47	9	1	–
37																
38	20	21	33	63	69	101	119	165	163	151	106	59	16	6	–	–
39	17	20	23	42	53	59	79	133	129	169	106	85	29	7	2	–
40																
41	155	199	327	422	498	580	662	707	646	513	313	124	39	3	–	–
42	111	120	196	268	304	388	542	621	647	552	361	216	64	19	4	–
43																
44	47	61	134	174	205	257	347	363	371	306	206	120	29	10	–	–
45	48	57	79	114	148	184	289	301	350	318	235	176	80	15	4	–

[2] Age at last birthday.

Line No.	Table 3a. Municipalities and Sex.	Allocated deaths,[1] by Sex and Age,[2] in All ages.	Under 5 years.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
1	Adams (town).	146											
2	Males	73	2	2	–	–	–	–	1	1	–	4	–
3	Females	73	4	3	1	–	–	–	1	–	2	–	2
4	Amesbury (town).	120											
5	Males	59	6	5	–	–	–	1	–	–	1	–	1
6	Females	61	3	3	–	–	–	–	1	4	–	–	–
7	Andover (town).	131											
8	Males	66	6	3	3	–	–	–	1	–	–	–	–
9	Females	65	7	5	1	1	–	–	–	–	–	–	–
10	Arlington (town).	446											
11	Males	229	18	15	1	1	1	–	1	1	2	3	2
12	Females	217	12	11	–	–	–	1	–	1	1	6	4
13	Athol (town).	139											
14	Males	77	5	3	–	–	1	1	–	2	–	2	–
15	Females	62	4	3	1	–	–	–	–	1	–	–	1
16	Attleboro.	227											
17	Males	107	4	3	–	1	–	–	–	–	–	3	2
18	Females	120	5	2	3	–	–	–	–	1	3	2	2
19	Belmont (town).	227											
20	Males	123	12	9	3	–	–	–	2	–	–	2	1
21	Females	104	3	2	–	–	–	1	1	2	–	3	1
22	Beverly.	291											
23	Males	161	10	7	1	–	–	2	2	1	–	1	5
24	Females	130	7	4	3	–	–	–	–	1	2	2	2
25	Boston.	10,172											
26	Males	5,495	463	348	52	19	23	21	52	45	53	85	101
27	Females	4,677	337	267	29	21	10	10	34	35	48	65	111
28	Braintree (town).	164											
29	Males	91	1	1	–	–	–	–	2	–	2	3	2
30	Females	73	9	9	–	–	–	–	1	1	1	1	2
31	Brockton.	791											
32	Males	401	22	21	–	–	1	–	3	3	6	1	7
33	Females	390	22	17	5	–	–	–	2	4	–	1	3
34	Brookline (town).	578											
35	Males	245	7	6	1	–	–	–	–	3	3	2	–
36	Females	333	7	4	2	1	–	–	1	–	1	3	3
37	Cambridge.	1,354											
38	Males	689	56	47	5	–	1	3	5	7	5	14	13
39	Females	665	61	49	8	2	1	1	3	7	7	17	15
40	Chelsea.	441											
41	Males	260	22	20	1	–	–	1	–	1	2	1	6
42	Females	181	19	14	–	3	–	2	1	1	2	5	3
43	Chicopee.	384											
44	Males	193	26	21	3	2	–	–	2	2	–	–	6
45	Females	191	25	19	2	2	1	1	4	2	2	7	2
46	Clinton (town).	160											
47	Males	87	4	1	2	–	1	–	1	–	1	1	2
48	Females	73	5	5	–	–	–	–	–	–	1	–	2
49	Danvers (town).	193											
50	Males	95	5	5	–	–	–	–	–	–	–	2	1
51	Females	98	6	6	–	–	–	–	–	1	1	1	1
52	Dedham (town).	161											
53	Males	79	6	5	1	–	–	–	1	1	–	2	5
54	Females	82	3	1	1	1	–	–	1	–	–	4	3
55	Easthampton (town).	126											
56	Males	67	7	5	–	1	1	–	1	–	–	2	1
57	Females	59	6	5	–	–	–	1	–	1	–	–	2
58	Everett.	477											
59	Males	256	29	22	3	1	1	2	4	3	1	5	7
60	Females	221	17	14	1	2	–	–	6	–	1	2	–
61	Fairhaven (town).	123											
62	Males	61	6	2	3	–	1	–	–	–	–	–	2
63	Females	62	3	3	–	–	–	–	–	–	1	1	1
64	Fall River.	1,467											
65	Males	807	54	44	5	–	4	1	6	–	7	11	21
66	Females	660	58	37	9	5	3	4	5	4	11	20	16
67	Fitchburg.	464											
68	Males	255	19	13	2	2	2	–	1	2	3	3	6
69	Females	209	11	8	–	1	–	2	2	–	4	1	3
70	Framingham (town).	274											
71	Males	145	8	8	–	–	–	–	3	2	–	4	3
72	Females	129	9	7	1	–	–	1	–	–	–	3	5
73	Gardner.	242											
74	Males	122	10	8	1	1	–	–	2	2	2	1	3
75	Females	120	11	8	2	–	1	–	2	–	2	1	1
76	Gloucester.	319											
77	Males	156	14	11	1	–	1	1	1	2	2	1	2
78	Females	163	19	17	2	–	–	–	–	1	3	–	2
79	Greenfield (town).	214											
80	Males	105	5	5	–	–	–	–	–	1	–	1	2
81	Females	109	10	6	4	–	–	–	–	–	1	–	3

[1] Exclusive of stillbirths.

MUNICIPALITIES HAVING OVER 10,000 INHABITANTS: 1936.

Line No.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Age unknown.
1																
2	1	2	7	4	4	4	7	7	8	12	8	–	1	–	–	–
3	2	1	4	2	5	6	7	12	5	9	7	3	1	–	–	–
4																
5	–	1	–	3	6	6	6	9	5	6	6	3	–	–	–	–
6	–	–	2	2	4	1	11	9	6	7	4	4	1	2	–	–
7																
8	2	2	2	4	5	3	5	7	5	13	5	4	2	–	–	–
9	–	2	2	1	3	6	7	4	15	6	5	4	1	2	–	–
10																
11	6	11	10	17	13	24	20	29	20	22	15	9	6	–	–	–
12	3	13	3	9	9	19	25	30	22	27	18	9	4	2	–	–
13																
14	1	1	3	3	4	7	7	7	10	9	8	7	1	–	–	–
15	1	1	1	1	3	3	6	4	9	12	7	4	3	1	–	–
16																
17	2	1	6	6	11	11	8	13	11	15	9	3	2	–	–	–
18	1	1	3	7	9	9	11	13	13	22	10	5	3	–	–	–
19																
20	4	4	6	5	12	10	9	13	16	15	7	4	1	–	–	–
21	–	–	6	5	3	10	12	16	18	9	7	6	1	1	–	–
22																
23	4	–	3	11	12	15	24	20	17	21	6	5	3	1	–	–
24	1	–	4	7	7	8	15	15	13	15	14	10	4	3	–	–
25																
26	143	184	300	372	456	518	603	641	583	469	279	115	30	3	–	–
27	106	112	180	249	276	351	493	560	603	513	328	195	62	15	4	–
28																
29	1	3	7	4	3	7	8	9	10	10	10	6	2	1	–	–
30	3	2	1	3	6	6	7	5	9	7	5	3	1	–	–	–
31																
32	6	7	16	27	21	30	52	54	47	57	26	11	4	1	–	–
33	8	8	13	14	22	22	27	62	48	64	37	24	8	1	–	–
34																
35	4	9	6	10	18	25	37	32	33	29	16	7	4	–	–	–
36	3	4	7	11	16	28	33	36	47	46	36	32	10	8	1	–
37																
38	21	33	36	41	66	58	62	81	66	62	39	15	6	2	1	–
39	18	20	18	33	46	53	52	59	75	82	47	30	16	5	1	–
40																
41	6	7	18	30	22	29	24	27	25	22	13	2	3	–	–	–
42	2	5	10	12	10	18	21	25	12	12	15	6	2	–	–	–
43																
44	4	5	15	12	17	20	19	20	23	9	10	1	2	–	–	–
45	4	7	7	14	10	16	23	17	24	14	7	6	–	–	–	–
46																
47	–	1	6	6	2	11	14	13	7	10	5	2	1	–	–	–
48	2	–	4	2	5	6	5	3	15	9	8	5	1	–	–	–
49																
50	2	–	3	4	3	7	13	14	13	12	12	2	2	–	–	–
51	1	1	1	3	7	4	9	15	11	10	11	14	1	–	–	–
52																
53	–	1	4	4	3	5	9	8	14	11	4	–	1	–	–	–
54	2	–	1	2	12	4	7	9	12	11	5	4	2	–	–	–
55																
56	1	–	2	7	5	8	11	7	4	4	4	2	1	–	–	–
57	1	2	1	3	2	2	6	8	9	4	7	4	–	1	–	–
58																
59	4	7	15	10	14	23	29	35	30	19	9	11	–	1	–	–
60	7	3	5	7	13	18	23	34	25	26	24	8	1	1	–	–
61																
62	3	3	2	1	3	4	8	7	10	3	6	2	1	–	–	–
63	1	1	2	1	6	–	6	4	6	14	9	4	2	–	–	–
64																
65	16	22	26	48	61	105	84	101	108	76	45	15	1	–	–	–
66	19	19	17	27	40	49	76	86	72	57	55	19	10	–	–	–
67																
68	7	10	12	13	18	24	34	27	25	32	10	7	2	–	–	–
69	6	7	14	7	11	12	20	24	24	26	12	19	3	2	1	–
70																
71	3	6	5	14	7	17	11	22	18	8	10	3	1	–	–	–
72	2	–	2	2	7	5	11	26	11	16	16	10	4	–	–	–
73																
74	3	2	4	6	10	9	16	9	13	13	7	9	1	–	–	–
75	1	1	3	5	9	16	9	13	7	16	11	6	5	1	–	–
76																
77	2	2	5	6	7	15	25	18	16	21	10	5	2	–	–	–
78	1	2	4	7	11	8	16	18	24	20	14	6	5	2	–	–
79																
80	2	4	6	7	11	9	9	12	16	11	6	1	2	–	–	–
81	4	2	4	5	5	7	8	9	17	13	13	3	4	–	1	–

[2] Age at last birthday.

Line No.	Table 3a. Municipalities and Sex.	Allocated deaths,[1] by Sex and Age,[2] in All ages.	Under 5 years.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years
1	Haverhill.	578											
2	Males	295	23	19	3	1	–	–	2	1	2	4	7
3	Females	283	11	10	1	–	–	–	–	1	1	2	1
4	Holyoke.	670											
5	Males	333	22	20	2	–	–	–	4	1	2	7	3
6	Females	337	11	9	–	–	–	2	3	5	2	4	9
7	Lawrence.	955											
8	Males	471	45	35	4	3	2	1	7	3	5	7	3
9	Females	484	38	31	4	1	2	–	1	4	7	8	12
10	Leominster.	251											
11	Males	131	18	16	1	–	1	–	–	1	2	–	–
12	Females	120	7	6	–	–	1	–	2	–	–	1	4
13	Lexington (town).	124											
14	Males	61	4	4	–	–	–	–	1	–	–	–	2
15	Females	63	2	2	–	–	–	–	–	1	2	–	1
16	Lowell.	1,362											
17	Males	688	64	47	6	5	4	2	8	7	4	10	12
18	Females	674	59	40	7	6	4	2	7	5	8	14	14
19	Lynn.	1,192											
20	Males	618	42	27	6	–	4	5	7	8	6	7	3
21	Females	574	26	20	1	2	2	1	5	6	2	10	9
22	Malden.	646											
23	Males	325	22	17	4	–	–	1	6	2	5	3	6
24	Females	321	20	19	1	–	–	–	1	–	3	6	5
25	Marblehead (town).	163											
26	Males	83	3	3	–	–	–	–	–	–	2	–	–
27	Females	80	2	–	2	–	–	–	2	–	–	–	–
28	Marlborough.	174											
29	Males	84	4	4	–	–	–	–	–	1	–	–	1
30	Females	90	7	4	1	1	1	–	1	–	–	3	–
31	Medford.	589											
32	Males	315	25	18	2	1	2	2	2	1	7	7	5
33	Females	274	20	16	2	1	1	–	5	1	2	7	5
34	Melrose.	267											
35	Males	120	6	4	1	–	1	–	–	–	–	–	1
36	Females	147	4	2	1	–	1	–	1	–	1	4	2
37	Methuen (town).	236											
38	Males	115	7	7	–	–	–	–	–	–	–	1	3
39	Females	121	10	9	–	1	–	–	–	–	–	2	–
40	Milford (town).	166											
41	Males	98	4	2	2	–	–	–	–	1	–	3	2
42	Females	68	4	3	–	–	1	–	–	–	–	1	1
43	Milton (town).	202											
44	Males	103	7	7	–	–	–	–	–	1	–	–	4
45	Females	99	1	1	–	–	–	–	–	–	–	–	2
46	Natick (town).	156											
47	Males	77	4	4	–	–	–	–	–	–	–	3	–
48	Females	79	9	8	1	–	–	–	1	–	1	1	–
49	Needham (town).	99											
50	Males	45	1	–	1	–	–	–	1	1	–	1	–
51	Females	54	3	1	2	–	–	–	–	–	–	–	–
52	New Bedford.	1,326											
53	Males	653	65	52	4	6	1	2	3	5	6	4	8
54	Females	673	49	43	3	2	–	1	3	6	5	19	8
55	Newburyport.	187											
56	Males	101	10	7	1	1	1	–	1	1	–	–	–
57	Females	86	4	3	–	–	–	1	–	–	3	2	1
58	Newton.	664											
59	Males	322	16	12	2	2	–	–	4	3	2	6	–
60	Females	342	13	11	1	–	–	1	2	4	2	2	5
61	North Adams.	303											
62	Males	167	9	9	–	–	–	–	–	–	2	3	1
63	Females	136	13	9	1	2	–	1	1	–	–	6	1
64	North Attleborough (town).	114											
65	Males	53	3	3	–	–	–	–	–	–	–	–	2
66	Females	61	6	6	–	–	–	–	–	–	–	2	–
67	Northampton.	303											
68	Males	144	4	4	–	–	–	–	2	1	–	2	1
69	Females	159	10	9	–	1	–	–	–	2	2	3	4
70	Northbridge (town)	101											
71	Males	51	6	6	–	–	–	–	–	3	1	1	–
72	Females	50	2	–	–	1	1	–	–	2	–	1	1
73	Norwood (town).	138											
74	Males	77	10	9	–	1	–	–	2	2	2	1	–
75	Females	61	5	5	–	–	–	–	–	1	–	–	1
76	Peabody.	228											
77	Males	119	8	6	–	–	2	–	–	3	2	–	2
78	Females	109	12	9	2	1	–	–	2	1	1	2	1
79	Pittsfield.	515											
80	Males	261	20	15	2	1	–	2	2	1	3	3	4
81	Females	254	21	16	–	1	1	3	2	3	2	1	4

[1] Exclusive of stillbirths.

MUNICIPALITIES HAVING OVER 10,000 INHABITANTS: 1936—Con.

Line No.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years	100 years and over.	Age unknown.
1																
2	4	4	13	9	21	17	29	34	50	36	21	13	4	1	–	–
3	4	8	8	13	16	23	20	44	38	40	25	19	8	–	1	–
4																
5	5	13	16	28	30	43	37	33	32	24	21	11	1	–	–	–
6	14	8	16	14	19	27	38	38	34	53	19	15	8	–	–	–
7																
8	6	20	25	21	41	54	44	57	70	30	21	9	3	–	–	–
9	7	10	17	20	35	42	49	64	61	51	46	8	3	1	–	–
10																
11	1	3	5	7	8	7	17	12	18	15	10	6	–	1	–	–
12	3	3	3	7	10	8	8	16	10	11	9	14	4	–	–	–
13																
14	1	2	1	7	1	5	9	9	8	5	3	3	–	–	–	–
15	–	–	4	2	4	7	7	11	6	9	3	1	1	2	–	–
16																
17	8	13	32	39	47	62	75	91	85	63	44	17	6	1	–	–
18	12	17	21	29	43	56	77	72	86	69	49	25	9	2	–	–
19																
20	14	18	21	30	47	60	68	74	77	61	45	24	6	–	–	–
21	9	15	15	26	43	47	46	65	72	70	59	33	13	3	–	–
22																
23	6	12	15	13	24	27	29	40	44	42	16	10	2	1	–	–
24	8	5	12	19	25	39	16	34	43	36	28	17	4	–	–	–
25																
26	3	–	3	3	3	11	6	18	10	9	6	5	–	1	–	–
27	1	1	2	4	4	1	7	6	17	12	10	4	5	1	1	–
28																
29	1	1	2	5	5	10	9	8	14	10	6	5	2	–	–	–
30	3	4	–	6	5	11	3	16	7	9	5	9	1	–	–	–
31																
32	15	9	11	16	23	26	27	40	37	31	19	9	5	–	–	–
33	5	12	8	12	13	27	20	28	34	36	22	11	6	–	–	–
34																
35	3	2	6	4	7	8	11	17	26	13	10	4	1	1	–	–
36	5	2	6	2	3	8	12	20	15	23	16	15	8	–	–	–
37																
38	–	1	5	8	11	9	17	11	17	9	12	4	–	–	–	–
39	–	2	7	7	6	6	13	11	12	21	13	7	2	1	1	–
40																
41	3	1	2	8	14	10	16	7	18	3	4	2	–	–	–	–
42	3	–	1	6	5	2	10	10	11	5	5	3	1	–	–	–
43																
44	–	2	1	6	7	9	11	12	14	16	7	5	1	–	–	–
45	1	2	2	6	4	10	8	12	13	12	14	9	3	–	–	–
46																
47	2	2	–	2	5	5	5	17	8	14	7	1	–	2	–	–
48	1	–	2	4	7	4	11	10	8	8	9	2	1	–	–	–
49																
50	–	1	2	3	4	3	4	6	4	7	5	2	–	–	–	–
51	1	–	–	1	1	3	3	6	10	10	9	6	1	–	–	–
52																
53	14	20	33	39	45	60	74	93	70	59	39	14	1	1	–	–
54	13	16	23	43	41	50	74	62	84	82	51	31	8	5	–	–
55																
56	–	3	3	4	7	12	12	8	12	14	5	7	2	–	–	–
57	–	1	1	3	1	3	5	5	12	16	19	6	3	–	1	–
58																
59	4	11	7	24	26	27	40	36	40	33	27	13	2	1	–	–
60	6	11	10	9	16	26	36	44	47	43	32	20	12	2	–	–
61																
62	3	5	5	10	9	22	19	35	18	15	8	2	1	–	–	–
63	7	4	3	6	8	9	10	10	19	14	14	10	–	1	–	–
64																
65	3	3	1	2	4	3	7	4	6	10	2	2	1	–	–	–
66	1	1	1	2	4	6	1	4	7	9	9	6	1	1	–	–
67																
68	1	3	2	10	12	15	19	19	19	15	13	5	1	–	–	–
69	–	2	2	8	13	4	19	18	26	19	15	7	4	1	–	–
70																
71	1	–	–	4	3	4	5	8	7	3	1	3	1	–	–	–
72	1	2	2	–	2	8	4	6	4	10	3	1	1	–	–	–
73																
74	1	2	6	3	4	8	14	7	7	2	4	1	1	–	–	–
75	1	4	3	7	6	3	9	6	5	6	3	1	–	–	–	–
76																
77	1	3	7	12	7	14	9	18	10	14	3	6	–	–	–	–
78	2	3	4	4	8	6	15	12	8	16	7	4	1	–	–	–
79																
80	2	8	7	20	19	27	28	30	36	25	17	7	1	1	–	–
81	4	7	9	18	18	16	15	27	38	31	16	15	6	1	–	–

[2] Age at last birthday.

Line No.	Table 3a. Municipalities and Sex.	Allocated deaths,[1] by Sex and Age,[2] in the											
		All ages.	Under 5 years.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
1	Plymouth (town).	167											
2	Males	95	6	6	–	–	–	–	3	–	1	–	4
3	Females	72	2	2	–	–	–	–	–	–	–	2	3
4	Quincy.	731											
5	Males	388	36	29	3	3	–	1	6	2	3	4	8
6	Females	343	27	20	3	–	2	2	2	3	3	7	4
7	Reading (town)	119											
8	Males	61	–	–	–	–	–	–	2	–	–	–	1
9	Females	58	3	2	–	–	1	–	1	–	1	1	–
10	Revere.	351											
11	Males	198	15	13	–	1	–	1	–	4	7	1	2
12	Females	153	10	8	1	–	1	–	1	–	1	2	3
13	Salem.	528											
14	Males	287	30	24	2	1	1	2	3	4	3	5	5
15	Females	241	18	15	2	–	–	1	–	1	1	2	3
16	Saugus (town).	164											
17	Males	87	11	8	1	2	–	–	–	–	1	2	3
18	Females	77	3	2	1	–	–	–	1	–	1	1	–
19	Somerville.	1,186											
20	Males	586	51	38	8	–	4	1	7	6	7	12	14
21	Females	600	37	26	9	–	2	–	6	5	9	8	10
22	Southbridge (town).	155											
23	Males	76	5	4	1	–	–	–	2	2	2	1	1
24	Females	79	7	5	–	1	–	1	–	1	1	1	–
25	Springfield.	1,650											
26	Males	817	65	57	4	1	–	3	4	8	12	14	13
27	Females	833	51	42	4	1	2	2	7	11	6	10	7
28	Stoneham (town).	107											
29	Males	44	2	2	–	–	–	–	–	–	–	1	–
30	Females	63	2	–	1	–	–	1	–	1	1	–	1
31	Swampscott (town).	125											
32	Males	64	3	1	1	1	–	–	–	–	2	1	–
33	Females	61	2	2	–	–	–	–	–	–	–	1	–
34	Taunton.	524											
35	Males	267	21	17	2	–	2	–	3	7	1	2	6
36	Females	257	14	11	–	1	2	–	2	3	2	6	6
37	Wakefield (town).	163											
38	Males	80	6	6	–	–	–	–	2	1	–	1	3
39	Females	83	8	6	–	1	–	1	–	–	1	1	–
40	Waltham.	431											
41	Males	205	24	18	2	2	1	1	3	2	5	8	6
42	Females	226	22	18	3	–	1	–	3	6	–	5	7
43	Watertown (town).	330											
44	Males	163	12	11	–	1	–	–	4	3	2	2	3
45	Females	167	15	12	–	1	2	–	1	2	–	4	3
46	Webster (town).	136											
47	Males	75	12	9	2	–	–	1	–	1	1	–	2
48	Females	61	4	3	–	–	1	–	2	–	–	1	2
49	Wellesley (town).	125											
50	Males	50	3	2	–	–	1	–	1	–	1	2	–
51	Females	75	3	2	–	–	–	1	1	–	–	–	1
52	W. Springfield (town)	183											
53	Males	108	16	14	1	1	–	–	2	1	1	3	1
54	Females	75	7	6	1	–	–	–	1	1	1	1	1
55	Westfield.	228											
56	Males	113	6	5	1	–	–	–	2	–	1	5	–
57	Females	115	8	7	–	1	–	–	2	3	2	2	2
58	Weymouth (town).	261											
59	Males	134	6	3	–	1	–	2	2	3	2	3	4
60	Females	127	5	4	1	–	–	–	2	2	1	–	–
61	Winchester (town).	133											
62	Males	59	2	1	–	1	–	–	1	–	1	3	–
63	Females	74	5	3	1	1	–	–	–	2	1	–	–
64	Winthrop (town).	187											
65	Males	103	3	2	1	–	–	–	1	2	1	1	–
66	Females	84	1	1	–	–	–	–	–	–	–	1	2
67	Woburn.	224											
68	Males	109	9	7	1	–	1	–	–	2	2	2	1
69	Females	115	5	4	–	–	1	–	1	–	1	2	–
70	Worcester.	2,295											
71	Males	1,206	103	84	8	5	2	4	19	8	12	15	27
72	Females	1,089	74	59	3	4	3	5	13	10	17	10	12

[1] Exclusive of stillbirths.

MUNICIPALITIES HAVING OVER 10,000 INHABITANTS: 1936 — Con.

Line No.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Age unknown.
1																
2	–	4	2	1	5	12	4	13	8	13	10	5	3	1	–	–
3	–	1	1	4	3	3	6	6	10	14	7	5	4	1	–	–
4																
5	7	10	25	26	23	23	37	49	40	40	26	17	4	2	–	–
6	13	15	14	13	12	18	36	38	35	44	38	15	5	1	–	–
7																
8	2	1	5	6	–	7	4	10	10	6	4	3	–	–	–	–
9	2	2	4	1	–	–	2	11	5	11	9	3	2	–	–	–
10																
11	6	4	5	15	10	20	25	27	24	13	12	5	3	–	–	–
12	3	2	6	4	13	15	21	21	21	15	6	8	–	1	–	–
13																
14	8	8	16	11	19	16	32	31	37	32	17	6	4	–	–	–
15	3	3	8	13	11	18	18	33	29	38	24	13	5	–	–	–
16																
17	1	4	3	5	6	8	10	8	7	8	5	3	1	1	–	–
18	–	3	5	4	6	4	9	6	9	8	9	5	2	–	1	–
19																
20	18	27	21	28	51	49	69	55	72	53	25	16	3	1	1	–
21	12	12	13	33	39	45	59	71	70	67	51	34	11	8	–	–
22																
23	2	–	2	6	2	9	9	6	8	9	7	1	1	1	–	–
24	2	2	3	3	3	5	13	7	6	10	8	7	–	–	–	–
25																
26	17	28	46	48	57	59	112	95	79	82	43	20	11	4	–	–
27	12	23	31	38	47	50	90	96	112	95	64	51	25	6	1	–
28																
29	1	1	2	1	3	1	7	5	6	6	4	1	1	2	–	–
30	–	–	2	1	2	3	8	7	16	7	5	4	2	1	–	–
31																
32	2	2	3	2	2	5	6	9	13	6	3	3	2	–	–	–
33	–	5	1	–	6	6	4	4	7	10	9	5	1	–	–	–
34																
35	6	5	10	11	21	13	37	30	35	30	15	11	3	–	–	–
36	1	8	10	8	11	23	25	22	35	30	38	9	4	–	–	–
37																
38	1	2	2	1	6	5	9	8	11	9	7	4	2	–	–	–
39	2	1	–	2	4	3	8	8	10	7	15	8	4	1	–	–
40																
41	5	6	11	8	15	16	20	17	14	20	13	9	3	–	–	–
42	7	7	2	9	8	16	22	21	26	29	15	10	8	3	–	–
43																
44	3	6	4	10	15	16	18	20	22	12	6	2	3	–	–	–
45	5	6	8	10	12	10	13	20	17	12	17	8	4	–	–	–
46																
47	1	1	2	3	5	9	11	8	8	5	5	1	–	–	–	–
48	1	3	1	4	2	–	12	15	5	4	3	–	1	–	–	–
49																
50	–	1	2	1	1	9	7	6	7	3	4	2	–	–	–	–
51	1	–	1	2	1	3	10	8	11	10	12	8	3	–	–	–
52																
53	1	5	5	5	11	10	14	9	11	4	7	1	1	–	–	–
54	1	4	1	10	2	1	11	7	9	7	7	1	1	–	1	–
55																
56	1	3	5	6	6	15	12	15	12	12	10	1	1	–	–	–
57	4	4	2	2	8	14	5	12	14	9	7	12	3	–	–	–
58																
59	2	3	3	4	6	12	16	12	17	16	14	6	3	–	–	–
60	1	1	4	1	6	10	11	9	22	26	16	8	2	–	–	–
61																
62	2	1	2	3	8	6	2	7	8	5	4	3	1	–	–	–
63	–	–	2	3	4	4	10	5	11	13	8	1	4	1	–	–
64																
65	–	4	4	5	10	13	10	12	14	9	9	2	3	–	–	–
66	–	1	–	3	5	4	7	15	11	12	12	7	–	3	–	–
67																
68	1	2	5	3	6	9	19	13	20	8	3	3	–	1	–	–
69	3	3	6	–	4	10	8	13	19	18	12	7	1	2	–	–
70																
71	16	25	61	69	85	96	138	157	148	106	74	33	11	3	–	–
72	17	25	32	46	58	72	127	110	155	118	89	66	31	6	1	–

[2] Age at last birthday.

Table 4

Years.	Population, Deaths,[1] and Death Rates, per 1,000 Population: 1912 to 1936.		
	Population.	Deaths.[3]	Death rates.
1912	3,512,007	52,400	14.9
1913	3,577,935	53,402	14.9
1914	3,643,863	52,978	14.5
1915	3,693,310	53,131	14.4
1916	3,775,720	56,366	14.9
1917	3,841,648	56,628	14.7
1918	3,907,576	78,842	20.2
1919	3,835,614	52,345	13.6
1920	3,852,356	53,632	13.9
1921	3,885,836	47,780	12.3
1922	3,936,056	51,115	13.0
1923	3,969,536	52,380	13.2
1924	4,003,016	49,466	12.4
1925	4,144,205	51,890	12.5
1926	4,170,560[2]	52,888	12.7[2]
1927	4,191,644[2]	49,324	11.8[2]
1928	4,212,728[2]	51,442	12.2[2]
1929	4,233,812[2]	52,171	12.3[2]
1930	4,249,614	49,503	11.6
1931	4,275,969	48,743	11.4
1932	4,297,053	49,531	11.5
1933	4,318,137	50,832	11.8
1934	4,339,221	50,760	11.7
1935	4,350,910	50,286	11.6
1936	4,382,896	52,054	11.9

[1] Exclusive of stillbirths.
[2] Revised.
[3] Including nonresidents.

Table 5

Years.	Mortality[1] of Males and Females: 1912 to 1936.					
	Deaths.[3]		Deaths of males to 1,000 deaths of females.	Death rates[2] per 1,000 population.		
	Males.	Females.		Males.	Females.	Excess of male rate.
1912	27,027	25,373	1,065	–	–	–
1913	28,039	25,363	1,106	–	–	–
1914	27,569	25,409	1,085	–	–	–
1915	*27,335*	*25,792*	*1,060*	*15.1*	*13.7*	*1.4*
1916	29,536	26,823	1,101	–	–	–
1917	29,622	27,005	1,097	–	–	–
1918	41,670	37,163	1,121	–	–	–
1919	26,407	25,930	1,018	–	–	–
1920	*26,625*	*27,004*	*986*	*14.1*	*13.8*	*.3*
1921	23,944	23,836	1,005	12.6	12.0	.6
1922	25,679	25,433	1,010	13.3	12.7	.6
1923	26,268	26,111	1,006	13.5	12.9	.6
1924	25,392	24,074	1,055	12.9	11.8	1.1
1925	*26,457*	*25,433*	*1,040*	–	–	–
1926	26,943	25,945	1,038	–	–	–
1927	25,233	24,091	1,047	–	–	–
1928	26,082	25,360	1,028	–	–	–
1929	26,461	25,710	1,029	–	–	–
1930	*25,242*	*24,261*	*1,041*	*12.2*	*11.1*	*1.1*
1931	25,021	23,722	1,055	–	–	–
1932	25,321	24,210	1,046	–	–	–
1933	26,131	24,701	1,058	–	–	–
1934	26,569	24,191	1,098	–	–	–
1935	*26,000*	*24,286*	*1,071*	–	–	–
1936	27,104	24,950	1,086	–	–	–

[1] Exclusive of stillbirths.
[2] Rates are calculated on census population except for the years 1921, 1922, 1923 and 1924, for which the estimated population is used. Male and female population not enumerated in State census of 1925 and 1935.
[3] Including nonresidents.

Table 6

Age Periods.	Deaths[1] at Specified Ages: Census Years 1910 to 1935.					
	1935.	1930.	1925.	1920.	1915.	1910.
All Ages.	49,634[4]	49,503	51,890	53,632	53,131	54,407
Under 5 years	3,809	5,873	8,623	11,739	12,891	15,433
Under 1 year	3,014	4,440	6,294	8,382	9,490	11,499
5 to 9 years	513	742	922	1,129	1,026	1,091
10 to 14 years	461	479	678	689	648	678
15 to 19 years	616	705	891	957	984	1,002
20 to 29 years	1,627	1,956	2,498	3,282	3,234	3,329
30 to 39 years	2,405	2,959	3,161	3,916	3,823	4,102
40 to 49 years	4,488	4,278	4,521	4,554	4,825	4,615
50 to 59 years	7,001	6,989	6,838	6,154	6,058	5,501
60 to 69 years	11,083	9,881	9,186	7,784	7,323	7,168
70 to 79 years	10,964	9,637	8,882	8,049	7,613	6,977
80 years and over	6,667	6,003	5,685	5,370	4,667	4,471
Age unknown	–	1	5	9	39	40
	Death Rates per 1,000 Population[2] at Specified Ages.					
All Ages.	11.4	11.6	12.5	13.9	14.4	16.2
Under 5 years	–	16.8	–	30.4	35.5	46.9
Under 1 year	–	68.3	–	111.9	126.1	162.6
5 to 9 years	–	1.9	–	3.1	3.1	3.7
10 to 14 years	–	1.2	–	2.1	2.1	2.4
15 to 19 years	–	1.9	–	3.2	3.1	3.4
20 to 29 years	–	2.9	–	4.9	4.6	5.2
30 to 39 years	–	–[3]	–	6.4	6.5	7.4
40 to 49 years	–	–[3]	–	9.1	10.3	11.0
50 to 59 years	–	–[3]	–	17.2	19.1	19.9
60 to 69 years	–	–[3]	–	37.5	40.5	43.1
70 to 79 years	–	–[3]	–	85.5	87.1	79.2
80 years and over	–	–[3]	–	193.0	177.5	191.3

[1] Exclusive of stillbirths.
[2] Population by age groups not enumerated for 1925 and 1935.
[3] U. S. Census figures for 1930 not available.
[4] Allocated.

Table 7

Years.	Per Cent of Deaths[1] at Specified Ages—Both Sexes.			
	Under 1 year.	Under 5 years.	20 to 29 years.	All others.
1912	20.0	26.3	6.0	67.6
1913	18.9	25.8	6.0	68.2
1914	18.7	24.6	6.0	69.4
1915	17.9	24.3	6.1	69.7
1916	16.6	23.2	5.8	71.0
1917	16.5	22.5	5.9	71.6
1918	13.7	21.0	13.7	65.3
1919	14.8	20.7	7.3	72.0
1920	15.6	21.9	6.1	72.0
1921	14.7	19.7	5.3	75.0
1922	13.9	19.2	4.9	75.9
1923	13.3	18.4	4.9	76.7
1924	12.5	16.9	4.9	78.2
1925	12.1	16.6	4.8	78.6
1926	11.6	16.1	4.4	79.5
1927	10.8	14.3	4.6	81.1
1928	10.0	13.6	4.3	82.1
1929	8.8	12.0	4.4	83.6
1930	9.0	11.9	3.9	84.2
1931	7.8	10.2	3.9	85.9
1932	7.3	9.7	3.7	86.6
1933	6.5	8.5	3.6	87.9
1934	6.2	8.0	3.5	88.5
1935	6.1[2]	7.7[2]	3.3[2]	89.0[2]
1936	5.5[2]	7.1[2]	3.2[2]	89.7[2]

[1] Exclusive of stillbirths. [2] Allocated.

Table 8

Age Periods.	Male Deaths per 1,000 Female Deaths at Specified Ages				Age Periods.	Male Deaths per 1,000 Female Deaths at Specified Ages.			
	1936.	1935.	1934.	1933.		1936.	1935.	1934.	1933.
All Ages.	1,086	1,069[1]	1,098	1,058	40 to 44 years	1,499	1,245	1,326	1,299
Under 1 year	1,286	1,404	1,320	1,353	45 to 49 years	1,382	1,337	1,382	1,341
1 year	1,224	1,303	1,179	1,241	50 to 54 years	1,392	1,397	1,369	1,353
2 years	1,071	1,325	1,278	1,276	55 to 59 years	1,360	1,294	1,345	1,205
3 years	1,393	1,373	1,845	1,493	60 to 64 years	1,210	1,259	1,238	1,148
4 years	1,250	1,479	1,262	1,253	65 to 69 years	1,139	1,084	1,138	1,101
5 to 9 years	1,335	1,443	1,422	1,387	70 to 74 years	1,027	1,015	1,035	1,026
10 to 14 years	1,163	1,414	1,568	1,290	75 to 79 years	882	860	893	885
15 to 19 years	1,209	1,299	1,433	1,141	80 to 84 years	796	753	768	754
20 to 24 years	1,071	1,033	978	958	85 to 89 years	605	591	645	643
25 to 29 years	1,087	949	1,029	951	90 to 94 years	489	481	436	520
30 to 34 years	1,144	1,116	1,142	970	95 to 99 years	433	357	320	319
35 to 39 years	1,302	1,102	1,261	1,080	100 years and over	182	240	286	357

[1] Allocated.

Table 9

Age Periods and Years.	Deaths[1] of Males and Females at Specified Ages: 1927 to 1936.						
	Both sexes.		Males.		Females.		Female deaths per 1,000 male deaths.
	Number.	Per Cent distribution.	Number.	Per Cent distribution.	Number.	Per Cent distribution.	
All Ages.							
1927	49,324[2]	100.0	25,233	100.0	24,091	100.0	955
1928	51,442	100.0	26,082	100.0	25,360	100.0	972
1929	52,171	100.0	26,461	100.0	25,710	100.0	971
1930	49,503[3]	100.0	25,242	100.0	24,261	100.0	961
1931	48,743	100.0	25,021	100.0	23,722	100.0	948
1932	49,531	100.0	25,321	100.0	24,210	100.0	956
1933	50,832	100.0	26,131	100.0	24,701	100.0	945
1934	50,760	100.0	26,569	100.0	24,191	100.0	910
1935	49,634[4]	100.0	25,642	100.0	23,992	100.0	936
1936	51,435[4]	100.0	26,773	100.0	24,662	100.0	921
Under 1 Year.							
1927	5,320	10.8	3,072	12.2	2,248	9.3	732
1928	5,117	10.0	2,886	11.1	2,231	8.8	773
1929	4,592	8.8	2,634	10.0	1,958	7.6	743
1930	4,440	9.0	2,482	9.8	1,958	8.1	789
1931	3,803	7.8	2,174	8.7	1,629	6.9	749
1932	3,635	7.3	2,068	8.2	1,567	6.5	758
1933	3,294	6.5	1,894	7.2	1,400	5.7	739
1934	3,136	6.2	1,784	6.7	1,352	5.6	758
1935	3,014	6.1	1,760	6.9	1,254	5.2	713
1936	2,854	5.5	1,605	6.0	1,249	5.1	778
Under 5 Years.							
1927	7,035	14.3	3,999	15.9	3,036	12.6	759
1928	6,994	13.6	3,869	14.8	3,125	12.3	808
1929	6,279	12.0	3,563	13.5	2,716	10.6	762
1930	5,873	11.9	3,271	13.0	2,602	10.7	795
1931	4,969	10.2	2,810	11.2	2,159	9.1	768
1932	4,787	9.7	2,695	10.6	2,092	8.6	776
1933	4,341	8.5	2,484	9.5	1,857	7.5	748
1934	4,074	8.0	2,316	8.7	1,758	7.3	759
1935	3,809	7.7	2,216	8.6	1,593	6.6	719
1936	3,667	7.1	2,052	7.7	1,615	6.5	787
20 to 29 Years.							
1927	2,264	4.6	1,063	4.2	1,201	5.0	1,129
1928	2,190	4.3	1,003	3.9	1,187	4.7	1,183
1929	2,266	4.4	1,117	4.2	1,149	4.5	1,029
1930	1,956	3.9	968	3.8	988	4.1	1,019
1931	1,920	3.9	908	3.6	1,012	4.3	1,115
1932	1,850	3.7	885	3.5	965	4.0	1,090
1933	1,829	3.6	894	3.4	935	3.8	1,046
1934	1,777	3.5	891	3.4	886	3.7	994
1935	1,627	3.3	808	3.2	819	3.4	1,014
1936	1,618	3.2	840	3.1	778	3.2	931
All Other Ages.							
1927	40,025[2]	81.1	20,171	79.9	19,854	82.4	984
1928	42,258	82.1	21,210	81.3	21,048	83.0	992
1929	43,626	83.6	21,781	82.3	21,845	84.9	1,003
1930	41,674[3]	84.2	21,003	83.2	20,671	85.2	984
1931	41,854	85.9	21,303	85.2	20,551	86.6	965
1932	42,894	86.6	21,741	85.9	21,153	87.4	973
1933	44,662	87.9	22,753	87.1	21,909	88.7	963
1934	44,909	88.5	23,362	87.9	21,547	89.0	922
1935	44,198	89.0	22,618	88.2	21,580	90.0	954
1936	46,150	89.7	23,881	89.2	22,269	90.3	932

[1] Exclusive of stillbirths.
[2] Includes 2 deaths, age not reported.
[3] Includes 1 death, age not reported.
[4] Allocated.

Table 10 — Allocated deaths of Persons 100 Years of Age and Over: 1936.

Age at Death. Yrs.	Mos.	Sex.	Place of residence.	Place of birth.	Marital condition.	Date of death.	Name (and maiden name of married and widowed women).
105	–	M.	Somerville	Russia	Widowed	Nov. 8	Barnet Goldberg.
104	1	F.	Greenfield	Hawley	Widowed	Sept. 3	Emily T. Morton, m.n. Hitchcock.
104	–	F.	Brookline	Russia	Widowed	Mar. 26	Ethel Laviata, m.n. unknown.
103	7	F.	Sterling	Sterling	Widowed	May 4	Catherine A. Newhall m.n. Rice.
103	6	F.	Springfield	Ireland	Widowed	Apr. 15	Ellen Terry, m.n. Carroll.
102	8	F.	Marblehead	Marblehead	Single	Sept. 2	Ruth E. Peach.
102	8	F.	Boston	Portland, Me.	Widowed	Oct. 5	Mary C. Quincy, m.n. Swetsir.
102	7	F.	Monson	Belchertown	Widowed	Jan. 1	Juliette E. Sikes, m.n. Walker.
102	–	F.	Boston	Boston	Single	Oct. 16	CatherineS.Maginnis.
102	–	F.	Boston	Ireland	Widowed	Nov. 30	Martha Gallagher, m.n. Farren.
101	8	F.	Upton	England	Widowed	May 1	Emily A. Young, m.n. Atwood.
101	4	F.	Boston	Duxbury	Single	May 7	Jerusha B. Weston.
101	4	F.	Worcester	Unknown	Widowed	Dec. 18	Margarette Guild, m.n. Ware.
101	1	F.	Saugus	Oakland, Me.	Widowed	Nov. 10	Cordelia B. Lowell, m.n. Dollard.
101	–	F.	West Springfield	Canada	Widowed	June 24	Sophie Proulx, m.n. unknown.
101	–	M.	Cambridge	Virginia	Widowed	Mar. 25	George A. Adams,
101	–	F.	Cambridge	Virginia	Widowed	Aug. 5	Mary E. Walker, m.n. Ross.
101	–	M.	Cohasset	Ireland	Widowed	Jan. 30	Richard Cadden.
100	11	F.	East Bridgewater	East Bridgewater	Single	Aug. 2	Abbie Whiting.
100	8	F.	Haverhill	Welchville, Me.	Widowed	Oct. 30	Nettie Small, m.n. Washburn.
100	8	F.	Methuen	New Brunswick	Widowed	Dec. 17	M. Louisa Griffiths, m.n. Currie.
100	8	F.	West Bridgewater	Ireland	Divorced	May 4	Catherine Conlin.
100	7	F.	Fitchburg	Philadelphia, Pa.	Widowed	May 23	Maria A. Tayler, m.n. Byrnes.
100	3	F.	Newburyport	Ireland	Single	May 4	Bridget Minehan.
100	2	M.	Ayer	Westford	Widowed	Mar. 10	Joseph H.Richardson.
100	–	F.	Sandwich	Unknown	Widowed	Mar. 6	Ophelia Vessell, m.n. unknown.

Table 11 — Deaths of Persons 100 Years of Age and Over: 1912 to 1936.

Years.	Total.	Sex. Males.	Sex. Females.	Nativity. Native.	Nativity. Foreign.	Nativity. Unknown.	Marital condition. Single.	Marital condition. Married.	Marital condition. Widowed.	Marital condition. Divorced.	Age of oldest decedent.
1912	21	6	15	12	9	–	–	–	21	–	112
1913	18	4	14	10	8	–	2	–	16	–	104
1914	20	4	16	7	13	–	–	–	20	–	113
1915	25	10	15	15	10	–	–	3	22	–	105
1916	21	9	12	10	11	–	–	1	20	–	111
1917	29	10	19	15	14	–	4	2	23	–	108
1918	21	7	14	9	12	–	3	–	18	–	112
1919	21	5	16	11	10	–	3	3	15	–	113
1920	16	3	13	8	8	–	–	1	15	–	104
1921	19	4	15	9	10	–	1	1	17	–	107
1922	25	5	20	13	12	–	2	–	23	–	108
1923	23	10	13	9	14	–	–	1	21	1	115
1924	18	3	15	12	6	–	1	–	17	–	109
1925	22	6	16	11	10	1	1	1	20	–	118
1926	27	8	19	18	9	–	4	2	21	–	105
1927	20	4	16	10	10	–	2	2	16	–	105
1928	22	8	14	13	9	–	3	–	19	–	109
1929	28	7	21	14	14	–	4	–	24	–	108
1930	25	3	22	14	11	–	3	–	22	–	107
1931	23	5	18	15	8	–	3	1	19	–	106
1932	20	5	15	10	10	–	2	–	18	–	116
1933	19	5	14	11	8	–	3	–	16	–	105
1934	18	4	14	8	10	–	–	–	18	–	117
1935[1]	31	6	25	20	11	–	4	2	25	–	108
1936[1]	26	4	22	14	10	2	5	–	20	1	105

[1] Allocated.

Table 12

ALLOCATED DEATHS BY SEX, AGE, AND MARITAL CONDITION: 1936.

AGE AT DEATH.	Both Sexes.	MALES. Total.	Single.	Married.	Widowed.	Divorced.	Unknown.	FEMALES. Total.	Single	Married.	Widowed.	Divorced.	Unknown.
The State.													
15 Years and Over.	**46,893**	**24,235**	**4,552**	**13,631**	**5,579**	**393**	**80**	**22,658**	**4,114**	**8,546**	**9,739**	**253**	**6**
15 to 19 years .	519	284	283	1	–	–	–	235	219	16	–	–	–
20 to 29 years .	1,618	840	628	202	5	3	2	778	377	389	7	5	–
30 to 39 years .	2,307	1,273	472	721	33	39	8	1,034	234	739	34	26	1
40 to 49 years .	4,525	2,663	660	1,808	117	67	11	1,862	287	1,353	170	51	1
50 to 59 years .	7,454	4,314	732	3,036	429	92	25	3,140	510	1,934	647	47	2
60 to 69 years .	11,310	6,102	859	3,945	1,190	87	21	5,208	835	2,328	1,992	52	1
70 to 79 years .	11,960	5,842	700	2,958	2,086	90	8	6,118	984	1,439	3,645	50	–
80 years and over	7,200	2,917	218	960	1,719	15	5	4,283	668	348	3,244	22	1
Boston.													
15 Years and Over.	**9,206**	**4,935**	**1,244**	**2,482**	**1,066**	**102**	**41**	**4,271**	**952**	**1,498**	**1,759**	**60**	**2**
15 to 19 years .	101	53	53	–	–	–	–	48	44	4	–	–	–
20 to 29 years .	362	186	142	39	2	1	2	176	78	95	3	–	–
30 to 39 years .	545	327	144	155	11	13	4	218	53	148	8	8	1
40 to 49 years .	1,101	672	233	365	44	26	4	429	69	295	49	15	1
50 to 59 years .	1,601	974	213	609	115	21	16	627	114	337	165	11	–
60 to 69 years .	2,297	1,244	229	728	258	19	10	1,053	206	356	475	16	–
70 to 79 years .	2,168	1,052	187	449	392	21	3	1,116	246	222	640	8	–
80 years and over	1,031	427	43	137	244	1	2	604	142	41	419	2	–

Table 13

Counties and Cities having over 50,000 Inhabitants in 1935 (Grouped in order of population).	Allocated deaths,[1] in Counties and in Cities having over 50,000 Inhabitants, by Months: 1936.												
	The Year.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
The State.	**51,435**	**5,045**	**4,791**	**4,826**	**4,553**	**4,278**	**3,699**	**3,839**	**3,592**	**3,559**	**4,163**	**4,286**	**4,804**
Average daily number of deaths.	141	163	165	156	152	138	123	124	116	119	134	143	155
Counties.													
Middlesex	10,860	1,053	1,006	1,004	925	906	815	782	732	763	876	940	1,058
Suffolk	11,151	1,154	1,001	1,048	1,009	932	820	824	789	761	873	922	1,018
Essex	6,031	573	554	571	536	511	408	439	454	417	511	520	537
Worcester	5,810	523	564	569	531	463	406	419	407	383	466	503	576
Bristol	4,439	456	459	383	350	380	309	336	333	295	399	332	407
Hampden	3,649	398	353	374	345	301	253	282	232	253	290	266	302
Norfolk	3,492	334	302	308	311	265	246	280	237	273	292	307	337
Plymouth	2,275	211	212	221	206	205	189	170	160	141	175	183	202
Berkshire	1,502	145	145	143	136	118	99	123	94	108	117	128	146
Hampshire	870	79	67	83	67	82	54	74	56	66	75	77	90
Franklin	657	55	68	64	68	62	50	45	43	44	45	44	69
Barnstable	552	52	51	42	56	40	37	50	45	47	34	50	48
Dukes	84	3	7	9	7	6	8	9	7	4	10	6	8
Nantucket	63	9	2	7	6	7	5	6	3	4	–	8	6
Cities over 100,000.													
Boston	10,172	1,051	914	957	922	844	759	747	726	682	800	845	925
Worcester	2,295	217	232	229	213	161	167	162	147	157	200	187	223
Springfield	1,650	193	149	167	145	143	113	131	105	102	149	114	139
Cambridge	1,354	136	115	141	113	118	93	97	84	103	100	115	139
Fall River	1,467	152	154	135	110	129	107	120	101	101	128	97	133
New Bedford	1,326	126	156	119	98	113	87	101	86	97	115	110	118
Lynn	1,192	106	106	125	114	98	82	63	92	86	100	110	110
Somerville	1,186	113	108	116	113	95	95	85	63	93	92	106	107
Lowell	1,362	145	109	111	93	122	111	108	75	100	122	115	151
Cities 50,000 to 100,000.													
Lawrence	955	82	105	73	86	98	63	86	71	53	85	68	85
Quincy	731	82	59	71	62	62	50	49	49	50	62	64	71
Newton	664	78	63	52	54	57	44	53	41	54	48	56	64
Brockton	791	83	77	81	64	72	65	57	51	42	55	69	75
Medford	589	51	54	57	54	57	52	35	43	35	51	52	48
Malden	646	70	69	58	65	52	46	35	50	40	39	64	58
Holyoke	670	73	76	63	59	57	36	49	46	54	49	56	52

[1] Exclusive of stillbirths.

Table 14

ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL LIST, BY MONTHS AND SEX: 1936.

Detailed Int. List No.	Cause of Death.	Sex.	Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	All Causes.	T	51,435	5,045	4,791	4,826	4,553	4,278	3,699	3,839	3,592	3,559	4,163	4,286	4,804
		M	26,773	2,616	2,467	2,513	2,360	2,241	1,896	2,009	1,936	1,837	2,182	2,257	2,459
		F	24,662	2,429	2,324	2,313	2,193	2,037	1,803	1,830	1,656	1,722	1,981	2,029	2,345
I.	INFECTIOUS AND PARASITIC DISEASES	T	2,824	–	–	–	–	–	–	–	–	–	–	–	–
		M	1,650	140	179	206	140	155	105	117	112	118	115	115	148
		F	1,174	124	125	113	103	109	78	97	81	87	72	72	113
1	Typhoid fever	T	10	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	–	1	–	–	–	–	2	–	2	–	–	–
		F	5	1	–	–	–	1	–	–	–	1	1	–	1
2	Paratyphoid fever	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	1	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
3	Typhus fever	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	1	–	–	–	–	–	–	–	–	–
4	Relapsing fever	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
5	Undulant fever	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	1	–	–	–	1	–	–	–
		F	2	–	–	1	–	–	–	–	–	–	1	–	–
6	Smallpox	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
7	Measles	T	35	–	–	–	–	–	–	–	–	–	–	–	–
		M	15	1	3	3	1	3	2	–	–	1	–	–	1
		F	20	2	3	2	4	3	2	1	–	1	–	1	1
8	Scarlet fever	T	44	–	–	–	–	–	–	–	–	–	–	–	–
		M	19	–	2	4	5	2	1	–	–	2	1	1	1
		F	25	3	5	2	6	3	1	1	1	–	–	1	2
9	Whooping cough	T	52	–	–	–	–	–	–	–	–	–	–	–	–
		M	22	–	1	2	2	–	1	1	3	3	1	3	5
		F	30	2	–	2	3	3	3	1	3	1	3	2	7
10	Diphtheria	T	27	–	–	–	–	–	–	–	–	–	–	–	–
		M	13	4	–	2	–	1	–	1	2	–	1	1	1
		F	14	2	2	1	–	3	–	2	1	3	–	–	–
11	Influenza	T	280	–	–	–	–	–	–	–	–	–	–	–	–
		M	141	18	30	31	10	8	4	2	1	3	7	9	18
		F	139	16	33	27	12	6	2	2	3	2	4	5	27
11*a*	With respiratory complications specified	T	208	–	–	–	–	–	–	–	–	–	–	–	–
		M	114	17	23	26	8	7	3	1	1	1	4	8	15
		F	94	14	23	17	9	3	1	1	1	1	2	3	19
11*b*	Without respiratory complications specified	T	72	–	–	–	–	–	–	–	–	–	–	–	–
		M	27	1	7	5	2	1	1	1	–	2	3	1	3
		F	45	2	10	10	3	3	1	1	2	1	2	2	8
12	Cholera	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
13	Dysentery	T	10	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	1	–	–	1	–	–	–	1	1	–	1	–
		F	5	–	–	–	–	–	–	–	2	3	–	–	–
13*a*	Amebic	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	1	–	–	–	–
13*b*	Bacillary	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	1	–	–	–	–	–	–	1	1	–	–	–
		F	1	–	–	–	–	–	–	–	1	–	–	–	–
13*c*	Unspecified or due to other causes	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	1	–	–	–	–	–	–	1	–
		F	3	–	–	–	–	–	–	–	–	3	–	–	–
14	Plague	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
15	Erysipelas	T	74	–	–	–	–	–	–	–	–	–	–	–	–
		M	36	1	4	5	7	6	1	3	1	–	1	2	5
		F	38	5	–	6	9	3	–	2	2	4	2	1	4
16	Acute poliomyelitis	T	8	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	–	1	–	–	–	–	–	1	–	3	–	–
		F	3	–	–	–	–	1	–	1	–	1	–	–	–
17	Lethargic or epidemic encephalitis	T	14	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	–	–	2	–	2	–	–	–	1	–	–	–
		F	9	2	–	–	2	–	2	1	1	1	–	–	–
18	Epidemic cerebrospinal meningitis	T	100	–	–	–	–	–	–	–	–	–	–	–	–
		M	77	9	15	18	9	9	7	1	–	3	1	3	2
		F	23	1	1	4	1	6	–	3	–	–	1	2	4
19	Glanders	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 14

Allocated Deaths (exclusive of Stillbirths) from Each Cause and Class of Causes, according to the Detailed International List, by Months and Sex: 1936.

Detailed Int. List No.	Cause of Death.	Sex.	Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
20	Anthrax	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	1	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
21	Rabies	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
22	Tetanus	T	15	–	–	–	–	–	–	–	–	–	–	–	–
		M	11	1	–	–	2	–	3	–	–	2	1	–	2
		F	4	–	–	–	–	–	–	1	1	2	–	–	–
23–32	Tuberculosis (total)	T	1,898	–	–	–	–	–	–	–	–	–	–	–	–
		M	1,127	94	105	124	92	108	78	90	86	87	85	81	97
		F	771	80	69	60	58	72	62	73	63	62	57	53	62
23	Tuberculosis of the respiratory system	T	1,733	–	–	–	–	–	–	–	–	–	–	–	–
		M	1,046	85	98	118	88	101	73	81	79	78	78	76	91
		F	687	68	60	54	50	67	58	63	57	57	50	47	56
24	Tuberculosis of the meninges and central nervous system	T	54	–	–	–	–	–	–	–	–	–	–	–	–
		M	30	4	1	–	2	4	2	3	5	2	1	2	4
		F	24	2	4	2	2	3	1	2	1	2	–	1	4
25	Tuberculosis of the intestines and peritoneum	T	26	–	–	–	–	–	–	–	–	–	–	–	–
		M	6	–	1	2	–	–	–	1	–	1	–	–	1
		F	20	5	2	1	–	1	1	4	–	1	1	3	1
26	Tuberculosis of the vertebral column	T	32	–	–	–	–	–	–	–	–	–	–	–	–
		M	17	4	1	2	1	1	–	1	1	2	1	3	–
		F	15	3	2	–	2	1	–	–	1	2	3	1	–
27	Tuberculosis of the bones and joints (vertebral column excepted)	T	11	–	–	–	–	–	–	–	–	–	–	–	–
		M	6	–	2	–	–	–	1	–	1	–	2	–	–
		F	5	1	–	1	–	–	–	1	1	–	1	–	–
27a	Bones	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	1	–	–	–	–	–
27b	Joints	T	10	–	–	–	–	–	–	–	–	–	–	–	–
		M	6	–	2	–	–	–	1	–	1	–	2	–	–
		F	4	1	–	1	–	–	–	–	1	–	1	–	–
28	Tuberculosis of the skin and subcutaneous cellular tissue	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	1	–	–
		F	1	–	1	–	–	–	–	–	–	–	–	–	–
29	Tuberculosis of the lymphatic system (bronchial, mesenteric and retroperitoneal glands excepted)	T	8	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	–	1	–	–	1	–	–	2	–	–	–
		F	4	–	–	–	2	–	1	–	–	–	1	–	–
30	Tuberculosis of the genitourinary system	T	22	–	–	–	–	–	–	–	–	–	–	–	–
		M	11	1	2	–	1	2	1	2	–	–	2	–	–
		F	11	1	–	2	2	–	–	1	2	–	1	1	1
31	Tuberculosis of other organs	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	1	–	–	–	–	–	–
32	Disseminated tuberculosis	T	9	–	–	–	–	–	–	–	–	–	–	–	–
		M	6	–	–	1	–	–	–	2	–	2	–	–	1
		F	3	–	–	–	–	–	–	2	1	–	–	–	–
32a	Acute	T	8	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	–	–	1	–	–	–	1	–	2	–	–	1
		F	3	–	–	–	–	–	–	2	1	–	–	–	–
32b	Chronic	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
32c	Unspecified	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	1	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
33	Leprosy	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
34	Syphilis	T	196	–	–	–	–	–	–	–	–	–	–	–	–
		M	139	11	12	13	9	13	7	15	14	10	11	12	12
		F	57	8	8	4	7	4	3	7	3	4	2	4	3
34a	Congenital	T	7	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	1	–	–	–	–	–	–	1	1
		F	4	–	–	–	1	1	–	1	–	–	1	–	–
34b	Acquired	T	10	–	–	–	–	–	–	–	–	–	–	–	–
		M	7	1	–	–	–	2	–	2	1	–	–	1	–
		F	3	–	–	–	–	–	–	2	–	1	–	–	–
34c	Unspecified	T	179	–	–	–	–	–	–	–	–	–	–	–	–
		M	129	10	12	13	8	11	7	13	13	10	11	10	11
		F	50	8	8	4	6	3	3	4	3	3	1	4	3
35	Gonococcus infection and other venereal diseases	T	17	–	–	–	–	–	–	–	–	–	–	–	–
		M	9	–	1	1	1	–	1	1	1	–	–	2	1
		F	8	–	2	1	1	–	1	1	–	–	1	–	1
36	Purulent infection, septicemia, nonpuerperal	T	14	–	–	–	–	–	–	–	–	–	–	–	–
		M	7	–	2	–	–	–	–	1	–	–	2	–	2
		F	7	1	1	–	–	1	1	1	–	–	–	1	1

Table 14

ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL LIST, BY MONTHS AND SEX: 1936.

Detailed Int. List No.	Cause of Death.	Sex.	Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
37	Yellow fever	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
38	Malaria	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
39	Other diseases due to protozoal parasites	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
40	Ankylostomiasis	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
41	Hydatid cysts	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
41a	Of the liver	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
41b	Of other organs	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
42	Other diseases caused by Helminths	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	1	–	–	–	1	–	–	–
43	Mycoses	T	9	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	–	–	–	1	–	–	–	1	2	1	–	–
		F	4	–	1	1	–	–	–	–	–	1	–	1	–
44	Other infectious and parasitic diseases	T	12	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	–	1	1	–	2	–	–	–	–	–	–	1
		F	7	1	–	1	–	2	1	–	1	–	–	1	–
44a	Chicken-pox	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	2	–	–	–	–	–	–	1
		F	2	–	–	–	–	–	–	–	1	–	–	1	–
44b	German measles	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	1	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
44c	Others under this title	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	1	–	–	–	–	–	–	–	–	–	–
		F	5	1	–	1	–	2	1	–	–	–	–	–	–
II.	CANCERS AND OTHER TUMORS	T	6,836	–	–	–	–	–	–	–	–	–	–	–	–
		M	3,090	262	251	280	247	245	237	253	283	245	277	239	274
		F	3,743	335	285	313	322	312	298	337	300	305	305	294	337
45–53	Cancer and other malignant tumors (total)	T	6,599	–	–	–	–	–	–	–	–	–	–	–	–
		M	2,989	253	244	269	239	241	227	240	276	240	265	230	265
		F	3,610	328	275	299	314	298	284	324	287	299	296	283	323
45	Cancer and other malignant tumors of the buccal cavity and pharynx	T	243	–	–	–	–	–	–	–	–	–	–	–	–
		M	197	21	14	14	14	19	11	11	21	14	20	21	17
		F	46	8	4	3	5	2	4	2	4	4	5	3	2
45a	Lip	T	40	–	–	–	–	–	–	–	–	–	–	–	–
		M	35	4	1	4	3	3	1	1	3	5	3	5	2
		F	5	–	–	1	–	1	–	–	1	1	1	–	–
45b	Tongue	T	52	–	–	–	–	–	–	–	–	–	–	–	–
		M	41	6	5	3	2	6	1	2	3	2	4	5	2
		F	11	2	2	1	1	–	–	1	1	–	–	2	1
45c	Mouth	T	25	–	–	–	–	–	–	–	–	–	–	–	–
		M	18	–	1	2	1	4	–	–	2	1	6	1	–
		F	7	–	–	1	2	–	–	–	1	1	1	1	–
45d	Jaw	T	38	–	–	–	–	–	–	–	–	–	–	–	–
		M	25	2	–	2	3	2	2	2	1	2	1	6	2
		F	13	4	1	–	1	–	2	1	–	2	2	–	–
45e	Other and unspecified parts of buccal cavity	T	41	–	–	–	–	–	–	–	–	–	–	–	–
		M	39	4	4	–	4	3	2	1	7	2	2	3	7
		F	2	1	1	–	–	–	–	–	–	–	–	–	–
45f	Pharynx	T	47	–	–	–	–	–	–	–	–	–	–	–	–
		M	39	5	3	3	1	1	5	5	5	2	4	1	4
		F	8	1	–	–	1	1	2	–	1	–	1	–	1
46	Cancer and other malignant tumors of the digestive tract	T	3,228	–	–	–	–	–	–	–	–	–	–	–	–
		M	1,641	137	137	144	126	133	121	132	144	147	150	122	148
		F	1,587	143	108	136	139	137	128	157	119	122	136	125	137
46a	Esophagus	T	143	–	–	–	–	–	–	–	–	–	–	–	–
		M	101	6	4	7	5	9	6	13	12	7	14	8	10
		F	42	4	5	4	5	2	3	5	2	3	4	3	2
46b	Stomach and duodenum	T	1,119	–	–	–	–	–	–	–	–	–	–	–	–
		M	645	50	59	52	49	47	47	56	65	62	54	52	52
		F	474	39	25	37	43	44	43	45	41	35	39	44	39
46c	Intestine (except rectum and anus)	T	938	–	–	–	–	–	–	–	–	–	–	–	–
		M	400	37	36	40	33	41	32	26	24	38	26	31	36
		F	538	46	40	42	50	48	39	46	42	52	44	47	42

Table 14

Allocated Deaths (exclusive of Stillbirths) from Each Cause and Class of Causes, according to the Detailed International List, by Months and Sex: 1936.

Detailed Int. List No.	Cause of Death.	Sex.	Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
46*d*	Rectum and anus	T	401	–	–	–	–	–	–	–	–	–	–	–	–
		M	223	20	13	21	16	15	18	17	22	12	31	14	24
		F	178	10	13	20	11	11	13	21	11	10	23	15	20
46*e*	Liver and biliary passages	T	380	–	–	–	–	–	–	–	–	–	–	–	–
		M	149	17	13	14	12	12	8	11	14	14	15	9	10
		F	231	31	19	19	15	23	17	27	17	14	15	11	23
46*f*	Pancreas	T	230	–	–	–	–	–	–	–	–	–	–	–	–
		M	117	7	11	9	11	9	9	7	7	14	10	8	15
		F	113	12	4	14	14	6	13	12	6	7	10	5	10
46*g*	Peritoneum	T	17	–	–	–	–	–	–	–	–	–	–	–	–
		M	6	–	1	1	–	–	1	2	–	–	–	–	1
		F	11	1	2	–	1	3	–	1	–	1	1	–	1
46*h*	Others	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
47	Cancer and other malignant tumors of the respiratory system	T	350	–	–	–	–	–	–	–	–	–	–	–	–
		M	252	18	12	23	19	21	22	22	24	22	20	21	22
		F	98	4	8	8	11	8	8	8	8	8	9	7	11
47*a*	Larynx	T	63	–	–	–	–	–	–	–	–	–	–	–	–
		M	50	8	1	2	6	8	4	6	4	4	2	2	3
		F	13	1	2	1	2	2	–	1	3	–	–	1	–
47*b*	Lungs and pleura	T	271	–	–	–	–	–	–	–	–	–	–	–	–
		M	192	9	11	25	12	13	17	16	20	18	16	18	17
		F	79	3	6	7	7	4	6	7	5	8	9	6	11
47*c*	Others	T	16	–	–	–	–	–	–	–	–	–	–	–	–
		M	10	1	–	2	1	–	1	–	–	–	2	1	2
		F	6	–	–	–	2	2	2	–	–	–	–	–	–
48	Cancer and other malignant tumors of the uterus	T	606	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	606	58	47	41	52	60	40	57	48	60	50	38	49
49	Cancer and other malignant tumors of other female genital organs	T	193	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	193	15	13	24	15	15	18	8	18	12	13	21	21
49*a*	Ovary and Fallopian tube	T	167	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	167	14	13	19	10	11	16	8	16	12	13	16	19
49*b*	Vagina and vulva	T	25	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	25	1	–	4	5	4	2	–	2	–	–	5	2
49*c*	Others	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	1	–	–	–	–	–	–	–	–	–
50	Cancer and other malignant tumors of the breast	T	712	–	–	–	–	–	–	–	–	–	–	–	–
		M	12	1	–	1	1	–	–	1	1	2	1	1	3
		F	700	72	55	49	56	56	55	57	51	60	54	57	78
51	Cancer and other malignant tumors of the male genito-urinary organs	T	567	–	–	–	–	–	–	–	–	–	–	–	–
		M	567	42	57	43	47	46	35	53	58	35	45	46	55
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
51*a*	Kidneys and suprarenals (male)	T	60	–	–	–	–	–	–	–	–	–	–	–	–
		M	60	6	3	7	9	6	4	4	1	6	2	5	7
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
51*b*	Bladder (male)	T	139	–	–	–	–	–	–	–	–	–	–	–	–
		M	139	7	18	7	16	11	4	15	11	8	9	13	20
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
51*c*	Prostate	T	332	–	–	–	–	–	–	–	–	–	–	–	–
		M	332	25	32	32	18	26	24	32	41	19	30	27	26
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
51*d*	Testes	T	16	–	–	–	–	–	–	–	–	–	–	–	–
		M	16	3	2	1	–	1	2	1	1	1	2	1	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
51*e*	Scrotum	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	1	–	–	1	–	–	–	–	–	–	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
51*f*	Others	T	17	–	–	–	–	–	–	–	–	–	–	–	–
		M	17	1	1	1	4	1	1	1	4	1	2	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
52	Cancer and other malignant tumors of the skin	T	96	–	–	–	–	–	–	–	–	–	–	–	–
		M	52	7	9	5	4	5	4	1	3	2	4	4	4
		F	44	4	5	5	6	–	2	7	4	2	4	4	1
53	Cancer and other malignant tumors of other or unspecified organs	T	610	–	–	–	–	–	–	–	–	–	–	–	–
		M	268	27	15	28	28	17	34	20	25	18	25	15	16
		F	342	24	35	33	30	20	29	28	35	31	25	28	24
53*a*	Kidneys and suprarenals (female)	T	42	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	42	1	2	5	3	2	2	4	4	7	3	6	3
53*b*	Bladder (female)	T	64	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	64	8	6	2	5	2	8	6	7	4	5	4	7

Table 14

Allocated Deaths (exclusive of Stillbirths) from Each Cause and Class of Causes, according to the Detailed International List, by Months and Sex: 1936.

Detailed Int. List No.	Cause of Death.	Sex.	Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
53c	Brain	T	69	–	–	–	–	–	–	–	–	–	–	–	–
		M	38	8	2	5	3	3	2	2	1	2	5	3	2
		F	31	2	5	4	2	1	3	3	3	1	2	3	2
53d	Bones (except jaw)	T	89	–	–	–	–	–	–	–	–	–	–	–	–
		M	51	5	2	5	6	1	5	3	7	4	7	3	3
		F	38	3	4	5	6	–	5	2	1	3	4	2	3
53e	Others	T	346	–	–	–	–	–	–	–	–	–	–	–	–
		M	179	14	11	18	19	13	27	15	17	12	13	9	11
		F	167	10	18	17	14	15	11	13	20	16	11	13	9
54	Nonmalignant tumors	T	152	–	–	–	–	–	–	–	–	–	–	–	–
		M	56	8	4	9	6	3	8	4	2	1	5	3	3
		F	96	7	8	9	6	13	10	9	8	3	5	8	10
54a	Of the ovary	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	1	–	–	–	–	–
54b	Of the uterus	T	67	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	67	6	5	8	4	9	6	8	7	1	4	4	5
54c	Of other female genital organs	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	1	–
54d	Of the brain	T	54	–	–	–	–	–	–	–	–	–	–	–	–
		M	36	6	2	5	3	–	7	2	2	1	3	2	3
		F	18	1	1	–	2	2	3	–	–	2	–	3	4
54e	Of other organs	T	29	–	–	–	–	–	–	–	–	–	–	–	–
		M	20	2	2	4	3	3	1	2	–	–	2	1	–
		F	9	–	2	1	–	2	1	–	1	–	1	–	1
55	Tumors of which the nature is not specified	T	85	–	–	–	–	–	–	–	–	–	–	–	–
		M	48	1	3	2	2	1	2	9	5	4	7	6	6
		F	37	–	2	5	2	1	4	4	5	3	4	3	4
55a	Of the ovary	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	1	–	–	1	–	–	–
55b	Of the uterus	T	9	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	9	–	1	1	1	–	–	1	2	1	–	2	–
55c	Of other female genital organs	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
55d	Of the brain	T	51	–	–	–	–	–	–	–	–	–	–	–	–
		M	35	1	2	2	2	1	1	8	3	3	5	5	2
		F	16	–	1	1	–	1	1	3	2	1	3	1	2
55e	Of other organs	T	23	–	–	–	–	–	–	–	–	–	–	–	–
		M	13	–	1	–	–	–	1	1	2	1	2	1	4
		F	10	–	–	3	1	–	2	–	1	–	1	–	2
III.	Rheumatic Diseases, Nutritional Diseases, Diseases of the Endocrine Glands and Other General Diseases	T	1,638	–	–	–	–	–	–	–	–	–	–	–	–
		M	587	59	55	49	55	57	42	54	40	28	39	65	44
		F	1,051	101	93	101	90	90	81	79	71	73	89	85	98
56	Acute rheumatic fever	T	48	–	–	–	–	–	–	–	–	–	–	–	–
		M	23	2	4	1	3	5	2	3	1	1	1	–	–
		F	25	4	2	5	1	3	2	1	1	3	1	–	2
57	Chronic rheumatism, osteoarthritis	T	65	–	–	–	–	–	–	–	–	–	–	–	–
		M	16	–	3	1	2	–	2	1	3	2	–	–	2
		F	49	7	5	5	4	3	8	3	5	5	–	2	2
58	Gout	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
59	Diabetes mellitus	T	1,388	–	–	–	–	–	–	–	–	–	–	–	–
		M	485	53	40	42	47	50	36	44	31	23	31	53	35
		F	903	81	82	87	77	74	62	69	58	60	84	80	89
60	Scurvy	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
61	Beriberi	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
62	Pellagra	T	14	–	–	–	–	–	–	–	–	–	–	–	–
		M	7	–	1	2	–	–	1	1	1	–	1	–	–
		F	7	1	1	–	2	–	–	1	1	1	–	–	–
63	Rickets	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	6	2	1	–	–	–	–	–	–	–	–	2	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
64	Osteomalacia	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	1	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 14

Allocated Deaths (exclusive of Stillbirths) from Each Cause and Class of Causes, according to the Detailed International List, by Months and Sex: **1936.**

Detailed Int. List No.	Cause of Death.	Sex.	Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
65	Diseases of the pituitary body	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	1	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
66	Diseases of the thyroid and parathyroid glands	T	57	–	–	–	–	–	–	–	–	–	–	–	–
		M	15	–	2	–	–	–	1	2	2	1	1	1	5
		F	42	5	1	1	4	5	5	4	5	3	3	1	5
66a	Simple goiter	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	–	–	1
		F	5	–	–	–	1	–	2	–	–	–	–	1	1
66b	Exophthalmic goiter	T	41	–	–	–	–	–	–	–	–	–	–	–	–
		M	8	–	2	–	–	–	–	2	2	1	–	–	1
		F	33	5	1	1	3	5	2	4	4	3	3	–	2
66c	Myxedema and cretinism	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	–	–	–	–	–	1	1	1
		F	3	–	–	–	–	–	–	–	1	–	–	–	2
66d	Tetany	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	–	–	1
		F	1	–	–	–	–	–	1	–	–	–	–	–	–
66e	Others	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	1	–	–	–	–	–	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
67	Diseases of the thymus gland	T	38	–	–	–	–	–	–	–	–	–	–	–	–
		M	24	2	4	3	1	1	–	1	1	1	3	6	1
		F	14	3	2	1	2	3	1	1	–	1	–	–	–
68	Diseases of the adrenals (Addison's disease, not specified as tuberculous)	T	15	–	–	–	–	–	–	–	–	–	–	–	–
		M	7	–	–	–	2	–	–	–	1	–	1	3	–
		F	8	–	–	1	–	2	3	–	1	–	–	1	–
69	Other general diseases	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	2	–	–	–	–	–
		F	3	–	–	1	–	–	–	–	–	–	1	1	–
IV.	Diseases of the Blood and Bloodmaking Organs	T	374	–	–	–	–	–	–	–	–	–	–	–	–
		M	193	13	18	22	19	13	15	20	12	18	14	15	14
		F	181	17	22	20	11	12	14	13	20	12	11	13	16
70	Hemorrhagic conditions	T	15	–	–	–	–	–	–	–	–	–	–	–	–
		M	9	–	–	–	1	1	2	4	–	1	–	–	–
		F	6	–	–	1	–	–	–	–	2	2	–	–	1
70a	Primary purpuras	T	11	–	–	–	–	–	–	–	–	–	–	–	–
		M	6	–	–	–	1	1	1	2	–	1	–	–	–
		F	5	–	–	1	–	–	–	–	2	1	–	–	1
70b	Hemophilia	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	–	1	2	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	1	–	–	–
71	Anemias	T	98	–	–	–	–	–	–	–	–	–	–	–	–
		M	35	2	5	3	4	3	3	5	1	3	2	3	1
		F	63	9	9	1	1	6	6	4	7	2	7	5	6
71a	Pernicious anemia	T	92	–	–	–	–	–	–	–	–	–	–	–	–
		M	33	2	4	3	4	2	3	5	1	3	2	3	1
		F	59	7	9	1	1	6	6	4	6	2	6	5	6
71b	Others	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	1	–	–	1	–	–	–	–	–	–	–
		F	4	2	–	–	–	–	–	–	1	–	1	–	–
72	Leukemias and pseudoleukemias	T	243	–	–	–	–	–	–	–	–	–	–	–	–
		M	139	11	13	16	12	9	10	10	11	13	11	12	11
		F	104	7	12	17	8	6	8	9	11	7	4	8	7
72a	True leukemias	T	140	–	–	–	–	–	–	–	–	–	–	–	–
		M	83	7	10	9	8	5	7	6	4	5	6	9	7
		F	57	4	7	11	4	3	6	7	4	3	–	2	6
72b	Pseudoleukemias (Hodgkin's disease)	T	103	–	–	–	–	–	–	–	–	–	–	–	–
		M	56	4	3	7	4	4	3	4	7	8	5	3	4
		F	47	3	5	6	4	3	2	2	7	4	4	6	1
73	Diseases of the spleen	T	8	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	–	–	1	1	–	–	1	–	–	–	–	2
		F	3	–	1	–	–	–	–	–	–	1	–	–	1
74	Other diseases of the blood and bloodmaking organs	T	10	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	–	–	2	1	–	–	–	–	1	1	–	–
		F	5	1	–	1	2	–	–	–	–	–	–	–	1
V.	Chronic Poisonings and Intoxications	T	214	–	–	–	–	–	–	–	–	–	–	–	–
		M	182	23	14	17	19	4	20	29	10	6	8	18	14
		F	32	3	4	2	5	4	1	2	3	–	2	3	3
75	Alcoholism (acute or chronic)	T	207	–	–	–	–	–	–	–	–	–	–	–	–
		M	176	22	14	17	19	4	19	28	9	5	7	18	14
		F	31	3	4	2	5	4	1	2	3	–	1	3	3
76	Chronic poisoning by other organic substances	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
76a	Occupational	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 14

Allocated Deaths (exclusive of Stillbirths) from Each Cause and Class of Causes, according to the Detailed International List, by Months and Sex: 1936.

Detailed Int. List No.	Cause of Death.	Sex.	Total.	Months: January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December
76b	Others	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
77	Chronic poisoning by mineral substances	T	7	–	–	–	–	–	–	–	–	–	–	–	–
		M	6	1	–	–	–	–	1	1	1	1	1	–	–
		F	1	–	–	–	–	–	–	–	–	–	1	–	–
77a	Lead	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	–	–	–	–	–	1	1	1	1	1	–	–
		F	1	–	–	–	–	–	–	–	–	–	1	–	–
77b	Occupational (except lead)	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	1	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
77c	Others	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
VI.	Diseases of the Nervous System and of the Organs of Special Sense	T	5,020	–	–	–	–	–	–	–	–	–	–	–	–
		M	2,341	257	225	217	186	188	173	152	171	153	196	202	221
		F	2,679	258	258	269	246	207	206	198	170	198	225	224	220
78	Encephalitis (nonepidemic)	T	33	–	–	–	–	–	–	–	–	–	–	–	–
		M	22	2	–	2	3	1	1	2	3	1	2	3	2
		F	11	2	1	2	1	–	1	1	1	–	1	1	–
78a	Abscess of the brain	T	23	–	–	–	–	–	–	–	–	–	–	–	–
		M	15	1	–	1	3	–	1	1	1	1	2	2	2
		F	8	1	–	2	–	–	1	1	1	–	1	1	–
78b	Others	T	10	–	–	–	–	–	–	–	–	–	–	–	–
		M	7	1	–	1	–	1	–	1	2	–	–	1	–
		F	3	1	1	–	1	–	–	–	–	–	–	–	–
79	Meningitis	T	95	–	–	–	–	–	–	–	–	–	–	–	–
		M	57	10	5	5	5	5	–	2	–	4	6	4	11
		F	38	3	2	4	4	2	5	–	4	5	4	3	2
79a	Simple meningitis	T	79	–	–	–	–	–	–	–	–	–	–	–	–
		M	46	10	3	2	4	5	–	1	–	4	5	4	8
		F	33	3	–	3	4	2	5	–	3	5	4	3	1
79b	Nonepidemic cerebrospinal meningitis	T	16	–	–	–	–	–	–	–	–	–	–	–	–
		M	11	–	2	3	1	–	–	1	–	–	1	–	3
		F	5	–	2	1	–	–	–	–	1	–	–	–	1
80	Progressive locomotor ataxia (tabes dorsalis)	T	41	–	–	–	–	–	–	–	–	–	–	–	–
		M	37	2	6	2	3	3	2	6	5	1	3	1	3
		F	4	–	–	1	–	1	–	–	1	1	–	–	–
81	Other diseases of the spinal cord	T	85	–	–	–	–	–	–	–	–	–	–	–	–
		M	32	5	3	2	2	2	4	–	2	4	3	4	1
		F	53	5	3	7	6	1	4	6	3	1	7	4	6
82	Cerebral hemorrhage, cerebral embolism and thrombosis	T	4,273	–	–	–	–	–	–	–	–	–	–	–	–
		M	1,910	205	182	182	145	153	143	122	146	124	164	169	175
		F	2,363	229	226	228	221	178	182	172	155	179	199	198	196
82a	Cerebral hemorrhage	T	3,862	–	–	–	–	–	–	–	–	–	–	–	–
		M	1,704	175	169	159	130	134	137	107	134	109	147	147	156
		F	2,158	214	209	203	206	162	164	159	135	165	182	179	180
82b	Cerebral embolism and thrombosis	T	375	–	–	–	–	–	–	–	–	–	–	–	–
		M	188	27	10	20	14	18	6	15	11	12	16	20	19
		F	187	13	13	23	15	14	16	13	17	14	15	19	15
82c	Softening of the brain	T	18	–	–	–	–	–	–	–	–	–	–	–	–
		M	10	3	1	–	1	–	–	–	–	3	1	1	–
		F	8	1	1	2	–	–	1	–	1	–	1	–	1
82d	Hemiplegia and other paralysis, cause unspecified	T	18	–	–	–	–	–	–	–	–	–	–	–	–
		M	8	–	2	3	–	1	–	–	1	–	–	1	–
		F	10	1	3	–	–	2	1	–	2	–	1	–	–
83	General paralysis of the insane	T	108	–	–	–	–	–	–	–	–	–	–	–	–
		M	80	6	7	7	9	6	12	4	3	4	8	5	9
		F	28	4	4	–	1	–	3	3	–	4	3	3	3
84	Dementia praecox and other psychoses	T	14	–	–	–	–	–	–	–	–	–	–	–	–
		M	8	1	–	1	–	–	1	1	2	1	1	–	–
		F	6	1	1	1	–	1	1	–	1	–	–	–	–
84a	Dementia praecox	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	–	–	1	–	–	1	1	–	1	1	–	–
		F	1	1	–	–	–	–	–	–	–	–	–	–	–
84b	Other psychoses	T	8	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	1	–	–	–	–	–	–	2	–	–	–	–
		F	5	–	1	1	–	1	1	–	1	–	–	–	–
85	Epilepsy	T	100	–	–	–	–	–	–	–	–	–	–	–	–
		M	56	8	6	6	4	6	1	5	3	4	2	5	6
		F	44	6	4	3	4	8	4	5	1	2	2	1	4
86	Convulsions (under 5 years of age)	T	19	–	–	–	–	–	–	–	–	–	–	–	–
		M	8	–	1	–	–	1	–	2	1	–	–	1	2
		F	11	1	2	1	1	1	–	3	–	1	–	1	–
87	Other diseases of the nervous system	T	127	–	–	–	–	–	–	–	–	–	–	–	–
		M	64	5	8	7	7	2	5	4	3	7	3	7	6
		F	63	4	11	9	4	5	4	6	4	3	3	7	3

Table 14

ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL LIST, BY MONTHS AND SEX: 1936.

Detailed Int. List No.	Cause of Death.	Sex.	Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
87a	Neuralgia and neuritis	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	1	–	1	1	–	–	–	1	–	–	–
		F	2	–	–	2	–	–	–	–	–	–	–	–	–
87b	Other diseases of the nervous system	T	121	–	–	–	–	–	–	–	–	–	–	–	–
		M	60	5	7	7	6	1	5	4	3	6	3	7	6
		F	61	4	11	7	4	5	4	6	4	3	3	7	3
88	Diseases of the organs of vision	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	3	–	–	–	–	2	–	–	–	–	–	1	–
89	Diseases of the ear and of the mastoid process	T	122	–	–	–	–	–	–	–	–	–	–	–	–
		M	67	13	7	3	8	9	4	4	3	3	4	3	6
		F	55	3	4	13	4	8	2	2	–	2	6	5	6
89a	Diseases of the ear	T	82	–	–	–	–	–	–	–	–	–	–	–	–
		M	44	10	4	2	6	6	3	2	2	1	3	2	3
		F	38	–	3	11	3	6	1	–	–	1	4	4	5
89b	Diseases of the mastoid process	T	40	–	–	–	–	–	–	–	–	–	–	–	–
		M	23	3	3	1	2	3	1	2	1	2	1	1	3
		F	17	3	1	2	1	2	1	2	–	1	2	1	1
VII.	DISEASES OF THE CIRCULATORY SYSTEM	T	17,320	–	–	–	–	–	–	–	–	–	–	–	–
		M	9,088	838	826	843	815	761	617	659	657	638	774	810	850
		F	8,232	809	783	771	722	695	564	569	531	549	695	758	786
90	Pericarditis	T	27	–	–	–	–	–	–	–	–	–	–	–	–
		M	16	3	1	1	1	1	1	1	–	1	4	1	1
		F	11	2	–	–	–	2	1	1	–	2	2	–	1
91	Acute endocarditis	T	107	–	–	–	–	–	–	–	–	–	–	–	–
		M	45	2	3	2	7	1	4	1	5	5	4	3	8
		F	62	5	4	7	4	2	5	7	9	6	1	2	10
91a	Specified as acute	T	93	–	–	–	–	–	–	–	–	–	–	–	–
		M	39	2	2	2	7	1	4	1	3	3	4	3	7
		F	54	4	3	7	3	1	4	6	9	5	1	2	9
91b	Unspecified (under 45 years of age)	T	14	–	–	–	–	–	–	–	–	–	–	–	–
		M	6	–	1	–	–	–	–	–	2	2	–	–	1
		F	8	1	1	–	1	1	1	1	–	1	–	–	1
92	Chronic endocarditis, valvular diseases	T	2,069	–	–	–	–	–	–	–	–	–	–	–	–
		M	969	100	92	84	85	84	69	60	71	61	67	90	106
		F	1,100	111	114	112	102	108	76	53	71	64	85	107	97
92a	Endocarditis specified as chronic and valvular disease	T	1,918	–	–	–	–	–	–	–	–	–	–	–	–
		M	899	92	82	84	78	79	66	54	64	57	64	83	96
		F	1,019	101	107	100	96	101	74	47	61	59	83	96	94
92b	Endocarditis unspecified (45 years and over)	T	151	–	–	–	–	–	–	–	–	–	–	–	–
		M	70	8	10	–	7	5	3	6	7	4	3	7	10
		F	81	10	7	12	6	7	2	6	10	5	2	11	3
93	Diseases of the myocardium	T	6,530	–	–	–	–	–	–	–	–	–	–	–	–
		M	3,155	289	325	302	286	266	196	203	218	222	255	292	301
		F	3,375	354	315	303	309	296	233	237	214	239	291	285	299
93a	Acute myocarditis	T	134	–	–	–	–	–	–	–	–	–	–	–	–
		M	64	5	5	2	10	9	4	3	4	4	4	9	5
		F	70	8	3	10	4	9	3	6	2	7	10	3	5
93b	Myocarditis unspecified (under 45 years of age)	T	7	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	1	–	1	1	–	–	–	–	–
		F	4	–	–	1	1	–	–	1	–	1	–	–	–
93c	Chronic myocarditis and myocardial degeneration	T	4,465	–	–	–	–	–	–	–	–	–	–	–	–
		M	2,219	206	230	215	207	186	136	152	156	156	178	207	190
		F	2,246	232	216	185	198	203	155	150	157	157	192	196	205
93d	Unspecified	T	1,924	–	–	–	–	–	–	–	–	–	–	–	–
		M	869	78	90	85	68	71	55	47	58	62	73	76	106
		F	1,055	114	96	107	106	84	75	80	55	74	89	86	89
94	Diseases of the coronary arteries and angina pectoris	T	3,173	–	–	–	–	–	–	–	–	–	–	–	–
		M	2,098	208	173	178	186	170	141	186	142	152	187	194	181
		F	1,075	106	100	92	88	76	64	70	55	84	98	122	120
94a	Angina pectoris	T	663	–	–	–	–	–	–	–	–	–	–	–	–
		M	439	42	46	40	39	29	26	47	24	31	35	48	32
		F	224	21	20	22	19	18	15	20	11	16	12	29	21
94b	Diseases of the coronary arteries	T	2,510	–	–	–	–	–	–	–	–	–	–	–	–
		M	1,659	166	127	138	147	141	115	139	118	121	152	146	149
		F	851	85	80	70	69	58	49	50	44	68	86	93	99
95	Other diseases of the heart	T	4,181	–	–	–	–	–	–	–	–	–	–	–	–
		M	2,261	187	183	220	198	193	155	162	169	157	223	205	209
		F	1,920	167	199	178	150	154	135	137	132	123	163	187	195
95a	Functional diseases of the heart	T	19	–	–	–	–	–	–	–	–	–	–	–	–
		M	7	–	–	–	1	–	–	–	1	–	–	2	3
		F	12	2	1	1	–	1	–	2	–	–	2	2	1
95b	Other and unspecified	T	4,162	–	–	–	–	–	–	–	–	–	–	–	–
		M	2,254	187	183	220	197	193	155	162	168	157	223	203	206
		F	1,908	165	198	177	150	153	135	135	132	123	161	185	194
96	Aneurysm (except of the heart)	T	47	–	–	–	–	–	–	–	–	–	–	–	–
		M	35	4	3	4	3	4	2	2	5	2	1	1	4
		F	12	1	–	2	2	2	–	1	2	–	–	1	1

Table 14

Allocated Deaths (exclusive of Stillbirths) from Each Cause and Class of Causes, according to the Detailed International List, by Months and Sex: 1936.

Detailed Int. List No.	Cause of Death.	Sex.	Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
97	Arteriosclerosis (diseases of the coronary arteries excepted)	T	1,044	–	–	–	–	–	–	–	–	–	–	–	–
		M	439	40	42	46	41	39	43	35	39	31	28	20	35
		F	605	55	46	68	61	48	41	57	43	29	51	50	56
98	Gangrene	T	14	–	–	–	–	–	–	–	–	–	–	–	–
		M	7	2	1	1	1	–	–	–	1	–	1	–	–
		F	7	1	–	1	–	1	–	1	1	–	–	–	2
99	Other diseases of the arteries	T	76	–	–	–	–	–	–	–	–	–	–	–	–
		M	36	1	3	1	6	2	4	4	7	2	1	2	3
		F	40	2	5	5	4	3	6	4	2	2	3	2	2
100	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	T	39	–	–	–	–	–	–	–	–	–	–	–	–
		M	21	1	–	4	1	1	2	3	–	3	2	2	2
		F	18	4	–	2	1	3	3	1	1	–	–	1	2
101	Diseases of the lymphatic system (lymphangitis, etc.)	T	7	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	1	–	–	–	–	–	–	–	1	–	–	–
		F	5	1	–	1	1	–	–	–	1	–	–	–	1
102	Idiopathic anomalies of the blood pressure	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	1	–	–	1	–	–
		F	2	–	–	–	–	–	–	–	–	–	1	1	–
103	Other diseases of the circulatory system	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	1	–	1	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII	Diseases of the Respiratory System	T	4,689	–	–	–	–	–	–	–	–	–	–	–	–
		M	2,632	393	321	309	277	201	143	141	86	104	181	190	286
		F	2,057	292	279	234	211	155	109	70	60	75	147	156	269
104	Diseases of the nasal fossae and annexae	T	33	–	–	–	–	–	–	–	–	–	–	–	–
		M	24	3	3	3	1	2	1	5	–	1	3	1	1
		F	9	–	3	2	1	–	–	1	–	–	1	–	1
105	Diseases of the larynx	T	18	–	–	–	–	–	–	–	–	–	–	–	–
		M	10	2	1	1	–	–	–	3	–	1	2	–	–
		F	8	1	–	1	–	2	–	–	–	–	2	2	–
106	Bronchitis	T	121	–	–	–	–	–	–	–	–	–	–	–	–
		M	73	8	9	9	9	5	4	7	2	6	5	4	5
		F	48	4	5	3	2	4	5	5	–	1	5	3	11
106*a*	Acute	T	45	–	–	–	–	–	–	–	–	–	–	–	–
		M	23	3	3	3	5	1	–	2	1	2	–	1	2
		F	22	2	3	2	1	2	3	1	–	–	4	2	2
106*b*	Chronic	T	37	–	–	–	–	–	–	–	–	–	–	–	–
		M	26	3	1	5	2	2	1	4	–	3	2	1	2
		F	11	–	1	–	–	–	2	2	–	1	–	1	4
106*c*	Unspecified (under 5 years of age)	T	12	–	–	–	–	–	–	–	–	–	–	–	–
		M	6	1	1	1	1	–	–	–	–	–	1	–	1
		F	6	1	–	–	1	–	–	1	–	–	–	–	3
106*d*	Unspecified (5 years and over)	T	27	–	–	–	–	–	–	–	–	–	–	–	–
		M	18	1	4	–	1	2	3	1	1	1	2	2	–
		F	9	1	1	1	–	2	–	1	–	–	1	–	2
107	Bronchopneumonia (including capillary bronchitis)	T	2,233	–	–	–	–	–	–	–	–	–	–	–	–
		M	1,158	150	125	117	114	85	59	58	48	57	91	105	149
		F	1,075	141	144	96	101	86	56	39	44	50	88	84	146
107*a*	Bronchopneumonia	T	2,230	–	–	–	–	–	–	–	–	–	–	–	–
		M	1,157	150	125	117	114	85	59	58	48	57	90	105	149
		F	1,073	141	143	96	101	86	56	39	44	50	87	84	146
107*b*	Capillary bronchitis	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	1	–	–
		F	2	–	1	–	–	–	–	–	–	–	1	–	–
108	Lobar pneumonia	T	1,944	–	–	–	–	–	–	–	–	–	–	–	–
		M	1,169	208	167	169	133	93	62	48	24	28	66	63	108
		F	775	133	112	114	92	54	36	15	11	14	39	57	98
109	Pneumonia, unspecified	T	43	–	–	–	–	–	–	–	–	–	–	–	–
		M	26	4	2	–	2	2	3	3	–	1	3	1	5
		F	17	3	1	3	1	–	2	2	–	–	–	1	4
110	Pleurisy	T	135	–	–	–	–	–	–	–	–	–	–	–	–
		M	84	9	7	5	7	10	6	7	6	3	7	7	10
		F	51	4	5	5	6	7	4	2	3	4	3	5	3
111	Congestion, edema, embolism, hemorrhagic infarct, and thrombosis of the lungs	T	51	–	–	–	–	–	–	–	–	–	–	–	–
		M	21	4	2	–	1	–	1	3	1	2	1	3	3
		F	30	1	1	5	6	1	3	3	1	3	4	1	1
111*a*	Pulmonary embolism and thrombosis	T	29	–	–	–	–	–	–	–	–	–	–	–	–
		M	12	2	1	–	–	–	1	2	1	2	1	1	1
		F	17	1	–	1	2	1	3	2	1	2	2	1	1
111*b*	Others	T	22	–	–	–	–	–	–	–	–	–	–	–	–
		M	9	2	1	–	1	–	–	1	–	–	–	2	2
		F	13	–	1	4	4	–	–	1	–	1	2	–	–
112	Asthma	T	49	–	–	–	–	–	–	–	–	–	–	–	–
		M	29	1	3	1	6	1	5	2	1	4	2	1	2
		F	20	1	5	3	1	–	–	1	1	3	1	2	2
113	Pulmonary emphysema	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	1	–	–	–	–	–	–	1	–	–	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 14

ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL LIST, BY MONTHS AND SEX: 1936.

Detailed Int. List No.	Cause of Death.	Sex.	Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
114	Other diseases of the respiratory system (tuberculosis excepted)	T	59	–	–	–	–	–	–	–	–	–	–	–	–
		M	35	3	2	4	4	3	2	5	3	1	1	4	3
		F	24	4	3	2	1	1	3	2	–	–	4	1	3
114a	Chronic interstitial pneumonia, including occupational diseases of the respiratory system	T	9	–	–	–	–	–	–	–	–	–	–	–	–
		M	8	2	1	1	1	–	–	1	1	1	–	–	–
		F	1	1	–	–	–	–	–	–	–	–	–	–	–
114b	Others, including gangrene of the lung	T	50	–	–	–	–	–	–	–	–	–	–	–	–
		M	27	1	1	3	3	3	2	4	2	–	1	4	3
		F	23	3	3	2	1	1	3	2	–	–	4	1	3
IX.	DISEASES OF THE DIGESTIVE SYSTEM	T	2,629	–	–	–	–	–	–	–	–	–	–	–	–
		M	1,451	133	130	124	126	125	107	125	111	108	126	116	120
		F	1,178	106	95	108	97	95	102	108	90	88	114	84	91
115	Diseases of the buccal cavity and annexa and of the pharynx and tonsils (including adenoid vegetations)	T	136	–	–	–	–	–	–	–	–	–	–	–	–
		M	62	10	4	5	5	6	3	5	8	3	4	4	5
		F	74	8	6	8	7	4	8	5	4	4	6	7	7
115a	Pharynx and tonsils	T	114	–	–	–	–	–	–	–	–	–	–	–	–
		M	51	8	3	5	4	6	3	4	7	1	4	3	3
		F	63	5	6	8	7	3	7	5	4	3	5	6	4
115b	Others	T	22	–	–	–	–	–	–	–	–	–	–	–	–
		M	11	2	1	–	1	–	–	1	1	2	–	1	2
		F	11	3	–	–	–	1	1	–	–	1	1	1	3
116	Diseases of the esophagus	T	7	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	–	–	–	2	1	–	–	1	–	–	–
		F	3	–	–	–	1	–	–	–	1	1	–	–	–
117	Ulcer of the stomach and duodenum	T	327	–	–	–	–	–	–	–	–	–	–	–	–
		M	268	20	22	21	24	26	19	19	16	23	27	25	26
		F	59	4	4	5	3	6	1	3	6	6	9	5	7
117a	Stomach	T	187	–	–	–	–	–	–	–	–	–	–	–	–
		M	153	10	15	14	10	18	11	10	7	14	16	12	16
		F	34	3	1	–	1	5	1	2	4	3	6	4	4
117b	Duodenum	T	140	–	–	–	–	–	–	–	–	–	–	–	–
		M	115	10	7	7	14	8	8	9	9	9	11	13	10
		F	25	1	3	5	2	1	–	1	2	3	3	1	3
118	Other diseases of the stomach (cancer excepted)	T	27	–	–	–	–	–	–	–	–	–	–	–	–
		M	15	1	1	1	1	1	2	1	2	–	2	1	2
		F	12	2	–	–	–	1	–	2	–	2	3	2	–
119	Diarrhea and enteritis (under 2 years of age)	T	153	–	–	–	–	–	–	–	–	–	–	–	–
		M	101	14	13	11	6	4	8	11	7	9	8	6	4
		F	52	10	4	7	3	3	4	4	3	5	4	1	4
120	Diarrhea, enteritis and ulceration of intestines (2 years and over)	T	104	–	–	–	–	–	–	–	–	–	–	–	–
		M	36	2	2	2	–	6	4	5	5	1	5	1	3
		F	68	4	6	6	3	5	6	6	6	4	5	9	8
120a	Diarrhea, enteritis	T	58	–	–	–	–	–	–	–	–	–	–	–	–
		M	16	1	–	1	–	1	1	3	3	1	3	1	1
		F	42	2	4	4	3	4	2	3	5	3	3	6	3
120b	Ulceration of intestines	T	46	–	–	–	–	–	–	–	–	–	–	–	–
		M	20	1	2	1	–	5	3	2	2	–	2	–	2
		F	26	2	2	2	–	1	4	3	1	1	2	3	5
121	Appendicitis	T	490	–	–	–	–	–	–	–	–	–	–	–	–
		M	287	22	29	26	29	25	21	31	18	16	25	19	26
		F	203	17	11	12	22	23	16	27	16	15	18	9	17
122	Hernia, intestinal obstruction	T	380	–	–	–	–	–	–	–	–	–	–	–	–
		M	194	28	18	15	16	14	12	16	16	17	12	18	12
		F	186	16	20	19	21	11	18	17	18	9	13	12	12
122a	Hernia	T	195	–	–	–	–	–	–	–	–	–	–	–	–
		M	111	16	12	11	11	11	7	4	8	12	6	8	5
		F	84	6	8	6	10	8	9	9	6	3	7	6	6
122b	Intestinal obstruction	T	185	–	–	–	–	–	–	–	–	–	–	–	–
		M	83	12	6	4	5	3	5	12	8	5	6	10	7
		F	102	10	12	13	11	3	9	8	12	6	6	6	6
123	Other diseases of the intestines	T	100	–	–	–	–	–	–	–	–	–	–	–	–
		M	47	7	3	2	2	6	6	1	4	4	4	3	5
		F	53	3	6	4	4	2	7	4	3	7	5	3	5
124	Cirrhosis of the liver	T	392	–	–	–	–	–	–	–	–	–	–	–	–
		M	260	21	22	22	24	23	15	25	21	15	21	28	23
		F	132	11	9	11	8	12	12	18	9	15	10	11	6
124a	Specified as alcoholic	T	35	–	–	–	–	–	–	–	–	–	–	–	–
		M	30	5	5	1	2	2	2	2	–	1	3	6	1
		F	5	–	1	–	–	1	–	–	–	2	1	–	–
124b	Not specified as alcoholic	T	357	–	–	–	–	–	–	–	–	–	–	–	–
		M	230	16	17	21	22	21	13	23	21	14	18	22	22
		F	127	11	8	11	8	11	12	18	9	13	9	11	6
125	Other diseases of the liver (including yellow atrophy of liver)	T	44	–	–	–	–	–	–	–	–	–	–	–	–
		M	19	–	3	4	1	–	4	1	1	2	1	1	1
		F	25	3	2	4	2	4	–	1	2	–	4	1	2

Table 14

Allocated Deaths (exclusive of Stillbirths) from Each Cause and Class of Causes, according to the Detailed International List, by Months and Sex: 1936.

Detailed Int. List No	Cause of Death.	Sex.	Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
125a	Yellow atrophy of liver	T	17	–	–	–	–	–	–	–	–	–	–	–	–
		M	8	–	1	2	1	–	3	–	–	–	–	–	1
		F	9	2	1	2	2	1	–	–	–	–	1	–	–
125b	Others	T	27	–	–	–	–	–	–	–	–	–	–	–	–
		M	11	–	2	2	–	–	1	1	1	2	1	1	–
		F	16	1	1	2	–	3	–	1	2	–	3	1	2
126	Biliary calculi	T	270	–	–	–	–	–	–	–	–	–	–	–	–
		M	88	5	5	9	13	8	9	6	4	13	8	2	6
		F	182	17	14	17	14	14	18	15	12	12	27	9	13
127	Other diseases of the gall bladder and biliary passages	T	131	–	–	–	–	–	–	–	–	–	–	–	–
		M	32	1	3	4	4	2	–	2	4	3	4	1	4
		F	99	6	10	13	4	9	10	6	9	6	7	10	9
128	Diseases of the pancreas	T	35	–	–	–	–	–	–	–	–	–	–	–	–
		M	21	1	3	2	1	1	2	–	2	–	3	5	1
		F	14	2	2	1	3	–	1	–	–	–	3	2	–
129	Peritonitis, cause not specified	T	33	–	–	–	–	–	–	–	–	–	–	–	–
		M	17	1	2	–	–	1	1	2	3	1	2	2	2
		F	16	3	1	1	2	1	1	–	1	2	–	3	1
X.	Diseases of the Genito-urinary System	T	3,844	–	–	–	–	–	–	–	–	–	–	–	–
		M	1,998	189	184	173	192	194	148	134	152	143	163	155	171
		F	1,846	175	171	177	160	158	142	133	133	136	136	156	169
130	Acute nephritis (including unspecified under 10 years of age)	T	61	–	–	–	–	–	–	–	–	–	–	–	–
		M	33	3	3	8	4	3	1	2	3	1	1	2	2
		F	28	2	1	4	2	2	4	1	–	4	2	3	3
131	Chronic nephritis	T	3,058	–	–	–	–	–	–	–	–	–	–	–	–
		M	1,485	146	132	124	141	149	98	95	102	110	126	123	139
		F	1,573	155	148	150	135	130	115	119	113	117	115	134	142
132	Nephritis, unspecified (10 years and over)	T	67	–	–	–	–	–	–	–	–	–	–	–	–
		M	33	4	2	4	3	4	3	6	2	–	–	3	2
		F	34	3	2	5	2	2	5	1	–	4	1	3	6
133	Other diseases of the kidneys and ureters (puerperal diseases excepted)	T	111	–	–	–	–	–	–	–	–	–	–	–	–
		M	47	–	5	2	3	2	3	3	4	3	7	8	7
		F	64	2	7	5	4	5	8	5	5	6	3	6	8
133a	Pyelitis	T	97	–	–	–	–	–	–	–	–	–	–	–	–
		M	41	–	5	2	3	2	3	2	4	2	7	6	5
		F	56	2	6	4	3	5	8	5	5	6	3	3	6
133b	Others	T	14	–	–	–	–	–	–	–	–	–	–	–	–
		M	6	–	–	–	–	–	–	1	–	1	–	2	2
		F	8	–	1	1	1	–	–	–	–	–	–	3	2
134	Calculi of the urinary passages	T	49	–	–	–	–	–	–	–	–	–	–	–	–
		M	25	3	3	2	3	2	1	2	3	3	–	–	3
		F	24	2	–	2	4	4	2	4	4	–	1	1	–
134a	Of the kidneys and ureters	T	40	–	–	–	–	–	–	–	–	–	–	–	–
		M	18	2	2	1	2	1	–	2	2	3	–	–	3
		F	22	2	–	2	4	4	1	4	3	–	1	1	–
134b	Of the bladder	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	1	1	–	–	1	–	–	1	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
134c	Other and unspecified	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	1	1	–	1	–	–	–	–	–	–
		F	2	–	–	–	–	–	1	–	1	–	–	–	–
135	Diseases of the bladder (tumors excepted)	T	56	–	–	–	–	–	–	–	–	–	–	–	–
		M	40	3	8	2	5	3	4	4	3	2	4	1	1
		F	16	1	1	1	2	3	2	1	1	–	3	–	1
135a	Cystitis	T	41	–	–	–	–	–	–	–	–	–	–	–	–
		M	30	2	6	2	3	2	4	2	2	2	3	1	1
		F	11	1	–	1	2	1	2	–	–	–	3	–	1
135b	Others	T	15	–	–	–	–	–	–	–	–	–	–	–	–
		M	10	1	2	–	2	1	–	2	1	–	1	–	–
		F	5	–	1	–	–	2	–	1	1	–	–	–	–
136	Diseases of the urethra, urinary abscess, etc.	T	15	–	–	–	–	–	–	–	–	–	–	–	–
		M	14	2	2	1	1	1	2	1	–	1	1	–	2
		F	1	–	–	–	–	–	1	–	–	–	–	–	–
136a	Stricture of the urethra	T	9	–	–	–	–	–	–	–	–	–	–	–	–
		M	9	1	2	1	–	1	–	–	–	1	1	–	2
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
136b	Others	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	1	–	–	1	–	2	1	–	–	–	–	–
		F	1	–	–	–	–	–	1	–	–	–	–	–	–
137	Diseases of the prostate	T	313	–	–	–	–	–	–	–	–	–	–	–	–
		M	313	28	28	30	31	27	34	21	35	23	24	17	15
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
138	Diseases of the male genital organs, not specified as venereal	T	8	–	–	–	–	–	–	–	–	–	–	–	–
		M	8	–	1	–	1	3	2	–	–	–	–	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
139	Diseases of the female genital organs, not specified as venereal	T	106	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	106	10	12	10	11	12	5	2	10	5	11	9	9

Table 14

Allocated Deaths (exclusive of Stillbirths) from Each Cause and Class of Causes, according to the Detailed International List, by Months and Sex: 1936.

Detailed Int. List No.	Cause of Death.	Sex.	Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
139a	Cysts of the ovary	T	30	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	30	7	3	5	6	2	1	–	1	–	1	4	–
139b	Other diseases of the ovaries, tubes and parametrium	T	39	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	39	2	5	2	3	2	1	1	7	4	5	2	5
139c	Diseases of the uterus	T	34	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	34	1	4	3	1	8	2	1	2	1	5	3	3
139d	Nonpuerperal diseases of the breast (cancer excepted)	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
139e	Others	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	3	–	–	–	1	–	1	–	–	–	–	–	1
XI.	Diseases of Pregnancy, Childbirth and the Puerperal State	T	270	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	270	19	28	19	26	18	24	25	20	26	25	16	24
140	Abortion with septic conditions	T	21	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	21	1	4	1	–	2	3	–	3	–	4	2	1
141	Abortion without mention of septic conditions (to include hemorrhages)	T	9	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	9	2	2	–	–	–	1	1	1	–	1	1	–
142	Ectopic gestation	T	17	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	17	1	–	1	–	1	2	2	–	4	2	1	3
142a	With septic conditions specified	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	3	–	–	–	–	–	–	–	–	3	–	–	–
142b	Without mention of septic conditions	T	14	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	14	1	–	1	–	1	2	2	–	1	2	1	3
143	Other accidents of pregnancy (not to include hemorrhages)	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
144	Puerperal hemorrhage	T	43	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	43	3	2	2	5	3	4	5	4	4	3	5	3
144a	Placenta praevia	T	22	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	22	–	1	1	4	2	1	2	3	1	3	2	2
144b	Other puerperal hemorrhages	T	21	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	21	3	1	1	1	1	3	3	1	3	–	3	1
145	Puerperal septicemia (not specified as due to abortion)	T	59	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	59	2	8	5	9	2	4	7	4	7	5	1	5
145a	Puerperal septicemia and pyemia	T	59	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	59	2	8	5	9	2	4	7	4	7	5	1	5
145b	Puerperal tetanus	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
146	Puerperal albuminuria and eclampsia	T	17	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	17	–	2	1	2	3	1	–	1	2	2	1	2
147	Other toxemias of pregnancy	T	21	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	21	3	2	2	3	1	–	3	1	2	1	2	1
148	Puerperal phlegmasia alba dolens, embolus, sudden death (not specified as septic)	T	35	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	35	3	2	5	3	1	5	1	2	3	3	1	6
148a	Phlegmasia alba dolens	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
148b	Embolism and thrombosis	T	35	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	35	3	2	5	3	1	5	1	2	3	3	1	6
149	Other accidents of childbirth	T	46	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	46	4	6	2	4	4	4	5	4	4	4	2	3
149a	Cesarean operation	T	15	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	15	–	1	1	1	–	2	3	2	2	1	1	1
149b	Others	T	31	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	31	4	5	1	3	4	2	2	2	2	3	1	2

Table 14

Allocated Deaths (exclusive of Stillbirths) from Each Cause and Class of Causes, according to the Detailed International List, by Months and Sex: 1936.

Detailed Int. List No.	Cause of Death.	Sex.	Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December
150	Other and unspecified conditions of the puerperal state	T	2	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	1	-	1	-	-	-	-	-
XII.	Diseases of the Skin and Cellular Tissue	T	83	-	-	-	-	-	-	-	-	-	-	-	-
		M	43	4	3	6	3	7	6	3	6	2	2	1	-
		F	40	3	2	4	7	3	1	1	4	3	3	4	5
151	Furuncle, carbuncle	T	17	-	-	-	-	-	-	-	-	-	-	-	-
		M	11	-	1	2	1	1	1	1	2	1	1	-	-
		F	6	-	-	-	1	1	1	-	1	-	-	-	2
152	Phlegmon, acute abscess	T	33	-	-	-	-	-	-	-	-	-	-	-	-
		M	17	2	1	1	2	3	3	-	3	-	1	1	-
		F	16	2	1	-	3	1	-	-	1	1	2	3	2
153	Other diseases of the skin, and annexa, and of the cellular tissue	T	33	-	-	-	-	-	-	-	-	-	-	-	-
		M	15	2	1	3	-	3	2	2	1	1	-	-	-
		F	18	1	1	4	3	1	-	1	2	2	1	1	1
XIII.	Diseases of the Bones and Organs of Locomotion	T	66	-	-	-	-	-	-	-	-	-	-	-	-
		M	37	5	4	4	2	2	1	5	2	3	3	5	1
		F	29	5	1	1	5	3	2	4	2	2	1	2	1
154	Osteomyelitis	T	25	-	-	-	-	-	-	-	-	-	-	-	-
		M	18	2	3	1	-	-	1	5	1	1	1	2	1
		F	7	3	1	-	-	-	-	-	2	-	-	1	-
155	Other diseases of the bones (tuberculosis excepted)	T	27	-	-	-	-	-	-	-	-	-	-	-	-
		M	11	2	1	2	1	2	-	-	1	1	-	1	-
		F	16	2	-	1	4	2	2	1	-	1	1	1	1
156	Diseases of the joints and other organs of locomotion	T	14	-	-	-	-	-	-	-	-	-	-	-	-
		M	8	1	-	1	1	-	-	-	-	1	2	2	-
		F	6	-	-	-	1	1	-	3	-	1	-	-	-
156*a*	Diseases of the joints (tuberculosis and rheumatism excepted)	T	9	-	-	-	-	-	-	-	-	-	-	-	-
		M	5	-	-	-	1	-	-	-	-	1	2	1	-
		F	4	-	-	-	-	1	-	2	-	1	-	-	-
156*b*	Other organs of locomotion	T	5	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	1	-	1	-	-	-	-	-	-	-	1	-
		F	2	-	-	-	1	-	-	1	-	-	-	-	-
XIV.	Congenital Malformations	T	405	-	-	-	-	-	-	-	-	-	-	-	-
		M	222	14	18	22	16	26	16	17	15	15	18	14	31
		F	183	14	22	21	11	21	14	16	12	8	15	13	16
157	Congenital malformations (stillbirths not included)	T	405	-	-	-	-	-	-	-	-	-	-	-	-
		M	222	14	18	22	16	26	16	17	15	15	18	14	31
		F	183	14	22	21	11	21	14	16	12	8	15	13	16
157*a*	Congenital hydrocephalus	T	37	-	-	-	-	-	-	-	-	-	-	-	-
		M	21	-	2	3	-	3	-	6	2	2	1	1	1
		F	16	1	2	2	2	1	2	4	2	-	-	-	-
157*b*	Spina bifida and meningocele	T	62	-	-	-	-	-	-	-	-	-	-	-	-
		M	24	2	2	4	3	1	4	2	-	1	1	2	2
		F	38	4	1	3	4	7	4	3	2	2	4	1	3
157*c*	Congenital malformation of the heart	T	183	-	-	-	-	-	-	-	-	-	-	-	-
		M	101	6	9	10	5	17	8	3	4	10	9	5	15
		F	82	5	10	11	5	8	4	8	8	4	4	7	8
157*d*	Others	T	123	-	-	-	-	-	-	-	-	-	-	-	-
		M	76	6	5	5	8	5	4	6	9	2	7	6	13
		F	47	4	9	5	-	5	4	1	-	2	7	5	5
XV.	Diseases of Early Infancy	T	1,493	-	-	-	-	-	-	-	-	-	-	-	-
		M	826	86	59	58	63	74	80	71	60	63	79	74	59
		F	667	46	53	65	59	58	65	63	51	51	49	47	60
158	Congenital debility	T	39	-	-	-	-	-	-	-	-	-	-	-	-
		M	23	2	4	1	-	2	-	1	3	1	4	1	4
		F	16	3	2	1	4	-	-	2	1	-	1	1	1
159	Premature birth	T	1,046	-	-	-	-	-	-	-	-	-	-	-	-
		M	569	63	39	39	43	54	64	41	42	47	55	46	36
		F	477	31	34	52	44	41	48	48	37	36	34	31	41
160	Injury at birth	T	209	-	-	-	-	-	-	-	-	-	-	-	-
		M	121	11	9	10	11	9	9	19	9	7	7	13	7
		F	88	7	9	6	6	9	8	4	5	8	7	8	11
160*a*	Cesarean operation	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	1	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
160*b*	Without Cesarean operation	T	208	-	-	-	-	-	-	-	-	-	-	-	-
		M	120	11	9	10	11	9	9	18	9	7	7	13	7
		F	88	7	9	6	6	9	8	4	5	8	7	8	11
161	Other diseases peculiar to early infancy	T	199	-	-	-	-	-	-	-	-	-	-	-	-
		M	113	10	7	8	9	9	7	10	6	8	13	14	12
		F	86	5	8	6	5	8	9	9	8	7	7	7	7
161*a*	Atelectasis	T	121	-	-	-	-	-	-	-	-	-	-	-	-
		M	71	8	2	5	5	5	2	7	5	7	8	10	7
		F	50	3	2	3	3	6	6	5	5	4	6	3	4
161*b*	Icterus of the new-born	T	16	-	-	-	-	-	-	-	-	-	-	-	-
		M	7	-	1	2	-	-	-	-	1	1	1	1	-
		F	9	1	1	1	-	-	1	2	-	1	-	1	1

Table 14

Allocated Deaths (exclusive of Stillbirths) from Each Cause and Class of Causes, according to the Detailed International List, by Months and Sex: 1936.

Detailed Int. List No.	Cause of Death.	Sex.	Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
161c	Sclerema	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
161d	Others	T	62	–	–	–	–	–	–	–	–	–	–	–	–
		M	35	2	4	1	4	4	5	3	–	–	4	3	5
		F	27	1	5	2	2	2	2	2	3	2	1	3	2
XVI.	Senility	T	54	–	–	–	–	–	–	–	–	–	–	–	–
		M	15	–	–	1	3	3	–	1	–	2	1	3	1
		F	39	4	4	5	5	2	1	3	4	6	1	2	2
162	Senility	T	54	–	–	–	–	–	–	–	–	–	–	–	–
		M	15	–	–	1	3	3	–	1	–	2	1	3	1
		F	39	4	4	5	5	2	1	3	4	6	1	2	2
162a	With senile dementia	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	–	1	–
		F	1	–	–	1	–	–	–	–	–	–	–	–	–
162b	Without senile dementia	T	52	–	–	–	–	–	–	–	–	–	–	–	–
		M	14	–	–	1	3	3	–	1	–	2	1	2	1
		F	38	4	4	4	5	2	1	3	4	6	1	2	2
XVII.	Violent and Accidental Deaths	T	3,662	–	–	–	–	–	–	–	–	–	–	–	–
		M	2,408	199	180	182	197	186	185	228	216	190	186	235	224
		F	1,254	117	99	89	110	95	101	111	103	103	91	100	135
163–171	Suicide (total)	T	555	–	–	–	–	–	–	–	–	–	–	–	–
		M	406	29	25	45	42	40	38	25	38	29	27	29	39
		F	149	9	9	7	13	14	13	11	15	16	15	10	17
163	Suicide by solid or liquid poisons or by absorption of corrosive substances	T	55	–	–	–	–	–	–	–	–	–	–	–	–
		M	30	3	–	5	–	2	1	1	4	3	3	3	5
		F	25	1	2	1	–	3	1	4	3	3	2	1	4
163a	Arsenical group	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	1	–	–	–	1	–	–	–	–	–
		F	2	–	–	–	–	–	–	1	–	–	1	–	–
163b	Barbituric acid and all derivatives	T	11	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	1	–	–	–	1	–	–	1	–	–	–	–
		F	8	–	1	–	–	2	–	1	1	1	–	–	2
163c	Cresol compounds group	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	–	–	–	1	–	1
		F	2	1	–	1	–	–	–	–	–	–	–	–	–
163d	Mercury compounds	T	7	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	1	–	–	–	–	–	–	–	1	–	1	–
		F	4	–	1	–	–	–	–	1	–	–	1	–	1
163e	Nux vomica and strychnine	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	1	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	1	–	–	–
163f	Lye group	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	1	–	–	–	–
163g	Tobacco and derivatives	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	1	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
163h	Narcotic group	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	–	–	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
163m	Hydrocyanic acid and all cyanides except gases	T	9	–	–	–	–	–	–	–	–	–	–	–	–
		M	7	1	–	2	–	–	–	–	–	–	1	1	2
		F	2	–	–	–	–	–	–	–	1	–	–	1	–
163o	Carbolic acid and phenol	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	–	1	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	1
163x	All other poisons or kinds not stated	T	13	–	–	–	–	–	–	–	–	–	–	–	–
		M	9	–	–	2	–	1	1	–	1	2	1	–	1
		F	4	–	–	–	–	1	1	1	–	1	–	–	–
164	Suicide by poisonous gas	T	154	–	–	–	–	–	–	–	–	–	–	–	–
		M	107	8	10	12	10	9	8	7	9	11	5	5	13
		F	47	4	3	–	7	2	5	1	4	6	5	4	6
165	Suicide by hanging or strangulation	T	133	–	–	–	–	–	–	–	–	–	–	–	–
		M	101	9	6	10	10	11	13	3	10	5	9	9	6
		F	32	–	3	1	2	2	3	4	4	3	3	3	4
166	Suicide by drowning	T	52	–	–	–	–	–	–	–	–	–	–	–	–
		M	34	2	1	1	5	6	6	1	4	2	2	3	1
		F	18	–	1	1	2	4	1	1	–	3	3	1	1
167	Suicide by firearms	T	103	–	–	–	–	–	–	–	–	–	–	–	–
		M	96	5	6	9	13	10	7	12	9	4	7	4	10
		F	7	2	–	–	–	2	2	–	–	–	–	–	1
168	Suicide by cutting or piercing instruments	T	24	–	–	–	–	–	–	–	–	–	–	–	–
		M	21	–	2	5	2	1	–	1	2	3	1	1	3
		F	3	–	–	1	–	–	–	–	1	–	–	–	1
169	Suicide by jumping from high places	T	25	–	–	–	–	–	–	–	–	–	–	–	–
		M	10	1	–	1	2	–	1	–	–	1	–	3	1
		F	15	2	–	2	2	1	1	1	3	–	2	1	–

Table 14

ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL LIST, BY MONTHS AND SEX: 1936.

Detailed Int. List No.	Cause of Death.	Sex.	Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December
170	Suicide by crushing	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	2	–	1	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
171	Suicide by other means	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	1	–	–	–	–	2	–	–	–	–	1	–
		F	2	–	–	1	–	–	–	–	–	1	–	–	–
172–175	Homicide (total)	T	72	–	–	–	–	–	–	–	–	–	–	–	–
		M	49	–	1	2	7	4	5	7	7	4	4	4	4
		F	23	4	1	–	2	6	1	1	–	1	3	2	2
172	Infanticide (murder of infants under one year of age)	T	9	–	–	–	–	–	–	–	–	–	–	–	–
		M	9	–	–	–	3	1	–	1	1	2	–	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
172*a*	Immediately after birth	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	6	–	–	–	1	1	–	1	1	2	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
172*b*	Others, under one year	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	2	–	–	–	–	–	–	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
173	Homicide by firearms	T	15	–	–	–	–	–	–	–	–	–	–	–	–
		M	12	–	–	1	1	1	2	1	1	–	1	1	3
		F	3	–	–	–	1	1	1	–	–	–	–	–	–
174	Homicide by cutting or piercing instruments	T	7	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	–	–	–	–	–	1	1	1	1	–	–
		F	3	–	1	–	–	–	–	–	–	–	1	–	1
175	Homicide by other means	T	41	–	–	–	–	–	–	–	–	–	–	–	–
		M	24	–	1	1	3	2	3	4	4	1	2	2	1
		F	17	4	–	–	1	5	–	1	–	1	2	2	1
176–198, 201–214	Accidents (total)	T	3,035	–	–	–	–	–	–	–	–	–	–	–	–
		M	1,953	170	154	135	148	142	142	196	171	157	155	202	181
		F	1,082	104	89	82	95	75	87	99	88	86	73	88	116
176	Attack by venomous animals	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	–	–	1	2	–	–	–	–
		F	1	–	–	–	1	–	–	–	–	–	–	–	–
177	Poisoning by food	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	1	–	–	–	–
		F	1	–	–	1	–	–	–	–	–	–	–	–	–
178	Accidental absorption of poisonous gas	T	83	–	–	–	–	–	–	–	–	–	–	–	–
		M	59	12	6	5	3	3	1	5	1	4	5	6	8
		F	24	–	4	3	3	–	2	3	2	2	3	1	1
179	Other acute accidental poisonings (gas excepted)	T	52	–	–	–	–	–	–	–	–	–	–	–	–
		M	37	1	9	3	5	4	2	4	1	5	1	2	–
		F	15	1	–	2	2	1	2	4	–	1	2	–	–
179*a*	Arsenical group	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	–	–	2	–	–	–	1	–
		F	1	–	–	–	–	–	–	–	–	1	–	–	–
179*b*	Barbituric acid and all derivatives	T	8	–	–	–	–	–	–	–	–	–	–	–	–
		M	8	–	1	1	2	–	1	–	–	1	1	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
179*c*	Cresol compounds group	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	1	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	1	–	–	–	–	–
179*d*	Mercury compounds	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	1	–	1	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
179*e*	Nux vomica and strychnine	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	1	–	–	–	–	–	–	–
179*f*	Lye group	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	1	–	–	–	–	–	–	–	–	–
179*g*	Tobacco and derivatives	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
179*h*	Narcotic group	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	1	–	–	–	2	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	1	–	–	–	–	–	–
179*m*	Menthanol, denatured, wood and other alcohols (not ethyl)	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	6	–	2	–	1	1	1	–	–	1	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
179*o*	Carbolic acid and phenol	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
179*x*	All other poisons or kinds not stated	T	24	–	–	–	–	–	–	–	–	–	–	–	–
		M	14	–	5	2	1	–	–	2	1	3	–	–	–
		F	10	1	–	1	2	–	1	3	–	–	2	–	–

Table 14

ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL LIST, BY MONTHS AND SEX: 1936.

Detailed Int. List No.	Cause of Death.	Sex.	Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December
180	Conflagration	T	50	–	–	–	–	–	–	–	–	–	–	–	–
		M	30	9	4	–	2	4	2	1	–	1	–	1	6
		F	20	8	1	–	1	1	3	1	1	2	–	–	2
181	Accidental burns (conflagration excepted)	T	135	–	–	–	–	–	–	–	–	–	–	–	–
		M	64	9	8	3	5	7	4	2	–	4	6	8	8
		F	71	12	9	6	6	1	3	5	2	2	5	14	6
182	Accidental mechanical suffocation	T	50	–	–	–	–	–	–	–	–	–	–	–	–
		M	36	1	6	2	5	1	6	4	2	1	–	5	3
		F	14	–	1	–	1	–	2	1	1	4	–	2	2
183	Accidental drowning	T	158	–	–	–	–	–	–	–	–	–	–	–	–
		M	136	4	4	11	12	8	15	32	21	9	8	4	8
		F	22	2	1	1	–	1	1	7	3	4	1	1	–
184	Accidental traumatism by firearms (wounds of war excepted)	T	21	–	–	–	–	–	–	–	–	–	–	–	–
		M	18	2	1	1	–	3	–	–	1	1	3	3	3
		F	3	–	–	–	–	–	1	–	1	1	–	–	–
185	Accidental traumatism by cutting or piercing instruments (wounds of war excepted)	T	15	–	–	–	–	–	–	–	–	–	–	–	–
		M	9	2	–	1	–	–	1	–	1	2	–	1	1
		F	6	–	1	–	–	1	1	1	–	–	–	–	2
186	Accidental traumatism by fall, crushing, landslide	T	1,133	–	–	–	–	–	–	–	–	–	–	–	–
		M	521	43	48	37	47	43	27	47	46	38	51	53	41
		F	612	70	49	54	55	48	46	48	47	39	36	52	68
186a	Fall	T	1,130	–	–	–	–	–	–	–	–	–	–	–	–
		M	519	41	48	37	47	43	27	47	46	38	51	53	41
		F	611	69	49	54	55	48	14	48	47	39	36	52	68
186b	Crushing, landslide	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	2	–	–	–	–	–	–	–	–	–	–	–
		F	1	1	–	–	–	–	–	–	–	–	–	–	–
187	Cataclysm	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
188	Injuries by animals	T	11	–	–	–	–	–	–	–	–	–	–	–	–
		M	9	1	1	–	1	1	–	2	1	–	2	–	–
		F	2	–	1	–	–	–	–	–	–	–	1	–	–
189	Hunger or thirst	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
190	Excessive cold	T	15	–	–	–	–	–	–	–	–	–	–	–	–
		M	13	4	3	2	1	–	–	–	–	–	–	2	1
		F	2	–	2	–	–	–	–	–	–	–	–	–	–
191	Excessive heat	T	13	–	–	–	–	–	–	–	–	–	–	–	–
		M	11	–	–	–	–	–	–	11	–	–	–	–	–
		F	2	–	–	–	–	–	–	2	–	–	–	–	–
192	Lightning	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	1	1	–	–	–	–	–
		F	1	–	–	–	–	–	–	1	–	–	–	–	–
193	Accidents due to electric currents	T	14	–	–	–	–	–	–	–	–	–	–	–	–
		M	14	–	1	3	–	4	1	1	–	1	2	–	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
194	Other accidents	T	213	–	–	–	–	–	–	–	–	–	–	–	–
		M	151	16	11	16	6	10	12	14	13	11	12	13	17
		F	62	2	2	1	8	6	6	6	13	5	4	2	7
194a	Foreign body	T	51	–	–	–	–	–	–	–	–	–	–	–	–
		M	31	1	3	3	–	3	3	6	1	2	4	1	4
		F	20	1	–	–	3	3	–	3	3	2	1	1	3
194b	Others	T	162	–	–	–	–	–	–	–	–	–	–	–	–
		M	120	15	8	13	6	7	9	8	12	9	8	12	13
		F	42	1	2	1	5	3	6	3	10	3	3	1	4
195	Violent deaths of which the nature (accident, suicide, homicide) is unknown	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	1	2	–	–	–	–	–	–
		F	1	–	–	–	1	–	–	–	–	–	–	–	–
196	Wounds of war	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
197	Execution of civilians by belligerent armies	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
198	Legal executions	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	1	–	–	–	–	–	–	1	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
201	Accidents in mines and quarries	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
202	Accidents from agricultural machinery	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	1	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 14

Allocated Deaths (exclusive of Stillbirths) from Each Cause and Class of Causes, according to the Detailed International List, by Months and Sex: 1936.

Detailed Int. List No.	Cause of Death.	Sex.	Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
202m	Other accidents	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	1	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
203	Elevator accidents	T	18	–	–	–	–	–	–	–	–	–	–	–	–
		M	18	2	1	1	1	–	–	5	4	1	1	1	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
203c	Mechanical suffocation	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	1	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
203f	Traumatism by fall	T	7	–	–	–	–	–	–	–	–	–	–	–	–
		M	7	–	1	–	1	–	–	3	–	–	–	1	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
203g	Traumatism by crushing	T	7	–	–	–	–	–	–	–	–	–	–	–	–
		M	7	1	–	1	–	–	–	–	3	1	1	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
203m	Other accidents	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	1	–	–	–	–	–	1	1	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
204	Accidents from machinery used for recreation	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	1	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
204f	Traumatism by fall	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	1	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
205	Other machinery accidents	T	17	–	–	–	–	–	–	–	–	–	–	–	–
		M	17	2	4	1	1	2	–	2	2	–	1	2	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
205c	Mechanical suffocation	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	1	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
205d	Drowning	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	1	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
205e	Traumatism by cutting or piercing instruments	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	1	–	–	–	–	–	–	1	–	1	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
205f	Traumatism by fall	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	1	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
205g	Traumatism by crushing	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	6	–	3	–	–	1	–	2	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
205m	Other accidents	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	1	1	–	–	–	–	1	–	–	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
206	Railroad and automobile collisions	T	13	–	–	–	–	–	–	–	–	–	–	–	–
		M	12	1	5	1	1	–	–	–	1	–	1	2	–
		F	1	–	–	–	–	1	–	–	–	–	–	–	–
206m	Other accidents	T	13	–	–	–	–	–	–	–	–	–	–	–	–
		M	12	1	5	1	1	–	–	–	1	–	1	2	–
		F	1	–	–	–	–	1	–	–	–	–	–	–	–
207	Other railroad accidents	T	76	–	–	–	–	–	–	–	–	–	–	–	–
		M	65	5	5	4	8	3	4	1	5	7	4	14	5
		F	11	–	3	1	–	–	1	1	1	–	2	–	2
207d	Drowning	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	1	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
207e	Traumatism by cutting or piercing instruments	T	12	–	–	–	–	–	–	–	–	–	–	–	–
		M	11	–	1	–	–	–	–	–	2	3	2	3	–
		F	1	–	–	–	–	–	–	–	–	–	1	–	–
207f	Traumatism by fall	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	1	–	–	1	–	–	1	–	–	–	–	–
		F	1	–	–	–	–	–	1	–	–	–	–	–	–
207g	Traumatism by crushing	T	25	–	–	–	–	–	–	–	–	–	–	–	–
		M	23	3	4	3	2	1	1	–	1	–	2	4	2
		F	2	–	1	–	–	–	–	–	–	–	–	–	1
207m	Other accidents	T	34	–	–	–	–	–	–	–	–	–	–	–	–
		M	27	1	–	–	5	2	3	–	2	4	–	7	3
		F	7	–	2	1	–	–	–	1	1	–	1	–	1
208	Street car and automobile collisions	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	6	1	–	–	–	–	–	2	2	–	–	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
208m	Other accidents	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	6	1	–	–	–	–	–	2	2	–	–	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
209	Other street car accidents	T	19	–	–	–	–	–	–	–	–	–	–	–	–
		M	13	1	–	2	1	1	1	3	1	–	–	3	–
		F	6	–	–	–	1	–	1	1	–	1	1	1	–

Table 14

ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL LIST, BY MONTHS AND SEX: 1936.

Detailed Int. List No.	Cause of Death.	Sex.	Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
209f	Traumatism by fall	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	1	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
209g	Traumatism by crushing	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	2	–	–	1	–	–	–	–	–	–
		F	2	–	–	–	1	–	–	–	–	1	–	–	–
209m	Other accidents	T	13	–	–	–	–	–	–	–	–	–	–	–	–
		M	9	1	–	–	1	1	–	3	–	–	–	3	–
		F	4	–	–	–	–	–	1	1	–	–	1	1	–
210	Automobile accidents	T	847	–	–	–	–	–	–	–	–	–	–	–	–
		M	649	51	36	39	48	40	54	50	58	70	54	74	75
		F	198	9	13	13	16	15	17	17	15	24	18	15	26
210b	Burns (conflagration excepted)	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	–	–	–	–	2	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
210d	Drowning	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	–	–	1	–	2	–	–	–	–	2	–	–
		F	1	–	–	–	–	1	–	–	–	–	–	–	–
210e	Traumatism by cutting or piercing instruments	T	8	–	–	–	–	–	–	–	–	–	–	–	–
		M	6	–	–	–	–	1	–	1	2	–	–	–	2
		F	2	–	–	–	–	1	–	–	–	–	–	–	1
210f	Traumatism by fall	T	29	–	–	–	–	–	–	–	–	–	–	–	–
		M	24	4	1	3	1	1	2	5	3	3	–	1	–
		F	5	–	–	1	–	–	–	–	–	2	1	–	1
210g	Traumatism by crushing	T	90	–	–	–	–	–	–	–	–	–	–	–	–
		M	72	3	5	3	5	5	5	9	5	6	3	11	12
		F	18	1	–	–	–	3	5	2	–	3	–	1	3
210m	Other accidents	T	712	–	–	–	–	–	–	–	–	–	–	–	–
		M	540	44	30	32	42	31	47	35	48	61	49	60	61
		F	172	8	13	12	16	10	12	15	15	19	17	14	21
211	Motorcycle accidents	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	–	–	–	–	1	2	–	–	–	1	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
211d	Drowning	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	1	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
211f	Traumatism by fall	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	1	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
211m	Other accidents	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	1	1	–	–	–	–	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
212	Other land transportation accidents	T	15	–	–	–	–	–	–	–	–	–	–	–	–
		M	14	2	–	–	–	1	–	2	3	–	1	4	1
		F	1	–	–	–	–	–	–	–	–	1	–	–	–
212c	Mechanical suffocation	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	1	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
212e	Traumatism by cutting or piercing instruments	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	–	–	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
212f	Traumatism by fall	T	11	–	–	–	–	–	–	–	–	–	–	–	–
		M	10	2	–	–	–	–	–	1	2	–	1	4	–
		F	1	–	–	–	–	–	–	–	–	1	–	–	–
212h	Electric currents	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	1	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
212m	Other accidents	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	1	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
213	Water transportation accidents	T	31	–	–	–	–	–	–	–	–	–	–	–	–
		M	28	–	–	2	–	4	6	6	4	1	2	2	1
		F	3	–	–	–	–	–	–	1	2	–	–	–	–
213d	Drowning	T	30	–	–	–	–	–	–	–	–	–	–	–	–
		M	27	–	–	2	–	4	6	6	3	1	2	2	1
		F	3	–	–	–	–	–	–	1	2	–	–	–	–
213f	Traumatism by fall	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	1	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
214	Air transportation accidents	T	8	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	–	1	–	1	–	1	–	–	1	–	–	1
		F	3	–	2	–	–	–	1	–	–	–	–	–	–
214f	Traumatism by fall	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	–	–	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
214g	Traumatism by crushing	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	1	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 14

Allocated Deaths (exclusive of Stillbirths) from Each Cause and Class of Causes, according to the Detailed International List, by Months and Sex: **1936.**

Detailed Int. List No.	Cause of Death.	Sex.	Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
214*m*	Other accidents . . .	T	6	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	1	-	-	-	1	-	-	1	-	-	-
		F	3	-	2	-	-	-	1	-	-	-	-	-	-
XVIII	Ill-defined Causes of Death	T	14	-	-	-	-	-	-	-	-	-	-	-	-
		M	7	1	-	-	-	-	1	-	3	1	-	-	1
		F	7	1	-	1	3	-	-	1	1	-	-	-	-
199	Sudden Death . . .	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	1	-	-	-	-	-	-	-	-	-
200	Cause of death not specified or ill-defined . . .	T	13	-	-	-	-	-	-	-	-	-	-	-	-
		M	7	1	-	-	-	-	1	-	3	1	-	-	1
		F	6	1	-	-	3	-	-	1	1	-	-	-	-
200*a*	Ill-defined . . .	T	10	-	-	-	-	-	-	-	-	-	-	-	-
		M	4	-	-	-	-	-	1	-	3	-	-	-	-
		F	6	1	-	-	3	-	-	1	1	-	-	-	-
200*b*	Not specified or unknown	T	3	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	1	-	-	-	-	-	-	-	1	-	-	1
		F	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 14a ON PAGES 56 TO 93 GIVES THE DEATHS OF MASSACHUSETTS RESIDENTS, ARRANGED BY SEX AND 5-YEAR AGE PERIODS ACCORDING TO THE INTERNATIONAL LIST OF CAUSES OF DEATHS.

Detailed Int. List No.	Table 14a — Cause of Death.	Sex	Allocated Deaths (exclusive of Stillbirths) from Detailed International — Total.	Age of decedents (years). Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 24.
	All Causes.	T	51,435	2,854	347	176	146	144	439	436	519	758
		M	26,773	1,605	191	91	85	80	251	235	284	392
		F	24,662	1,249	156	85	61	64	188	201	235	366
I.	Infectious and Parasitic Diseases	T	2,824	–	–	–	–	–	–	–	–	–
		M	1,650	68	31	21	6	12	24	14	36	69
		F	1,174	56	36	24	8	12	39	28	59	118
1	Typhoid fever	T	10	–	–	–	–	–	–	–	–	–
		M	5	–	–	–	–	–	–	–	1	–
		F	5	–	1	–	–	–	–	–	1	1
2	Paratyphoid fever	T	1	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
3	Typhus fever	T	1	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–
4	Relapsing fever	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
5	Undulant fever	T	4	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	–	–
6	Smallpox	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
7	Measles	T	35	–	–	–	–	–	–	–	–	–
		M	15	1	7	1	–	1	4	–	–	–
		F	20	4	5	3	3	1	3	–	–	1
8	Scarlet fever	T	44	–	–	–	–	–	–	–	–	–
		M	19	1	–	1	–	3	5	2	3	2
		F	25	–	–	3	–	3	7	5	2	1
9	Whooping cough	T	52	–	–	–	–	–	–	–	–	–
		M	22	18	3	–	–	–	1	–	–	–
		F	30	18	9	1	–	1	1	–	–	–
10	Diphtheria	T	27	–	–	–	–	–	–	–	–	–
		M	13	–	2	3	1	1	3	1	–	–
		F	14	–	–	3	2	4	5	–	–	–
11	Influenza	T	280	–	–	–	–	–	–	–	–	–
		M	141	12	9	5	–	2	1	2	–	4
		F	139	10	13	3	1	1	3	1	1	2
11*a*	With respiratory complications specified	T	208	–	–	–	–	–	–	–	–	–
		M	114	11	4	5	–	–	1	1	–	3
		F	94	6	3	2	–	–	1	–	1	1
11*b*	Without respiratory complications specified	T	72	–	–	–	–	–	–	–	–	–
		M	27	1	5	–	–	2	–	1	–	1
		F	45	4	10	1	1	1	2	1	–	1
12	Cholera	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
13	Dysentery	T	10	–	–	–	–	–	–	–	–	–
		M	5	–	–	–	–	–	–	–	–	–
		F	5	–	1	–	–	1	1	–	–	1
13*a*	Amebic	T	1	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–
13*b*	Bacillary	T	4	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	–	–	–	–	–
		F	1	–	1	–	–	–	–	–	–	–
13*c*	Unspecified or due to other causes	T	5	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	–	–	–
		F	3	–	–	–	–	1	1	–	–	1
14	Plague	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
15	Erysipelas	T	74	–	–	–	–	–	–	–	–	–
		M	36	10	–	1	–	–	2	–	1	–
		F	38	10	1	–	–	–	–	–	1	–
16	Acute poliomyelitis	T	8	–	–	–	–	–	–	–	–	–
		M	5	1	–	–	1	–	1	1	1	–
		F	3	–	–	1	–	–	–	–	1	–
17	Lethargic or epidemic encephalitis	T	14	–	–	–	–	–	–	–	–	–
		M	5	1	–	–	–	–	–	–	–	–
		F	9	–	–	–	–	–	1	1	–	1
18	Epidemic cerebrospinal meningitis	T	100	–	–	–	–	–	–	–	–	–
		M	77	7	2	1	–	–	1	–	7	6
		F	23	–	2	1	–	–	4	4	1	3
19	Glanders	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE LIST BY AGE AND SEX: 1936.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.	100 and over.	Unknown.
	860	997	1,310	1,924	2,601	3,298	4,156	5,275	6,035	6,251	5,709	3,969	2,203	810	192	26	-
	448	532	741	1,154	1,509	1,919	2,395	2,888	3,214	3,167	2,675	1,759	830	266	58	4	-
	412	465	569	770	1,092	1,379	1,761	2,387	2,821	3,084	3,034	2,210	1,373	544	134	22	-
1.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	92	11	136	161	160	180	161	145	86	74	35	18	5	2	3	-	-
	121	96	77	71	71	65	81	77	46	29	26	19	7	7	-	1	-
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-
	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	6	3	7	14	9	10	12	9	10	9	6	2	2	3	-	-
	3	3	6	7	9	8	13	7	8	6	11	12	5	5	-	1	-
11*a*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	4	3	7	12	7	9	10	9	8	6	3	2	2	3	-	-
	1	2	5	5	9	7	9	6	5	5	10	9	3	4	-	-	-
11*b*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	2	-	-	2	2	1	2	-	2	3	3	-	-	-	-	-
	2	1	1	2	-	1	4	1	3	1	1	3	2	1	-	1	-
12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	1	-	-	-	-	-	-	-	3	1	-	-	-	-	-
	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13*a*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13*b*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	1	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13*c*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	2	1	5	4	3	3	2	2	-	-	-	-	-
	-	-	2	1	-	4	6	2	3	3	1	3	1	-	-	-	-
16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-
	-	-	-	1	-	-	3	2	-	-	-	-	-	-	-	-	-
18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	7	4	7	7	6	7	2	4	1	1	1	-	-	-	-	-
	-	1	1	-	1	1	1	2	1	-	-	-	-	-	-	-	-
19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Detailed Int. List No.	Table 14a — Cause of Death.	Sex	Allocated Deaths (exclusive of Stillbirths) from Detailed International — Total.	Age of decedents (years). Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 24.
20	Anthrax	T	1	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
21	Rabies	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
22	Tetanus	T	15	–	–	–	–	–	–	–	–	–
		M	11	–	–	–	–	1	–	3	2	1
		F	4	–	–	1	–	–	2	–	–	–
23–32	Tuberculosis (total)	T	1,898	–	–	–	–	–	–	–	–	–
		M	1,127	6	7	8	4	4	5	4	20	56
		F	771	8	4	8	2	1	9	15	52	102
23	Tuberculosis of the respiratory system	T	1,733	–	–	–	–	–	–	–	–	–
		M	1,046	2	4	2	–	1	3	1	16	54
		F	687	4	1	5	1	1	5	11	50	96
24	Tuberculosis of the meninges and central nervous system	T	54	–	–	–	–	–	–	–	–	–
		M	30	1	3	5	4	3	2	2	1	–
		F	24	3	2	3	–	–	3	–	–	2
25	Tuberculosis of the intestines and peritoneum	T	26	–	–	–	–	–	–	–	–	–
		M	6	1	–	–	–	–	–	1	–	1
		F	20	–	–	–	–	–	–	2	–	2
26	Tuberculosis of the vertebral column	T	32	–	–	–	–	–	–	–	–	–
		M	17	–	–	–	–	–	–	–	1	–
		F	15	–	–	–	1	–	–	1	2	–
27	Tuberculosis of the bones and joints (vertebral column excepted)	T	11	–	–	–	–	–	–	–	–	–
		M	6	–	–	–	–	–	–	–	–	1
		F	5	–	–	–	–	–	–	1	–	–
27a	Bones	T	1	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–
27b	Joints	T	10	–	–	–	–	–	–	–	–	–
		M	6	–	–	–	–	–	–	–	–	1
		F	4	–	–	–	–	–	–	1	–	–
28	Tuberculosis of the skin and subcutaneous cellular tissue	T	2	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	1	–
		F	1	–	–	–	–	–	–	–	–	–
29	Tuberculosis of the lymphatic system (bronchial, mesenteric and retroperitoneal glands excepted)	T	8	–	–	–	–	–	–	–	–	–
		M	4	–	–	1	–	–	–	–	–	–
		F	4	1	–	–	–	–	–	–	–	1
30	Tuberculosis of the genitourinary system	T	22	–	–	–	–	–	–	–	–	–
		M	11	–	–	–	–	–	–	–	1	–
		F	11	–	–	–	–	–	–	–	–	–
31	Tuberculosis of other organs	T	1	–	–		–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–
32	Disseminated tuberculosis	T	9	–	–	–	–	–	–	–	–	–
		M	6	2	–	–	–	–	–	–	–	–
		F	3	–	1	–	–	–	1	–	–	1
32a	Acute	T	8	–	–	–	–	–	–	–	–	–
		M	5	2	–	–	–	–	–	–	–	–
		F	3	–	1	–	–	–	1	–	–	1
32b	Chronic	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
32c	Unspecified	T	1	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
33	Leprosy	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
34	Syphilis	T	196	–	–	–	–	–	–	–	–	–
		M	139	5	–	–	–	–	1	–	–	–
		F	57	1	–	–	–	–	1	–	–	4
34a	Congenital	T	7	–	–	–	–	–	–	–	–	–
		M	3	3	–	–	–	–	–	–	–	–
		F	4	1	–	–	–	–	1	–	–	1
34b	Acquired	T	10	–	–	–	–	–	–	–	–	–
		M	7	–	–	–	–	–	–	–	–	–
		F	3	–	–	–	–	–	–	–	–	–
34c	Unspecified	T	179	–	–	–	–	–	–	–	–	–
		M	129	2	–	–	–	–	1	–	–	–
		F	50	–	–	–	–	–	–	–	–	3
35	Gonococcus infection and other venereal diseases	T	17	–	–	–	–	–	–	–	–	–
		M	9	1	–	–	–	–	–	–	1	–
		F	8	–	–	–	–	–	–	–	–	2
36	Purulent infection, septicemia, non-puerperal	T	14	–	–	–	–	–	–	–	–	–
		M	7	1	–	–	–	–	–	1	–	–
		F	7	3	–	–	–	–	–	2	–	–

Each Cause and Class of Causes, according to the List, by Age and Sex: 1936.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.	100 and over.	Unknown.
20	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
21	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
22	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	2	1	–	1	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
23–32	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	78	93	119	125	118	133	107	107	58	49	16	7	3	–	–	–	–
	111	77	60	57	58	36	48	56	30	18	12	4	1	2	–	–	–
23	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	73	91	112	116	117	128	103	99	54	48	14	6	2	–	–	–	–
	108	69	54	49	47	31	43	52	27	17	9	4	1	2	–	–	–
24	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	1	1	–	–	3	1	–	–	–	1	–	–	–	–	–	–
	1	2	2	2	1	1	1	–	1	–	–	–	–	–	–	–	–
25	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	–	–	–	–	–	2	–	–	–	–	–	–	–	–
	2	1	2	2	4	–	2	–	2	–	1	–	–	–	–	–	–
26	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	3	3	–	1	1	5	1	–	1	–	–	–	–	–	–
	–	1	1	3	2	–	1	2	–	1	–	–	–	–	–	–	–
27	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	–	1	1	–	–	–	1	1	–	–	–	–
	–	2	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
27*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
27*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	–	1	1	–	–	–	1	1	–	–	–	–
	–	1	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
28	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
29	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	1	–	–	–	1	1	–	–	–	–	–	–	–
	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
30	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	1	1	4	–	–	1	2	–	–	–	–	–	–	–	–	–
	–	2	1	1	3	2	1	1	–	–	–	–	–	–	–	–	–
31	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
32	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	2	–	1	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
32*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
32*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
32*c*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
33	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
34	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	3	4	18	12	27	25	18	12	10	3	1	–	–	–	–	–
	2	8	4	3	1	14	8	5	3	2	1	–	–	–	–	–	–
34*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
34*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	–	–	1	1	3	1	–	–	–	–	–	–	–	–	–
	–	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
34*c*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	2	4	18	11	26	22	17	12	10	3	1	–	–	–	–	–
	1	6	4	3	1	13	8	5	3	2	1	–	–	–	–	–	–
35	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	1	1	–	1	–	1	–	–	–	1	–	–	–	–	–	–
	1	4	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
36	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	2	1	–	–	–	–	–	1	–	–	–	–	–	–	–
	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–

Detailed Int. List No.	Table 14a — Cause of Death.	Sex	Allocated Deaths (exclusive of stillbirths) from Detailed International — Total.	Age of decedents (years). Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 24.
37	Yellow fever	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
38	Malaria	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
39	Other diseases due to protozoal parasites	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
40	Ankylostomiasis	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
41	Hydatid cysts	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
41*a*	Of the liver	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
41*b*	Of other organs	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
42	Other diseases caused by helminths	T	2	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	–	–
43	Mycoses	T	9	–	–	–	–	–	–	–	–	–
		M	5	1	–	–	–	–	–	–	–	–
		F	4	1	–	–	–	–	–	–	–	–
44	Other infectious and parasitic diseases	T	12	–	–	–	–	–	–	–	–	–
		M	5	3	1	1	–	–	–	–	–	–
		F	7	1	–	–	–	–	2	–	–	–
44*a*	Chicken-pox	T	5	–	–	–	–	–	–	–	–	–
		M	3	1	1	1	–	–	–	–	–	–
		F	2	1	–	–	–	–	1	–	–	–
44*b*	German measles	T	1	–	–	–	–	–	–	–	–	–
		M	1	1	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
44*c*	Others under this title	T	6	–	–	–	–	–	–	–	–	–
		M	1	1	–	–	–	–	–	–	–	–
		F	5	–	–	–	–	–	1	–	–	–
II.	Cancers and Other Tumors	T	6,836	–	–	–	–	–	–	–	–	–
		M	3,093	2	3	2	2	2	6	4	13	14
		F	3,743	1	2	–	–	4	6	6	7	10
45–53	Cancer and other Malignant tumors (total)	T	6,599	–	–	–	–	–	–	–	–	–
		M	2,989	1	3	2	1	1	2	2	9	13
		F	3,610	1	1	–	–	3	2	4	6	8
45	Cancer and other malignant tumors of the buccal cavity and pharynx	T	243	–	–	–	–	–	–	–	–	–
		M	197	.	–	–	–	–	–	–	–	1
		F	46	–	–	–	–	–	–	–	–	–
45*a*	Lip	T	40	–	–	–	–	–	–	–	–	–
		M	35	–	–	–	–	–	–	–	–	–
		F	5	–	–	–	–	–	–	–	–	–
45*b*	Tongue	T	52	–	–	–	–	–	–	–	–	–
		M	41	–	–	–	–	–	–	–	–	–
		F	11	–	–	–	–	–	–	–	–	–
45*c*	Mouth	T	25	–	–	–	–	–	–	–	–	–
		M	18	–	–	–	–	–	–	–	–	–
		F	7	–	–	–	–	–	–	–	–	–
45*d*	Jaw	T	38	–	–	–	–	–	–	–	–	–
		M	25	–	–	–	–	–	–	–	–	–
		F	13	–	–	–	–	–	–	–	–	–
45*e*	Other and unspecified parts of buccal cavity	T	41	–	–	–	–	–	–	–	–	–
		M	39	–	–	–	–	–	–	–	–	1
		F	2	–	–	–	–	–	–	–	–	–
45*f*	Pharynx	T	47	–	–	–	–	–	–	–	–	–
		M	39	–	–	–	–	–	–	–	–	–
		F	8	–	–	–	–	–	–	–	–	–
46	Cancer and other malignant tumors of the digestive tract and peritoneum	T	3,228	–	–	–	–	–	–	–	–	–
		M	1,641	1	–	–	–	–	–	1	1	2
		F	1,587	1	1	–	–	–	–	1	–	1
46*a*	Esophagus	T	143	–	–	–	–	–	–	–	–	–
		M	101	–	–	–	–	–	–	–	–	–
		F	42	–	–	–	–	–	–	–	–	–
46*b*	Stomach and duodenum	T	1,119	–	–	–	–	–	–	–	–	–
		M	645	–	–	–	–	–	–	–	–	–
		F	474	–	–	–	–	–	–	–	–	–
46*c*	Intestine (except rectum and anus	T	938	–	–	–	–	–	–	–	–	–
		M	400	–	–	–	–	–	–	–	–	–
		F	538	–	–	–	–	–	–	–	–	1

Each Cause and Class of Causes, according to the List, by Age and Sex: **1936.**

Detailed Int. List No.	Age of Decedents (Years).																
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.	100 and over.	Unknown.
37	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
38	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
39	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
40	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
41	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
41*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
41*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
42	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
43	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	2	–	–	–	1	–	–	–	–	–	–	–	–
44	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	1	–	–	1	1	–	–	–	–	–	–	–	–	–
44*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
44*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
44*c*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	1	–	–	1	1	–	–	–	–	–	–	–	–	–
II.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	17	43	38	95	176	254	373	430	524	465	368	175	68	16	3	–	–
	28	58	117	176	271	363	433	474	531	473	414	219	107	34	9	–	–
45–53	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	14	38	33	85	157	244	361	420	514	464	366	174	67	15	3	–	–
	25	48	104	154	244	352	425	467	525	467	408	217	106	34	9	–	–
45	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	4	5	15	22	23	39	41	29	10	4	2	1	–	–
	–	1	2	1	2	3	5	4	8	8	5	2	3	2	–	–	–
45*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	3	–	–	7	3	8	4	4	2	2	1	1	–	–
	–	1	–	–	–	–	–	–	–	–	3	–	1	–	–	–	–
45*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	1	5	1	4	11	10	7	1	1	–	–	–	–
	–	–	–	–	2	–	2	1	3	1	–	1	–	1	–	–	–
45*c*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	–	–	1	–	2	3	4	6	1	–	–	–	–	–
	–	–	–	1	–	1	–	–	1	2	1	1	–	–	–	–	–
45*d*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	1	–	3	1	4	2	8	3	3	–	–	–	–	–
	–	–	1	–	–	2	3	1	1	3	1	–	–	1	–	–	–
45*e*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	1	3	8	5	6	5	8	1	–	1	–	–	–
	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
45*f*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	3	3	5	5	9	10	1	2	1	–	–	–	–
	–	–	1	–	–	–	–	1	2	2	–	–	2	–	–	–	–
46	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7	13	19	43	80	145	196	271	292	252	190	84	34	9	1	–	–
	5	13	27	38	65	127	160	201	277	262	221	115	56	14	2	–	–
46*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	1	3	10	7	21	25	16	11	3	1	1	1	–	–
	–	1	1	–	2	2	6	5	6	3	6	8	2	–	–	–	–
46*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3	7	8	12	28	65	75	110	107	103	69	37	15	6	–	–	–
	1	4	12	12	14	36	48	61	95	84	60	31	13	2	1	–	–
46*c*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	2	5	14	22	29	58	60	62	59	56	23	8	1	–	–	–
	3	4	11	12	25	44	56	52	84	96	80	42	24	4	–	–	–

Detailed Int. List No.	Table 14a — Cause of Death.	Sex	Allocated Deaths (exclusive of Stillbirths) from Detailed International — Total.	Age of decedents (years). Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 24.
46d	Rectum and anus	T	401	–	–	–	–	–	–	–	–	–
		M	223	–	–	–	–	–	–	–	1	–
		F	178	–	–	–	–	–	–	–	–	–
46e	Liver and biliary passages	T	380	–	–	–	–	–	–	–	–	–
		M	149	1	–	–	–	–	–	1	–	–
		F	231	–	1	–	–	–	–	–	–	–
46f	Pancreas	T	230	–	–	–	–	–	–	–	–	–
		M	117	–	–	–	–	–	–	–	–	2
		F	113	1	–	–	–	–	–	–	–	–
46g	Peritoneum	T	17	–	–	–	–	–	–	–	–	–
		M	6	–	–	–	–	–	–	–	–	–
		F	11	–	–	–	–	–	–	1	–	–
46h	Others	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
47	Cancer and other malignant tumors of the respiratory system	T	350	–	–	–	–	–	–	–	–	–
		M	252	–	–	–	–	–	–	–	1	1
		F	98	–	–	–	–	–	–	–	1	–
47a	Larynx	T	63	–	–	–	–	–	–	–	–	–
		M	50	–	–	–	–	–	–	–	–	–
		F	13	–	–	–	–	–	–	–	–	–
47b	Lungs and pleura	T	271	–	–	–	–	–	–	–	–	–
		M	192	–	–	–	–	–	–	–	1	–
		F	79	–	–	–	–	–	–	–	–	–
47c	Others	T	16	–	–	–	–	–	–	–	–	–
		M	10	–	–	–	–	–	–	–	–	1
		F	6	–	–	–	–	–	–	–	1	–
48	Cancer and other malignant tumors of the uterus	T	600	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	600	–	–	–	–	–	–	–	–	1
49	Cancer and other malignant tumors of other female genital organs	T	193	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	193	–	–	–	–	–	1	1	1	3
49a	Ovary and Fallopian tube	T	167	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	167	–	–	–	–	–	–	1	–	2
49b	Vagina and vulva	T	25	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	25	–	–	–	–	–	1	–	1	1
49c	Others	T	1	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–
50	Cancer and other malignant tumors of the breast	T	712	–	–	–	–	–	–	–	–	–
		M	12	–	–	–	–	–	–	–	–	–
		F	700	–	–	–	–	–	–	–	–	–
51	Cancer and other malignant tumors of the male genitourinary organs	T	567	–	–	–	–	–	–	–	–	–
		M	567	–	2	1	–	1	1	–	1	3
		F	–	–	–	–	–	–	–	–	–	–
51a	Kidneys and suprarenals (male)	T	60	–	–	–	–	–	–	–	–	–
		M	60	–	2	1	–	1	1	–	1	–
		F	–	–	–	–	–	–	–	–	–	–
51b	Bladder (male)	T	139	–	–	–	–	–	–	–	–	–
		M	139	–	–	–	–	–	–	–	–	1
		F	–	–	–	–	–	–	–	–	–	–
51c	Prostate	T	332	–	–	–	–	–	–	–	–	–
		M	332	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
51d	Testes	T	16	–	–	–	–	–	–	–	–	–
		M	16	–	–	–	–	–	–	–	–	1
		F	–	–	–	–	–	–	–	–	–	–
51e	Scrotum	T	3	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
51f	Others	T	17	–	–	–	–	–	–	–	–	–
		M	17	–	–	–	–	–	–	–	–	1
		F	–	–	–	–	–	–	–	–	–	–
52	Cancer and other malignant tumors of the skin	T	96	–	–	–	–	–	–	–	–	–
		M	52	–	–	–	–	–	–	–	–	–
		F	44	–	–	–	–	–	–	–	–	–
53	Cancer and other malignant tumors of other or unspecified organs	T	610	–	–	–	–	–	–	–	–	–
		M	268	–	1	1	1	–	1	1	6	6
		F	342	–	–	–	–	3	1	2	4	3
53a	Kidneys and suprarenals (female)	T	42	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	42	–	–	–	–	1	–	–	–	–
53b	Bladder (female)	T	64	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	64	–	–	–	–	–	–	–	–	–

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE LIST BY AGE AND SEX: 1936.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.	100 and over.	Unknown.
46d	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	1	4	6	12	16	23	40	49	31	26	8	5	–	–	–	–
	1	1	1	5	8	18	20	30	34	18	21	8	8	4	1	–	–
46e	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	1	1	5	9	14	17	22	24	21	19	7	4	1	–	–	–
	–	1	–	6	10	19	17	36	39	37	39	17	8	1	–	–	–
46f	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	2	–	4	4	10	15	18	24	22	9	6	1	–	–	–	–
	–	2	1	2	5	8	13	16	15	23	15	8	1	3	–	–	–
46g	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	1	2	1	1	–	1	–	–	–	–	–	–	–	–
	–	–	1	1	1	–	–	1	4	1	–	1	–	–	–	–	–
46h	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
47	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4	5	5	14	32	31	56	37	24	21	18	3	–	–	–	–	–
	–	4	2	7	8	9	10	18	13	11	7	5	3	–	–	–	–
47a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	–	1	2	4	11	8	9	9	5	–	–	–	–	–	–
	–	–	–	–	2	–	1	5	1	1	1	1	1	–	–	–	–
47b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3	4	4	13	29	26	44	26	15	11	13	3	–	–	–	–	–
	–	3	2	6	6	9	9	11	12	10	6	4	1	–	–	–	–
47c	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	1	–	1	1	1	3	–	1	–	–	–	–	–	–	–
	–	1	–	1	–	–	–	2	–	–	–	–	1	–	–	–	–
48	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6	10	28	48	61	81	81	80	57	59	49	31	7	1	–	–	–
49	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	2	7	11	20	25	25	27	25	18	22	1	1	1	–	–	–
49a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	2	7	11	20	24	22	24	20	13	18	–	1	–	–	–	–
49b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	1	3	2	5	5	4	1	–	1	–	–	–
49c	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
50	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–		5	3	–	1	2	1	–	–	–	–	–
	4	12	27	36	59	83	108	97	88	64	61	28	18	12	3	–	–
51	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	7	3	6	16	22	44	62	108	115	97	54	20	3	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
51a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	2	1	2	4	5	12	8	10	2	6	1	1	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
51b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	1	6	10	14	19	24	28	22	12	2	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
51c	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	2	4	4	16	31	65	80	69	41	16	3	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
51d	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	3	1	–	–	2	–	–	5	3	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
51e	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
51f	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	1	1	1	2	4	4	2	–	–	1	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
52	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	1	–	2	2	4	4	8	6	9	11	3	1	–	–	–
	–	–	2	–	2	3	4	4	4	3	8	6	4	2	2	–	–
53	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	12	4	18	22	29	34	20	43	28	21	11	6	–	1	–	–
	8	6	9	13	27	21	32	36	53	42	35	29	14	2	2	–	–
53a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	4	5	2	6	5	4	8	2	3	1	–	–	–	–
53b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	2	4	4	7	12	11	14	7	2	1	–	–	–

Detailed Int. List No.	Table 14a — Cause of Death.	Sex	Allocated Deaths (exclusive of Stillbirths) from Detailed International — Total.	Age of decedents (years). Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 24.
53c	Brain	T	69	–	–	–	–	–	–	–	–	–
		M	38	–	–	–	–	–	1	1	1	1
		F	31	–	–	–	–	–	1	1	2	1
53d	Bones (except jaw)	T	89	–	–	–	–	–	–	–	–	–
		M	51	–	–	1	–	–	–	–	3	2
		F	38	–	–	–	–	1	–	–	1	–
53e	Others	T	346	–	–	–	–	–	–	–	–	–
		M	179	–	1	–	1	–	–	–	2	3
		F	167	–	–	–	–	1	–	1	1	2
54	Nonmalignant tumors	T	152	–	–	–	–	–	–	–	–	–
		M	56	1	–	–	1	1	3	1	4	1
		F	96	–	–	–	–	1	3	–	1	1
54a	Of the ovary	T	1	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–
54b	Of the uterus	T	67	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	67	–	–	–	–	–	–	–	–	–
54c	Of other female genital organs	T	1	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–
54d	Of the brain	T	54	–	–	–	–	–	–	–	–	–
		M	36	–	–	–	–	1	3	–	1	1
		F	18	–	–	–	–	1	2	–	1	1
54e	Of other organs	T	29	–	–	–	–	–	–	–	–	–
		M	20	1	–	–	1	–	–	1	3	–
		F	9	–	–	–	–	–	1	–	–	–
55	Tumors of which the nature is not specified	T	85	–	–	–	–	–	–	–	–	–
		M	48	–	–	–	–	–	1	1	–	–
		F	37	–	1	–	–	–	1	2	–	1
55a	Of the ovary	T	2	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	–	–
55b	Of the uterus	T	9	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	9	–	–	–	–	–	–	–	–	–
55c	Of other female genital organs	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
55d	Of the brain	T	51	–	–	–	–	–	–	–	–	–
		M	35	–	–	–	–	–	1	–	–	–
		F	16	–	1	–	–	–	–	2	–	1
55e	Of other organs	T	23	–	–	–	–	–	–	–	–	–
		M	13	–	–	–	–	–	–	1	–	–
		F	10	–	–	–	–	–	1	–	–	–
III.	Rheumatic Diseases, Nutritional Diseases, Diseases of the Endocrine Glands and Other General Diseases	T	1,638	–	–	–	–	–	–	–	–	–
		M	587	26	7	–	–	3	5	7	8	6
		F	1,051	11	3	1	–	1	4	10	8	8
56	Acute rheumatic fever	T	48	–	–	–	–	–	–	–	–	–
		M	23	–	–	–	–	2	2	6	4	1
		F	25	–	–	–	–	1	3	6	4	2
57	Chronic rheumatism, osteoarthritis	T	65	–	–	–	–	–	–	–	–	–
		M	16	1	–	–	–	–	–	–	–	–
		F	49	–	–	–	–	–	–	1	–	–
58	Gout	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
59	Diabetes mellitus	T	1,388	–	–	–	–	–	–	–	–	–
		M	485	–	2	–	–	–	3	–	3	2
		F	903	–	1	–	–	–	1	2	4	4
60	Scurvy	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
61	Beriberi	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
62	Pellagra	T	14	–	–	–	–	–	–	–	–	–
		M	7	–	–	–	–	–	–	–	–	–
		F	7	–	–	–	–	–	–	–	–	–
63	Rickets	T	6	–	–	–	–	–	–	–	–	–
		M	6	5	1	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
64	Osteomalacia	T	1	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
65	Diseases of the pituitary body	T	1	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE LIST BY AGE AND SEX: 1936.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.	100 and over.	Unknown.
53c	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	3	1	6	5	7	4	2	4	2	-	-	-	-	-	-	-
	3	2	3	5	2	2	3	2	1	2	1	-	-	-	-	-	-
53d	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	1	1	3	1	5	6	4	11	7	2	2	1	-	-	-	-
	3	-	1	1	3	1	3	5	11	3	2	1	2	-	-	-	-
53e	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	8	2	9	16	17	24	14	28	19	19	9	5	-	1	-	-
	2	4	4	3	15	12	16	17	25	18	16	18	9	1	2	-	-
54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	2	3	7	11	4	7	5	2	1	-	1	-	-	-	-	-
	3	9	11	15	22	11	5	4	3	4	1	1	1	-	-	-	-
54a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
54b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	6	10	13	17	10	2	1	1	3	1	1	1	-	-	-	-
54c	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
54d	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	2	2	6	9	1	5	3	2	-	-	-	-	-	-	-	-
	1	1	1	2	4	-	3	1	-	-	-	-	-	-	-	-	-
54e	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	1	1	2	3	2	2	-	1	-	1	-	-	-	-	-
	1	2	-	-	1	1	-	1	2	-	-	-	-	-	-	-	-
55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2	3	2	3	8	6	5	5	8	-	2	-	1	1	-	-	-
	-	1	2	7	5	-	3	3	3	2	5	1	-	-	-	-	-
55a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
55b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	1	4	2	-	-	-	1	-	-	1	-	-	-	-	-
55c	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
55d	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2	3	2	3	6	4	5	4	5	-	-	-	-	-	-	-	-
	-	1	1	3	1	-	3	1	1	1	-	-	-	-	-	-	-
55e	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	2	2	-	1	3	-	2	-	1	1	-	-	-
	-	-	-	-	2	-	-	2	1	-	4	-	-	-	-	-	-
III.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	6	12	10	23	44	62	56	95	95	79	25	8	2	-	-	-
	6	7	7	21	44	54	110	159	201	186	119	64	20	6	1	-	-
56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	1	3	-	-	2	-	-	-	-	1	-	-	-	-
	1	1	1	1	1	-	-	-	2	2	-	-	-	-	-	-	-
57	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	1	1	2	1	-	1	2	1	1	2	1	1	1	-	-	-
	-	-	1	-	1	1	1	9	5	7	12	8	3	-	-	-	-
58	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
59	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	4	9	7	17	40	56	48	92	92	76	23	6	1	-	-	-
	3	5	3	13	32	47	100	141	188	174	106	55	17	6	1	-	-
60	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
62	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	1	-	2	1	2	-	-	1	-	-	-	-	-	-	-
	-	-	-	2	3	1	1	-	-	-	-	-	-	-	-	-	-
63	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
64	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Detailed Int. List No.	Table 14a — Cause of Death.	Sex	Allocated Deaths (exclusive of Stillbirths) from Detailed International — Total.	Age of decedents (years). Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 24.
66	Diseases of the thyroid and parathyroid glands	T	57	–	–	–	–	–	–	–	–	–
		M	15	1	1	–	–	–	–	–	–	1
		F	42	–	–	–	–	–	–	–	–	1
66a	Simple goiter	T	6	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	5	–	–	–	–	–	–	–	–	–
66b	Exophthalmic goiter	T	41	–	–	–	–	–	–	–	–	–
		M	8	–	–	–	–	–	–	–	–	1
		F	33	–	–	–	–	–	–	–	–	1
66c	Myxedema and cretinism	T	6	–	–	–	–	–	–	–	–	–
		M	3	–	1	–	–	–	–	–	–	–
		F	3	–	–	–	–	–	–	–	–	–
66d	Tetany	T	2	–	–	–	–	–	–	–	–	–
		M	1	1	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–
66e	Others	T	2	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
67	Diseases of the thymus gland	T	38	–	–	–	–	–	–	–	–	–
		M	24	18	3	–	–	–	–	1	–	1
		F	14	11	2	1	–	–	–	–	–	–
68	Diseases of the adrenals (Addison's disease, not specified as tuberculous)	T	15	–	–	–	–	–	–	–	–	–
		M	7	–	–	–	–	–	–	–	1	1
		F	8	–	–	–	–	–	–	1	–	1
69	Other general diseases	T	5	–	–	–	–	–	–	–	–	–
		M	2	1	–	–	–	1	–	–	–	–
		F	3	–	–	–	–	–	–	–	–	–
IV.	Diseases of the Blood and Blood-making Organs	T	374	–	–	–	–	–	–	–	–	–
		M	193	8	1	4	5	–	8	7	7	6
		F	181	3	2	–	–	2	6	3	4	5
70	Hemorrhagic conditions	T	15	–	–	–	–	–	–	–	–	–
		M	9	4	–	–	2	–	–	–	1	–
		F	6	2	–	–	–	–	1	1	–	–
70a	Primary purpuras	T	11	–	–	–	–	–	–	–	–	–
		M	6	2	–	–	1	–	–	–	1	–
		F	5	1	–	–	–	–	1	1	–	–
70b	Hemophilia	T	4	–	–	–	–	–	–	–	–	–
		M	3	2	–	–	1	–	–	–	–	–
		F	1	1	–	–	–	–	–	–	–	–
71	Anemias	T	98	–	–	–	–	–	–	–	–	–
		M	35	1	–	–	–	–	1	1	1	1
		F	63	–	–	–	–	–	–	–	1	–
71a	Pernicious anemia	T	92	–	–	–	–	–	–	–	–	–
		M	33	1	–	–	–	–	–	1	1	1
		F	59	–	–	–	–	–	–	–	1	–
71b	Others	T	6	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	1	–	–	–
		F	4	–	–	–	–	–	–	–	–	–
72	Leukemias and pseudoleukemias	T	243	–	–	–	–	–	–	–	–	–
		M	139	3	–	4	3	–	7	6	4	5
		F	104	1	2	–	–	2	5	2	3	4
72a	True leukemias	T	140	–	–	–	–	–	–	–	–	–
		M	83	2	–	4	3	–	3	4	2	3
		F	57	1	2	–	–	2	1	2	2	2
72b	Pseudoleukemias (Hodgkin's disease)	T	103	–	–	–	–	–	–	–	–	–
		M	56	1	–	–	–	–	4	2	2	2
		F	47	–	–	–	–	–	4	–	1	2
73	Diseases of the spleen	T	8	–	–	–	–	–	–	–	–	–
		M	5	–	–	–	–	–	–	–	1	–
		F	3	–	–	–	–	–	–	–	–	–
74	Other diseases of the blood and bloodmaking organs	T	10	–	–	–	–	–	–	–	–	–
		M	5	–	1	–	–	–	–	–	–	–
		F	5	–	–	–	–	–	–	–	–	1
V.	Chronic Poisonings and Intoxications	T	214	–	–	–	–	–	–	–	–	–
		M	182	–	1	1	–	–	–	–	–	1
		F	32	–	–	–	1	–	–	–	–	–
75	Alcoholism (acute or chronic)	T	207	–	–	–	–	–	–	–	–	–
		M	176	–	–	–	–	–	–	–	–	1
		F	31	–	–	–	–	–	–	–	–	–
76	Chronic poisoning by other organic substances	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
76a	Occupational	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
76b	Others	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE LIST BY AGE AND SEX: 1936.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.	100 and over	Unknown.
66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	1	-	-	1	3	3	2	-	-	1	-	-	-	-	-
	2	1	1	5	6	4	7	7	4	3	1	-	-	-	-	-	-
66a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	-	-	-	1	-	1	1	1	-	1	-	-	-	-	-	-	-
66b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	1	-	-	1	2	1	1	-	-	-	-	-	-	-	-
	2	1	1	4	5	2	6	6	2	2	1	-	-	-	-	-	-
66c	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-
66d	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
66e	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
67	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	1	-	-	-	2	-	1	-	-	1	-	-	-	-	-	-
	-	-	-	-	-	1	1	2	1	-	-	1	-	-	-	-	-
69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-
IV.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	7	9	14	21	9	17	12	25	15	7	2	1	-	-	-	-
	4	7	7	11	13	11	16	27	24	20	8	6	2	-	-	-	-
70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
70a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
70b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	1	1	2	2	2	1	9	5	4	2	1	-	-	-	-
	-	-	-	1	4	3	7	15	10	13	5	3	1	-	-	-	-
71a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	1	1	2	2	2	1	9	5	4	2	-	-	-	-	-
	-	-	-	1	4	3	7	15	9	13	4	2	-	-	-	-	-
71b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-
72	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	7	6	13	16	6	15	10	14	10	3	-	-	-	-	-	-
	4	5	5	10	9	8	7	12	13	6	2	3	1	-	-	-	-
72a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	2	4	8	8	2	8	6	12	6	3	-	-	-	-	-	-
	1	-	2	8	7	3	3	8	7	3	1	2	-	-	-	-	-
72b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	5	2	5	8	4	7	4	2	4	-	-	-	-	-	-	-
	3	5	3	2	2	5	4	4	6	3	1	1	1	-	-	-	-
73	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	1	-	1	2	-	-	-	-	-	-	-	-
	-	-	1	-	-	-	-	-	1	1	1	-	-	-	-	-	-
V.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	11	16	33	33	25	22	11	10	6	5	-	-	-	-	-	-
	3	1	4	5	4	5	-	7	1	-	-	1	-	-	-	-	-
75	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	11	15	33	31	25	21	11	10	6	5	-	-	-	-	-	-
	3	1	4	5	4	5	-	7	1	-	-	1	-	-	-	-	-
76	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
76a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
76b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Detailed Int. List No.	Table 14a — Cause of Death.	Sex	Allocated Deaths (exclusive of Stillbirths) from Detailed International — Total.	Age of decedents (years). Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 24.
77	Chronic poisoning by mineral substances	T	7	–	–	–	–	–	–	–	–	–
		M	6	–	1	1	–	–	–	–	–	–
		F	1	–	–	–	1	–	–	–	–	–
77a	Lead	T	6	–	–	–	–	–	–	–	–	–
		M	5	–	1	1	–	–	–	–	–	–
		F	1	–	–	–	1	–	–	–	–	–
77b	Occupational (except lead)	T	1	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
77c	Others	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
VI.	Diseases of the Nervous System and of the Organs of Special Sense	T	5,020	–	–	–	–	–	–	–	–	–
		M	2,341	31	11	3	4	7	30	20	23	22
		F	2,679	28	4	4	12	4	22	17	17	19
78	Encephalitis (nonepidemic)	T	33	–	–	–	–	–	–	–	–	–
		M	22	–	–	–	–	–	3	3	2	1
		F	11	1	–	1	1	–	1	–	2	–
78a	Abscess of the brain	T	23	–	–	–	–	–	–	–	–	–
		M	15	–	–	–	–	–	1	1	1	1
		F	8	1	–	1	1	–	1	–	1	–
78b	Others	T	10	–	–	–	–	–	–	–	–	–
		M	7	–	–	–	–	–	2	2	1	–
		F	3	–	–	–	–	–	–	–	1	–
79	Meningitis	T	95	–	–	–	–	–	–	–	–	–
		M	57	12	3	1	1	1	12	1	2	4
		F	38	12	–	–	3	2	8	–	1	1
79a	Simple meningitis	T	79	–	–	–	–	–	–	–	–	–
		M	46	12	3	1	–	1	10	1	2	3
		F	33	11	–	–	3	1	8	–	1	1
79b	Nonepidemic cerebrospinal meningitis	T	16	–	–	–	–	–	–	–	–	–
		M	11	–	–	–	1	–	2	–	–	1
		F	5	1	–	–	–	1	–	–	–	–
80	Progressive locomotor ataxia (tabes dorsalis)	T	41	–	–	–	–	–	–	–	–	–
		M	37	–	–	–	–	–	–	–	–	–
		F	4	–	–	–	–	–	–	–	–	–
81	Other diseases of the spinal cord	T	85	–	–	–	–	–	–	–	–	–
		M	32	–	–	–	1	–	–	1	1	–
		F	53	–	–	–	–	–	1	2	1	3
82	Cerebral hemorrhage, cerebral embolism and thrombosis	T	4,273	–	–	–	–	–	–	–	–	–
		M	1,910	3	1	1	–	–	4	2	3	8
		F	2,363	1	3	–	1	–	–	4	3	3
82a	Cerebral hemorrhage	T	3,862	–	–	–	–	–	–	–	–	–
		M	1,704	1	1	–	–	–	2	–	2	4
		F	2,158	1	3	–	–	–	–	3	2	3
82b	Cerebral embolism and thrombosis	T	375	–	–	–	–	–	–	–	–	–
		M	188	2	–	1	–	–	2	2	1	2
		F	187	–	–	–	1	–	–	1	1	–
82c	Softening of the brain	T	18	–	–	–	–	–	–	–	–	–
		M	10	–	–	–	–	–	–	–	–	–
		F	8	–	–	–	–	–	–	–	–	–
82d	Hemiplegia and other paralysis, cause unspecified	T	18	–	–	–	–	–	–	–	–	–
		M	8	–	–	–	–	–	–	–	–	2
		F	10	–	–	–	–	–	–	–	–	–
83	General paralysis of the insane	T	108	–	–	–	–	–	–	–	–	–
		M	80	–	–	–	–	–	–	–	1	–
		F	28	–	–	–	–	–	–	–	1	1
84	Dementia praecox and other psychoses	T	14	–	–	–	–	–	–	–	–	–
		M	8	–	–	–	–	–	–	–	–	1
		F	6	–	–	–	–	–	–	–	–	–
84a	Dementia praecox	T	6	–	–	–	–	–	–	–	–	–
		M	5	–	–	–	–	–	–	–	–	1
		F	1	–	–	–	–	–	–	–	–	–
84b	Other psychoses	T	8	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	–	–	–	–	–
		F	5	–	–	–	–	–	–	–	–	–
85	Epilepsy	T	100	–	–	–	–	–	–	–	–	–
		M	56	–	3	–	–	3	1	2	10	4
		F	44	1	–	2	2	–	3	2	4	7
86	Convulsions (under 5 years of age)	T	19	–	–	–	–	–	–	–	–	–
		M	8	4	2	–	2	–	–	–	–	–
		F	11	8	–	1	1	1	–	–	–	–
87	Other diseases of the nervous system	T	127	–	–	–	–	–	–	–	–	–
		M	64	1	–	–	–	–	–	2	–	–
		F	63	–	–	–	1	–	–	2	1	2
87a	Neuralgia and neuritis	T	6	–	–	–	–	–	–	–	–	–
		M	4	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	–	–

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE LIST BY AGE AND SEX: 1936.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.	100 and over.	Unknown.
77	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	1	-	2	-	1	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77c	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VI.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	29	25	35	70	97	121	217	291	324	355	294	204	95	27	6	-	-
	12	11	34	53	107	142	206	286	326	427	408	302	165	59	12	2	-
78	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2	-	1	-	5	3	2	-	-	-	-	-	-	-	-	-	-
	1	1	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
78a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2	-	-	-	5	3	1	-	-	-	-	-	-	-	-	-	-
	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
78b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
79	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	1	-	2	4	3	2	3	2	-	-	-	-	-	-	-	-
	-	-	2	1	-	-	5	2	-	1	-	-	-	-	-	-	-
79a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	1	-	2	3	2	-	2	2	-	-	-	-	-	-	-	-
	-	-	2	1	-	-	3	1	-	1	-	-	-	-	-	-	-
79b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2	-	-	-	1	1	2	1	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-
86	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	1	-	1	2	3	12	4	3	8	2	-	-	-	-	-
	-	-	-	-	1	-	1	1	-	-	1	-	-	-	-	-	-
81	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	1	-	3	3	3	3	2	3	3	3	-	1	-	-	-	-
	1	-	-	2	4	4	-	9	12	6	5	3	-	-	-	-	-
82	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	9	20	42	56	84	189	257	295	330	277	195	94	27	6	-	-
	5	6	20	35	91	124	183	266	298	406	391	293	158	58	12	2	-
82a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	6	15	35	50	77	172	232	272	294	246	178	83	21	6	-	-
	2	4	19	30	88	113	168	231	275	372	362	262	151	55	12	2	-
82b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	3	5	6	5	7	17	22	22	33	25	16	11	6	-	-	-
	3	2	1	5	2	9	14	33	22	30	25	29	7	2	-	-	-
82c	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	1	1	-	-	3	-	2	3	-	-	-	-	-	-
	-	-	-	-	-	1	1	-	-	2	2	1	-	1	-	-	-
82d	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	1	3	1	-	-	-	-	-
	-	-	-	-	1	1	-	2	1	2	2	1	-	-	-	-	-
83	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2	4	7	8	16	12	12	7	7	4	-	-	-	-	-	-	-
	-	-	4	3	3	4	6	-	2	2	2	-	-	-	-	-	-
84	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	1	2	1	-	1	-	-	1	-	-	-	-	-	-	-
	-	1	-	1	-	2	-	-	1	-	-	1	-	-	-	-	-
84a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
84b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-
	-	-	-	1	-	2	-	-	1	-	-	1	-	-	-	-	-
85	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	5	4	3	4	3	1	2	-	2	1	1	-	-	-	-	-
	3	1	5	1	2	3	1	2	1	3	-	-	1	-	-	-	-
86	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
87	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	3	-	6	3	5	4	8	12	11	4	5	-	-	-	-	-
	2	1	1	4	3	2	4	5	9	8	9	3	5	1	-	-	-
87a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	1	-	1	-	-	1	-	-	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-

Detailed Int. List No.	Table 14a — Cause of Death.	Sex	Allocated Deaths (exclusive of Stillbirths) from Detailed International — Total.	Age of decedents (years). Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 24.
87b	Other diseases of the nervous system	T	121	–	–	–	–	–	–	–	–	–
		M	60	1	–	–	–	–	–	2	–	–
		F	61	–	–	–	1	–	–	2	1	2
88	Diseases of the organs of vision	T	3	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	3	–	–	–	–	–	–	–	–	–
89	Diseases of the ear and of the mastoid process	T	122	–	–	–	–	–	–	–	–	–
		M	67	11	2	1	–	3	10	9	4	4
		F	55	5	1	–	3	1	9	7	4	2
89a	Diseases of the ear	T	82	–	–	–	–	–	–	–	–	–
		M	44	10	2	1	–	2	3	6	3	4
		F	38	5	–	–	2	–	6	4	2	2
89b	Diseases of the mastoid process	T	40	–	–	–	–	–	–	–	–	–
		M	23	1	–	–	–	1	7	3	1	–
		F	17	–	1	–	1	1	3	3	2	–
VII.	Diseases of the Circulatory System	T	17,320	–	–	–	–	–	–	–	–	–
		M	9,088	4	–	3	1	2	11	32	23	45
		F	8,232	3	2	1	5	1	14	39	42	44
90	Pericarditis	T	27	–	–	–	–	–	–	–	–	–
		M	16	–	–	1	–	–	1	–	–	2
		F	11	–	1	1	1	–	1	–	–	–
91	Acute endocarditis	T	107	–	–	–	–	–	–	–	–	–
		M	45	–	–	–	–	–	–	6	2	7
		F	62	1	–	–	–	–	1	11	6	10
91a	Specified as acute	T	93	–	–	–	–	–	–	–	–	–
		M	39	–	–	–	–	–	–	4	2	7
		F	54	1	–	–	–	–	1	7	6	9
91b	Unspecified (under 45 years of age)	T	14	–	–	–	–	–	–	–	–	–
		M	6	–	–	–	–	–	–	2	–	–
		F	8	–	–	–	–	–	–	4	–	1
92	Chronic endocarditis, valvular diseases	T	2,069	–	–	–	–	–	–	–	–	–
		M	969	1	–	–	–	1	8	13	10	18
		F	1,100	–	–	–	–	–	7	13	18	17
92a	Endocarditis specified as chronic and valvular disease	T	1,918	–	–	–	–	–	–	–	–	–
		M	899	1	–	–	–	1	8	13	10	18
		F	1,019	–	–	–	–	–	7	13	18	17
92b	Endocarditis unspecified (45 years and over)	T	151	–	–	–	–	–	–	–	–	–
		M	70	–	–	–	–	–	–	–	–	–
		F	81	–	–	–	–	–	–	–	–	–
93	Diseases of the myocardium	T	6,530	–	–	–	–	–	–	–	–	–
		M	3,155	–	–	1	–	–	1	5	2	4
		F	3,375	2	–	–	–	–	1	2	7	6
93a	Acute myocarditis	T	134	–	–	–	–	–	–	–	–	–
		M	64	–	–	–	–	–	–	1	1	1
		F	70	2	–	–	–	–	–	–	1	1
93b	Myocarditis unspecified (under 45 years of age)	T	7	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	–	–	–	–	–
		F	4	–	–	–	–	–	–	1	1	–
93c	Chronic myocarditis and myocardial degeneration	T	4,465	–	–	–	–	–	–	–	–	–
		M	2,219	–	–	–	–	–	1	2	–	1
		F	2,246	–	–	–	–	–	1	–	2	3
93d	Unspecified (45 years and over)	T	1,924	–	–	–	–	–	–	–	–	–
		M	869	–	–	1	–	–	–	2	1	2
		F	1,055	–	–	–	–	–	–	1	3	2
94	Diseases of the coronary arteries and angina pectoris	T	3,173	–	–	–	–	–	–	–	–	–
		M	2,098	–	–	–	–	–	–	–	–	–
		F	1,075	–	–	–	–	–	–	–	1	–
94a	Angina pectoris	T	663	–	–	–	–	–	–	–	–	–
		M	439	–	–	–	–	–	–	–	–	–
		F	224	–	–	–	–	–	–	–	–	–
94b	Diseases of the coronary arteries	T	2,510	–	–	–	–	–	–	–	–	–
		M	1,659	–	–	–	–	–	–	–	–	–
		F	851	–	–	–	–	–	–	–	1	–
95	Other diseases of the heart	T	4,181	–	–	–	–	–	–	–	–	–
		M	2,261	2	–	1	–	1	1	8	9	14
		F	1,920	–	–	–	4	1	4	13	10	11
95a	Functional diseases of the heart	T	19	–	–	–	–	–	–	–	–	–
		M	7	–	–	–	–	–	–	1	–	–
		F	12	–	–	–	–	–	–	–	–	–
95b	Other and unspecified	T	4,162	–	–	–	–	–	–	–	–	–
		M	2,254	2	–	1	–	1	1	7	9	14
		F	1,908	–	–	–	4	1	4	13	10	11
96	Aneurysm (except of the heart)	T	47	–	–	–	–	–	–	–	–	–
		M	35	–	–	–	–	–	–	–	–	–
		F	12	–	–	–	–	–	–	–	–	–
97	Arteriosclerosis (diseases of the coronary arteries excepted)	T	1,044	–	–	–	–	–	–	–	–	–
		M	439	–	–	–	–	–	–	–	–	–
		F	605	–	–	–	–	–	–	–	–	–

Each Cause and Class of Causes, according to the List by Age and Sex: 1936.

Detailed Int. List No.	Age of decedents (years). 25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.	100 and over.	Unknown.
87b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	3	–	5	3	4	4	8	11	11	4	4	–	–	–	–	–
	2	1	1	4	3	2	4	5	9	7	9	2	5	1	–	–	–
88	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	1	–	–	–	–	2	–	–	–	–	–
89	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	2	1	4	4	6	–	–	1	1	1	1	–	–	–	–	–
	–	1	2	3	3	3	5	1	3	1	–	–	1	–	–	–	–
89a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	–	2	3	4	–	–	–	1	1	1	–	–	–	–	–
	–	1	2	2	2	1	5	1	2	1	–	–	–	–	–	–	–
89b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	1	1	2	1	2	–	–	1	–	–	–	–	–	–	–	–
	–	–	–	1	1	2	–	–	1	–	–	–	1	–	–	–	–
VII.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	59	91	154	265	413	613	827	1,107	1,296	1,398	1,241	903	426	139	32	3	–
	51	59	77	139	236	345	473	795	1,038	1,279	1,423	1,076	730	282	68	10	–
90	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	3	–	1	1	1	1	1	–	3	–	–	–	–	–	–	–
	–	1	–	–	–	–	–	–	3	1	1	–	1	–	–	–	–
91	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4	5	3	2	5	3	–	3	2	1	2	–	–	–	–	–	–
	8	9	2	4	–	2	3	3	2	–	–	–	–	–	–	–	–
91a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	3	3	2	5	3	–	3	2	1	2	–	–	–	–	–	–
	8	7	2	3	–	2	3	3	2	–	–	–	–	–	–	–	–
91b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
92	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	18	32	26	42	46	69	88	84	113	132	126	99	31	8	4	–	–
	15	22	30	43	43	46	63	108	127	162	158	119	75	27	5	2	–
92a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	18	32	26	42	43	66	75	81	98	122	115	91	27	8	4	–	–
	15	22	30	43	35	44	56	98	118	147	147	107	70	26	4	2	–
92b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	3	3	13	3	15	10	11	8	4	–	–	–	–
	–	–	–	–	8	2	7	10	9	15	11	12	5	1	1	–	–
93	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13	15	25	48	86	166	227	360	483	526	501	412	197	64	17	2	–
	6	13	12	29	69	123	162	310	403	557	642	493	371	132	33	2	–
93a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	2	1	3	6	2	7	7	10	10	6	4	1	–	1	–	–
	–	1	1	1	6	3	7	4	6	11	12	7	5	1	1	–	–
93b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
93c	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6	10	21	32	62	115	167	258	343	356	361	291	137	46	9	1	–
	3	4	9	17	41	73	99	215	281	368	435	329	253	91	21	1	–
93d	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6	2	3	11	18	49	53	95	130	160	134	117	59	18	7	1	–
	3	8	2	9	22	47	56	91	116	178	195	157	113	40	11	1	–
94	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3	16	46	81	161	207	259	317	321	288	221	112	50	14	2	–	–
	2	3	3	18	45	59	85	144	183	167	171	123	51	18	2	–	–
94a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	2	7	16	38	42	55	71	73	57	54	14	7	3	–	–	–
	–	1	2	2	10	14	22	26	40	41	33	25	5	3	–	–	–
94b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3	14	39	65	123	165	204	246	248	231	167	98	43	11	2	–	–
	2	2	1	16	35	45	63	118	143	126	138	98	46	15	2	–	–
95	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	18	19	50	85	106	155	227	315	321	345	292	179	89	21	3	–	–
	19	10	28	40	75	107	141	201	263	310	319	196	119	37	11	1	–
95a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	1	1	2	1	–	1	–	–	–	–
	–	–	–	–	–	–	3	1	–	–	4	1	2	–	1	–	–
95b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	18	19	50	85	106	155	227	314	320	343	291	179	88	21	3	–	–
	19	10	28	40	75	107	138	200	263	310	315	195	117	37	10	1	–
96	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	2	4	4	7	4	5	4	2	2	–	–	–	–	–
	–	–	–	1	–	2	1	1	3	3	–	1	–	–	–	–	–
97	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	1	–	3	11	18	40	87	91	93	56	32	6	1	–
	–	–	–	–	–	6	9	22	42	72	118	137	112	67	17	3	–

Detailed Int. List No.	Table 14a — Cause of Death.	Sex	Allocated Deaths (exclusive of Stillbirths) from Detailed International — Total.	Age of decedents (years). Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 24.
98	Gangrene	T	14	–	–	–	–	–	–	–	–	–
		M	7	–	–	–	–	–	–	–	–	–
		F	7	–	–	–	–	–	–	–	–	–
99	Other diseases of the arteries	T	76	–	–	–	–	–	–	–	–	–
		M	36	1	–	–	–	–	–	–	–	–
		F	40	–	–	–	–	–	–	–	–	–
100	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	T	39	–	–	–	–	–	–	–	–	–
		M	21	–	–	–	–	–	–	–	–	–
		F	18	–	–	–	–	–	–	–	–	–
101	Diseases of the lymphatic system (lymphangitis, etc.)	T	7	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	1	–	–	–	–	–
		F	5	–	1	–	–	–	–	–	–	–
102	Idiopathic anomalies of the blood pressure	T	4	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	–	–
103	Other diseases of the circulatory system	T	2	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
VIII.	Diseases of the Respiratory System	T	4,689	–	–	–	–	–	–	–	–	–
		M	2,632	288	89	22	21	12	47	30	49	50
		F	2,057	224	66	31	15	15	29	30	30	27
104	Diseases of the nasal fossae and annexae	T	33	–	–	–	–	–	–	–	–	–
		M	24	–	1	1	–	–	3	2	3	2
		F	9	–	–	–	–	–	1	–	1	–
105	Diseases of the larynx	T	18	–	–	–	–	–	–	–	–	–
		M	10	1	1	3	–	–	3	–	–	–
		F	8	3	–	–	1	–	–	–	–	–
106	Bronchitis	T	121	–	–	–	–	–	–	–	–	–
		M	73	9	1	1	–	–	2	1	–	2
		F	48	7	3	–	–	–	1	1	–	2
106a	Acute	T	45	–	–	–	–	–	–	–	–	–
		M	23	2	–	–	–	–	1	1	–	–
		F	22	3	–	–	–	–	1	–	–	1
106b	Chronic	T	37	–	–	–	–	–	–	–	–	–
		M	26	3	–	–	–	–	–	–	–	–
		F	11	–	1	–	–	–	–	–	–	1
106c	Unspecified (under 5 years of age)	T	12	–	–	–	–	–	–	–	–	–
		M	6	4	1	1	–	–	–	–	–	–
		F	6	4	2	–	–	–	–	–	–	–
106d	Unspecified (5 years and over)	T	27	–	–	–	–	–	–	–	–	–
		M	18	–	–	–	–	–	1	–	–	2
		F	9	–	–	–	–	–	–	1	–	–
107	Bronchopneumonia (including capillary bronchitis)	T	2,233	–	–	–	–	–	–	–	–	–
		M	1,158	203	49	10	10	4	18	10	12	15
		F	1,075	171	48	13	10	11	7	8	7	7
107a	Bronchopneumonia	T	2,230	–	–	–	–	–	–	–	–	–
		M	1,157	203	49	10	10	4	18	10	12	15
		F	1,073	170	48	13	10	11	7	8	7	7
107b	Capillary bronchitis	T	3	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	2	1	–	–	–	–	–	–	–	–
108	Lobar pneumonia	T	1,944	–	–	–	–	–	–	–	–	–
		M	1,169	58	29	5	8	7	17	15	28	27
		F	775	29	12	16	3	4	15	18	19	17
109	Pneumonia, unspecified	T	43	–	–	–	–	–	–	–	–	–
		M	26	5	–	–	–	1	1	–	1	–
		F	17	3	–	1	1	–	–	1	1	–
110	Pleurisy	T	135	–	–	–	–	–	–	–	–	–
		M	84	9	6	2	2	–	3	1	5	2
		F	51	9	3	1	–	–	4	1	–	1
111	Congestion, edema, embolism, hemorrhagic infarct, and thrombosis of the lungs	T	51	–	–	–	–	–	–	–	–	–
		M	21	–	1	–	–	–	–	–	–	–
		F	30	1	–	–	–	–	–	–	–	–
111a	Pulmonary embolism and thrombosis	T	29	–	–	–	–	–	–	–	–	–
		M	12	–	–	–	–	–	–	–	–	–
		F	17	–	–	–	–	–	–	–	–	–
111b	Others	T	22	–	–	–	–	–	–	–	–	–
		M	9	–	1	–	–	–	–	–	–	–
		F	13	1	–	–	–	–	–	–	–	–
112	Asthma	T	49	–	–	–	–	–	–	–	–	–
		M	29	–	–	–	1	–	–	–	–	–
		F	20	–	–	–	–	–	–	–	–	–
113	Pulmonary emphysema	T	3	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
114	Other diseases of the respiratory system (tuberculosis excepted)	T	59	–	–	–	–	–	–	–	–	–
		M	35	3	1	–	–	–	–	1	–	2
		F	24	1	–	–	–	–	1	1	2	–

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE LIST BY AGE AND SEX: **1936.**

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.	100 and over.	Unknown.
98	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	–	1	2	1	1	–	1	–	–	–	–	–
	–	–	–	–	–	–	1	1	–	1	3	–	–	–	–	1	–
99	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	2	1	–	4	3	2	6	7	4	5	1	–	–	–	–
	–	–	–	2	3	–	3	4	7	4	8	6	1	1	–	1	–
100	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	1	1	2	2	–	3	1	4	3	2	–	1	–	–	–	–
	–	–	1	2	1	–	4	1	5	1	2	1	–	–	–	–	–
101	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	–	1	–	–	1	1	–	–	–	–	–	–
102	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–
	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
103	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	50	56	100	144	180	183	199	226	246	225	193	132	64	21	4	1	–
	37	56	60	70	86	99	112	169	178	198	176	171	113	45	18	2	–
104	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3	1	1	4	1	–	1	–	–	1	–	–	–	–	–	–	–
	–	1	3	1	–	–	1	–	–	1	–	–	–	–	–	–	–
105	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–
106	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	1	2	2	2	6	8	6	9	3	7	6	3	–	–	–	–
	–	1	–	1	4	2	1	1	5	2	6	4	4	2	1	–	–
106*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	1	–	3	2	2	2	1	3	4	1	–	–	–	–
	–	–	–	–	2	2	–	1	2	2	2	3	1	1	1	–	–
106*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	1	1	1	1	2	3	5	2	3	1	2	–	–	–	–
	–	–	–	1	2	–	1	–	1	–	1	–	2	1	–	–	–
106*c*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
106*d*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	1	1	–	1	2	4	1	2	–	1	1	–	–	–	–	–
	–	1	–	–	–	–	–	–	2	–	3	1	1	–	–	–	–
107	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8	12	30	45	48	47	61	91	110	115	114	81	46	17	1	1	–
	14	12	20	24	25	27	38	78	90	104	102	126	82	34	15	2	–
107*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8	12	30	45	48	47	61	90	110	115	114	81	46	17	1	1	–
	14	12	20	24	25	27	38	78	90	104	102	125	82	34	15	2	–
107*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
108	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	28	37	59	69	114	116	112	114	113	92	70	36	11	2	2	–	–
	19	37	31	39	42	58	63	81	73	81	57	33	20	8	–	–	–
109	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	1	2	4	1	1	1	2	–	1	–	1	1	–	1	–	–
	–	–	1	–	1	1	–	–	3	3	–	1	–	–	–	–	–
110	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3	2	4	9	8	4	6	3	6	6	–	2	1	–	–	–	–
	2	1	3	4	1	4	4	2	3	2	2	2	1	1	–	–	–
111	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	1	1	–	2	–	4	3	1	4	1	2	–	–	–
	1	1	–	1	3	1	2	2	1	2	4	3	6	–	2	–	–
111*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	–	2	–	4	3	1	1	–	–	–	–	–
	1	–	–	1	3	1	1	2	1	2	1	1	3	–	–	–	–
111*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	1	1	–	–	–	–	–	–	3	1	2	–	–	–
	–	1	–	–	–	–	1	–	–	–	3	2	3	–	2	–	–
112	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	1	–	6	–	5	5	3	3	1	1	1	1	–	–	–	–
	–	2	2	–	5	2	2	1	2	1	3	–	–	–	–	–	–
113	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
114	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	1	2	4	5	3	3	5	1	2	–	1	–	–	–	–	–
	–	1	–	–	4	3	1	3	1	2	2	2	–	–	–	–	–

Detailed Int. List No.	Table 14a — Cause of Death.	Sex	Allocated Deaths (exclusive of Stillbirths) from Detailed International — Total.	Age of decedents (years). Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 24.
114a	Chronic interstitial pneumonia, including occupational diseases of the respiratory system	T	9	–	–	–	–	–	–	–	–	–
		M	8	–	–	–	–	–	–	–	–	1
		F	1	–	–	–	–	–	–	–	–	–
114b	Others, including gangrene of the lung	T	50	–	–	–	–	–	–	–	–	–
		M	27	3	1	–	–	–	–	1	–	1
		F	23	1	–	–	–	–	1	1	2	–
IX.	Diseases of the Digestive System	T	2,629	–	–	–	–	–	–	–	–	–
		M	1,451	106	19	8	10	11	43	29	35	29
		F	1,178	55	10	7	3	9	31	36	22	26
115	Diseases of the buccal cavity and annexa and of the pharynx and tonsils (including adenoid vegetations)	T	136	–	–	–	–	–	–	–	–	–
		M	62	2	4	1	4	2	12	2	1	4
		F	74	1	3	1	1	3	6	6	1	3
115a	Pharynx and tonsils	T	114	–	–	–	–	–	–	–	–	–
		M	51	2	4	1	4	2	11	2	1	3
		F	63	1	3	1	1	3	6	6	1	3
115b	Others	T	22	–	–	–	–	–	–	–	–	–
		M	11	–	–	–	–	–	1	–	–	1
		F	11	–	–	–	–	–	–	–	–	–
116	Diseases of the esophagus	T	7	–	–	–	–	–	–	–	–	–
		M	4	–	–	–	–	–	–	–	–	–
		F	3	–	–	–	–	–	–	–	–	–
117	Ulcer of the stomach and duodenum	T	327	–	–	–	–	–	–	–	–	–
		M	268	–	–	–	–	–	–	–	1	4
		F	59	1	–	–	–	–	–	–	–	–
117a	Stomach	T	187	–	–	–	–	–	–	–	–	–
		M	153	–	–	–	–	–	–	–	–	3
		F	34	1	–	–	–	–	–	–	–	–
117b	Duodenum	T	140	–	–	–	–	–	–	–	–	–
		M	115	–	–	–	–	–	–	–	1	1
		F	25	–	–	–	–	–	–	–	–	–
118	Other diseases of the stomach (cancer excepted)	T	27	–	–	–	–	–	–	–	–	–
		M	15	2	–	–	–	–	–	–	1	1
		F	12	3	–	–	–	–	–	–	–	–
119	Diarrhea and enteritis (under 2 years of age)	T	153	–	–	–	–	–	–	–	–	–
		M	101	93	8	–	–	–	–	–	–	–
		F	52	46	6	–	–	–	–	–	–	–
120	Diarrhea, enteritis and ulceration of intestines (2 years and over)	T	104	–	–	–	–	–	–	–	–	–
		M	36	–	–	2	–	2	1	1	1	1
		F	68	–	–	1	–	1	4	4	3	3
120a	Diarrhea, enteritis	T	58	–	–	–	–	–	–	–	–	–
		M	16	–	–	2	–	2	–	1	–	–
		F	42	–	–	1	–	1	3	3	2	–
120b	Ulceration of intestines	T	46	–	–	–	–	–	–	–	–	–
		M	20	–	–	–	–	–	1	–	1	1
		F	26	–	–	–	–	–	1	1	1	3
121	Appendicitis	T	490	–	–	–	–	–	–	–	–	–
		M	287	–	4	4	3	5	25	23	22	15
		F	203	–	1	4	1	5	19	23	15	13
122	Hernia, intestinal obstruction	T	380	–	–	–	–	–	–	–	–	–
		M	194	7	1	1	2	–	1	1	6	1
		F	186	3	–	1	–	–	2	1	1	3
122a	Hernia	T	195	–	–	–	–	–	–	–	–	–
		M	111	1	–	–	–	–	–	–	2	–
		F	84	–	–	–	–	–	–	–	–	–
122b	Intestinal obstruction	T	185	–	–	–	–	–	–	–	–	–
		M	83	6	1	1	2	–	1	1	4	1
		F	102	3	–	1	–	–	2	1	1	3
123	Other diseases of the intestines	T	100	–	–	–	–	–	–	–	–	–
		M	47	1	–	–	–	–	–	–	1	1
		F	53	–	–	–	–	–	–	–	–	–
124	Cirrhosis of the liver	T	392	–	–	–	–	–	–	–	–	–
		M	260	–	1	–	–	–	–	1	–	1
		F	132	–	–	–	–	–	–	1	1	–
124a	Specified as alcoholic	T	35	–	–	–	–	–	–	–	–	–
		M	30	–	–	–	–	–	–	–	–	–
		F	5	–	–	–	–	–	–	–	–	–
124b	Not specified as alcoholic	T	357	–	–	–	–	–	–	–	–	–
		M	230	–	1	–	–	–	–	1	–	1
		F	127	–	–	–	–	–	–	1	1	–
125	Other diseases of the liver (including yellow atrophy of liver)	T	44	–	–	–	–	–	–	–	–	–
		M	19	–	–	–	–	1	1	–	1	–
		F	25	1	–	–	–	–	–	–	–	–
125a	Yellow atrophy of liver	T	17	–	–	–	–	–	–	–	–	–
		M	8	–	–	–	–	–	1	–	1	–
		F	9	–	–	–	–	–	–	–	–	–

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE LIST BY AGE AND SEX: 1936.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.	100 and over.	Unknown.
114a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	1	4	–	2	–	–	–	–	–	–	–
	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
114b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	1	2	4	5	3	2	1	1	–	–	1	–	–	–	–	–
	–	1	–	–	3	3	1	3	1	2	2	2	–	–	–	–	–
IX.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	41	52	80	87	105	148	153	155	129	91	70	30	17	3	–	–	–
	19	34	52	65	93	106	103	108	123	112	75	45	27	11	5	1	–
115	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	2	4	2	4	4	1	4	3	4	1	–	–	–	–	–	–
	2	4	9	3	2	6	2	9	4	5	2	1	–	–	–	–	–
115a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	3	2	3	4	–	4	1	2	1	–	–	–	–	–	–
	2	4	7	3	1	4	1	8	3	3	1	1	–	–	–	–	–
115b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	1	1	–	1	–	1	–	2	2	–	–	–	–	–	–	–
	–	–	2	–	1	2	1	1	1	2	1	–	–	–	–	–	–
116	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	2	–	–	1	–	–	1	–	–	–	–	–
	–	–	–	–	–	1	–	–	1	–	–	–	–	–	1	–	–
117	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8	14	20	29	24	31	43	38	25	12	12	3	4	–	–	–	–
	–	4	2	5	4	3	8	4	9	8	6	2	3	–	–	–	–
117a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5	9	13	15	19	19	26	23	9	3	6	2	1	–	–	–	–
	–	3	2	3	2	2	6	1	6	2	4	2	–	–	–	–	–
117b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3	5	7	14	5	12	17	15	16	9	6	1	3	–	–	–	–
	–	1	–	2	2	1	2	3	3	6	2	–	3	–	–	–	–
118	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	2	–	1	–	1	–	1	2	2	1	–	–	–	–
	–	–	–	1	–	1	1	–	2	2	–	1	–	1	–	–	–
119	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
120	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	1	2	2	3	5	3	2	–	3	3	2	–	1	–	–	–
	2	1	4	2	5	3	7	4	3	6	4	2	3	4	1	1	–
120a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	1	2	1	2	–	2	3	–	–	–	–	–	–
	1	1	1	1	4	–	4	4	2	3	2	1	2	4	1	1	–
120b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	1	2	2	2	3	2	–	–	1	–	2	–	1	–	–	–
	1	–	3	1	1	3	3	–	1	3	2	1	1	–	–	–	–
121	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	19	19	20	14	23	26	22	15	14	6	5	2	1	–	–	–	–
	7	6	9	16	14	14	10	15	12	10	3	3	3	–	–	–	–
122	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6	7	8	3	11	12	24	23	21	27	19	6	6	1	–	–	–
	1	3	3	5	14	19	15	17	30	25	20	12	7	3	1	–	–
122a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5	3	4	3	6	7	15	14	14	15	13	3	5	1	–	–	–
	–	–	1	2	4	11	7	11	17	18	5	6	1	1	–	–	–
122b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	4	4	–	5	5	9	9	7	12	6	3	1	–	–	–	–
	1	3	2	3	10	8	8	6	13	7	15	6	6	2	1	–	–
123	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	1	2	3	1	6	3	9	5	7	2	2	–	1	–	–	–
	1	–	3	2	4	7	8	6	10	4	6	1	1	–	–	–	–
124	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	3	14	20	24	39	40	39	32	21	16	6	3	–	–	–	–
	1	3	7	8	14	18	16	21	13	12	10	4	2	–	1	–	–
124a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	2	4	5	3	3	6	1	3	1	2	–	–	–	–	–	–
	–	–	1	–	1	1	1	–	–	–	1	–	–	–	–	–	–
124b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	10	15	21	36	34	38	29	20	14	6	3	–	–	–	–
	1	3	6	8	13	17	15	21	13	12	9	4	2	–	1	–	–
125	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	1	1	1	1	–	1	2	6	–	1	–	–	–	–	–	–
	–	2	5	4	3	3	2	1	1	1	1	1	–	–	–	–	–
125a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	–	1	–	–	–	1	1	1	–	–	–	–	–	–	–	–
	–	1	1	1	2	1	1	–	1	1	–	–	–	–	–	–	–

Detailed Int. List No.	Table 14a — Cause of Death.	Sex	Allocated Deaths (exclusive of Stillbirths) from Detailed International — Total.	Age of decedents (years). Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 24.
125b	Others	T	27	–	–	–	–	–	–	–	–	–
		M	11	–	–	–	–	1	–	–	–	–
		F	16	1	–	–	–	–	–	–	–	–
126	Biliary calculi	T	270	–	–	–	–	–	–	–	–	–
		M	88	–	–	–	1	–	–	–	–	–
		F	182	–	–	–	–	–	–	–	–	–
127	Other diseases of the gall bladder and biliary passages	T	131	–	–	–	–	–	–	–	–	–
		M	32	–	–	–	–	–	–	–	–	–
		F	99	–	–	–	–	–	–	–	–	1
128	Diseases of the pancreas	T	35	–	–	–	–	–	–	–	–	–
		M	21	–	–	–	–	–	1	1	–	–
		F	14	–	–	–	–	–	–	–	–	1
129	Peritonitis, cause not specified	T	33	–	–	–	–	–	–	–	–	–
		M	17	1	1	–	–	1	2	–	1	1
		F	16	–	–	–	1	–	–	1	1	2
X.	Diseases of the Genitourinary System	T	3,844	–	–	–	–	–	–	–	–	–
		M	1,998	3	1	–	–	–	4	5	6	14
		F	1,846	5	1	1	1	–	4	10	10	24
130	Acute nephritis (including unspecified under 10 years of age)	T	61	–	–	–	–	–	–	–	–	–
		M	33	–	–	–	–	–	3	1	2	4
		F	28	1	1	–	–	–	–	2	2	2
131	Chronic nephritis	T	3,058	–	–	–	–	–	–	–	–	–
		M	1,485	1	–	–	–	–	1	4	4	10
		F	1,573	1	–	–	–	–	1	5	6	13
132	Nephritis, unspecified (10 years and over)	T	67	–	–	–	–	–	–	–	–	–
		M	33	–	–	–	–	–	–	–	–	–
		F	34	–	–	–	–	–	–	–	–	–
133	Other diseases of the kidneys and ureters (puerperal diseases excepted)	T	111	–	–	–	–	–	–	–	–	–
		M	47	1	–	–	–	–	–	–	–	–
		F	64	3	–	1	–	–	3	3	1	3
133a	Pyelitis	T	97	–	–	–	–	–	–	–	–	–
		M	41	1	–	–	–	–	–	–	–	–
		F	56	3	–	1	–	–	3	3	1	3
133b	Others	T	14	–	–	–	–	–	–	–	–	–
		M	6	–	–	–	–	–	–	–	–	–
		F	8	–	–	–	–	–	–	–	–	–
134	Calculi of the urinary passages	T	49	–	–	–	–	–	–	–	–	–
		M	25	–	–	–	–	–	–	–	–	–
		F	24	–	–	–	–	–	–	–	1	–
134a	Of the kidneys and ureters	T	40	–	–	–	–	–	–	–	–	–
		M	18	–	–	–	–	–	–	–	–	–
		F	22	–	–	–	–	–	–	–	1	–
134b	Of the bladder	T	4	–	–	–	–	–	–	–	–	–
		M	4	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
134c	Other and unspecified	T	5	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	–	–
135	Diseases of the bladder (tumors excepted)	T	56	–	–	–	–	–	–	–	–	–
		M	40	–	–	–	–	–	–	–	–	–
		F	16	–	–	–	–	–	–	–	–	–
135a	Cystitis	T	41	–	–	–	–	–	–	–	–	–
		M	30	–	–	–	–	–	–	–	–	–
		F	11	–	–	–	–	–	–	–	–	–
135b	Others	T	15	–	–	–	–	–	–	–	–	–
		M	10	–	–	–	–	–	–	–	–	–
		F	5	–	–	–	–	–	–	–	–	–
136	Diseases of the urethra, urinary abscess, etc.	T	15	–	–	–	–	–	–	–	–	–
		M	14	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–
136a	Stricture of the urethra	T	9	–	–	–	–	–	–	–	–	–
		M	9	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
136b	Others	T	6	–	–	–	–	–	–	–	–	–
		M	5	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–
137	Diseases of the prostate	T	313	–	–	–	–	–	–	–	–	–
		M	313	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
138	Diseases of the male genital organs, not specified as venereal	T	8	–	–	–	–	–	–	–	–	–
		M	8	1	1	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
139	Diseases of the female genital organs, not specified as venereal	T	106	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	106	–	–	–	1	–	–	–	–	6
139a	Cysts of the ovary	T	30	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	30	–	–	–	–	–	–	–	–	–

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE LIST BY AGE AND SEX: 1936.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.	100 and over.	Unknown.
125b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	–	1	1	–	–	1	5	–	1	–	–	–	–	–	–
	–	1	4	3	1	2	1	1	–	–	1	1	–	–	–	–	–
126	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	1	4	3	7	13	8	12	14	9	7	6	1	–	–	–	–
	3	6	4	15	16	20	24	22	23	19	12	11	5	2	–	–	–
127	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	2	3	4	5	4	6	5	1	–	–	1	–	–	–	–
	–	4	4	4	12	10	7	8	12	17	11	6	2	1	–	–	–
128	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	2	3	2	1	3	3	3	–	1	–	–	–	–	–	–
	1	1	1	–	3	–	1	–	2	2	–	1	1	–	–	–	–
129	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	–	2	1	3	1	1	–	–	1	–	–	–	–	–	–
	1	–	1	–	2	1	2	1	1	1	–	–	–	–	1	–	–
X.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	19	19	33	69	95	133	162	254	282	277	275	201	102	38	6	–	–
	23	27	47	74	101	116	165	177	229	249	251	178	102	43	7	1	–
130	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	1	1	1	2	5	2	5	–	2	1	1	1	–	–	–	–
	1	–	–	1	3	2	3	1	2	1	2	1	2	1	–	–	–
131	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	16	16	27	64	81	114	130	183	203	186	193	149	77	24	2	–	–
	11	15	21	50	77	98	136	155	201	232	241	167	96	39	7	1	–
132	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	1	3	3	6	5	3	5	2	–	4	–	1	–	–
	–	–	2	1	1	1	4	4	6	3	3	5	3	1	–	–	–
133	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	–	1	–	2	3	6	10	6	7	4	2	2	1	–	–	–
	2	4	3	2	7	8	8	3	6	2	2	2	–	1	–	–	–
133a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	1	–	1	3	5	8	6	7	4	1	2	1	–	–	–
	2	3	3	2	4	7	6	3	6	2	2	1	–	1	–	–	–
133b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	1	–	1	2	–	–	–	1	–	–	–	–	–
	–	1	–	–	3	1	2	–	–	–	–	1	–	–	–	–	–
134	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	2	1	4	–	2	9	3	–	3	–	–	–	–	–	–
	1	–	2	3	2	3	2	4	2	3	1	–	–	–	–	–	–
134a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	1	1	3	–	2	6	2	–	2	–	–	–	–	–	–
	1	–	1	2	2	3	2	4	2	3	1	–	–	–	–	–	–
134b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	–	–	–	–	2	–	–	1	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
134c	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	1	–	–	1	1	–	–	–	–	–	–	–	–
	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
135	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	1	1	–	–	1	9	7	5	11	2	–	2	–	–	–
	–	–	2	1	1	–	1	3	1	2	–	3	1	1	–	–	–
135a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	1	–	–	–	–	4	5	4	11	2	–	2	–	–	–
	–	–	–	1	1	–	1	2	1	1	–	2	1	1	–	–	–
135b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	1	–	–	1	5	2	1	–	–	–	–	–	–	–
	–	–	2	–	–	–	–	1	–	1	–	1	–	–	–	–	–
136	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	1	1	2	1	2	3	2	–	–	1	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
136a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	1	–	1	1	1	2	2	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
136b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	1	1	–	1	1	–	–	–	1	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
137	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	1	6	14	30	54	69	61	47	17	11	3	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
138	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	1	–	–	1	3	1	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
139	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8	8	17	16	10	4	11	7	11	5	2	–	–	–	–	–	–
139a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3	1	2	6	4	1	5	1	2	3	2	–	–	–	–	–	–

Detailed Int. List No.	Table 14a — Cause of Death.	Sex	Allocated Deaths (exclusive of Stillbirths) from Detailed International — Total.	Age of decedents (years). Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 24.
139b	Other diseases of the ovaries, tubes and parametrium	T	39	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	39	–	–	–	–	–	–	–	–	5
139c	Diseases of the uterus	T	34	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	34	–	–	–	–	–	–	–	–	1
139d	Nonpuerperal diseases of the breast (cancer excepted)	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
139e	Others	T	3	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	3	–	–	–	1	–	–	–	–	–
XI.	Diseases of Pregnancy, Childbirth and the Puerperal State	T	270	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	270	–	–	–	–	–	–	–	8	48
140	Abortion with septic conditions	T	21	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	21	–	–	–	–	–	–	–	–	6
141	Abortion without mention of septic conditions (to include hemorrhages)	T	9	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	9	–	–	–	–	–	–	–	1	3
142	Ectopic gestation	T	17	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	17	–	–	–	–	–	–	–	1	–
142a	With septic conditions specified	T	3	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	3	–	–	–	–	–	–	–	–	–
142b	Without mention of septic conditions	T	14	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	14	–	–	–	–	–	–	–	1	–
143	Other accidents of pregnancy (not to include hemorrhages)	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
144	Puerperal hemorrhage	T	43	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	43	–	–	–	–	–	–	–	1	5
144a	Placenta praevia	T	22	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	22	–	–	–	–	–	–	–	1	–
144b	Other puerperal hemorrhages	T	21	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	21	–	–	–	–	–	–	–	–	5
145	Puerperal septicemia (not specified as due to abortion)	T	59	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	59	–	–	–	–	–	–	–	2	16
145a	Puerperal septicemia and pyemia	T	59	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	59	–	–	–	–	–	–	–	2	16
145b	Puerperal tetanus	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
146	Puerperal albuminuria and eclampsia	T	17	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	17	–	–	–	–	–	–	–	–	2
147	Other toxemias of pregnancy	T	21	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	21	–	–	–	–	–	–	–	1	5
148	Puerperal phlegmasia alba dolens, embolus, sudden death (not specified as septic)	T	35	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	35	–	–	–	–	–	–	–	–	5
148a	Phlegmasia alba dolens	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
148b	Embolism and thrombosis	T	35	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	35	–	–	–	–	–	–	–	–	5
149	Other accidents of childbirth	T	46	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	46	–	–	–	–	–	–	–	2	6
149a	Cesarean operation	T	15	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	15	–	–	–	–	–	–	–	1	2
149b	Others	T	31	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	31	–	–	–	–	–	–	–	1	4
150	Other and unspecified conditions of the puerperal state	T	2	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	–	–

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE LIST BY AGE AND SEX: 1936.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.	100 and over.	Unknown.
139b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
139c	2	5	11	7	3	-	2	-	2	2	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
139d	3	2	4	3	3	3	4	5	6	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
139e	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
XI.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140	61	60	55	32	6	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141	6	4	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
142	1	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
142a	1	5	8	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
142b	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
143	1	4	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
144	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
144a	12	9	9	5	2	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
144b	4	6	5	4	2	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
145	8	3	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
145a	12	12	8	9	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
145b	12	12	8	9	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
146	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
147	2	2	5	6	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
148	6	1	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
148a	11	10	6	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
148b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
149	11	10	6	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
149a	10	14	9	3	2	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
149b	3	5	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150	7	9	6	2	2	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-

Detailed Int. List No.	Table 14a — Cause of Death.	Sex	Allocated Deaths (exclusive of Stillbirths) from Detailed International — Total.	Age of decedents (years). Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 24.
XII.	Diseases of the Skin and Cellular Tissue	T	83	–	–	–	–	–	–	–	–	–
		M	43	3	–	1	–	–	1	2	4	2
		F	40	6	3	–	–	–	1	–	–	1
151	Furuncle, carbuncle	T	17	–	–	–	–	–	–	–	–	–
		M	11	–	–	–	–	–	–	–	1	2
		F	6	–	–	–	–	–	–	–	–	–
152	Phlegmon, acute abscess	T	33	–	–	–	–	–	–	–	–	–
		M	17	–	–	1	–	–	1	1	1	–
		F	16	1	1	–	–	–	–	–	–	–
153	Other diseases of the skin, and annexa, and of the cellular tissue	T	33	–	–	–	–	–	–	–	–	–
		M	15	3	–	–	–	–	–	1	2	–
		F	18	5	2	–	–	–	1	–	–	1
XIII.	Diseases of the Bones and Organs of Locomotion	T	66	–	–	–	–	–	–	–	–	–
		M	37	–	–	–	1	1	1	5	2	1
		F	29	–	–	–	–	–	2	3	2	2
154	Osteomyelitis	T	25	–	–	–	–	–	–	–	–	–
		M	18	–	–	–	–	1	1	5	–	–
		F	7	–	–	–	–	–	–	1	1	1
155	Other diseases of the bones (tuberculosis excepted)	T	27	–	–	–	–	–	–	–	–	–
		M	11	–	–	–	1	–	–	–	2	1
		F	16	–	–	–	–	–	1	1	–	1
156	Diseases of the joints and other organs of locomotion	T	14	–	–	–	–	–	–	–	–	–
		M	8	–	–	–	–	–	–	–	–	–
		F	6	–	–	–	–	–	1	1	1	–
156*a*	Diseases of the joints (tuberculosis and rheumatism excepted)	T	9	–	–	–	–	–	–	–	–	–
		M	5	–	–	–	–	–	–	–	–	–
		F	4	–	–	–	–	–	1	1	1	–
156*b*	Other organs of locomotion	T	5	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	–	–
XIV.	Congenital Malformations	T	405	–	–	–	–	–	–	–	–	–
		M	222	196	8	5	3	4	4	–	–	–
		F	183	170	4	2	3	1	–	1	–	1
157	Congenital malformations (stillbirths not included)	T	405	–	–	–	–	–	–	–	–	–
		M	222	196	8	5	3	4	4	–	–	–
		F	183	170	4	2	3	1	–	1	–	1
157*a*	Congenital hydrocephalus	T	37	–	–	–	–	–	–	–	–	–
		M	21	12	5	1	2	1	–	–	–	–
		F	16	14	–	–	1	–	–	1	–	–
157*b*	Spina bifida and meningocele	T	62	–	–	–	–	–	–	–	–	–
		M	24	22	–	1	–	1	–	–	–	–
		F	38	36	1	1	–	–	–	–	–	–
157*c*	Congenital malformation of the heart	T	183	–	–	–	–	–	–	–	–	–
		M	101	92	2	3	–	–	3	–	–	–
		F	82	76	2	1	1	1	–	–	–	–
157*d*	Others	T	123	–	–	–	–	–	–	–	–	–
		M	76	70	1	–	1	2	1	–	–	–
		F	47	44	1	–	1	–	–	–	–	1
XV.	Diseases of Early Infancy	T	1,493	–	–	–	–	–	–	–	–	–
		M	826	826	–	–	–	–	–	–	–	–
		F	667	665	1	–	–	–	–	1	–	–
158	Congenital debility	T	39	–	–	–	–	–	–	–	–	–
		M	23	23	–	–	–	–	–	–	–	–
		F	16	16	–	–	–	–	–	–	–	–
159	Premature birth	T	1,046	–	–	–	–	–	–	–	–	–
		M	569	569	–	–	–	–	–	–	–	–
		F	477	477	–	–	–	–	–	–	–	–
160	Injury at birth	T	209	–	–	–	–	–	–	–	–	–
		M	121	121	–	–	–	–	–	–	–	–
		F	88	86	1	–	–	–	–	1	–	–
160*a*	Cesarean operation	T	1	–	–	–	–	–	–	–	–	–
		M	1	1	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
160*b*	Without Cesarean operation	T	208	–	–	–	–	–	–	–	–	–
		M	120	120	–	–	–	–	–	–	–	–
		F	88	86	1	–	–	–	–	1	–	–
161	Other diseases peculiar to early infancy	T	199	–	–	–	–	–	–	–	–	–
		M	113	113	–	–	–	–	–	–	–	–
		F	86	86	–	–	–	–	–	–	–	–
161*a*	Atelectasis	T	121	–	–	–	–	–	–	–	–	–
		M	71	71	–	–	–	–	–	–	–	–
		F	50	50	–	–	–	–	–	–	–	–
161*b*	Icterus of the new-born	T	16	–	–	–	–	–	–	–	–	–
		M	7	7	–	–	–	–	–	–	–	–
		F	9	9	–	–	–	–	–	–	–	–
161*c*	Sclerema	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE LIST BY AGE AND SEX: 1936.

Detailed Int. List No	AGE OF DECEDENTS (YEARS).																
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.	100 and over.	Unknown.
XII.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3	1	1	2	4	5	2	1	3	1	2	–	4	1	–	–	–
	3	2	2	2	4	3	1	3	1	2	4	–	1	1	–	–	–
151	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	1	1	–	2	–	–	1	1	1	–	–	–	–	–	–
	1	1	1	–	–	–	1	1	–	–	1	–	–	–	–	–	–
152	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	–	–	1	2	1	1	1	1	–	1	–	2	1	–	–	–
	–	1	1	1	3	2	–	2	1	1	2	–	–	–	–	–	–
153	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	–	–	2	2	1	–	1	–	–	–	2	–	–	–	–
	2	–	–	1	1	1	–	–	–	1	1	–	1	1	–	–	–
XIII.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	3	–	2	4	2	1	2	1	5	2	2	–	–	–	–	–
	1	1	–	1	2	1	2	4	4	1	2	–	–	–	1	–	–
154	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	–	–	–	3	1	–	2	–	1	1	1	–	–	–	–	–
	1	–	–	–	2	–	1	–	–	–	–	–	–	–	–	–	–
155	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	1	–	–	1	–	1	2	1	1	–	–	–	–	–
	–	–	–	1	–	1	–	3	4	1	2	–	–	–	1	–	–
156	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	3	–	1	1	1	–	–	–	2	–	–	–	–	–	–	–
	–	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
156a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	2	–	1	–	1	–	–	–	1	–	–	–	–	–	–	–
	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
156b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–
	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
XIV.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
157	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
157a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
157b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
157c	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
157d	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
XV.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
158	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
159	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
160	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
160a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
160b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
161	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
161a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
161b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
161c	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Detailed Int. List No.	Table 14a — Cause of Death.	Sex	Allocated Deaths (exclusive of Stillbirths) from Detailed International — Total.	Age of decedents (years). Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 24.
161*d*	Others	T	62	–	–	–	–	–	–	–	–	–
		M	35	35	–	–	–	–	–	–	–	–
		F	27	27	–	–	–	–	–	–	–	–
XVI.	Senility	T	54	–	–	–	–	–	–	–	–	–
		M	15	–	–	–	–	–	–	–	–	–
		F	39	–	–	–	–	–	–	–	–	–
162	Senility	T	54	–	–	–	–	–	–	–	–	–
		M	15	–	–	–	–	–	–	–	–	–
		F	39	–	–	–	–	–	–	–	–	–
162*a*	With senile dementia	T	2	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–
162*b*	Without senile dementia	T	52	–	–	–	–	–	–	–	–	–
		M	14	–	–	–	–	–	–	–	–	–
		F	38	–	–	–	–	–	–	–	–	–
XVII.	Violent and Accidental Deaths	T	3,662	–	–	–	–	–	–	–	–	–
		M	2,408	44	20	21	32	26	67	80	77	133
		F	1,254	21	22	14	13	15	30	17	26	33
163–171	Suicide (total)	T	555	–	–	–	–	–	–	–	–	–
		M	406	–	–	–	–	–	–	–	5	19
		F	149	–	–	–	–	–	–	–	7	9
163	Suicide by solid or liquid poisons or by absorption of corrosive substances	T	55	–	–	–	–	–	–	–	–	–
		M	30	–	–	–	–	–	–	–	–	2
		F	25	–	–	–	–	–	–	–	2	5
163*a*	Arsenical group	T	4	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	–	–
163*b*	Barbituric acid and all derivatives	T	11	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	–	–	–	–	–
		F	8	–	–	–	–	–	–	–	–	1
163*c*	Cresol compounds group	T	4	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	1	1
163*d*	Mercury compounds	T	7	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	–	–	–	–	–
		F	4	–	–	–	–	–	–	–	–	1
163*e*	Nux vomica and strychnine	T	2	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	1	–
163*f*	Lye group	T	1	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–
163*g*	Tobacco and derivatives	T	1	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
163*h*	Narcotic group	T	1	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
163*m*	Hydrocyanic acid and all cyanides except gases	T	9	–	–	–	–	–	–	–	–	–
		M	7	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	–	2
163*o*	Carbolic acid and phenol	T	2	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–
163*x*	All other poisons or kinds not stated	T	13	–	–	–	–	–	–	–	–	–
		M	9	–	–	–	–	–	–	–	–	2
		F	4	–	–	–	–	–	–	–	–	–
164	Suicide by poisonous gas	T	154	–	–	–	–	–	–	–	–	–
		M	107	–	–	–	–	–	–	–	–	5
		F	47	–	–	–	–	–	–	–	2	–
165	Suicide by hanging or strangulation	T	133	–	–	–	–	–	–	–	–	–
		M	101	–	–	–	–	–	–	–	–	3
		F	32	–	–	–	–	–	–	–	–	2
166	Suicide by drowning	T	52	–	–	–	–	–	–	–	–	–
		M	34	–	–	–	–	–	–	–	1	2
		F	18	–	–	–	–	–	–	–	1	1
167	Suicide by firearms	T	103	–	–	–	–	–	–	–	–	–
		M	96	–	–	–	–	–	–	–	4	6
		F	7	–	–	–	–	–	–	–	1	–
168	Suicide by cutting or piercing instruments	T	24	–	–	–	–	–	–	–	–	–
		M	21	–	–	–	–	–	–	–	–	–
		F	3	–	–	–	–	–	–	–	–	–
169	Suicide by jumping from high places	T	25	–	–	–	–	–	–	–	–	–
		M	10	–	–	–	–	–	–	–	–	–
		F	15	–	–	–	–	–	–	–	1	1
170	Suicide by crushing	T	3	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE LIST BY AGE AND SEX: 1936.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.	100 and over.	Unknown.
161*d*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
XVI.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	2	1	4	5	2	–	–
	–	–	–	–	–	–	–	–	–	–	1	11	11	12	2	2	–
162	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	2	1	4	5	2	–	–
	–	–	–	–	–	–	–	–	–	–	1	11	11	12	2	2	–
162*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
162*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	2	–	4	5	2	–	–
	–	–	–	–	–	–	–	–	–	–	1	11	11	11	2	2	–
XVII	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	112	104	127	202	196	202	199	198	192	159	101	66	36	12	2	–	–
	43	46	30	49	53	68	59	101	118	106	126	118	88	44	11	3	–
163–171	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	23	27	33	44	55	49	48	36	35	16	11	4	1	–	–	–	–
	14	11	9	18	21	18	9	11	13	3	2	4	–	–	–	–	–
163	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4	3	3	5	2	4	4	3	–	–	–	–	–	–	–	–	–
	4	2	–	2	5	2	1	–	1	1	–	–	–	–	–	–	–
163*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
163*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
	1	–	–	1	1	2	1	–	1	–	–	–	–	–	–	–	–
163*c*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
163*d*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	–	1	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
163*e*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
163*f*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
163*g*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
163*h*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
163*m*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	1	3	1	–	–	1	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
163*o*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
163*x*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	1	–	1	–	2	1	1	–	–	–	–	–	–	–	–	–
	2	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
164	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6	8	10	12	19	14	10	9	10	2	–	2	–	–	–	–	–
	6	5	5	8	6	4	1	2	4	1	2	1	–	–	–	–	–
165	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4	2	6	13	15	12	16	10	13	4	3	–	–	–	–	–	–
	–	4	3	3	1	4	4	5	5	–	–	1	–	–	–	–	–
166	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	1	–	4	6	5	5	3	3	–	2	–	1	–	–	–	–
	2	–	–	2	3	4	1	2	1	–	–	1	–	–	–	–	–
167	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6	12	10	7	7	6	10	6	8	8	5	1	–	–	–	–	–
	–	–	–	–	2	–	1	1	1	–	–	1	–	–	–	–	–
168	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	1	1	1	4	4	1	4	–	2	1	1	–	–	–	–	–
	–	–	–	–	–	2	–	–	1	–	–	–	–	–	–	–	–
169	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	2	2	1	3	1	1	–	–	–	–	–	–	–	–	–
	2	–	1	3	2	2	1	1	–	1	–	–	–	–	–	–	–
170	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Detailed Int. List No.	Table 14a — Cause of Death.	Sex	Allocated Deaths (exclusive of Stillbirths) from Detailed International — Total.	Age of decedents (years). Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 24.
171	Suicide by other means	T	6	–	–	–	–	–	–	–	–	–
		M	4	–	–	–	–	–	–	–	–	1
		F	2	–	–	–	–	–	–	–	–	–
172–175	Homicide (total)	T	72	–	–	–	–	–	–	–	–	–
		M	49	9	–	–	–	–	–	–	2	4
		F	23	–	–	1	–	–	–	–	–	6
172	Infanticide (murder of infants under one year of age)	T	9	–	–	–	–	–	–	–	–	–
		M	9	9	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
172*a*	Immediately after birth	T	6	–	–	–	–	–	–	–	–	–
		M	6	6	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
172*b*	Others, under one year	T	3	–	–	–	–	–	–	–	–	–
		M	3	3	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
173	Homicide by firearms	T	15	–	–	–	–	–	–	–	–	–
		M	12	–	–	–	–	–	–	–	1	1
		F	3	–	–	–	–	–	–	–	–	–
174	Homicide by cutting or piercing instruments	T	7	–	–	–	–	–	–	–	–	–
		M	4	–	–	–	–	–	–	–	–	–
		F	3	–	–	–	–	–	–	–	–	–
175	Homicide by other means	T	41	–	–	–	–	–	–	–	–	–
		M	24	–	–	–	–	–	–	–	1	3
		F	17	–	–	1	–	–	–	–	–	6
176–198, 201–214	Accidents (total)	T	3,035	–	–	–	–	–	–	–	–	–
		M	1,953	35	20	21	32	26	67	80	70	110
		F	1,082	21	22	13	13	15	30	17	19	18
176	Attack by venomous animals	T	4	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	–	–	–	1	–
		F	1	–	–	–	–	–	–	–	–	–
177	Poisoning by food	T	2	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–
178	Accidental absorption of poisonous gas	T	83	–	–	–	–	–	–	–	–	–
		M	59	3	–	1	–	–	–	–	–	4
		F	24	–	–	–	–	1	–	–	–	1
179	Other acute accidental poisonings (gas excepted)	T	52	–	–	–	–	–	–	–	–	–
		M	37	1	3	2	3	–	–	–	2	–
		F	15	3	2	2	–	–	1	–	–	–
179*a*	Arsenical group	T	4	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	1	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–
179*b*	Barbituric acid and all derivatives	T	8	–	–	–	–	–	–	–	–	–
		M	8	–	–	–	–	–	–	–	2	–
		F	–	–	–	–	–	–	–	–	–	–
179*c*	Cresol compounds group	T	2	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	1	–	–	–	–	–
		F	1	1	–	–	–	–	–	–	–	–
179*d*	Mercury compounds	T	2	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
179*e*	Nux vomica and strychnine	T	1	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	1	–	–	–	–	–	–
179*f*	Lye group	T	1	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
179*g*	Tobacco and derivatives	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
179*h*	Narcotic group	T	4	–	–	–	–	–	–	–	–	–
		M	3	–	1	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–
179*m*	Menthanol, denatured, wood and other alcohols (not ethyl)	T	6	–	–	–	–	–	–	–	–	–
		M	6	–	–	1	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
179*o*	Carbolic acid and phenol	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
179*x*	All other poisons or kinds not stated	T	24	–	–	–	–	–	–	–	–	–
		M	14	1	2	1	1	–	–	–	–	–
		F	10	2	2	1	–	–	1	–	–	–
180	Conflagration	T	50	–	–	–	–	–	–	–	–	–
		M	30	2	–	1	1	2	–	–	1	–
		F	20	–	1	1	–	–	3	–	1	1

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE LIST BY AGE AND SEX: 1936.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.	100 and over.	Unknown.
171	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
172–175	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5	3	3	7	4	4	2	4	1	1	–	–	–	–	–	–	–
	6	1	1	1	3	2	–	1	1	–	–	–	–	–	–	–	–
172	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
172*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
172*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
173	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	1	1	1	1	1	–	2	–	1	–	–	–	–	–	–	–
	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
174	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–
175	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	2	2	5	2	3	2	2	1	–	–	–	–	–	–	–	–
	5	–	1	1	–	1	–	1	1	–	–	–	–	–	–	–	–
176–198, 201–214	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	84	74	91	151	137	149	149	158	156	142	90	62	35	12	2	–	–
	23	34	20	30	29	48	50	89	104	103	124	114	88	44	11	3	–
176	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
177	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
178	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6	2	5	5	7	4	6	3	5	3	2	–	3	–	–	–	–
	–	1	2	1	2	1	2	1	4	–	4	2	2	–	–	–	–
179	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	2	3	11	1	1	–	4	–	–	4	–	–	–	–	–	–
	1	1	1	–	1	2	–	1	–	–	–	–	–	–	–	–	–
179*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
179*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	2	1	2	–	–	–	1	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
179*c*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
179*d*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
179*e*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
179*f*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
179*g*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
179*h*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
179*m*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	3	–	–	–	1	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
179*o*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
179*x*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	3	1	1	–	1	–	–	3	–	–	–	–	–	–
	–	1	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–
180	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	1	3	1	4	3	2	–	5	3	–	–	–	–	–	–
	–	2	2	–	1	–	1	4	2	–	1	–	–	–	–	–	–

Detailed Int. List No.	Table 14a — Cause of Death.	Sex	Allocated Deaths (exclusive of stillbirths) from Detailed International — Total.	Age of decedents (years). Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 24.
181	Accidental burns (conflagration excepted)	T	135	–	–	–	–	–	–	–	–	–
		M	64	2	4	4	3	2	2	2	3	3
		F	71	1	7	4	4	3	5	–	–	1
182	Accidental mechanical suffocation	T	50	–	–	–	–	–	–	–	–	–
		M	36	18	–	–	–	–	–	–	–	1
		F	14	10	3	–	–	–	–	–	–	–
183	Accidental drowning	T	158	–	–	–	–	–	–	–	–	–
		M	136	–	1	4	4	3	21	21	11	8
		F	22	–	–	1	–	2	6	2	3	–
184	Accidental traumatism by firearms (wounds of war excepted)	T	21	–	–	–	–	–	–	–	–	–
		M	18	–	–	–	–	1	1	3	1	3
		F	3	–	–	–	–	–	–	1	–	–
185	Accidental traumatism by cutting or piercing instruments (wounds of war excepted)	T	15	–	–	–	–	–	–	–	–	–
		M	9	1	–	–	–	–	–	–	–	1
		F	6	–	–	–	–	–	–	–	–	–
186	Accidental traumatism by fall, crushing, landslide	T	1,133	–	–	–	–	–	–	–	–	–
		M	521	3	4	3	2	1	4	4	4	10
		F	612	1	3	–	2	2	–	3	1	–
186*a*	Fall	T	1,130	–	–	–	–	–	–	–	–	–
		M	519	3	4	3	2	1	4	3	4	9
		F	611	1	3	–	2	2	–	3	1	–
186*b*	Crushing, landslide	T	3	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	1	–	1
		F	1	–	–	–	–	–	–	–	–	–
187	Cataclysm	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
188	Injuries by animals	T	11	–	–	–	–	–	–	–	–	–
		M	9	–	–	–	–	–	–	–	1	–
		F	2	–	–	–	–	–	–	–	–	–
189	Hunger or thirst	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
190	Excessive cold	T	15	–	–	–	–	–	–	–	–	–
		M	13	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	–	–
191	Excessive heat	T	13	–	–	–	–	–	–	–	–	–
		M	11	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	–	–
192	Lightning	T	3	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–
193	Accidents due to electric currents	T	14	–	–	–	–	–	–	–	–	–
		M	14	–	–	–	–	–	–	1	–	–
		F	–	–	–	–	–	–	–	–	–	–
194	Other accidents	T	213	–	–	–	–	–	–	–	–	–
		M	151	5	3	3	–	1	4	9	4	8
		F	62	6	4	1	–	1	–	4	1	3
194*a*	Foreign body	T	51	–	–	–	–	–	–	–	–	–
		M	31	3	2	1	–	–	1	–	–	1
		F	20	5	2	1	–	–	–	1	1	–
194*b*	Others	T	162	–	–	–	–	–	–	–	–	–
		M	120	2	1	2	–	1	3	9	4	7
		F	42	1	2	–	–	1	–	3	–	3
195	Violent deaths of which the nature (accident, suicide, homicide) is unknown	T	4	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–
196	Wounds of war	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
197	Execution of civilians by belligerent armies	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
198	Legal executions	T	2	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
201	Accidents in mines and quarries	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
202	Accidents from agricultural machinery	T	1	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
202*m*	Other accidents	T	1	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
203	Elevator accidents	T	18	–	–	–	–	–	–	–	–	–
		M	18	–	–	–	–	–	–	3	–	1
		F	–	–	–	–	–	–	–	–	–	3

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE LIST BY AGE AND SEX: **1936.**

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.	100 and over.	Unknown.
181	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	4	4	3	4	4	1	2	5	3	4	2	1	–	–	–	–
	3	3	–	2	4	4	3	7	4	1	4	8	2	1	–	–	–
182	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	–	2	3	3	3	1	1	1	–	1	–	–	–	–	–	–
	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
183	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4	4	5	9	10	8	7	7	5	2	2	–	–	–	–	–	–
	1	1	–	–	1	1	1	1	1	–	–	1	–	–	–	–	–
184	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	3	1	1	–	–	–	1	–	1	–	–	–	–	–	–	–
	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
185	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	2	–	–	1	–	–	3	–	–	–	–	–	–	–	–
	1	1	–	–	–	1	1	1	–	–	1	–	–	–	–	–	–
186	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7	11	13	28	29	44	40	58	63	66	51	40	23	11	2	–	–
	2	1	6	5	7	25	21	51	67	79	104	96	82	40	11	3	–
186*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7	11	13	28	29	44	40	58	63	66	51	40	23	11	2	–	–
	2	1	6	5	7	25	21	51	66	79	104	96	82	40	11	3	–
186*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
187	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
188	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	1	–	2	–	–	2	1	1	1	–	–	–	–
	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
189	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
190	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	1	2	3	2	3	2	–	–	–	–	–	–	–
	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
191	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	2	–	–	4	2	2	1	–	–	–	–
	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
192	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
193	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	2	1	3	4	1	–	2	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
194	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7	7	4	15	18	12	13	14	8	10	3	3	–	–	–	–	–
	2	13	2	2	1	2	3	3	2	5	2	2	–	3	–	–	–
194*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	2	3	–	3	2	5	1	4	1	1	–	–	–	–	–
	–	1	1	1	–	2	1	1	1	2	–	–	–	–	–	–	–
194*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7	6	2	12	18	9	11	9	7	6	2	2	–	–	–	–	–
	2	12	1	1	1	–	2	2	1	3	2	2	–	3	–	–	–
195	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	1	–	–	–	1	1	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
196	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
197	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
198	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
201	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
202	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
202*m*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
203	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	1	1	3	1	–	–	2	1	–	1	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Detailed Int. List No.	Table 14a — Cause of Death.	Sex.	Allocated Deaths (exclusive of stillbirths) from Detailed International — Total.	Age of decedents (years). Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 24.
203c	Mechanical suffocation	T	1	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	1	–
		F	–	–	–	–	–	–	–	–	–	–
203f	Traumatism by fall	T	7	–	–	–	–	–	–	–	–	–
		M	7	–	–	–	–	–	–	1	–	1
		F	–	–	–	–	–	–	–	–	–	–
203g	Traumatism by crushing	T	7	–	–	–	–	–	–	–	–	–
		M	7	–	–	–	–	–	–	2	2	–
		F	–	–	–	–	–	–	–	–	2	–
203m	Other accidents	T	3	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
204	Accidents from machinery used for recreation	T	1	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
204f	Traumatism by fall	T	1	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
205	Other machinery accidents	T	17	–	–	–	–	–	–	–	–	–
		M	17	–	–	–	–	–	–	–	2	2
		F	–	–	–	–	–	–	–	–	–	–
205c	Mechanical suffocation	T	1	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
205d	Drowning	T	1	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	1	–
		F	–	–	–	–	–	–	–	–	–	–
205e	Traumatism by cutting or piercing instruments	T	4	–	–	–	–	–	–	–	–	–
		M	4	–	–	–	–	–	–	–	–	1
		F	–	–	–	–	–	–	–	–	–	–
205f	Traumatism by fall	T	1	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
205g	Traumatism by crushing	T	6	–	–	–	–	–	–	–	–	–
		M	6	–	–	–	–	–	–	–	1	–
		F	–	–	–	–	–	–	–	–	–	–
205m	Other accidents	T	4	–	–	–	–	–	–	–	–	–
		M	4	–	–	–	–	–	–	–	–	1
		F	–	–	–	–	–	–	–	–	–	–
206	Railroad and automobile collisions	T	13	–	–	–	–	–	–	–	–	–
		M	12	–	–	–	–	–	–	–	–	1
		F	1	–	–	–	–	–	–	–	–	–
206m	Other accidents	T	13	–	–	–	–	–	–	–	–	–
		M	12	–	–	–	–	–	–	–	–	1
		F	1	–	–	–	–	–	–	–	–	–
207	Other railroad accidents	T	76	–	–	–	–	–	–	–	–	–
		M	65	–	–	–	1	–	2	2	–	–
		F	11	–	–	–	–	–	1	1	2	1
207d	Drowning	T	1	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
207e	Traumatism by cutting or piercing instruments	T	12	–	–	–	–	–	–	–	–	–
		M	11	–	–	–	–	–	1	–	–	–
		F	1	–	–	–	–	–	–	–	–	1
207f	Traumatism by fall	T	4	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–
207g	Traumatism by crushing	T	25	–	–	–	–	–	–	–	–	–
		M	23	–	–	–	–	–	–	2	–	–
		F	2	–	–	–	–	–	–	1	–	–
207m	Other accidents	T	34	–	–	–	–	–	–	–	–	–
		M	27	–	–	–	1	–	1	–	–	–
		F	7	–	–	–	–	–	1	–	2	–
208	Street car and automobile collisions	T	6	–	–	–	–	–	–	–	–	–
		M	6	–	–	–	–	–	–	–	1	2
		F	–	–	–	–	–	–	–	–	–	–
208m	Other accidents	T	6	–	–	–	–	–	–	–	–	–
		M	6	–	–	–	–	–	–	–	1	2
		F	–	–	–	–	–	–	–	–	–	–
209	Other street car accidents	T	19	–	–	–	–	–	–	–	–	–
		M	13	–	–	–	–	–	–	–	–	–
		F	6	–	–	1	–	–	–	–	–	1
209f	Traumatism by fall	T	1	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
209g	Traumatism by crushing	T	5	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	–	–	–	–	–
		F	2	–	–	1	–	–	–	–	–	1

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE LIST BY AGE AND SEX: 1936.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.	100 and over.	Unknown.
203c	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
203f	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	1	–	–	1	–	–	–	1	–	1	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
203g	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
203m	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	1	–	–	–	2	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
204	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
204f	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
205	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3	1	1	1	2	2	–	1	2	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
205c	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
205d	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
205e	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
205f	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
205g	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	–	–	1	2	–	1	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
205m	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	1	1	–	–	–	1	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
206	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3	1	1	1	3	1	–	1	–	–	–	–	–	–	–	–	–
	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
206m	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3	1	1	1	3	1	–	1	–	–	–	–	–	–	–	–	–
	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
207	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4	3	7	10	5	7	9	6	4	4	–	1	–	–	–	–	–
	1	–	–	1	–	1	–	1	1	–	–	1	–	–	–	–	–
207d	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
207e	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	1	3	–	–	1	–	2	2	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
207f	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
207g	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	1	–	4	2	2	5	3	2	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
207m	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	2	5	3	3	3	2	3	–	2	–	1	–	–	–	–	–
	1	–	–	1	–	–	–	1	–	–	–	1	–	–	–	–	–
208	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
208m	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
209	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	2	–	1	1	2	1	2	2	–	–	1	–	–	–	–
	–	–	–	1	–	–	–	–	–	1	–	1	1	–	–	–	–
209f	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
209g	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Detailed Int. List No.	Table 14a — Cause of Death	Sex	Allocated Deaths (exclusive of Stillbirths) from Detailed International — Total	Age of decedents (years): Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 24.
209m	Other accidents	T	13	-	-	-	-	-	-	-	-	-
		M	9	-	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-
210	Automobile accidents	T	847	-	-	-	-	-	-	-	-	-
		M	649	-	5	3	18	16	31	30	26	57
		F	198	-	2	3	7	6	14	6	11	8
210b	Burns (conflagration excepted)	T	2	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
210d	Drowning	T	6	-	-	-	-	-	-	-	-	-
		M	5	-	-	-	-	-	-	-	-	1
		F	1	-	-	-	-	1	-	-	-	-
210e	Traumatism by cutting or piercing instruments	T	8	-	-	-	-	-	-	-	-	-
		M	6	-	-	-	-	-	-	-	-	4
		F	2	-	-	-	-	-	-	1	-	-
210f	Traumatism by fall	T	29	-	-	-	-	-	-	-	-	-
		M	24	-	-	-	-	1	1	4	1	2
		F	5	-	-	-	-	-	-	-	1	-
210g	Traumatism by crushing	T	90	-	-	-	-	-	-	-	-	-
		M	72	-	2	1	8	4	1	4	5	2
		F	18	-	-	1	3	-	2	-	-	2
210m	Other accidents	T	712	-	-	-	-	-	-	-	-	-
		M	540	-	3	2	10	11	29	22	20	48
		F	172	-	2	2	4	5	12	5	10	6
211	Motorcycle accidents	T	5	-	-	-	-	-	-	-	-	-
		M	5	-	-	-	-	-	-	-	2	1
		F	-	-	-	-	-	-	-	-	-	-
211d	Drowning	T	1	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	1	-
		F	-	-	-	-	-	-	-	-	-	-
211f	Traumatism by fall	T	1	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
211m	Other accidents	T	3	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	1	1
		F	-	-	-	-	-	-	-	-	-	-
212	Other land transportation accidents	T	15	-	-	-	-	-	-	-	-	-
		M	14	-	-	-	-	-	1	2	2	-
		F	1	-	-	-	-	-	-	-	-	-
212c	Mechanical suffocation	T	1	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
212e	Traumatism by cutting or piercing instruments	T	1	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	1	-
		F	-	-	-	-	-	-	-	-	-	-
212f	Traumatism by fall	T	11	-	-	-	-	-	-	-	-	-
		M	10	-	-	-	-	-	1	2	1	-
		F	1	-	-	-	-	-	-	-	-	-
212h	Electric currents	T	1	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
212m	Other accidents	T	1	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
213	Water transportation accidents	T	31	-	-	-	-	-	-	-	-	-
		M	28	-	-	-	-	-	-	3	6	5
		F	3	-	-	-	-	-	-	-	-	1
213d	Drowning	T	30	-	-	-	-	-	-	-	-	-
		M	27	-	-	-	-	-	-	3	6	5
		F	3	-	-	-	-	-	-	-	-	1
213f	Traumatism by fall	T	1	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
214	Air transportation accidents	T	8	-	-	-	-	-	-	-	-	-
		M	5	-	-	-	-	-	1	-	-	3
		F	3	-	-	-	-	-	-	-	-	1
214f	Traumatism by fall	T	1	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	1
		F	-	-	-	-	-	-	-	-	-	-
214g	Traumatism by crushing	T	1	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
214m	Other accidents	T	6	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	-	1	-	-	2
		F	3	-	-	-	-	-	-	-	-	1
XVIII	Ill-defined Causes of Death	T	14	-	-	-	-	-	-	-	-	-
		M	7	-	-	-	-	-	-	-	1	-
		F	7	1	-	-	-	-	-	-	-	-

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE LIST BY AGE AND SEX: 1936.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.	100 and over.	Unknown.
209*m*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	2	–	–	–	2	1	–	2	–	–	1	–	–	–	–
	–	–	–	1	–	–	–	–	–	1	–	1	1	–	–	–	–
210	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	37	29	32	51	42	52	58	47	47	36	14	13	4	1	–	–	–
	11	10	5	17	10	10	15	17	21	14	7	3	1	–	–	–	–
210*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
210*d*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
210*e*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
210*f*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	1	3	2	3	1	1	3	–	–	–	–	–	–	–	–	–
	2	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
210*g*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	5	5	9	4	3	3	4	5	5	1	–	–	–	–	–	–
	–	2	–	–	1	–	–	5	2	–	–	–	–	–	–	–	–
210*m*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	34	21	24	39	35	45	54	39	42	31	13	13	4	1	–	–	–
	9	8	5	17	8	10	14	11	19	14	7	3	1	–	–	–	–
211	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
211*d*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
211*f*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
211*m*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
212	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	–	–	–	1	–	5	–	1	–	1	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
212*c*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
212*e*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
212*f*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	1	–	3	–	1	–	1	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
212*h*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
212*m*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
213	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	–	2	3	1	2	1	2	1	–	–	–	–	–	–	–	–
	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
213*d*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	–	2	3	1	2	–	2	1	–	–	–	–	–	–	–	–
	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
213*f*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
214	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
214*f*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
214*g*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
214*m*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
XVIII	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	2	–	–	2	–	–	–	1	–	1	–	–	–	–	–	–
	–	–	–	1	1	–	–	–	1	2	1	–	–	–	–	–	–

Detailed Int. List No.	Table 14a Cause of Death.	Sex.	Allocated Deaths (exclusive of Stillbirths) from Detailed International									
				Age of decedents (years).								
			Total.	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 24.
199	Sudden death	T	1	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–
200	Cause of death not specified or ill-defined	T	13	–	–	–	–	–	–	–	–	–
		M	7	–	–	–	–	–	–	–	1	–
		F	6	1	–	–	–	–	–	–	–	–
200*a*	Ill-defined	T	10	–	–	–	–	–	–	–	–	–
		M	4	–	–	–	–	–	–	–	1	–
		F	6	1	–	–	–	–	–	–	–	–
200*b*	Not specified or unknown	T	3	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE LIST BY AGE AND SEX: **1936.**

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																
	25 to **29.**	**30** to **34.**	**35** to **39.**	**40** to **44.**	**45** to **49.**	**50** to **54.**	**55** to **59.**	**60** to **64.**	**65** to **69.**	**70** to **74.**	**75** to **79.**	**80** to **84.**	**85** to **89.**	**90** to **94.**	**95** to **99.**	**100** and over.	Unknown.
199	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
200	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	2	–	–	2	–	–	–	1	–	1	–	–	–	–	–	–
	–	–	–	1	1	–	–	–	–	2	1	–	–	–	–	–	–
200*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	1	–	–	–	1	–	1	–	–	–	–	–	–
	–	–	–	1	1	–	–	–	–	2	1	–	–	–	–	–	–
200*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 14b

Deaths (exclusive of Stillbirths) of Residents according to the Detailed International

Detailed Int. List No.	Cause of Death.	Sex.	Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	All Causes.	T	999	77	86	79	73	90	77	111	100	68	94	65	79
		M	577	37	56	47	48	55	47	54	58	36	59	38	42
		F	422	40	30	32	25	35	30	57	42	32	35	27	37
I.	Infectious and Parasitic Diseases	T	77	–	–	–	–	–	–	–	–	–	–	–	–
		M	63	2	12	3	8	8	4	4	5	2	6	6	3
		F	14	–	–	2	1	2	1	2	2	–	–	1	3
8	Scarlet fever	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	1	–	–	–	–	–
10	Diphtheria	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	1	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
11	Influenza	T	9	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	–	–	1	2	–	–	–	–	1	–	–
		F	5	–	–	–	1	1	–	1	–	–	–	–	2
11a	With respiratory complications specified	T	7	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	1	2	–	–	–	–	–	–	–
		F	4	–	–	–	1	1	–	–	–	–	–	–	2
11b	Without respiratory complications specified	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	1	–	–
		F	1	–	–	–	–	–	–	1	–	–	–	–	–
15	Erysipelas	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	1	–	–	1	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	1
16	Acute poliomyelitis	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	1	–	1	–	–	1	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
22	Tetanus	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	1	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
23–32	Tuberculosis (total)	T	54	–	–	–	–	–	–	–	–	–	–	–	–
		M	47	2	10	1	6	5	3	2	5	2	4	4	3
		F	7	–	–	2	–	1	1	–	2	–	–	1	–
23	Tuberculosis of the respiratory system	T	49	–	–	–	–	–	–	–	–	–	–	–	–
		M	43	2	10	1	6	5	3	2	4	–	3	4	3
		F	6	–	–	2	–	1	1	–	1	–	–	1	–
24	Tuberculosis of the meninges and central nervous system	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	1	–	–
		F	1	–	–	–	–	–	–	–	1	–	–	–	–
26	Tuberculosis of the vertebral column	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	1	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
28	Tuberculosis of the skin and subcutaneous cellular tissue	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	1	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
31	Tuberculosis of other organs	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	1	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
34	Syphilis	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	–	1	–	–	–	1	–	–	–	2	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
34c	Unspecified	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	–	1	–	–	–	1	–	–	–	2	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
44	Other infectious and parasitic diseases	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	1	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
44a	Chicken-pox	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	1	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	Cancers and Other Tumors	T	228	–	–	–	–	–	–	–	–	–	–	–	–
		M	116	10	12	12	8	6	9	10	12	6	12	10	9
		F	112	7	12	12	11	6	11	14	10	10	6	6	7
45–53	Cancer and other malignant tumors (total)	T	207	–	–	–	–	–	–	–	–	–	–	–	–
		M	102	10	10	12	8	6	8	9	11	3	10	8	7
		F	105	7	12	11	9	6	10	14	10	9	5	5	7
45	Cancer and other malignant tumors of the buccal cavity and pharynx	T	9	–	–	–	–	–	–	–	–	–	–	–	–
		M	8	1	–	1	1	2	–	–	2	–	–	–	1
		F	1	–	–	–	–	–	–	–	1	–	–	–	–
45a	Lip	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	1	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
45b	Tongue	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	1	1	1	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
45c	Mouth	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	1	–	–	–	–

Out of State Dying in Massachusetts, from each Cause and Class of Causes, List, by Months and Sex and by Age and Sex: **1936.**

Detailed Int. List No.	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown
	AGE OF DECEDENTS (YEARS).																	
	28	2	1	3	2	13	14	26	73	68	125	168	227	170	71	8	–	–
	18	2	1	3	–	9	8	20	46	44	95	90	113	91	31	6	–	–
	10	–	–	–	2	4	6	6	27	24	30	78	114	79	40	2	–	–
I.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	1	–	1	–	–	2	3	5	11	29	7	3	–	–	–	–	–
	–	–	–	–	–	1	–	1	2	4	2	–	4	–	–	–	–	–
8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
10	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
11	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	1	–	–	–	–	2	–	1	–	–	–	–	–	–	–
	–	–	–	–	–	1	–	–	–	–	–	–	4	–	–	–	–	–
11*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–
	–	–	–	–	–	1	–	–	–	–	–	–	3	–	–	–	–	–
11*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
15	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
16	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
22	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
23–32	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	–	–	2	2	10	25	6	1	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	4	2	–	–	–	–	–	–	–
23	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	10	25	6	1	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	3	2	–	–	–	–	–	–	–
24	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
26	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
28	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
31	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
34	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	2	–	2	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
34*c*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	2	–	2	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
44	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
44*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	–	–	4	2	–	5	5	17	26	31	21	4	–	–	–
	–	–	–	–	–	–	–	1	1	6	10	32	37	18	7	–	–	–
45–53	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	2	1	–	3	4	14	24	30	20	4	–	–	–
	–	–	–	–	–	–	–	1	–	3	9	31	36	18	7	–	–	–
45	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	1	3	1	3	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
45*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
45*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
45*c*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–

Table 14b

Detailed Int. List No.	Cause of Death.	Sex.	Deaths (exclusive of Stillbirths) of Residents according to the Detailed International												
			Total.	Months.											
				January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
45*d*	Jaw	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	1	–	–	–	1	–	–	–	–	–	–	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
45*f*	Pharynx	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	1	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
46	Cancer and other malignant tumors of the digestive tract and peritoneum	T	104	–	–	–	–	–	–	–	–	–	–	–	–
		M	52	6	7	5	2	1	4	6	6	–	6	4	5
		F	52	3	7	2	3	4	4	5	6	6	3	4	5
46*a*	Esophagus	T	7	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	2	–	–	–	–	–	1	–	1	–	–
		F	3	–	–	–	2	–	–	–	–	–	–	1	–
46*b*	Stomach and duodenum	T	28	–	–	–	–	–	–	–	–	–	–	–	–
		M	16	2	1	3	–	–	2	–	1	–	5	1	1
		F	12	1	2	–	1	1	–	3	1	1	–	1	1
46*c*	Intestine (except rectum and anus)	T	30	–	–	–	–	–	–	–	–	–	–	–	–
		M	13	1	–	1	1	1	1	1	2	–	–	2	3
		F	17	–	3	1	–	–	1	1	1	3	2	2	3
46*d*	Rectum and anus	T	15	–	–	–	–	–	–	–	–	–	–	–	–
		M	9	1	1	–	–	–	1	4	1	–	–	1	–
		F	6	1	1	–	–	–	1	–	1	1	1	–	–
46*e*	Liver and biliary passages	T	12	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	2	–	–	1	–	–	1	–	–	–	–	–
		F	8	–	–	1	–	2	1	1	1	1	–	–	1
46*f*	Pancreas	T	10	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	1	1	–	–	–	–	1	–	–	–	1
		F	6	1	1	–	–	1	1	–	2	–	–	–	–
46*g*	Peritoneum	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	2	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
47	Cancer and other malignant tumors of the respiratory system	T	11	–	–	–	–	–	–	–	–	–	–	–	–
		M	9	–	1	1	2	1	2	–	–	–	–	1	1
		F	2	1	–	–	–	–	–	–	1	–	–	–	–
47*a*	Larynx	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	1	–	1	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
47*b*	Lungs and pleura	T	9	–	–	–	–	–	–	–	–	–	–	–	–
		M	7	–	1	1	1	1	1	–	–	–	–	1	1
		F	2	1	–	–	–	–	–	–	1	–	–	–	–
48	Cancer and other malignant tumors of the uterus	T	12	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	12	1	1	4	–	–	2	2	–	1	–	–	1
49	Cancer and other malignant tumors of other female genital organs	T	7	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	7	1	1	–	2	–	–	2	–	–	–	–	1
49*a*	Ovary and Fallopian tube	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	5	–	1	–	2	–	–	1	–	–	–	–	1
49*b*	Vagina and vulva	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	2	1	–	–	–	–	–	1	–	–	–	–	–
50	Cancer and other malignant tumors of the breast	T	17	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	17	1	2	1	3	1	3	3	1	1	1	–	–
51	Cancer and other malignant tumors of the male genitourinary organs	T	21	–	–	–	–	–	–	–	–	–	–	–	–
		M	21	3	1	2	2	1	2	2	1	3	3	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
51*a*	Kidneys and suprarenals (male)	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	2	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
51*b*	Bladder (male)	T	9	–	–	–	–	–	–	–	–	–	–	–	–
		M	9	–	1	–	–	1	1	–	1	2	2	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
51*c*	Prostate	T	10	–	–	–	–	–	–	–	–	–	–	–	–
		M	10	3	–	–	2	–	1	2	–	1	1	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
52	Cancer and other malignant tumors of the skin	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	–	1	–
		F	1	–	–	–	1	–	–	–	–	–	–	–	–
53	Cancer and other malignant tumors of other or unspecified organs	T	24	–	–	–	–	–	–	–	–	–	–	–	–
		M	11	–	1	3	1	1	–	1	2	–	1	1	–
		F	13	–	1	4	–	1	1	2	1	1	1	1	–
53*b*	Bladder (female)	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	5	–	–	1	–	1	1	1	–	–	1	–	–
53*c*	Brain	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	–	–	1	1	–	1	–	–
		F	2	–	1	–	–	–	–	–	1	–	–	–	–

Out of State Dying in Massachusetts, from each Cause and Class of Causes, List, by Months and Sex and by Age and Sex: 1936.

Detailed Int. List No.	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
	AGE OF DECEDENTS (YEARS).																	
45*d*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
45*f*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
46	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	1	–	–	1	2	6	15	18	7	2	–	–	–
	–	–	–	–	–	–	–	–	–	1	2	16	18	10	5	–	–	–
46*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	1	2	–	1	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–
46*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	2	3	5	4	2	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	3	5	3	1	–	–	–
46*c*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	1	2	7	2	1	–	–	–
	–	–	–	–	–	–	–	–	–	1	1	4	5	4	2	–	–	–
46*d*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	–	1	2	5	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	2	4	–	–	–	–	–
46*e*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	2	1	1	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	2	2	2	2	–	–	–
46*f*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	–	–	–
	–	–	–	–	–	–	–	–	–	–	1	3	2	–	–	–	–	–
46*g*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
47	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	–	3	1	1	3	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–
47*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
47*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	–	3	1	–	2	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–
48	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	3	1	5	3	–	–	–	–
49	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	2	2	2	1	–	–	–
49*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	2	2	–	1	–	–	–
49*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–
50	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	2	2	5	6	2	–	–	–	–
51	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	1	4	7	6	2	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
51*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
51*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	1	3	4	1	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
51*c*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	1	3	4	2	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
52	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
53	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	1	1	–	1	1	3	1	2	1	–	–	–	–
	–	–	–	–	–	–	–	1	–	–	1	5	5	1	–	–	–	–
53*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	2	2	1	–	–	–	–
53*c*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–

Detailed Int. List No.	Table 14b — Cause of Death.	Sex.	Deaths (exclusive of Stillbirths) of Residents according to the Detailed International — Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
53d	Bones (except jaw)	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	1	–	1	–	–	–	–	–	–	–
		F	3	–	–	–	–	–	–	1	–	1	–	1	–
53e	Others	T	9	–	–	–	–	–	–	–	–	–	–	–	–
		M	6	–	1	2	1	–	–	–	1	–	–	1	–
		F	3	–	–	3	–	–	–	–	–	–	–	–	–
54	Nonmalignant tumors	T	14	–	–	–	–	–	–	–	–	–	–	–	–
		M	9	–	2	–	–	–	1	–	1	1	1	2	–
		F	5	–	–	1	2	–	–	–	–	–	1	1	–
54a	Of the ovary	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	1	–	–	–	–	–	–	–	–
54b	Of the uterus	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	1	–	–	–	–	–	–	1	–
54d	Of the brain	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	–	1	–	–	–	1	–	1	–	1	1	–
		F	1	–	–	1	–	–	–	–	–	–	–	–	–
54e	Of other organs	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	1	–	–	–	–	–	–	1	–	1	–
		F	1	–	–	–	–	–	–	–	–	–	1	–	–
55	Tumors of which the nature is not specified	T	7	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	–	–	–	–	–	–	1	–	2	1	–	–
		F	2	–	–	–	–	–	1	–	–	1	–	–	–
55b	Of the uterus	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	1	–	–	–
55e	Of other organs	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	–	–	–	–	–	–	1	–	2	1	–	–
		F	1	–	–	–	–	–	1	–	–	–	–	–	–
III.	Rheumatic Diseases, Nutritional Diseases, Diseases of the Endocrine Glands and Other General Diseases	T	27	–	–	–	–	–	–	–	–	–	–	–	–
		M	12	–	2	–	2	2	1	–	2	1	1	–	–
		F	15	2	2	–	1	1	2	–	2	3	2	–	–
56	Acute rheumatic fever	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	1	–	–	–	–	–	–	–	–	–	–	–
59	Diabetes mellitus	T	22	–	–	–	–	–	–	–	–	–	–	–	–
		M	11	–	2	–	2	2	1	–	2	–	1	–	1
		F	11	1	2	–	–	1	2	–	2	2	1	–	–
66	Diseases of the thyroid and parathyroid glands	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	1	–	–	–
		F	3	–	–	–	1	–	–	–	–	1	1	–	–
66a	Simple goiter	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	1	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
66b	Exophthalmic goiter	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	3	–	–	–	1	–	–	–	–	1	1	–	–
IV.	Diseases of the Blood and Blood-making Organs	T	11	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	–	–	1	–	–	1	1	–	1	–	–
		F	7	–	–	–	1	1	–	1	2	–	–	1	1
71	Anemias	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	1	–	–	–	–	–	1	–
71a	Pernicious anemia	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	1	–
71b	Others	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	1	–	–	–	–	–	–	–
72	Leukemias and pseudoleukemias	T	8	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	–	–	1	1	–	1	–	–
		F	5	–	–	–	1	–	–	1	2	–	–	–	1
72a	True leukemias	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	1	–	–	1	–	–
		F	4	–	–	–	1	–	–	1	1	–	–	–	1
72b	Pseudoleukemias (Hodgkin's disease)	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	1	–	–	–	–
		F	1	–	–	–	–	–	–	–	1	–	–	–	–
73	Diseases of the spleen	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	1	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
V.	Chronic Poisonings and Intoxications	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	1	1	–	–	–	–	–	–
		F	1	1	–	–	–	–	–	–	–	–	–	–	–

Out of State Dying in Massachusetts, from each Cause and Class of Causes, List, by Months and Sex and by Age and Sex: 1936.

Detailed Int. List No.	Age of decedents (years).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
53d	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-
53e	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	1	-	-	-	1	1	1	1	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-
54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	1	-	-	2	1	-	1	1	2	-	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	2	1	1	-	-	-	-	-	-
54a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
54b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
54d	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	1	-	-	2	1	-	-	1	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
54e	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	2	-	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	1	2	-	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
55b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
55e	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	1	2	-	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
III.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	2	2	5	2	-	-	-
	-	-	-	-	-	-	-	-	1	-	1	2	10	1	-	-	-	-
56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
59	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	1	2	5	2	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	2	7	1	-	-	-	-
66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-
66a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
66b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-
IV.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	1	1	-	-	1	-	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	2	3	1	-	-	-	-
71	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
71a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
71b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
72	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	2	2	-	-	-	-	-
72a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	1	2	-	-	-	-	-
72b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
73	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
V.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-

Table 14b

Detailed Int. List No.	Cause of Death.	Sex.	Deaths (exclusive of Stillbirths) of Residents according to the Detailed International												
				Months.											
			Total.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
75	Alcoholism (acute or chronic)	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	1	–	–	–	–	–	–	–
		F	1	1	–	–	–	–	–	–	–	–	–	–	–
77	Chronic poisoning by mineral substances	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	1	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
77a	Lead	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	1	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
VI.	Diseases of the Nervous System and of the Organs of Special Sense	T	62	–	–	–	–	–	–	–	–	–	–	–	–
		M	31	4	4	1	4	2	4	1	4	4	–	–	3
		F	31	4	2	2	–	2	2	9	3	3	1	1	2
78	Encephalitis (nonepidemic)	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	1	–	–	–	–	–
78a	Abscess of the brain	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	1	–	–	–	–	–
82	Cerebral hemorrhage, cerebral embolism and thrombosis	T	54	–	–	–	–	–	–	–	–	–	–	–	–
		M	27	4	4	1	2	1	4	1	4	4	–	–	2
		F	27	4	1	2	–	1	2	8	2	3	1	1	2
82a	Cerebral hemorrhage	T	47	–	–	–	–	–	–	–	–	–	–	–	–
		M	22	4	3	1	2	1	3	1	3	3	–	–	1
		F	25	4	1	1	–	1	2	7	2	3	1	1	2
82b	Cerebral embolism and thrombosis	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	–	1	–	–	–	1	–	1	1	–	–	1
		F	1	–	–	1	–	–	–	–	–	–	–	–	–
82d	Hemiplegia and other paralysis, cause unspecified	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	1	–	–	–	–	–
83	General paralysis of the insane	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	1	1	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
84b	Other psychoses	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	1	–	–	–	–	–	–	–
85	Epilepsy	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	1	–	–	–	–	–	–	–	–	–	–
87b	Other diseases of the nervous system	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	–	–	1
		F	1	–	–	–	–	–	–	–	1	–	–	–	–
89a	Diseases of the ear	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	1	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
VII.	Diseases of the Circulatory System	T	229	–	–	–	–	–	–	–	–	–	–	–	–
		M	130	5	10	12	10	13	9	13	17	7	18	9	7
		F	99	9	4	4	5	10	8	15	8	8	10	7	11
90	Pericarditis	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	1	–	–	–	–	–	–	–
91a	Acute endocarditis	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	1	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
92	Chronic endocarditis, valvular diseases	T	31	–	–	–	–	–	–	–	–	–	–	–	–
		M	16	2	1	1	1	4	1	–	1	1	2	2	–
		F	15	–	1	1	1	2	–	2	2	1	1	1	3
92a	Endocarditis specified as chronic and valvular disease	T	30	–	–	–	–	–	–	–	–	–	–	–	–
		M	15	2	1	1	1	3	1	–	1	1	2	2	–
		F	15	–	1	1	1	2	–	2	2	1	1	1	3
92b	Endocarditis unspecified (45 years and over)	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	1	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
93	Diseases of the myocardium	T	60	–	–	–	–	–	–	–	–	–	–	–	–
		M	26	1	5	1	4	2	3	3	3	–	2	–	2
		F	34	5	1	2	2	4	2	7	1	3	3	2	2
93a	Acute myocarditis	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	1	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
93c	Chronic myocarditis and myocardial degeneration	T	46	–	–	–	–	–	–	–	–	–	–	–	–
		M	19	1	3	1	4	–	3	1	2	–	2	–	2
		F	27	4	1	1	1	4	2	6	1	3	1	1	2
93d	Unspecified	T	13	–	–	–	–	–	–	–	–	–	–	–	–
		M	6	–	2	–	–	2	–	2	–	–	–	–	–
		F	7	1	–	1	1	–	–	1	–	–	2	1	–
94	Diseases of the coronary arteries and angina pectoris	T	69	–	–	–	–	–	–	–	–	–	–	–	–
		M	44	2	–	3	3	2	4	7	4	2	10	4	3
		F	25	3	–	–	2	–	3	3	4	1	4	3	2

Out of State Dying in Massachusetts, from each Cause and Class of Causes, List, by Months and Sex and by Age and Sex: **1936.**

Detailed Int. List No.	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
	AGE OF DECEDENTS (YEARS).																	
75	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
77	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
77a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
VI.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	3	8	9	5	3	2	-	-
78	-	-	-	-	-	-	1	-	1	2	2	5	8	6	6	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
78a	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
82	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
82a	-	-	-	-	-	-	-	-	-	1	2	7	7	5	3	2	-	-
	-	-	-	-	-	-	-	-	-	1	2	5	8	5	6	-	-	-
82b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	2	6	4	5	2	2	-	-
82d	-	-	-	-	-	-	-	-	-	-	2	5	7	5	6	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	3	-	1	-	-	-
83	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
84b	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
85	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
87b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
89a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VII.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90	-	-	-	-	-	-	1	-	4	3	10	23	39	36	12	2	-	-
	-	-	-	-	1	-	2	-	1	1	4	19	28	27	14	2	-	-
91a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
92	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
92a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
92b	-	-	-	-	1	-	-	-	1	-	1	4	4	3	1	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
93	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
93a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
93c	-	-	-	-	-	-	-	-	1	-	1	4	7	10	2	1	-	-
	-	-	-	-	-	-	-	-	-	1	1	4	8	9	9	2	-	-
93d	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
94	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	1	3	2	1	1	-	-
	-	-	-	-	-	-	-	-	1	-	4	8	17	7	6	1	-	-
	-	-	-	-	-	-	-	-	-	-	1	5	11	8	-	-	-	-

Detailed Int. List No.	Table 14b — Cause of Death.	Sex.	Deaths (exclusive of stillbirths) of residents according to the Detailed International — Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
94a	Angina pectoris	T	15	–	–	–	–	–	–	–	–	–	–	–	–
		M	8	1	–	–	1	–	1	1	2	1	1	–	–
		F	7	1	–	–	1	–	1	1	2	–	1	–	–
94b	Diseases of the coronary arteries	T	54	–	–	–	–	–	–	–	–	–	–	–	–
		M	36	1	–	3	2	2	3	6	2	1	9	4	3
		F	18	2	–	–	1	–	2	2	2	1	3	3	2
95b	Other and unspecified diseases of the heart	T	57	–	–	–	–	–	–	–	–	–	–	–	–
		M	36	–	4	7	1	3	1	2	7	4	3	2	2
		F	21	1	2	1	–	3	3	2	1	2	1	1	4
96	Aneurysm (except of the heart)	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	1	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
97	Arteriosclerosis (diseases of the coronary arteries excepted)	T	7	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	–	–	–	1	–	1	–	–	1	1	–
		F	3	–	–	–	–	–	–	1	–	1	1	–	–
99	Other diseases of the arteries	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	1	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
100	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	1	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII.	Diseases of the Respiratory System	T	58	–	–	–	–	–	–	–	–	–	–	–	–
		M	32	4	4	4	5	3	3	1	1	2	3	1	1
		F	26	3	2	4	1	3	1	1	1	–	1	6	3
104	Diseases of the nasal fossae and annexae	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	1	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	1	–	–	–	–	–	1	–
106b	Chronic bronchitis	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	1	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
107a	Bronchopneumonia	T	31	–	–	–	–	–	–	–	–	–	–	–	–
		M	16	2	2	1	2	3	1	–	–	2	2	1	–
		F	15	3	–	1	1	1	1	1	–	–	1	3	3
108	Lobar pneumonia	T	20	–	–	–	–	–	–	–	–	–	–	–	–
		M	11	2	2	2	2	–	1	–	1	–	1	–	–
		F	9	–	2	3	–	1	–	–	1	–	–	2	–
110	Pleurisy	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	1	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
114b	Other diseases of the respiratory system (tuberculosis excepted), including gangrene of the lung	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	1	–	–	–	–	–	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
IX.	Diseases of the Digestive System	T	71	–	–	–	–	–	–	–	–	–	–	–	–
		M	40	2	3	3	1	5	5	4	5	4	2	1	5
		F	31	5	–	3	1	6	2	5	3	2	4	–	–
115a	Diseases of the pharynx and tonsils	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	1	–	–	–	–	1	–	–	–	1
		F	1	–	–	–	–	–	1	–	–	–	–	–	–
116	Diseases of the esophagus	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	1	–	–
117	Ulcer of the stomach and duodenum	T	9	–	–	–	–	–	–	–	–	–	–	–	–
		M	8	–	–	2	–	2	1	–	1	2	–	–	–
		F	1	–	–	–	–	–	–	1	–	–	–	–	–
117a	Stomach	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	–	–	1	–	1	–	–	1	2	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
117b	Duodenum	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	1	–	1	1	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	1	–	–	–	–	–
120	Diarrhea, enteritis and ulceration of intestines (2 years and over)	T	7	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	1	–	1	–	1	–	–	1	–	–	–
		F	3	1	–	–	–	–	–	1	1	–	–	–	–
120a	Diarrhea, enteritis	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	1	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	1	–	–	–	–
120b	Ulceration of intestines	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	1	–	1	–	–	–	–	1	–	–	–
		F	2	1	–	–	–	–	–	1	–	–	–	–	–
121	Appendicitis	T	20	–	–	–	–	–	–	–	–	–	–	–	–
		M	10	2	–	–	–	–	2	3	1	–	1	–	1
		F	10	2	–	2	1	2	–	1	1	–	1	–	–
122	Hernia, intestinal obstruction	T	10	–	–	–	–	–	–	–	–	–	–	–	–
		M	6	–	1	–	–	2	1	–	1	–	1	–	–
		F	4	–	–	–	–	3	–	–	–	1	–	–	–
122a	Hernia	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	1	–	–	–	–	1	–	–
		F	1	–	–	–	–	1	–	–	–	–	–	–	–

Out of State Dying in Massachusetts, from each Cause and Class of Causes, List, by Months and Sex and by Age and Sex: **1936.**

Detailed Int. List No.	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
	AGE OF DECEDENTS (YEARS).																	
94*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	1	2	2	1	2	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	1	2	4	–	–	–	–
94*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	–	3	6	15	6	4	1	–	–
	–	–	–	–	–	–	–	–	–	–	1	4	9	4	–	–	–	–
95*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	3	7	11	10	3	–	–	–
	–	–	–	–	–	–	1	–	–	–	1	6	5	5	3	–	–	–
96	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
97	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	3	1	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–
99	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
100	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3	1	–	–	–	1	–	2	3	3	2	4	7	2	3	1	–	–
	3	–	–	–	–	–	1	–	3	–	2	2	2	9	4	–	–	–
104	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
106*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
107*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	1	–	–	–	–	–	–	2	2	–	2	3	2	1	1	–	–
108	2	–	–	–	–	–	–	–	–	–	–	1	2	6	4	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	2	1	1	1	1	3	–	2	–	–	–
	–	–	–	–	–	–	1	–	3	–	1	1	–	3	–	–	–	–
110	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
114*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
IX.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	2	–	1	1	1	4	4	10	6	4	6	–	–	–	–
	–	–	–	–	1	2	–	1	1	–	6	6	5	6	3	–	–	–
115*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
116	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
117	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	2	1	1	1	3	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
117*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	–	1	1	2	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
117*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
120	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	1	–	–	–	–	2	–	–	–	1	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	–	1	–	–	–	1	–	–	–
120*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
120*b*	–	–	–	–	–	–	–	–	2	–	–	–	1	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
121	–	–	–	1	–	1	1	1	1	1	2	1	–	1	–	–	–	–
	–	–	–	–	1	1	–	1	–	–	2	1	2	–	2	–	–	–
122	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	–	–	–	–	–	2	3	–	–	–	–	–	–
	–	–	–	–	–	1	–	–	–	–	1	1	1	–	–	–	–	–
122*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–

Table 14b

Detailed Int. List No.	Cause of Death.	Sex.	Total.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
			Deaths (exclusive of Stillbirths) of Residents according to the Detailed International												
				Months.											
122*b*	Intestinal obstruction	T	7	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	1	–	–	1	1	–	1	–	–	–	–
		F	3	–	–	–	–	2	–	–	–	1	–	–	–
123	Other diseases of the intestines	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	1	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	1	–	–
124*b*	Cirrhosis of the liver, not specified as alcoholic	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	1	–	–	–	–	–	–	1	–	1	1
		F	1	–	–	–	–	–	1	–	–	–	–	–	–
126	Biliary calculi	T	9	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	–	–	–	–	–	2
		F	7	1	–	1	–	1	–	2	–	1	1	–	–
127	Other diseases of the gall bladder and biliary passages	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	1	–	–	–	–	–	–	–
		F	2	1	–	–	–	–	–	–	1	–	–	–	–
129	Peritonitis, cause not specified	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	1	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
X.	Diseases of the Genitourinary System	T	77	–	–	–	–	–	–	–	–	–	–	–	–
		M	48	4	4	6	4	4	4	5	3	5	2	3	4
		F	29	6	3	3	–	2	2	2	3	–	2	2	4
130	Acute nephritis (including unspecified under 10 years of age)	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	1	1	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
131	Chronic nephritis	T	48	–	–	–	–	–	–	–	–	–	–	–	–
		M	25	3	4	2	1	4	1	2	1	3	–	2	2
		F	23	6	1	2	–	2	2	1	3	–	2	1	3
133*a*	Pyelitis	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	1	–	–	–
		F	2	–	1	–	–	–	–	1	–	–	–	–	–
134*a*	Calculi of the kidneys and ureters	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	1	–	–	1	–	–
		F	2	–	–	–	–	–	–	–	–	–	–	1	1
135*a*	Cystitis	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	1	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
136*a*	Stricture of the urethra	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	1	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
137	Diseases of the prostate	T	16	–	–	–	–	–	–	–	–	–	–	–	–
		M	16	–	–	4	3	–	1	1	2	1	1	1	2
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
139	Diseases of the female genital organs, not specified as venereal	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	2	–	1	1	–	–	–	–	–	–	–	–	–
139*a*	Cysts of the ovary	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	1	–	–	–	–	–	–	–	–	–
139*b*	Other diseases of the ovaries, tubes and parametrium	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	1	–	–	–	–	–	–	–	–	–	–
XI.	Diseases of Pregnancy, Childbirth and the Puerperal State	T	9	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	9	1	–	–	1	2	–	3	1	–	–	1	–
141	Abortion without mention of septic conditions (to include hemorrhages)	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	1	–	–	–	–	–
142*a*	Ectopic gestation with septic conditions specified	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	1	–	–	–	–	–
144	Puerperal hemorrhage	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	3	1	–	–	–	1	–	1	–	–	–	–	–
144*a*	Placenta praevia	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	1	–	–	–	–	–	–	–
144*b*	Other puerperal hemorrhages	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	2	1	–	–	–	–	–	1	–	–	–	–	–
145*a*	Puerperal septicemia and pyemia	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	1	–	–	1	–
146	Puerperal albuminuria and eclampsia	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	1	1	–	–	–	–	–	–	–
XII.	Diseases of the Skin and Cellular Tissue	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	1	1	–	–	1	–	–	–	–
		F	1	–	–	–	–	–	–	–	1	–	–	–	–

Out of State Dying in Massachusetts, from each Cause and Class of Causes, List, by Months and Sex and by Age and Sex: **1936.**

Detailed Int. List No.	Age of decedents (years).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
122b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-
	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-
123	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
124b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	2	-	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
126	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	2	1	3	-	-	-	-
127	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
129	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
X.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	1	-	8	7	10	15	5	1	-	-
	-	-	-	-	-	-	-	-	-	4	1	6	7	6	5	-	-	-
130	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
131	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	6	7	4	4	2	1	-	-
	-	-	-	-	-	-	-	-	-	2	1	4	7	5	4	-	-	-
133a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
134a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
135a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
136a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	3	10	3	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
139	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-
139a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
139b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
XI.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	4	5	-	-	-	-	-	-	-	-
141	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
142a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
144	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-
144a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
144b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
145a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
146	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
XII.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-

Detailed Int. List No.	Table 14b — Cause of Death.	Sex.	Deaths (exclusive of Stillbirths) of Residents according to the Detailed International — Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
151	Furuncle, carbuncle	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	1	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
152	Phlegmon, acute abscess	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	1	1	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
153	Other diseases of the skin, and annexa, and of the cellular tissue	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	1	–	–	–	–
XIII.	Diseases of the Bones and Organs of Locomotion	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	1	–	–	–	–	–	–	–	–	–	–
156*b*	Other organs of locomotion	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	1	–	–	–	–	–	–	–	–	–	–
XIV.	Congenital Malformations	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	1	1	–	–	–	–	1	–	–	–	–	–
		F	1	–	1	–	–	–	–	–	–	–	–	–	–
157	Congenital malformations (stillbirths not included)	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	1	1	–	–	–	–	1	–	–	–	–	–
		F	1	–	1	–	–	–	–	–	–	–	–	–	–
157*a*	Congenital hydrocephalus	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	1	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
157*d*	Others	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	1	1	–	–	–	–	–	–	–	–	–	–
		F	1	–	1	–	–	–	–	–	–	–	–	–	–
XV.	Diseases of Early Infancy	T	16	–	–	–	–	–	–	–	–	–	–	–	–
		M	11	1	–	1	–	1	2	2	–	–	1	–	3
		F	5	–	–	1	1	–	–	1	–	1	–	–	1
158	Congenital debility	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	1	–	–	–	–	–	–	–	–	–
159	Premature birth	T	12	–	–	–	–	–	–	–	–	–	–	–	–
		M	10	1	–	1	–	1	2	2	–	–	–	–	3
		F	2	–	–	–	–	–	–	1	–	1	–	–	–
160*b*	Injury at birth without Cesarean operation	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	1	–	–
		F	1	–	–	–	1	–	–	–	–	–	–	–	–
161*d*	Other diseases peculiar to early infancy	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	1
XVI.	Senility	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII.	Violent and Accidental Deaths	T	122	–	–	–	–	–	–	–	–	–	–	–	–
		M	82	4	4	5	4	9	5	12	7	5	13	8	6
		F	40	2	3	1	2	–	1	4	6	5	9	2	5
163–171	Suicide (total)	T	20	–	–	–	–	–	–	–	–	–	–	–	–
		M	17	1	–	1	1	4	–	4	–	–	4	2	–
		F	3	–	–	–	–	–	–	–	–	1	1	–	1
163	Suicide by solid or liquid poisons or by absorption of corrosive substances	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	6	–	–	–	1	1	–	3	–	–	1	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
163*b*	Barbituric acid and all derivatives	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	1	–	–	–	–	–	1	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
163*c*	Cresol compounds group	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	1	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
163*h*	Narcotic group	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	1	–	2	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
164	Suicide by poisonous gas	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	–	–	–	2	–	–	–	–	1	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
165	Suicide by hanging or strangulation	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	1	–	–	–	–	–	–	–	–	1	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
166	Suicide by drowning	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	1	–	–	–	1	–
		F	1	–	–	–	–	–	–	–	–	–	1	–	–
167	Suicide by firearms	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	1	–	1	–	–	–	–	1	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	1
169	Suicide by jumping from high places	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	1	–	–	–

Out of State Dying in Massachusetts, from each Cause and Class of Causes, List, by Months and Sex and by Age and Sex: **1936.**

Detailed Int. List No.	Age of decedents (years).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over	Unknown.
151	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
152	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
153	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
XIII.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
156*b*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
XIV.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157*a*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157*d*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XV.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
160*b*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
161*d*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XVI.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XVII.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	2	1	11	23	17	11	7	7	1	2	-	-	-
	1	-	-	-	-	-	2	3	12	2	2	3	10	4	1	-	-	-
163–171	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	6	3	2	4	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-
163	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	3	1	1	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
163*b*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
163*c*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
163*h*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
164	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
166	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
167	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
169	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-

Table 14b

Deaths (exclusive of Stillbirths) of Residents according to the Detailed International

Detailed Int. List No.	Cause of Death.	Sex.	Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
172–175	Homicide (total)	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	1	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
173	Homicide by firearms	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	1	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
176–198, 201–214	Accidents (total)	T	101	–	–	–	–	–	–	–	–	–	–	–	–
		M	64	3	4	4	3	4	5	8	7	5	9	6	6
		F	37	2	3	1	2	–	1	4	6	4	8	2	4
178	Accidental absorption of poisonous gas	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	1	–	–	–	–	–	–	–	2	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
179*h*	Acute accidental poisonings, narcotic group	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	1
180	Conflagration	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	–	–	–	–	2
181	Accidental burns (conflagration excepted)	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	1	–	–	–	–	–	–	–	–	–	–	–
182	Accidental mechanical suffocation	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	1	–	–	–	–
		F	3	1	–	–	–	–	–	–	1	–	1	–	–
183	Accidental drowning	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	–	–	–	–	1	–	1	–	–	–	2
		F	2	–	–	–	–	–	–	–	2	–	–	–	–
184	Accidental traumatism by firearms (wounds of war excepted)	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	1	1	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
186*a*	Accidental traumatism by fall	T	19	–	–	–	–	–	–	–	–	–	–	–	–
		M	10	–	1	–	2	–	1	–	3	1	–	–	2
		F	9	–	–	1	2	–	–	3	–	1	2	–	–
190	Excessive cold	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	1	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
191	Excessive heat	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	1	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
193	Accidents due to electric currents	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	1	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
194	Other accidents	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	1	–	–	–	–	–	–	1	–	1
		F	2	–	–	–	–	–	–	–	–	1	–	–	1
194*a*	Foreign body	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	1	–	–	–
194*b*	Others	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	1	–	–	–	–	–	–	1	–	1
		F	1	–	–	–	–	–	–	–	–	–	–	–	1
205*m*	Other machinery accidents	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	1	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
206*m*	Other railroad and automobile collisions	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	1	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
207*m*	Other railroad accidents	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	–	2	1	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
209*g*	Traumatism by crushing, other street car accidents	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	1	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
210	Automobile accidents	T	40	–	–	–	–	–	–	–	–	–	–	–	–
		M	24	1	1	1	–	3	–	3	2	4	5	3	1
		F	16	–	3	–	–	–	1	1	2	2	5	2	–
210*b*	Burns (conflagration excepted)	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	2	–	–	–	–	1	–	–
		F	1	–	–	–	–	–	–	1	–	–	–	–	–
210*g*	Traumatism by crushing	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	–	–	–	1	–	–	2	1	–	–	–
		F	1	–	1	–	–	–	–	–	–	–	–	–	–
210*m*	Other accidents	T	31	–	–	–	–	–	–	–	–	–	–	–	–
		M	17	1	1	1	–	–	–	3	–	3	4	3	1
		F	14	–	2	–	–	–	1	–	2	2	5	2	–

Out of State Dying in Massachusetts, from each Cause and Class of Causes, List, by Months and Sex and by Age and Sex: **1936.**

Detailed Int. List No.	Age of Decedents (Years).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
172–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
175	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
173	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
176–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
198,	–	–	–	–	–	2	1	9	17	14	9	3	6	1	2	–	–	–
201–	–	–	–	–	–	–	2	3	12	2	2	1	9	4	1	–	–	–
214																		
178	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
179*h*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
180	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
181	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
182	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
183	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	1	1	1	1	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–
184	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
186*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	2	2	3	–	–	2	–	1	–	–	–
	–	–	–	–	–	–	–	1	2	–	1	–	2	2	1	–	–	–
190	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
191	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
193	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
194	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
194*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
194*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
205*m*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
206*m*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
207*m*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
209*g*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
210	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	1	1	2	5	6	3	1	3	1	1	–	–	–
	–	–	–	–	–	–	2	1	4	2	–	1	5	1	–	–	–	–
210*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
210*g*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	1	2	1	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
210*m*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	1	1	1	2	4	2	1	3	1	1	–	–	–
	–	–	–	–	–	–	2	1	3	1	–	1	5	1	–	–	–	–

Table 14b

Detailed Int. List No.	Cause of Death.	Sex.	Total.	Deaths (exclusive of Stillbirths) of Residents according to the Detailed International — Months: January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
213	Water transportation accidents	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	6	1	1	–	–	–	1	1	–	–	1	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
213*d*	Drowning	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	1	–	–	–	–	1	1	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
213*e*	Traumatism by cutting or piercing instruments	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	–	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
213*f*	Traumatism by fall	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	1	–	–	–	–	–	–	–	1	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
214	Air transportation accidents	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	1	–	1	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	1	–	–	–	–
214*d*	Drowning	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	1	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
214*f*	Traumatism by fall	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	1	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	1	–	–	–	–
XVIII	Ill-defined Causes of Death	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–

Out of State Dying in Massachusetts, from each Cause and Class of Causes, List, by Months and Sex and by Age and Sex: **1936.**

Detailed Int. List No.	Age of decedents (years).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
213	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	2	2	–	1	1	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
213*d*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
213*e*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
213*f*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
214	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
214*d*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
214*f*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
XVIII	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Detailed Int. List No.	Table 14c — Cause of Death	Sex.	Deaths (exclusive of stillbirths) of residents according to the Detailed International — Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December
	All Causes	T	380	36	27	36	42	33	26	47	35	26	22	29	21
		M	246	25	13	21	29	24	15	32	19	18	14	21	15
		F	134	11	14	15	13	9	11	15	16	8	8	8	6
I.	Infectious and Parasitic Diseases	T	19	–	–	–	–	–	–	–	–	–	–	–	–
		M	15	2	1	3	3	1	1	2	–	1	–	1	–
		F	4	1	–	–	–	–	1	–	–	–	–	–	2
10	Diphtheria	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	1	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
11*b*	Influenza (without respiratory complications specified)	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	1	–	–	1	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	1
23–32	Tuberculosis (total)	T	11	–	–	–	–	–	–	–	–	–	–	–	–
		M	9	1	1	1	1	1	–	2	–	1	–	1	–
		F	2	1	–	–	–	–	1	–	–	–	–	–	–
23	Tuberculosis of the respiratory system	T	10	–	–	–	–	–	–	–	–	–	–	–	–
		M	8	1	1	1	1	1	–	2	–	–	–	1	–
		F	2	1	–	–	–	–	1	–	–	–	–	–	–
32*a*	Disseminated tuberculosis, acute	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	1	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
34*c*	Syphilis (unspecified)	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	1	1	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
36	Purulent infection, septicemia, nonpuerperal	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	1
43	Mycoses	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	1	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	Cancers and Other Tumors	T	31	–	–	–	–	–	–	–	–	–	–	–	–
		M	15	4	1	1	1	–	4	–	1	–	1	2	–
		F	16	2	2	–	1	1	–	2	2	2	1	3	–
45–53	Cancer and other malignant tumors (total)	T	29	–	–	–	–	–	–	–	–	–	–	–	–
		M	14	3	1	1	1	–	4	–	1	–	1	2	–
		F	15	1	2	–	1	1	–	2	2	2	1	3	–
46	Cancer and other malignant tumors of the digestive tract and peritoneum	T	14	–	–	–	–	–	–	–	–	–	–	–	–
		M	7	1	1	–	–	–	2	–	1	–	1	1	–
		F	7	–	1	–	1	–	–	2	–	–	1	2	–
46*a*	Esophagus	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	1	–	–	–	–	–	–	–	–	–	1	–
		F	1	–	1	–	–	–	–	–	–	–	–	–	–
46*b*	Stomach and duodenum	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	1	–	–	–	–	–	1	–	1	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	1	–
46*c*	Intestine (except rectum and anus)	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	1	–	–	–	–	–	–
		F	4	–	–	–	1	–	–	1	–	–	1	1	–
46*e*	Liver and biliary passages	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	1	–	–	–	–	–
46*f*	Pancreas	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	1	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
47	Cancer and other malignant tumors of the respiratory system	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	1	–	–	–	–	–	–
		F	1	–	1	–	–	–	–	–	–	–	–	–	–
47*a*	Larynx	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	1	–	–	–	–	–	–	–	–	–	–
47*b*	Lungs and pleura	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	1	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
48	Cancer and other malignant tumors of the uterus	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	3	1	–	–	–	–	–	–	–	1	–	1	–
50	Cancer and other malignant tumors of the breast	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	1	–	–	–	–	–	–	–
51*c*	Cancer and other malignant tumors of the male genito-urinary organs (prostate)	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	1	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
52	Cancer and other malignant tumors of the skin	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	1	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
53*e*	Cancer and other malignant tumors of other or unspecified organs	T	7	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	1	–	–	1	–	1	–	–	–	–	1	–
		F	3	–	–	–	–	–	–	–	2	1	–	–	–

of Massachusetts Dying Out of State, from each Cause and Class of Causes, List, by Months and Sex and by Age and Sex: 1936.

Detailed Int. List No.	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
	AGE OF DECEDENTS (YEARS).																	
	9	2	–	–	1	3	3	9	28	35	64	55	78	73	18	1	1	–
	2	–	–	–	1	2	2	8	22	29	48	41	48	33	9	–	1	–
	7	2	–	–	–	1	1	1	6	6	16	14	30	40	9	1	–	–
I.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	3	3	5	3	–	1	–	–	–	–
	1	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–
10	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
11*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–
	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
23–32	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	2	2	4	1	–	–	–	–	–	–
	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
23	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	2	2	3	1	–	–	–	–	–	–
	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
32*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
34*c*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
36	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
43	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	5	2	3	3	2	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	5	1	6	3	–	–	–	–
45–53	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	5	2	2	3	2	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	4	1	6	3	–	–	–	–
46	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	3	–	1	3	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	1	–	4	2	–	–	–	–
46*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
46*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
46*c*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	1	–	1	2	–	–	–	–
46*e*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
46*f*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
47	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
47*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
47*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
48	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–
50	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
51*c*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
52	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
53*e*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	2	1	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–

Table 14c

Detailed Int. List No.	Cause of Death.	Sex.	Total.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
			Deaths (exclusive of Stillbirths) of Residents according to the Detailed International												
				Months.											
54	Nonmalignant tumors	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	1	–	–	–	–	–	–	–	–	–	–	–
		F	1	1	–	–	–	–	–	–	–	–	–	–	–
54*b*	Of the uterus	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	1	–	–	–	–	–	–	–	–	–	–	–
54*e*	Of other organs	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	1	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
III.	Rheumatic Diseases, Nutritional Diseases, Diseases of the Endocrine Glands and Other General Diseases	T	13	–	–	–	–	–	–	–	–	–	–	–	–
		M	6	1	–	1	2	–	–	–	–	–	–	2	–
		F	7	–	1	–	1	1	–	–	1	1	–	–	2
57	Chronic Rheumatism, osteoarthritis	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	1	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
59	Diabetes mellitus	T	11	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	1	–	1	1	–	–	–	–	–	–	1	–
		F	7	–	1	–	1	1	–	–	1	1	–	–	2
68	Diseases of the adrenals (Addison's disease, not specified as tuberculous)	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	–	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
IV.	Diseases of the Blood and Bloodmaking Organs	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	1	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	1	–	–	–	–
72*b*	Pseudoleukemias (Hodgkin's disease)	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	1	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	1	–	–	–	–
V.	Chronic Poisonings and Intoxications	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	–	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
75	Alcoholism (acute or chronic)	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	–	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
VI.	Diseases of the Nervous System and of the Organs of Special Sense	T	39	–	–	–	–	–	–	–	–	–	–	–	–
		M	22	1	1	3	2	4	2	3	2	1	1	1	1
		F	17	–	1	3	1	2	1	3	2	–	3	–	1
79	Meningitis	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	1	–	–
		F	2	–	–	–	–	–	–	–	–	–	1	–	1
79*a*	Simple meningitis	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	1	–	–
		F	1	–	–	–	–	–	–	–	–	–	1	–	–
79*b*	Nonepidemic cerebrospinal meningitis	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	1
82	Cerebral hemorrhage, cerebral embolism and thrombosis	T	30	–	–	–	–	–	–	–	–	–	–	–	–
		M	15	1	1	1	2	4	2	1	1	–	–	1	1
		F	15	–	1	3	1	2	1	3	2	–	2	–	–
82*a*	Cerebral hemorrhage	T	27	–	–	–	–	–	–	–	–	–	–	–	–
		M	14	1	1	1	2	3	2	1	1	–	–	1	1
		F	13	–	1	3	1	1	1	3	1	–	2	–	–
82*b*	Cerebral embolism and thrombosis	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	1	–	–	–	–	–	–	–
		F	1	–	–	–	–	1	–	–	–	–	–	–	–
82*d*	Hemiplegia	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	1	–	–	–	–
83	General paralysis of the insane	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	1	–	–	–	1	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
84*b*	Manic depressive psychosis	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	1	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
87*b*	Organic brain disease	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	1	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
89*a*	Diseases of the ear	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	1	–	–	–	1	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
VII.	Diseases of the Circulatory System	T	115	–	–	–	–	–	–	–	–	–	–	–	–
		M	71	5	3	7	4	3	3	18	2	12	6	6	2
		F	44	5	3	6	6	3	3	5	5	3	2	2	1
91	Acute endocarditis	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	1	–	–	–	–	–	–	–	1	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	1

of Massachusetts Dying Out of State, from each Cause and Class of Causes, List, by Months and Sex and by Age and Sex: 1936.

Detailed List List No.	Age of Decedents (Years).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
54b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
54c	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
III.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	-	1	-	2	1	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	1	1	2	2	-	-	-	-
57	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
59	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	1	1	2	2	-	-	-	-
68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
IV.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
72b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
V.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
75	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VI.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	1	-	2	-	4	5	5	5	-	-	-	-
	1	-	-	-	-	-	-	-	-	-	1	3	3	9	-	-	-	-
79	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
79a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
79b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
82	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	3	1	5	5	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	2	3	9	-	-	-	-
82a	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	3	1	4	5	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	2	2	8	-	-	-	-
82b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
82d	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
83	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
84b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
87b	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
89a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VII.	-	-	-	-	-	-	-	-	1	4	7	11	28	14	5	-	1	-
	-	-	-	-	-	-	-	-	-	-	2	4	14	18	5	1	-	-
91	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-

Table 14c

Deaths (exclusive of Stillbirths) of Residents according to the Detailed International

Detailed Int. List No.	Cause of Death.	Sex.	Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December
91a	Specified as acute	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	1	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	1
91b	Unspecified (under 45 years of age)	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	1	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
92	Chronic endocarditis, valvular diseases	T	8	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	1	1	–	–	–	–	–	–	–	1
		F	5	1	–	1	2	–	–	–	1	–	–	–	–
92a	Endocarditis specified as chronic and valvular disease	T	7	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	1	1	–	–	–	–	–	–	–	1
		F	4	1	–	1	2	–	–	–	–	–	–	–	–
92b	Endocarditis unspecified (45 years and over)	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	1	–	–	–	–
93	Diseases of the myocardium	T	30	–	–	–	–	–	–	–	–	–	–	–	–
		M	15	2	2	–	2	–	–	1	–	1	5	2	–
		F	15	1	1	3	3	–	2	2	1	–	1	1	–
93a	Acute myocarditis	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	–	1	–
		F	1	–	–	1	–	–	–	–	–	–	–	–	–
93c	Chronic myocarditis and myocardial degeneration	T	16	–	–	–	–	–	–	–	–	–	–	–	–
		M	6	1	1	–	1	–	–	–	–	–	2	1	–
		F	10	1	–	1	2	–	2	2	1	–	–	1	–
93d	Unspecified	T	12	–	–	–	–	–	–	–	–	–	–	–	–
		M	8	1	1	–	1	–	–	1	–	1	3	–	–
		F	4	–	1	1	1	–	–	–	–	–	1	–	–
94	Diseases of the coronary arteries and angina pectoris	T	49	–	–	–	–	–	–	–	–	–	–	–	–
		M	38	2	1	2	1	3	3	11	2	7	1	4	1
		F	11	2	–	1	–	2	–	2	2	2	–	–	–
94a	Angina pectoris	T	16	–	–	–	–	–	–	–	–	–	–	–	–
		M	14	2	–	1	–	2	2	3	–	3	–	1	–
		F	2	–	–	–	–	1	–	1	–	–	–	–	–
94b	Diseases of the coronary arteries	T	33	–	–	–	–	–	–	–	–	–	–	–	–
		M	24	–	1	1	1	1	1	8	2	4	1	3	1
		F	9	2	–	1	–	1	–	1	2	2	–	–	–
95b	Other and unspecified diseases of the heart	T	19	–	–	–	–	–	–	–	–	–	–	–	–
		M	10	–	–	3	–	–	–	5	–	2	–	–	–
		F	9	1	–	1	1	1	1	–	1	1	1	1	–
97	Arteriosclerosis (diseases of the coronary arteries excepted)	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	1	–	–	–	–	–	–	–	–	–
		F	3	–	2	–	–	–	–	1	–	–	–	–	–
99	Other diseases of the arteries	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	1	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
100	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	1	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII.	Diseases of the Respiratory System	T	36	–	–	–	–	–	–	–	–	–	–	–	–
		M	28	3	2	1	3	6	1	3	–	–	1	3	5
		F	8	2	1	2	2	–	1	–	–	–	–	–	–
104	Diseases of the nasal fossae and annexae	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	1	–	–	1	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
107a	Bronchopneumonia	T	10	–	–	–	–	–	–	–	–	–	–	–	–
		M	7	1	–	–	–	2	–	1	–	–	–	–	3
		F	3	1	–	–	2	–	–	–	–	–	–	–	–
108	Lobar pneumonia	T	19	–	–	–	–	–	–	–	–	–	–	–	–
		M	15	2	2	1	1	4	–	–	–	–	–	3	2
		F	4	1	1	1	–	–	1	–	–	–	–	–	–
109	Pneumonia, unspecified	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	2	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
110	Pleurisy	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	1	–	–	–	–	–	–	–	–	–
112	Asthma	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	1	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
114b	Abscess of lung	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	1	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
IX.	Diseases of the Digestive System	T	33	–	–	–	–	–	–	–	–	–	–	–	–
		M	22	2	–	–	2	4	–	2	6	–	3	1	2
		F	11	1	–	2	1	–	3	2	–	–	1	1	–
115a	Acute tonsillitis	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	1	–	–	–	–	–	–

of Massachusetts Dying Out of State, from each Cause and Class of Causes, List, by Months and Sex and by Age and Sex: **1936.**

Detailed Int. List No.	Age of decedents (years).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
91*a*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
91*b*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
92	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	1	3	-	-	-	-
92*a*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-	-
92*b*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
93	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	4	6	2	2	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	1	4	6	3	-	-	-
93*a*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
93*c*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	2	2	1	1	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	3	4	2	-	-	-
93*d*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	2	4	-	1	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	-
94	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	2	5	7	16	6	2	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	2	3	4	2	-	-	-
94*a*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	2	3	4	4	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
94*b*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	3	4	12	2	2	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	2	3	3	1	-	-	-
95*b*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	4	4	1	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	6	3	-	-	-	-
97	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-
99	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIII.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	-	3	3	3	6	5	2	4	1	-	-	-
	-	2	-	-	-	-	-	-	-	-	1	-	2	2	1	-	-	-
104	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
107*a*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	1	2	1	2	-	-	-	-
	-	1	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
108	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	-	1	2	2	4	2	1	1	1	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	-	-	-
109	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
112	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
114*b*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
IX.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	2	1	3	5	4	5	1	1	-	-	-
	-	-	-	-	-	1	-	-	2	2	3	1	-	2	-	-	-	-
115*a*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-

Detailed Int. List No.	Table 14c — Cause of Death.	Sex.	Deaths (exclusive of Stillbirths) of Residents according to the Detailed International — Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
115*b*	Diseases of the buccal cavity	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	–	–	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
117	Ulcer of the stomach and duodenum	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	1	–	–	–	1	–	1	–	–	–	–	1
		F	1	–	–	–	–	–	1	–	–	–	–	–	–
117*a*	Stomach	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	1	–	–	–	1	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	1	–	–	–	–	–	–
117*b*	Duodenum	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	1	–	–	–	–	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
120*a*	Diarrhea, enteritis	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	1	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
120*b*	Ulceration of intestines	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	1	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
121	Appendicitis	T	8	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	–	–	–	1	1	–	1	1	–	1	–	–
		F	3	–	–	–	1	–	–	2	–	–	–	–	–
122	Hernia, intestinal obstruction	T	8	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	–	–	–	–	2	–	–	3	–	–	–	–
		F	3	–	–	2	–	–	1	–	–	–	–	–	–
122*a*	Hernia	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	2	–	–	1	–	–	–	–
		F	1	–	–	–	–	–	1	–	–	–	–	–	–
122*b*	Intestinal obstruction	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	–	2	–	–	–	–
		F	2	–	–	2	–	–	–	–	–	–	–	–	–
123	Other diseases of the intestines	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	1	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
124*a*	Cirrhosis of liver (alcoholic)	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	1	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
124*b*	Cirrhosis of liver (non alcoholic)	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	1	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
127	Other diseases of the gall bladder and biliary passages	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	3	1	–	–	–	–	–	–	–	–	1	1	–
128	Diseases of the pancreas	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	–	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
129	Peritonitis, cause not specified	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	1	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
X.	Diseases of the Genito-urinary System	T	25	–	–	–	–	–	–	–	–	–	–	–	–
		M	17	1	1	1	7	2	–	1	–	1	–	2	1
		F	8	–	4	–	–	1	1	–	–	1	–	1	–
130	Acute nephritis	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	1	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
131	Chronic nephritis	T	19	–	–	–	–	–	–	–	–	–	–	–	–
		M	14	1	1	–	6	2	–	1	–	1	–	2	–
		F	5	–	2	–	–	1	–	–	–	1	–	1	–
133*a*	Pyelitis	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	1	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
135*b*	Diseases of the bladder	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	1	–	–	–	–	–	–	–	–	–	–
137	Diseases of the prostate	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	–	–	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
139*a*	Cysts of the ovary	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	1	–	–	–	–	–	–	–	–	–	–
139*e*	Disease of the vagina	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	1	–	–	–	–	–	–
XIV.	Congenital Malformations	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	1	–	–	–	–
		F	1	–	–	–	–	–	1	–	–	–	–	–	–
157*c*	Congenital malformation of the heart	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	1	–	–	–	–	–	–

of Massachusetts Dying Out of State, from each Cause and Class of Causes, List, by Months and Sex and by Age and Sex: **1936.**

Detailed Int. List No.	Age of decedents (years).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
115b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
117a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
117b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
120a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
120b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	-	2	-	2	-	-	-	-	-	-
	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-
122	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	-	-	1	-	2	-	1	-	-	-
	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-
122a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
122b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
123	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
127	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-
128	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
129	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
X.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	2	7	2	1	2	2	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	2	1	2	2	-	-	-
130	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
131	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	2	7	1	1	1	2	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	2	-	2	1	-	-	-
133a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
135b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
137	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
139a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
139e	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XIV.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157c	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 14c

Detailed Int. List No.	Cause of Death.	Sex.	Deaths (exclusive of Stillbirths) of Residents according to the Detailed International												
			Total.	Months.											
				January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
157*d*	Congenital cystic kidneys	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	1	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
XV.	Diseases of Early Infancy	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	4	–	–	1	–	–	–	2	1	–	–	–	–
159	Premature birth	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	3	–	–	1	–	–	–	2	–	–	–	–	–
160*b*	Injury at birth	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	1	–	–	–	–
XVII.	Violent and Accidental Deaths	T	60	–	–	–	–	–	–	–	–	–	–	–	–
		M	47	6	4	4	5	3	4	3	7	3	2	2	4
		F	13	–	2	1	1	1	–	1	4	1	1	1	–
163–171	Suicide (total)	T	7	–	–	–	–	–	–	–	–	–	–	–	–
		M	6	–	–	1	–	1	1	–	–	–	1	1	1
		F	1	–	–	–	–	1	–	–	–	–	–	–	–
163*a*	Suicide by arsenic	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	1	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
164	Suicide by poisonous gas	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	–	–	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
165	Suicide by hanging or strangulation	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	–	–	–	1	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
166	Suicide by drowning	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	1	–	–	–	–	–	–	–
		F	1	–	–	–	–	1	–	–	–	–	–	–	–
171	Suicide by other means	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	1	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
172–175	Homicide (total)	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	1	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
175	Killed in fight	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	1	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
176–198, 201–214	Accidents (total)	T	52	–	–	–	–	–	–	–	–	–	–	–	–
		M	40	6	4	3	5	2	3	3	6	3	1	1	3
		F	12	–	2	1	1	–	–	1	4	1	1	1	–
178	Accidental absorption of poisonous gas	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	1	–	1	–	–	–	1	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
181	Accidental burns (conflagration excepted)	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	1	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
183	Accidental drowning	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	–	–	2	–	–	–	–	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
184	Accidental traumatism by fire arms (wounds of war excepted)	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	1	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
186*a*	Accidental traumatism by fall	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	1	–	–	–	1	–	–	1	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
194*b*	Other accidents	T	12	–	–	–	–	–	–	–	–	–	–	–	–
		M	7	2	–	1	–	–	–	–	4	–	–	–	–
		F	5	–	–	–	1	–	–	–	4	–	–	–	–
206*m*	Railroad and automobile collisions	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	2	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
207	Other railroad accidents	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	–	1	2	–	1	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
207*g*	Traumatism by crushing	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	1	–	–	1	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
207*m*	Other accidents	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	2	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
210	Automobile accidents	T	17	–	–	–	–	–	–	–	–	–	–	–	–
		M	12	1	–	–	2	2	1	–	2	–	1	1	2
		F	5	–	–	1	–	–	–	1	–	1	1	1	–

OF MASSACHUSETTS DYING OUT OF STATE, FROM EACH CAUSE AND CLASS OF CAUSES, LIST, BY MONTHS AND SEX AND BY AGE AND SEX: 1936.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over	Unknown.
157*d*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XV.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
160*b*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XVII.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	1	2	1	2	11	7	11	6	3	3	-	-	-	-
	-	-	-	-	-	-	-	-	2	2	3	2	1	2	1	-	-	-
163–171	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	2	2	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
163*a*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
164	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
166	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
171	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
172–175	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
175	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
176–198, 201–214	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	1	2	1	2	9	7	9	4	2	3	-	-	-	-
	-	-	-	-	-	-	-	-	2	2	2	2	1	2	1	-	-	-
178	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
181	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
183	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
184	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
186*a*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
194*b*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	2	-	3	-	-	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	-	-	-
206*m*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
207	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
207*q*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
207*m*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	1	-	-	2	2	1	3	1	2	-	-	-	-
	-	-	-	-	-	-	-	-	2	1	1	1	-	-	-	-	-	-

Table 14c

Detailed Int. List No.	Cause of Death.	Sex.	Deaths (exclusive of Stillbirths) of Residents according to the Detailed International												
			Total.	Months.											
				January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
210*f*	Traumatism by fall . .	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	1	–	–
210*g*	Traumatism by crushing .	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	1	–	–	–	–	–	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
210*m*	Other accidents . .	T	14	–	–	–	–	–	–	–	–	–	–	–	–
		M	10	1	–	–	2	2	–	–	2	–	1	1	1
		F	4	–	–	1	–	–	–	1	–	1	–	1	–
213*d*	Water transportation accidents (drowning) . .	T	1	–	–	–	–	–	–	–	–	1	–	–	–
		M	1	–	–	–	–	–	–	–	–	1	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
214	Air transportation accidents	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	1	–	1	–	–	–	–	1	–	–	–
		F	2	–	2	–	–	–	–	–	–	–	–	–	–
214*g*	Traumatism by crushing .	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	1	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
214*m*	Other accidents . .	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	1	–	–	–	–	–	–	1	–	–	–
		F	2	–	2	–	–	–	–	–	–	–	–	–	–

of Massachusetts Dying Out of State, from each Cause and Class of Causes, List, by Months and Sex and by Age and Sex: 1936.

Detailed Int. List No.	Age of decedents (years).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
210*f*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
210*g*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210*m*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	1	-	-	2	1	1	3	1	1	-	-	-	-
	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-
213*d*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
214	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
214*g*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
214*m*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-

Abridged Int. List No.	Table 15 — Cause of Death.[1]	Deaths from The State.	Abington.	Acton.	Acushnet.	Adams.	Agawam.	Alford.	Amesbury.	Amherst.	Andover.
	All Causes.[2]	**51,435**	**81**	**35**	**29**	**146**	**73**	**3**	**120**	**72**	**131**
(1)	Typhoid and paratyphoid fever (1, 2)	11	–	–	–	–	–	–	–	–	–
(3)	Smallpox (6)	–	–	–	–	–	–	–	–	–	–
(4)	Measles (7)	35	–	–	–	–	–	–	–	–	–
(5)	Scarlet fever (8)	44	–	–	–	–	–	–	–	–	–
(6)	Whooping cough (9)	52	–	1	–	–	–	–	–	–	1
(7)	Diphtheria (10)	27	–	–	–	–	–	–	–	–	–
(8)	Influenza (11)	280	–	–	1	4	–	–	2	–	1
(10)	Tuberculosis of the respiratory system (23)	1,733	–	1	–	5	3	–	1	3	1
(11)	Tuberculosis of the meninges and central nervous system (24)	54	–	–	–	–	–	–	–	–	–
(11)	Other forms of tuberculosis (25–32)	111	–	–	–	–	–	–	–	–	–
(12)	Syphilis (34)	196	–	–	–	1	–	–	–	–	–
(13)	Malaria (38)	–	–	–	–	–	–	–	–	–	–
(14)	Erysipelas (15)	74	–	–	–	–	–	–	–	–	–
(14)	Poliomyelitis (16)	8	–	–	–	–	–	–	–	–	–
(14)	Epidemic cerebrospinal meningitis (18)	100	–	–	–	–	–	–	–	–	–
(15)	Cancer and other malignant tumors (45–53)	6,599	14	2	3	26	8	1	24	10	19
(17)	Rheumatism (56, 57, 58)	113	–	–	–	3	–	–	–	1	–
(18)	Diabetes mellitus (59)	1,388	4	2	2	4	–	1	3	–	2
(19)	Alcoholism (acute or chronic) (75)	207	–	–	–	1	–	–	1	–	–
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (82)	4,273	7	6	1	9	6	–	13	9	10
(24)	Acute endocarditis (91)	107	1	–	–	–	–	–	–	–	–
(24)	Angina pectoris (94a)	663	2	–	1	3	1	–	1	3	8
(24)	Other diseases of the heart (90, 92, 93, 94b, 95)	15,317	28	10	6	42	23	–	21	26	44
(25)	Arteriosclerosis (97)	1,044	–	1	–	–	–	–	2	–	1
(26)	Bronchitis (106)	121	–	–	–	–	–	–	–	–	1
(27)	Bronchopneumonia (including capillary bronchitis) (107)	2,233	2	1	1	2	1	–	5	4	4
(27)	Lobar pneumonia (108)	1,944	4	1	–	4	5	–	4	–	5
(27)	Pneumonia (unspecified) (109)	43	–	–	–	–	–	–	–	–	–
(28)	Other respiratory diseases (104, 105, 110–114)	348	1	1	–	1	1	–	–	–	1
(29)	Diarrhea and enteritis (under 2 years) (119)	153	–	–	–	–	–	–	–	–	–
(30)	Appendicitis (121)	490	1	–	2	4	–	–	–	–	2
(31)	Cirrhosis of the liver (124)	392	–	–	–	3	–	–	–	–	–
(32)	Diseases of the stomach (117, 118)	354	–	–	–	1	1	–	1	–	2
(32)	Hernia, intestinal obstruction (122)	380	1	–	–	1	–	–	1	2	1
(33)	Nephritis (130–132)	3,186	4	2	5	10	5	1	10	5	6
(34)	Diseases of the female genital organs, not specified as venereal (139)	106	–	–	–	–	1	–	–	–	–
(35)	Puerperal septicemia (140, 145)	80	–	–	–	1	–	–	–	–	–
(36)	Other diseases of pregnancy, childbirth and the puerperal state (141–144, 146–150)	190	–	–	–	–	–	–	1	–	–
(38)	Congenital malformations (157)	405	–	–	2	–	2	–	1	–	2
(38)	Congenital debility (158)	39	–	–	–	–	–	–	–	–	–
(39)	Senility (162)	54	–	1	–	–	–	–	–	–	–
(40)	Suicide (163–171)	555	–	–	–	2	–	–	–	1	1
(41)	Homicide (172–175)	72	–	–	–	–	1	–	–	–	–
(42)	Violent and accidental deaths (suicide and homicide excepted) (176–198, 201–214)	3,035	5	2	3	13	5	–	10	4	7
(42)	*Burns (conflagration excepted) (181)*	135	–	–	–	1	–	–	1	–	–
(42)	*Accidental drowning (183)*	158	–	–	1	2	–	–	1	–	2
(42)	*Traumatism by fall (186a)*	1,130	1	–	1	2	–	–	6	1	2
(42)	*Railroad and automobile collisions (206)*	13	–	–	–	–	–	–	–	–	–
(42)	*Railroad accidents and injuries (207)*	76	–	–	–	–	–	–	–	–	–
(42)	*Street car and automobile collisions (208)*	6	–	–	–	–	–	–	–	–	–
(42)	*Other street car accidents (209)*	19	–	–	–	–	–	–	–	–	–
(42)	*Automobile accidents and injuries (210)*	847	2	2	–	4	4	–	1	2	1
(42)	*All others*	651	2	–	1	4	1	–	1	1	2
	All other defined causes (3–5, 12–14, 17, 19–22, 33, 35–37, 39–44, 54, 55, 60–74, 76–81, 83–89, 96, 98–103, 115, 116, 120, 123, 125–129, 133–138, 151–156, 159–161)	4,805	7	4	2	6	10	–	19	4	12
(43)	Cause of death not specified or ill-defined (199, 200)	14	–	–	–	–	–	–	–	–	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES ALLOCATED TO EACH MUNICIPALITY: 1936.

Abridged Int. List No.	Arlington.	Ashburnham.	Ashby.	Ashfield.	Ashland.	Athol.	Attleboro.	Auburn.	Avon.	Ayer.	Barnstable.	Barre.	Becket.	Bedford.	Belchertown.	Bellingham.	Belmont.	Berkley.	Berlin.
	446	**24**	**18**	**19**	**18**	**139**	**227**	**51**	**22**	**59**	**114**	**46**	**11**	**37**	**36**	**30**	**227**	**13**	**14**
(1)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(3)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(4)	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
(5)	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	2	–	–
(6)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(7)	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
(8)	2	1	–	–	–	–	3	–	–	–	3	–	1	1	–	–	1	–	–
(10)	9	1	–	–	–	3	7	1	–	2	–	2	–	1	1	2	4	–	–
(11)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–
(11)	2	–	–	–	–	–	2	–	–	–	–	–	–	1	–	–	–	–	–
(12)	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
(13)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	1	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	2	–	1
(15)	64	2	–	1	4	17	25	7	3	7	14	4	1	1	5	5	41	–	1
(17)	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(18)	15	–	–	–	–	1	7	1	–	1	3	2	1	–	–	–	8	–	–
(19)	3	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
(22)	51	2	2	3	2	13	20	7	1	5	12	4	2	3	5	1	25	1	1
(24)	1	1	–	–	–	1	2	–	–	–	–	–	–	–	1	–	–	–	–
(24)	3	–	1	–	–	1	1	1	–	–	4	1	–	–	–	–	4	–	–
(24)	114	7	5	6	8	57	73	20	8	14	35	13	5	12	5	13	62	3	7
(25)	5	–	–	1	–	1	8	–	–	6	5	–	–	–	–	–	5	1	–
(26)	2	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
(27)	23	1	–	5	–	5	4	3	1	2	6	1	–	1	1	–	12	3	2
(27)	15	3	1	–	–	4	12	1	–	3	4	–	–	–	4	1	4	2	–
(27)	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–
(28)	5	–	–	–	–	–	1	–	–	2	1	1	–	–	–	–	2	1	–
(29)	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–
(30)	3	–	1	–	–	4	1	1	–	–	1	–	–	–	–	1	2	–	–
(31)	4	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–
(32)	1	–	–	–	–	1	2	–	–	–	–	1	–	–	–	1	1	–	–
(32)	–	1	–	–	–	–	3	–	–	1	1	–	–	–	–	–	2	1	–
(33)	26	–	2	–	–	10	17	–	2	3	4	2	–	4	1	–	9	–	1
(34)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
(35)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(36)	7	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
(38)	2	–	1	–	–	1	–	–	1	–	–	–	–	–	–	–	1	–	–
(38)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(39)	–	–	1	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–
(40)	10	–	–	–	–	2	3	1	1	–	3	–	–	–	–	–	5	–	–
(41)	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
(42)	26	2	1	1	1	4	13	2	1	4	4	2	–	6	4	1	10	–	–
(42)	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	1	–	–
(42)	1	–	–	–	–	–	1	2	–	–	–	–	–	1	–	–	–	–	–
(42)	9	–	1	–	1	1	5	–	–	1	1	1	–	2	–	–	2	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	1	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	13	1	–	–	–	1	5	–	–	–	2	–	–	3	2	–	5	–	–
(42)	2	1	–	1	–	1	1	–	1	2	1	–	–	–	2	1	1	–	–
	47	2	3	2	2	12	19	6	3	8	11	7	1	6	8	4	21	–	1
(43)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

[2] Exclusive of stillbirths.

Abridged Int. List No.	Table 15 — Cause of Death.[1]	Deaths from Bernardston.	Beverly.	Billerica.	Blackstone.	Blandford.	Bolton.	Boston.	Bourne.	Boxborough.	Boxford.
	All Causes.[2]	**16**	**291**	**87**	**48**	**7**	**9**	**10,172**	**38**	**4**	**16**
(1)	Typhoid and paratyphoid fever (1, 2)	–	–	–	–	–	–	1	–	–	–
(3)	Smallpox (6)	–	–	–	–	–	–	–	–	–	–
(4)	Measles (7)	–	–	–	–	–	–	7	–	–	–
(5)	Scarlet fever (8)	–	–	–	–	–	–	6	–	–	–
(6)	Whooping cough (9)	–	–	–	–	–	–	16	–	–	–
(7)	Diphtheria (10)	–	–	–	–	–	–	5	–	–	–
(8)	Influenza (11)	–	1	–	–	–	–	19	–	–	–
(10)	Tuberculosis of the respiratory system (23)	–	4	2	–	1	–	497	3	–	–
(11)	Tuberculosis of the meninges and central nervous system (24)	–	–	–	–	–	–	12	–	–	–
(11)	Other forms of tuberculosis (25–32)	–	–	1	–	–	–	25	–	–	–
(12)	Syphilis (34)	–	–	–	–	–	–	50	2	–	–
(13)	Malaria (38)	–	–	–	–	–	–	–	–	–	–
(14)	Erysipelas (15)	–	–	–	–	–	–	11	–	–	–
(14)	Poliomyelitis (16)	–	–	1	–	–	–	–	–	–	–
(14)	Epidemic cerebrospinal meningitis (18)	–	–	–	–	–	–	44	1	–	–
(15)	Cancer and other malignant tumors (45–53)	4	43	15	9	1	1	1,271	6	–	1
(17)	Rheumatism (56, 57, 58)	–	3	–	–	–	–	14	–	–	–
(18)	Diabetes mellitus (59)	–	6	2	3	–	1	264	1	–	–
(19)	Alcoholism (acute or chronic) (75)	–	2	–	–	–	–	88	–	–	–
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (82)	3	25	7	2	–	–	667	3	1	1
(24)	Acute endocarditis (91)	–	–	–	–	–	–	22	–	–	–
(24)	Angina pectoris (94a)	–	6	1	–	–	1	71	–	–	–
(24)	Other diseases of the heart (90, 92, 93, 94b, 95)	2	87	19	10	2	2	2,985	13	1	13
(25)	Arteriosclerosis (97)	–	2	3	1	–	–	130	1	–	–
(26)	Bronchitis (106)	–	–	–	–	–	–	17	–	–	–
(27)	Bronchopneumonia (including capillary bronchitis) (107)	–	6	3	1	–	–	607	1	–	–
(27)	Lobar pneumonia (108)	3	11	3	4	–	1	479	1	–	–
(27)	Pneumonia (unspecified) (109)	–	–	–	–	–	–	18	–	–	–
(28)	Other respiratory diseases (104, 105, 110–114)	1	3	–	–	–	1	77	–	–	–
(29)	Diarrhea and enteritis (under 2 years) (119)	–	1	–	–	–	–	31	–	–	–
(30)	Appendicitis (121)	1	3	–	–	–	–	90	1	–	–
(31)	Cirrhosis of the liver (124)	–	–	–	–	–	–	106	–	–	–
(32)	Diseases of the stomach (117, 118)	–	4	–	–	–	–	73	–	–	–
(32)	Hernia, intestinal obstruction (122)	1	1	2	1	–	–	92	–	–	–
(33)	Nephritis (130–132)	–	25	5	10	–	1	452	1	–	–
(34)	Diseases of the female genital organs, not specified as venereal (139)	–	–	–	–	–	–	25	–	–	–
(35)	Puerperal septicemia (140, 145)	–	–	1	–	–	–	27	–	–	–
(36)	Other diseases of pregnancy, childbirth and the puerperal state (141–144, 146–150)	–	–	–	1	–	–	41	1	–	–
(38)	Congenital malformations (157)	–	1	2	–	–	–	67	–	–	–
(38)	Congenital debility (158)	–	–	–	–	–	–	5	–	–	–
(39)	Senility (162)	–	1	–	–	–	–	–	–	–	–
(40)	Suicide (163–171)	1	5	–	–	–	–	93	–	–	–
(41)	Homicide (172–175)	–	–	–	–	–	–	17	–	–	–
(42)	Violent and accidental deaths (suicide and homicide excepted) (176–198, 201–214)	–	14	10	1	–	–	665	2	1	–
(42)	*Burns (conflagration excepted) (181)*	–	–	1	–	–	–	25	–	–	–
(42)	*Accidental drowning (183)*	–	–	–	–	–	–	24	–	–	–
(42)	*Traumatism by fall (186a)*	–	7	2	1	–	–	285	1	–	–
(42)	*Railroad and automobile collisions (206)*	–	–	–	–	–	–	–	–	–	–
(42)	*Railroad accidents and injuries (207)*	–	1	–	–	–	–	18	–	–	–
(42)	*Street car and automobile collisions (208)*	–	–	–	–	–	–	1	–	–	–
(42)	*Other street car accidents (209)*	–	–	–	–	–	–	8	–	–	–
(42)	*Automobile accidents and injuries (210)*	–	1	6	–	–	–	164	1	–	–
(42)	*All others*	–	5	1	–	–	–	140	–	1	–
	All other defined causes (3–5, 12–14, 17, 19–22, 33, 35–37, 39–44, 54, 55, 60–74, 76–81, 83–89, 96, 98–103, 115, 116, 120, 123, 125–129, 133–138, 151–156, 159–161)	–	37	9	5	3	1	984	1	1	1
(43)	Cause of death not specified or ill-defined (199, 200)	–	–	1	–	–	–	1	–	–	–

[1]The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES ALLOCATED TO EACH MUNICIPALITY: 1936.

Abridged Int. List No.	Boylston.	Braintree.	Brewster.	Bridgewater.	Brimfield.	Brockton.	Brookfield.	Brookline.	Buckland.	Burlington.	Cambridge.	Canton.	Carlisle.	Carver.	Charlemont.	Charlton.	Chatham.	Chelmsford.	Chelsea.
	12	164	21	123	15	791	17	578	22	25	1,354	91	9	20	7	39	37	97	441
(1)	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
(3)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(4)	–	1	–	–	–	2	–	–	–	–	2	–	–	–	–	–	–	–	–
(5)	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(6)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(7)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
(8)	–	1	–	1	–	1	–	1	1	–	3	–	–	–	–	1	–	–	1
(10)	2	11	1	6	–	14	–	10	–	–	69	1	–	1	–	1	–	4	23
(11)	–	1	–	–	–	1	–	–	–	–	2	–	–	–	–	–	–	–	1
(11)	–	–	–	–	–	–	–	1	–	–	6	–	–	–	–	–	–	–	2
(12)	–	–	–	–	–	2	–	2	–	–	3	1	–	–	–	–	–	1	1
(13)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	1
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	1	–	1	–	–	–	–	2	–	–	–	–	–	–	–	–
(15)	2	18	1	13	3	110	3	99	4	4	184	10	2	3	–	3	3	14	63
(17)	–	–	–	–	–	1	–	–	–	–	3	–	–	–	–	–	–	–	–
(18)	–	4	1	1	1	25	–	13	–	2	24	2	–	1	–	2	–	1	6
(19)	–	1	–	–	–	1	–	1	–	–	15	–	–	–	–	–	–	1	1
(22)	3	23	1	13	4	81	1	54	–	1	109	8	–	–	1	1	6	9	22
(24)	–	1	–	–	–	1	–	1	–	–	3	–	–	–	–	–	–	–	1
(24)	–	2	1	1	–	18	–	8	–	2	13	–	–	–	–	–	2	3	4
(24)	–	46	6	36	3	267	5	205	6	5	399	37	2	6	1	18	19	26	138
(25)	–	2	2	10	–	8	–	11	1	–	25	–	–	–	–	–	1	4	7
(26)	–	–	–	2	–	1	–	1	–	–	5	–	–	–	–	–	–	2	1
(27)	–	4	1	6	–	20	–	22	–	1	73	4	–	1	1	2	–	3	23
(27)	–	1	–	3	–	31	1	20	–	3	58	5	1	–	–	2	–	2	21
(27)	–	–	–	–	–	1	–	1	–	–	–	1	–	–	–	–	–	1	–
(28)	–	1	–	1	–	7	–	4	–	–	5	–	–	–	–	–	–	1	3
(29)	–	–	–	–	–	1	–	1	–	1	5	–	–	–	–	–	–	–	3
(30)	–	2	1	1	–	6	1	8	–	1	17	–	1	–	–	–	–	2	3
(31)	–	1	–	1	–	10	–	4	–	–	9	–	–	–	–	–	–	2	8
(32)	–	1	–	1	–	8	–	4	–	–	7	1	–	–	–	–	1	1	3
(32)	–	–	–	2	1	11	–	2	–	–	9	1	–	–	–	1	–	–	3
(33)	–	10	2	5	1	39	3	29	2	1	65	1	1	1	–	2	2	4	27
(34)	–	–	–	–	–	2	–	2	–	–	4	–	–	–	–	–	–	–	1
(35)	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	1
(36)	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	–	–	–
(38)	–	1	–	1	–	4	–	3	–	–	19	2	1	–	–	1	–	–	4
(38)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(39)	–	–	–	–	–	6	–	–	–	–	3	–	–	–	–	–	–	–	–
(40)	–	2	1	–	–	5	–	7	–	–	14	2	1	–	–	2	–	–	5
(41)	–	–	–	–	–	3	–	–	–	–	2	–	–	–	–	–	–	–	1
(42)	3	13	1	5	1	37	1	28	4	1	73	11	–	2	2	1	1	7	23
(42)	–	1	–	–	–	3	–	3	1	–	3	–	–	–	–	–	–	–	1
(42)	–	1	–	–	–	2	–	–	1	–	7	–	–	–	–	–	–	1	–
(42)	1	1	–	2	–	16	1	13	–	–	23	4	–	–	–	–	1	2	5
(42)	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	2
(42)	–	–	–	–	–	1	–	–	–	–	1	1	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
(42)	–	4	1	1	1	10	–	5	1	1	24	4	–	1	1	–	–	2	6
(42)	2	5	–	2	–	5	–	5	1	–	14	2	–	1	1	1	–	2	9
	2	16	2	13	1	64	2	36	4	3	116	4	–	5	2	2	2	9	39
(43)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

[2] Exclusive of stillbirths.

Abridged Int. List No.	Table 15 — Cause of Death.[1]	Deaths from Cheshire.	Chester.	Chesterfield.	Chicopee.	Chilmark.	Clarksburg.	Clinton.	Cohasset.	Colrain.	Concord.
	All Causes.[2]	**23**	**13**	**8**	**384**	**4**	**14**	**160**	**56**	**18**	**72**
(1)	Typhoid and paratyphoid fever (1, 2)	–	–	–	–	–	–	–	–	–	–
(3)	Smallpox (6)	–	–	–	–	–	–	–	–	–	–
(4)	Measles (7)	–	–	–	–	–	–	–	–	–	–
(5)	Scarlet fever (8)	–	–	–	–	–	–	–	–	–	–
(6)	Whooping cough (9)	–	–	–	2	–	–	–	1	–	–
(7)	Diphtheria (10)	–	–	–	2	–	–	–	–	–	–
(8)	Influenza (11)	1	–	–	7	–	1	–	–	1	–
(10)	Tuberculosis of the respiratory system (23)	–	–	–	22	–	2	4	2	–	1
(11)	Tuberculosis of the meninges and central nervous system (24)	–	–	–	–	–	–	–	–	–	–
(11)	Other forms of tuberculosis (25–32)	–	–	–	1	–	–	–	–	–	–
(12)	Syphilis (34)	–	–	–	–	–	–	1	–	–	–
(13)	Malaria (38)	–	–	–	–	–	–	–	–	–	–
(14)	Erysipelas (15)	–	–	–	2	–	–	–	–	–	–
(14)	Poliomyelitis (16)	–	–	–	–	–	–	–	–	1	–
(14)	Epidemic cerebrospinal meningitis (18)	–	–	–	–	–	–	–	–	–	–
(15)	Cancer and other malignant tumors (45–53)	3	–	1	48	1	2	25	5	4	10
(17)	Rheumatism (56, 57, 58)	–	–	–	2	–	–	–	–	–	–
(18)	Diabetes mellitus (59)	–	1	–	9	–	1	5	1	–	1
(19)	Alcoholism (acute or chronic) (75)	–	–	–	–	–	–	–	1	–	–
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (82)	1	2	–	40	–	1	10	10	–	9
(24)	Acute endocarditis (91)	–	–	–	–	–	–	–	–	–	–
(24)	Angina pectoris (94a)	–	2	–	1	1	–	2	–	–	–
(24)	Other diseases of the heart (90, 92, 93, 94b, 95)	8	2	4	98	–	4	60	10	7	20
(25)	Arteriosclerosis (97)	2	–	–	3	2	–	4	–	–	1
(26)	Bronchitis (106)	–	–	–	–	–	–	1	–	–	–
(27)	Bronchopneumonia (including capillary bronchitis) (107)	1	–	1	16	–	1	7	1	–	5
(27)	Lobar pneumonia (108)	1	–	–	17	–	–	1	6	1	–
(27)	Pneumonia (unspecified) (109)	–	–	–	–	–	–	–	1	–	–
(28)	Other respiratory diseases (104, 105, 110–114)	–	1	–	3	–	–	–	–	–	–
(29)	Diarrhea and enteritis (under 2 years) (119)	–	–	–	–	–	–	–	–	–	–
(30)	Appendicitis (121)	1	–	–	8	–	–	–	1	–	1
(31)	Cirrhosis of the liver (124)	–	–	–	4	–	–	–	1	–	1
(32)	Diseases of the stomach (117, 118)	–	–	–	4	–	–	2	2	–	–
(32)	Hernia, intestinal obstruction (122)	–	1	1	1	–	–	–	–	–	1
(33)	Nephritis (130–132)	–	1	1	22	–	1	5	7	2	4
(34)	Diseases of the female genital organs, not specified as venereal (139)	–	–	–	–	–	–	1	–	–	1
(35)	Puerperal septicemia (140, 145)	–	–	–	2	–	–	–	–	–	–
(36)	Other diseases of pregnancy, childbirth and the puerperal state (141–144, 146–150)	–	–	–	2	–	–	2	1	–	–
(38)	Congenital malformations (157)	–	–	–	5	–	–	2	–	–	–
(38)	Congenital debility (158)	–	–	–	1	–	–	1	–	–	–
(39)	Senility (162)	–	–	–	–	–	–	1	–	–	1
(40)	Suicide (163–171)	–	–	–	6	–	–	–	1	–	–
(41)	Homicide (172–175)	1	–	–	1	–	–	–	–	–	–
(42)	Violent and accidental deaths (suicide and homicide excepted) (176–198, 201–214)	2	1	–	16	–	–	12	4	–	8
(42)	*Burns (conflagration excepted) (181)*	–	–	–	1	–	–	–	–	–	–
(42)	*Accidental drowning (183)*	–	–	–	1	–	–	–	1	–	–
(42)	*Traumatism by fall (186a)*	1	1	–	8	–	–	3	–	–	6
(42)	*Railroad and automobile collisions (206)*	–	–	–	–	–	–	–	–	–	–
(42)	*Railroad accidents and injuries (207)*	–	–	–	–	–	–	2	–	–	–
(42)	*Street car and automobile collisions (208)*	–	–	–	–	–	–	–	–	–	–
(42)	*Other street car accidents (209)*	–	–	–	–	–	–	–	–	–	–
(42)	*Automobile accidents and injuries (210)*	–	–	–	3	–	–	4	1	–	1
(42)	*All others*	1	–	–	3	–	–	3	2	–	1
	All other defined causes (3–5, 12–14, 17, 19–22, 33, 35–37, 39–44, 54, 55, 60–74, 76–81, 83–89, 96, 98–103, 115, 116, 120, 123, 125–129, 133–138, 151–156, 159–161)	2	2	–	39	–	1	14	1	2	8
(43)	Cause of death not specified or ill-defined (199, 200)	–	–	–	–	–	–	–	–	–	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses

IMPORTANT CAUSES ALLOCATED TO EACH MUNICIPALITY: 1936.

Abridged Int. List No.	Conway.	Cummington.	Dalton.	Dana.	Danvers.	Dartmouth.	Dedham.	Deerfield.	Dennis.	Dighton.	Douglas.	Dover.	Dracut.	Dudley.	Dunstable.	Duxbury.	East Bridgewater.	East Brookfield.	East Longmeadow.
	9	9	64	8	193	102	161	37	39	38	23	14	66	37	8	48	50	7	41
(1)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(3)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(4)	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
(5)	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
(6)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(7)	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
(8)	–	–	3	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1
(10)	–	–	–	1	10	8	6	–	2	1	–	–	4	1	–	–	–	–	3
(11)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(11)	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
(12)	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(13)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
(15)	2	–	7	–	22	9	23	4	3	1	3	2	6	6	2	4	9	–	6
(17)	–	–	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
(18)	–	–	3	1	3	3	8	–	1	3	1	1	2	1	–	3	2	–	3
(19)	–	–	–	–	1	–	–	–	1	–	–	–	–	1	–	–	–	–	–
(22)	–	1	4	–	17	10	19	5	3	4	3	–	6	4	1	11	5	2	1
(24)	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–
(24)	–	–	3	–	4	2	2	–	3	–	–	1	–	–	–	2	1	–	2
(24)	3	5	17	3	64	31	34	10	14	10	6	4	27	3	3	8	16	3	12
(25)	–	–	–	–	4	2	6	1	–	6	–	1	–	1	–	2	–	1	1
(26)	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
(27)	–	2	3	–	11	4	7	1	–	3	–	–	3	2	1	–	2	–	–
(27)	–	–	3	–	6	7	6	2	–	1	–	2	3	–	–	3	–	–	1
(27)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(28)	–	–	1	–	4	–	2	–	–	–	–	–	–	–	–	–	–	–	1
(29)	–	–	–	–	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–
(30)	2	–	1	–	–	2	1	–	–	1	–	–	–	2	–	2	1	–	–
(31)	–	–	–	–	2	–	2	–	2	–	–	–	1	1	–	–	–	–	–
(32)	–	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(32)	–	–	–	–	1	–	2	–	–	–	1	–	1	–	–	1	–	–	–
(33)	1	–	4	1	8	7	6	3	4	1	4	1	3	5	–	–	4	–	4
(34)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
(35)	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
(36)	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
(38)	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–	2	–	–
(38)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(39)	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	2	–	–
(40)	–	–	1	–	–	3	2	–	–	–	1	–	–	1	–	1	–	–	–
(41)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	4	–	13	4	13	4	4	2	1	–	1	6	–	4	–	1	3
(42)	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
(42)	–	–	1	–	9	1	4	–	1	–	–	–	–	2	–	2	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
(42)	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	2	–	2	1	6	3	1	1	1	–	1	1	–	2	–	–	2
(42)	–	–	1	–	2	2	1	1	1	1	–	–	–	2	–	–	–	–	–
	1	1	4	–	20	8	19	6	2	3	2	2	5	1	1	5	4	–	3
(43)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

[2] Exclusive of stillbirths.

Abridged Int. List No.	Table 15 — Cause of Death.	Deaths from Eastham.	Easthampton.	Easton.	Edgartown.	Egremont.	Enfield.	Erving.	Essex.	Everett.	Fairhaven.
	All Causes.[1]	7	126	85	20	7	8	11	23	477	123
(1)	Typhoid and paratyphoid fever (1, 2)	–	–	–	–	–	–	–	–	–	1
(3)	Smallpox (6)	–	–	–	–	–	–	–	–	–	–
(4)	Measles (7)	–	1	–	–	–	–	–	–	–	–
(5)	Scarlet fever (8)	–	–	–	–	–	–	–	–	1	–
(6)	Whooping cough (9)	–	–	–	–	–	–	–	–	1	–
(7)	Diphtheria (10)	–	–	–	–	–	–	–	–	–	–
(8)	Influenza (11)	–	1	–	–	–	–	–	–	3	1
(10)	Tuberculosis of the respiratory system (23)	–	1	2	1	–	–	–	–	16	5
(11)	Tuberculosis of the meninges and central nervous system (24)	–	–	–	–	–	–	–	–	2	1
(11)	Other forms of tuberculosis (25–32)	–	–	–	–	–	–	–	–	2	–
(12)	Syphilis (34)	–	–	–	–	–	–	–	–	3	1
(13)	Malaria (38)	–	–	–	–	–	–	–	–	–	–
(14)	Erysipelas (15)	–	–	–	–	–	–	–	1	2	–
(14)	Poliomyelitis (16)	–	–	–	–	–	–	–	–	–	–
(14)	Epidemic cerebrospinal meningitis (18)	–	1	–	–	–	–	–	–	2	–
(15)	Cancer and other malignant tumors (45–53)	1	15	13	1	–	2	1	1	53	16
(17)	Rheumatism (56, 57, 58)	–	1	–	–	–	–	–	–	–	–
(18)	Diabetes mellitus (59)	–	4	2	–	–	–	1	1	14	3
(19)	Alcoholism (acute or chronic) (75)	–	–	–	–	–	–	–	–	2	–
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (82)	–	13	6	2	2	2	1	3	34	12
(24)	Acute endocarditis (91)	–	–	1	–	–	–	–	–	2	–
(24)	Angina pectoris (94a)	–	4	2	1	–	–	–	1	5	–
(24)	Other diseases of the heart (90, 92, 93, 94b, 95)	3	32	28	2	3	4	3	7	152	36
(25)	Arteriosclerosis (97)	1	2	2	5	1	–	1	1	3	9
(26)	Bronchitis (106)	–	–	–	1	–	–	–	–	–	1
(27)	Bronchopneumonia (including capillary bronchitis) (107)	–	6	2	–	–	–	–	–	20	3
(27)	Lobar pneumonia (108)	–	4	8	–	–	–	1	–	25	3
(27)	Pneumonia (unspecified) (109)	–	–	–	–	–	–	–	–	1	–
(28)	Other respiratory diseases (104, 105, 110–114)	–	1	2	–	–	–	–	–	2	–
(29)	Diarrhea and enteritis (under 2 years) (119)	–	–	–	–	–	–	–	–	1	–
(30)	Appendicitis (121)	–	–	–	–	–	–	–	–	5	–
(31)	Cirrhosis of the liver (124)	–	–	–	–	1	–	–	–	6	–
(32)	Diseases of the stomach (117, 118)	–	2	2	–	–	–	–	–	2	1
(32)	Hernia, intestinal obstruction (122)	–	–	–	–	–	–	–	–	3	–
(33)	Nephritis (130–132)	1	12	1	2	–	–	1	–	32	11
(34)	Diseases of the female genital organs, not specified as venereal (139)	–	–	–	–	–	–	–	–	–	1
(35)	Puerperal septicemia (140, 145)	–	–	–	–	–	–	–	–	–	1
(36)	Other diseases of pregnancy, childbirth and the puerperal state (141–144, 146–150)	–	3	1	–	–	–	–	–	2	–
(38)	Congenital malformations (157)	–	1	–	–	–	–	–	1	7	–
(38)	Congenital debility (158)	–	–	–	–	–	–	–	–	–	–
(39)	Senility (162)	–	–	–	–	–	–	–	2	–	–
(40)	Suicide (163–171)	–	1	1	–	–	–	–	–	2	–
(41)	Homicide (172–175)	–	–	–	–	–	–	–	–	–	–
(42)	Violent and accidental deaths (suicide and homicide excepted) (176–198, 201–214)	–	7	7	–	–	–	1	2	34	8
(42)	*Burns (conflagration excepted) (181)*	–	1	–	–	–	–	–	–	2	–
(42)	*Accidental drowning (183)*	–	–	–	–	–	–	–	1	2	–
(42)	*Traumatism by fall (186a)*	–	3	3	–	–	–	1	–	18	4
(42)	*Railroad and automobile collisions (206)*	–	–	–	–	–	–	–	–	–	–
(42)	*Railroad accidents and injuries (207)*	–	–	–	–	–	–	–	–	–	–
(42)	*Street car and automobile collisions (208)*	–	–	–	–	–	–	–	–	–	–
(42)	*Other street car accidents (209)*	–	–	–	–	–	–	–	–	–	–
(42)	*Automobile accidents and injuries (210)*	–	1	1	–	–	–	–	1	9	3
(42)	*All others*	–	2	3	–	–	–	–	–	3	1
	All other defined causes (3–5, 12–14, 17, 19–22, 33, 35–37, 39–44, 54, 55, 60–74, 76–81, 83–89, 96, 98–103, 115, 116, 120, 123, 125–129, 133–138, 151–156, 159–161)	1	14	5	5	–	–	1	3	38	9
(43)	Cause of death not specified or ill-defined (199, 200)	–	–	–	–	–	–	–	–	–	–

[1]The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES ALLOCATED TO EACH MUNICIPALITY: 1936.

Abridged Int. List No.	Fall River.	Falmouth.	Fitchburg.	Florida.	Foxborough.	Framingham.	Franklin.	Freetown.	Gardner.	Gay Head.	Georgetown.	Gill.	Gloucester.	Goshen.	Gosnold.	Grafton.	Granby.	Granville.	Great Barrington.
	1,467	**61**	**464**	**7**	**79**	**274**	**87**	**17**	**242**	**3**	**36**	**10**	**319**	**2**	**1**	**84**	**14**	**14**	**77**
(1)	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(3)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(4)	–	–	1	–	–	–	–	–	1	–	–	–	1	–	–	–	–	1	–
(5)	–	–	1	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–
(6)	2	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
(7)	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(8)	21	1	2	–	–	3	–	–	3	–	–	–	5	–	–	–	–	–	2
(10)	63	3	15	–	6	6	3	–	5	–	2	2	5	–	–	4	–	–	1
(11)	3	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(11)	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(12)	10	–	1	–	2	1	–	–	–	–	–	–	1	–	–	–	–	–	–
(13)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	3	–	–	–	1	1	–	–	2	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
(15)	194	6	44	2	9	35	8	5	30	1	2	–	38	–	–	7	2	2	10
(17)	7	–	1	–	–	1	1	–	2	–	–	–	1	–	–	–	–	–	–
(18)	40	1	16	2	1	7	3	–	8	–	–	–	17	–	–	2	1	1	3
(19)	10	–	1	–	–	–	–	–	2	–	–	–	1	–	–	–	–	–	–
(22)	115	7	25	–	12	20	10	2	25	–	2	2	31	–	–	7	1	1	4
(24)	2	–	1	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	1
(24)	10	–	3	–	2	7	2	–	3	–	–	–	5	–	–	1	–	1	1
(24)	448	12	164	2	26	79	30	5	64	1	21	2	84	1	–	31	5	3	27
(25)	11	1	2	–	3	6	1	–	6	–	2	–	11	–	–	1	–	–	2
(26)	5	–	1	–	–	2	1	–	–	–	–	–	1	–	–	1	–	–	–
(27)	63	–	21	–	2	17	2	–	14	1	3	–	13	–	1	6	–	–	4
(27)	48	6	22	1	–	16	2	–	9	–	–	–	13	–	–	1	2	2	2
(27)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(28)	12	1	3	–	1	2	–	–	–	–	–	–	3	–	–	1	–	–	–
(29)	8	–	1	–	–	2	–	1	1	–	–	–	1	–	–	1	–	–	–
(30)	10	1	7	–	–	–	–	–	4	–	1	–	1	–	–	1	–	–	–
(31)	12	–	5	–	1	–	–	–	1	–	–	–	2	–	–	–	–	–	1
(32)	8	–	9	–	–	2	2	–	1	–	–	–	4	–	–	–	–	1	–
(32)	8	2	7	–	–	5	1	–	2	–	–	–	2	–	–	–	–	–	–
(33)	131	2	23	–	2	16	7	–	16	–	–	2	19	1	–	7	1	1	6
(34)	3	–	1	–	–	1	–	–	–	–	–	–	2	–	–	2	–	–	2
(35)	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
(36)	5	–	1	–	1	2	–	–	1	–	–	–	1	–	–	1	–	–	2
(38)	9	–	3	–	–	3	1	1	2	–	–	–	1	–	–	1	–	–	1
(38)	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–
(39)	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–
(40)	14	–	7	–	–	2	2	–	4	–	–	–	2	–	–	–	–	–	–
(41)	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
(42)	60	6	25	–	4	17	4	1	11	–	–	1	13	–	–	2	1	–	1
(42)	1	–	–	–	–	–	–	–	3	–	–	–	1	–	–	–	–	–	–
(42)	3	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	21	–	14	–	3	5	2	–	–	–	–	–	4	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	17	3	5	–	1	7	2	–	5	–	–	–	3	–	–	1	1	–	1
(42)	18	3	5	–	–	3	–	1	3	–	–	1	5	–	–	1	–	–	–
	121	11	47	–	5	20	6	2	21	–	3	1	36	–	–	7	–	–	7
(43)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

[2] Exclusive of stillbirths.

Abridged Int. List No.	Table 15 — Cause of Death.[1]	Deaths from Greenfield.	Greenwich.	Groton.	Groveland.	Hadley.	Halifax.	Hamilton.	Hampden.	Hancock.	Hanover.
	All Causes.[2]	**214**	**1**	**47**	**46**	**27**	**8**	**21**	**11**	**6**	**38**
(1)	Typhoid and paratyphoid fever (1, 2)	–	–	–	–	–	–	–	–	–	–
(3)	Smallpox (6)	–	–	–	–	–	–	–	–	–	–
(4)	Measles (7)	–	–	–	–	–	–	–	–	–	–
(5)	Scarlet fever (8)	–	–	–	–	1	–	–	–	–	–
(6)	Whooping cough (9)	–	–	–	–	–	–	–	–	–	–
(7)	Diphtheria (10)	–	–	–	–	–	–	–	–	–	–
(8)	Influenza (11)	2	–	–	1	–	–	–	–	–	–
(10)	Tuberculosis of the respiratory system (23)	4	–	–	1	–	–	–	1	–	1
(11)	Tuberculosis of the meninges and central nervous system (24)	–	–	–	–	–	–	–	–	–	–
(11)	Other forms of tuberculosis (25–32)	–	–	–	–	1	–	–	–	–	–
(12)	Syphilis (34)	1	–	–	–	–	–	–	–	–	–
(13)	Malaria (38)	–	–	–	–	–	–	–	–	–	–
(14)	Erysipelas (15)	–	–	–	–	–	–	–	–	–	–
(14)	Poliomyelitis (16)	–	–	–	–	–	–	–	–	–	–
(14)	Epidemic cerebrospinal meningitis (18)	–	–	–	–	–	–	–	–	–	–
(15)	Cancer and other malignant tumors (45–53)	28	–	8	3	3	1	3	4	–	5
(17)	Rheumatism (56, 57, 58)	–	–	1	–	–	–	–	–	–	–
(18)	Diabetes mellitus (59)	6	–	2	1	–	–	–	–	–	–
(19)	Alcoholism (acute or chronic) (75)	1	–	–	–	–	–	–	–	–	–
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (82)	20	1	7	5	2	–	5	–	–	6
(24)	Acute endocarditis (91)	1	–	–	–	1	–	–	–	–	–
(24)	Angina pectoris (94a)	10	–	1	–	–	–	–	–	–	1
(24)	Other diseases of the heart (90, 92, 93, 94b, 95)	53	–	14	11	10	2	6	1	5	10
(25)	Arteriosclerosis (97)	4	–	–	7	1	1	–	1	–	–
(26)	Bronchitis (106)	2	–	–	–	–	–	–	–	–	–
(27)	Bronchopneumonia (including capillary bronchitis) (107)	10	–	2	–	1	–	–	–	–	2
(27)	Lobar pneumonia (108)	9	–	2	1	2	–	2	–	1	1
(27)	Pneumonia (unspecified) (109)	–	–	–	–	–	–	–	–	–	–
(28)	Other respiratory diseases (104, 105, 110–114)	–	–	–	–	–	–	–	–	–	–
(29)	Diarrhea and enteritis (under 2 years) (119)	–	–	–	–	–	–	–	–	–	–
(30)	Appendicitis (121)	3	–	–	–	–	–	–	–	–	–
(31)	Cirrhosis of the liver (124)	1	–	–	–	–	–	–	–	–	–
(32)	Diseases of the stomach (117, 118)	2	–	1	–	–	–	–	–	–	–
(32)	Hernia, intestinal obstruction (122)	1	–	–	–	–	–	–	–	–	–
(33)	Nephritis (130–132)	11	–	2	–	–	1	2	2	–	4
(34)	Diseases of the female genital organs, not specified as venereal (139)	–	–	–	–	–	–	–	–	–	–
(35)	Puerperal septicemia (140, 145)	–	–	–	–	–	–	–	–	–	–
(36)	Other diseases of pregnancy, childbirth and the puerperal state (141–144, 146–150)	1	–	–	–	1	–	1	–	–	–
(38)	Congenital malformations (157)	–	–	–	–	–	–	–	–	–	–
(38)	Congenital debility (158)	–	–	–	–	–	–	–	–	–	–
(39)	Senility (162)	1	–	–	–	–	–	–	–	–	–
(40)	Suicide (163–171)	3	–	2	1	–	–	–	–	–	–
(41)	Homicide (172–175)	1	–	–	–	–	–	–	–	–	–
(42)	Violent and accidental deaths (suicide and homicide excepted) (176–198, 201–214)	19	–	1	12	3	1	1	1	–	2
(42)	*Burns (conflagration excepted) (181)*	–	–	–	1	–	–	–	–	–	–
(42)	*Accidental drowning (183)*	1	–	–	–	–	–	–	–	–	–
(42)	*Traumatism by fall (186a)*	3	–	–	5	–	–	1	–	–	–
(42)	*Railroad and automobile collisions (206)*	–	–	–	–	–	–	–	–	–	–
(42)	*Railroad accidents and injuries (207)*	3	–	–	–	–	–	–	–	–	–
(42)	*Street car and automobile collisions (208)*	–	–	–	–	–	–	–	–	–	–
(42)	*Other street car accidents (209)*	–	–	–	–	–	–	–	–	–	–
(42)	*Automobile accidents and injuries (210)*	7	–	–	5	3	1	–	–	–	1
(42)	*All others*	5	–	1	1	–	–	–	1	–	1
	All other defined causes (3–5, 12–14, 17, 19–22, 33, 35–37, 39–44, 54, 55, 60–74, 76–81, 83–89, 96, 98–103, 115, 116, 120, 123, 125–129, 133–138, 151–156, 159–161)	20	–	4	3	1	2	1	1	–	6
(43)	Cause of death not specified or ill-defined (199, 200)	–	–	–	–	–	–	–	–	–	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES ALLOCATED TO EACH MUNICIPALITY: 1936.

Abridged Int. List No.	Hanson.	Hardwick.	Harvard.	Harwich.	Hatfield.	HAVERHILL.	Hawley.	Heath.	Hingham.	Hinsdale.	Holbrook.	Holden.	Holland.	Holliston.	HOLYOKE.	Hopedale.	Hopkinton.	Hubbardston.	Hudson.
	38	23	8	46	22	578	6	9	88	15	58	37	1	45	670	28	45	11	89
(1)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(3)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(4)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(5)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–
(6)	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
(7)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(8)	–	–	–	1	–	6	–	1	–	–	–	–	–	–	3	–	1	–	4
(10)	6	1	–	–	1	14	–	–	2	–	–	3	–	1	22	–	1	1	–
(11)	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	1	–
(11)	–	1	–	1	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–
(12)	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
(13)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(15)	2	3	2	5	3	87	1	2	9	1	9	2	–	7	79	3	5	1	8
(17)	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
(18)	–	–	–	3	–	18	–	–	1	–	–	1	–	3	21	1	1	–	2
(19)	–	–	–	–	–	2	–	–	–	–	–	–	–	–	1	–	–	–	–
(22)	4	4	1	6	3	52	2	2	8	–	1	5	–	3	54	4	1	–	8
(24)	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–
(24)	–	–	–	2	–	6	–	–	–	–	–	–	–	2	5	–	2	–	–
(24)	14	6	3	7	5	191	1	–	37	9	31	12	1	10	212	8	15	–	41
(25)	1	2	1	1	–	16	–	–	2	–	–	1	–	3	6	–	4	–	–
(26)	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
(27)	2	–	–	2	–	19	–	1	3	1	1	–	–	1	25	1	6	1	1
(27)	1	–	–	–	1	15	1	–	5	–	1	2	–	1	19	2	4	1	3
(27)	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(28)	–	1	–	–	–	3	–	–	–	–	1	1	–	1	4	–	–	–	1
(29)	–	–	–	2	–	2	–	1	–	–	–	–	–	–	3	–	–	–	–
(30)	–	–	–	–	–	5	–	–	–	–	1	1	–	–	7	–	–	1	3
(31)	–	–	–	–	–	2	–	–	1	–	–	–	–	–	3	–	–	–	–
(32)	–	–	–	1	–	5	–	–	–	–	–	–	–	1	5	–	–	1	1
(32)	–	2	–	–	–	5	–	–	–	–	–	–	–	–	4	–	–	–	1
(33)	2	–	–	4	2	29	1	1	10	2	2	–	–	4	58	3	–	2	5
(34)	–	–	–	–	–	–	–	–	–	–	1	1	–	–	3	–	–	–	–
(35)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–
(36)	–	–	–	–	–	2	–	–	–	–	–	–	–	–	3	–	–	–	1
(38)	–	1	–	–	–	3	–	–	–	–	–	–	–	–	3	1	–	–	–
(38)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
(39)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(40)	–	–	–	–	–	3	–	–	–	–	2	–	–	1	9	–	–	–	–
(41)	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	3	–	–	6	4	32	–	–	2	2	4	2	–	1	40	–	2	–	4
(42)	–	–	–	–	–	2	–	–	–	–	–	–	–	–	2	–	–	–	–
(42)	–	–	–	–	2	–	–	–	–	–	–	–	–	1	4	–	–	–	–
(42)	1	–	–	2	–	14	–	–	2	1	2	–	–	–	14	–	–	–	2
(42)	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	1	2	7	–	–	–	1	–	–	–	–	10	–	–	–	2
(42)	2	–	–	2	–	9	–	–	–	–	1	2	–	–	8	–	2	–	–
	3	1	1	4	2	53	–	1	8	–	2	5	–	6	68	4	3	2	5
(43)	–	–	–	–	–	2	–	–	–	–	–	–	–	–	1	–	–	–	–

[2] Exclusive of stillbirths.

Abridged Int. List No.	Table 15 — Cause of Death.[1]	Deaths from Hull.	Huntington.	Ipswich.	Kingston.	Lakeville.	Lancaster.	Lanesborough.	Lawrence.	Lee.	Leicester.
	All Causes.[2]	**32**	**16**	**83**	**46**	**23**	**34**	**18**	**955**	**70**	**69**
(1)	Typhoid and paratyphoid fever (1, 2)	–	–	–	–	–	–	–	–	–	–
(3)	Smallpox (6)	–	–	–	–	–	–	–	–	–	–
(4)	Measles (7)	–	–	–	–	–	–	–	–	–	–
(5)	Scarlet fever (8)	–	–	1	–	–	–	–	1	–	–
(6)	Whooping cough (9)	–	–	–	–	–	–	–	5	–	–
(7)	Diphtheria (10)	–	–	–	–	–	–	–	–	–	–
(8)	Influenza (11)	1	–	–	1	–	–	2	8	1	2
(10)	Tuberculosis of the respiratory system (23)	1	–	1	–	1	1	–	23	–	3
(11)	Tuberculosis of the meninges and central nervous system (24)	–	–	–	–	–	–	–	–	–	1
(11)	Other forms of tuberculosis (25–32)	1	–	–	–	2	–	–	2	–	–
(12)	Syphilis (34)	–	–	–	–	–	–	–	4	–	–
(13)	Malaria (38)	–	–	–	–	–	–	–	–	–	–
(14)	Erysipelas (15)	–	–	–	–	–	–	–	1	–	–
(14)	Poliomyelitis (16)	–	–	–	–	–	–	–	–	–	–
(14)	Epidemic cerebrospinal meningitis (18)	1	–	–	–	–	–	–	–	–	–
(15)	Cancer and other malignant tumors (45–53)	3	2	11	7	1	6	–	116	13	9
(17)	Rheumatism (56, 57, 58)	–	–	1	–	–	–	–	2	–	–
(18)	Diabetes mellitus (59)	1	–	4	1	2	1	2	31	1	1
(19)	Alcoholism (acute or chronic) (75)	–	–	–	1	–	–	–	5	–	–
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (82)	4	2	7	7	3	2	–	94	4	7
(24)	Acute endocarditis (91)	1	2	–	–	–	–	–	2	–	–
(24)	Angina pectoris (94a)	–	–	2	1	2	–	–	43	2	1
(24)	Other diseases of the heart (90, 92, 93, 94b, 95)	6	3	27	12	6	12	8	237	13	21
(25)	Arteriosclerosis (97)	–	–	–	1	1	1	–	34	–	3
(26)	Bronchitis (106)	–	–	–	–	1	–	–	6	–	–
(27)	Bronchopneumonia (including capillary bronchitis) (107)	1	–	3	2	1	1	–	44	2	2
(27)	Lobar pneumonia (108)	–	–	2	3	–	–	–	31	2	4
(27)	Pneumonia (unspecified) (109)	–	–	–	–	–	–	–	–	–	–
(28)	Other respiratory diseases (104, 105, 110–114)	–	–	–	–	–	–	–	4	–	–
(29)	Diarrhea and enteritis (under 2 years) (119)	–	–	–	–	–	–	–	3	1	1
(30)	Appendicitis (121)	1	–	1	–	–	1	1	6	1	–
(31)	Cirrhosis of the liver (124)	–	–	1	–	–	1	–	11	1	1
(32)	Diseases of the stomach (117, 118)	–	–	1	–	–	–	–	4	1	–
(32)	Hernia, intestinal obstruction (122)	2	–	1	1	–	–	1	4	–	–
(33)	Nephritis (130–132)	1	2	4	2	–	1	1	67	10	3
(34)	Diseases of the female genital organs, not specified as venereal (139)	–	–	–	–	–	–	–	3	–	–
(35)	Puerperal septicemia (140, 145)	–	–	–	–	–	1	–	2	–	–
(36)	Other diseases of pregnancy, childbirth and the puerperal state (141–144, 146–150)	1	–	–	–	–	–	–	6	–	–
(38)	Congenital malformations (157)	1	–	–	–	–	–	–	10	–	–
(38)	Congenital debility (158)	–	–	–	2	–	–	–	1	–	–
(39)	Senility (162)	–	–	–	–	–	–	–	–	–	–
(40)	Suicide (163–171)	1	–	–	–	–	–	–	6	–	1
(41)	Homicide (172–175)	–	–	–	–	–	–	–	4	1	1
(42)	Violent and accidental deaths (suicide and homicide excepted) (176–198, 201–214)	–	3	4	4	1	4	2	47	5	2
(42)	*Burns (conflagration excepted) (181)*	–	–	–	–	–	1	–	3	–	1
(42)	*Accidental drowning (183)*	–	–	–	–	–	1	–	9	2	–
(42)	*Traumatism by fall (186a)*	–	–	2	1	–	–	1	14	1	–
(42)	*Railroad and automobile collisions (206)*	–	–	–	–	–	–	–	–	–	–
(42)	*Railroad accidents and injuries (207)*	–	–	–	–	–	–	–	1	1	–
(42)	*Street car and automobile collisions (208)*	–	–	–	–	–	–	–	–	–	–
(42)	*Other street car accidents (209)*	–	–	–	–	–	–	–	–	–	–
(42)	*Automobile accidents and injuries (210)*	–	2	1	1	1	–	1	12	1	1
(42)	*All others*	–	1	1	2	–	2	–	8	–	–
	All other defined causes (3–5, 12–14, 17, 19–22, 33, 35–37, 39–44, 54, 55, 60–74, 76–81, 83–89, 96, 98–103, 115, 116, 120, 123, 125–129, 133–138, 151–156, 159–161)	5	1	12	1	2	2	1	88	12	6
(43)	Cause of death not specified or ill-defined (199, 200)	–	1	–	–	–	–	–	–	–	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged lists appear in parentheses.

IMPORTANT CAUSES ALLOCATED TO EACH MUNICIPALITY: 1936.

Abridged Int. List No.	Lenox.	Leominster.	Leverett.	Lexington.	Leyden.	Lincoln.	Littleton.	Longmeadow.	Lowell.	Ludlow.	Lunenburg.	Lynn.	Lynnfield.	Malden.	Manchester.	Mansfield.	Marblehead.	Marion.	Marlborough.
	43	251	19	124	2	17	18	50	1,362	62	21	1,192	26	646	29	73	163	17	174
(1)	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
(3)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(4)	–	2	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
(5)	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	1	–	–
(6)	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	1	–	–	–
(7)	–	–	–	–	–	–	–	–	8	–	–	2	–	–	–	–	–	–	–
(8)	–	1	–	1	–	–	–	2	2	–	–	4	–	2	–	–	–	–	1
(10)	–	6	–	8	–	–	–	1	42	4	–	35	2	15	2	1	1	–	3
(11)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
(11)	–	–	–	–	–	–	–	–	2	–	1	3	–	2	–	1	–	–	1
(12)	–	–	–	–	–	–	–	–	8	–	–	12	–	2	1	–	–	–	1
(13)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	1	1	–	1	–	–	–	–	1	–	–	–	–	2	–	–	1	–	1
(14)	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
(14)	–	2	–	–	–	1	–	–	1	–	–	1	–	3	–	–	–	–	–
(15)	7	33	4	22	–	1	1	11	168	8	1	165	2	88	4	7	20	2	25
(17)	–	–	–	–	–	1	–	–	6	–	–	4	–	2	–	–	–	–	–
(18)	–	5	–	6	–	1	–	4	39	1	–	30	2	17	1	1	3	–	5
(19)	–	–	–	2	–	–	–	–	3	–	–	6	–	–	–	–	–	–	–
(22)	5	21	1	11	–	2	1	2	110	5	2	106	2	58	–	3	31	3	18
(24)	–	1	–	1	–	–	–	–	3	–	–	1	–	1	–	–	–	–	–
(24)	1	–	–	2	–	1	–	1	15	–	–	13	–	5	–	5	5	–	1
(24)	21	77	6	31	–	5	10	8	382	14	10	357	8	199	9	23	53	8	57
(25)	–	4	–	–	–	–	2	2	58	–	–	25	1	14	1	1	4	–	4
(26)	–	–	1	–	–	–	–	–	9	–	–	1	–	–	–	–	2	–	–
(27)	–	13	–	3	–	–	1	1	58	6	1	45	–	22	1	5	3	–	5
(27)	1	8	–	4	1	–	–	5	42	2	1	49	–	27	2	4	2	–	5
(27)	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
(28)	–	2	–	–	–	–	–	–	10	–	1	4	–	5	–	–	–	–	–
(29)	–	–	–	–	–	–	–	–	4	–	–	5	–	1	–	–	1	–	2
(30)	1	3	–	–	–	–	1	–	14	2	–	8	–	4	–	1	1	–	4
(31)	–	1	1	1	–	–	–	–	17	1	–	6	–	5	–	1	–	–	2
(32)	1	3	1	1	–	–	–	–	5	–	–	7	–	6	–	–	1	–	–
(32)	1	1	–	–	–	–	–	–	15	–	–	4	–	10	–	–	–	–	–
(33)	1	20	–	16	–	2	–	5	61	6	1	102	5	32	2	5	12	–	10
(34)	–	–	–	–	–	–	–	–	4	–	–	–	–	1	1	–	–	–	1
(35)	–	1	1	–	–	–	–	–	3	–	–	1	–	–	–	–	–	–	–
(36)	–	–	–	1	–	–	–	–	4	–	–	5	–	1	–	–	–	–	–
(38)	–	1	–	1	–	–	1	1	14	1	–	4	–	9	–	1	–	–	–
(38)	–	1	–	–	–	–	–	–	1	–	–	1	–	–	–	–	1	–	–
(39)	–	–	–	–	–	–	–	–	4	–	–	3	–	–	–	–	–	–	–
(40)	–	2	–	–	–	–	–	1	16	1	–	18	–	6	1	–	–	1	1
(41)	–	–	–	–	–	–	–	–	3	–	–	1	–	1	–	–	–	–	1
(42)	1	12	2	1	–	3	–	2	74	5	–	60	4	36	3	6	10	3	10
(42)	–	–	–	–	–	–	–	–	4	–	–	8	–	1	–	1	–	–	2
(42)	–	–	–	–	–	–	–	–	7	1	–	–	–	3	–	2	–	–	–
(42)	–	6	1	1	–	2	–	–	36	2	–	23	2	11	3	1	2	1	2
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	3	1	–	2	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
(42)	–	1	1	–	–	–	–	2	16	1	–	15	1	15	–	1	3	2	5
(42)	1	4	–	–	–	1	–	–	8	–	–	12	1	5	–	1	5	–	1
	2	30	2	11	1	–	1	4	150	6	3	97	–	70	1	7	10	–	16
(43)	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–

[1] Exclusive of stillbirths.

Abridged Int. List No.	Table 15 — Cause of Death.[1]	Deaths from Marshfield.	Mashpee.	Mattapoisett.	Maynard.	Medfield.	Medford.	Medway.	Melrose.	Mendon.	Merrimac.
	All Causes.[2]	38	10	24	72	92	589	38	267	13	35
(1)	Typhoid and paratyphoid fever (1, 2)	–	–	–	–	–	–	–	–	–	–
(3)	Smallpox (6)	–	–	–	–	–	–	–	–	–	–
(4)	Measles (7)	–	–	–	–	–	2	–	–	–	–
(5)	Scarlet fever (8)	–	–	–	–	–	1	–	–	–	–
(6)	Whooping cough (9)	–	–	–	–	–	1	–	–	–	–
(7)	Diphtheria (10)	–	–	–	–	–	–	–	–	–	–
(8)	Influenza (11)	1	–	–	–	–	–	–	1	–	–
(10)	Tuberculosis of the respiratory system (23)	–	–	–	3	15	19	–	4	–	2
(11)	Tuberculosis of the meninges and central nervous system (24)	–	–	–	–	–	2	–	–	–	–
(11)	Other forms of tuberculosis (25–32)	–	–	–	–	–	1	–	–	–	–
(12)	Syphilis (34)	–	3	–	–	–	3	–	3	–	–
(13)	Malaria (38)	–	–	–	–	–	–	–	–	–	–
(14)	Erysipelas (15)	–	–	–	–	–	1	–	–	–	–
(14)	Poliomyelitis (16)	–	–	–	–	–	–	–	–	–	–
(14)	Epidemic cerebrospinal meningitis (18)	–	–	–	–	–	–	–	–	–	–
(15)	Cancer and other malignant tumors (45–53)	5	–	6	12	5	98	6	44	1	6
(17)	Rheumatism (56, 57, 58)	1	–	–	–	–	–	–	–	–	–
(18)	Diabetes mellitus (59)	–	–	–	1	3	11	1	9	–	1
(19)	Alcoholism (acute or chronic) (75)	–	–	–	–	–	1	–	–	–	1
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (82)	5	–	2	4	2	38	2	15	3	4
(24)	Acute endocarditis (91)	–	–	–	–	1	–	–	1	–	–
(24)	Angina pectoris (94a)	–	1	–	–	2	10	–	4	–	–
(24)	Other diseases of the heart (90, 92, 93, 94b, 95)	13	2	9	27	31	173	14	97	3	10
(25)	Arteriosclerosis (97)	2	–	1	1	8	11	4	5	–	–
(26)	Bronchitis (106)	–	–	–	–	–	–	–	1	–	–
(27)	Bronchopneumonia (including capillary bronchitis) (107)	2	–	1	2	3	20	1	7	–	1
(27)	Lobar pneumonia (108)	–	–	1	4	3	23	–	7	2	2
(27)	Pneumonia (unspecified) (109)	–	–	–	–	–	2	–	–	–	–
(28)	Other respiratory diseases (104, 105, 110–114)	–	1	1	1	–	6	–	1	–	–
(29)	Diarrhea and enteritis (under 2 years) (119)	–	–	–	–	–	2	–	–	–	–
(30)	Appendicitis (121)	3	–	–	–	–	3	1	4	–	–
(31)	Cirrhosis of the liver (124)	–	–	–	–	1	7	–	–	–	1
(32)	Diseases of the stomach (117, 118)	–	–	–	1	–	5	–	2	–	–
(32)	Hernia, intestinal obstruction (122)	–	–	–	2	–	4	–	3	–	–
(33)	Nephritis (130–132)	1	–	–	6	2	37	4	15	1	3
(34)	Diseases of the female genital organs, not specified as venereal (139)	–	–	–	–	–	1	–	–	–	–
(35)	Puerperal septicemia (140, 145)	–	–	–	–	–	1	–	–	–	–
(36)	Other diseases of pregnancy, childbirth and the puerperal state (141–144, 146–150)	–	–	–	–	2	1	–	–	–	–
(38)	Congenital malformations (157)	–	–	–	1	–	4	1	–	–	–
(38)	Congenital debility (158)	–	–	–	–	–	–	–	–	–	–
(39)	Senility (162)	–	–	–	–	–	–	–	1	–	–
(40)	Suicide (163–171)	–	–	1	–	–	7	–	2	–	1
(41)	Homicide (172–175)	–	–	–	–	–	2	–	–	–	–
(42)	Violent and accidental deaths (suicide and homicide excepted) (176–198, 201–214)	3	3	–	2	5	42	1	13	1	1
(42)	*Burns (conflagration excepted) (181)*	–	–	–	–	–	–	–	1	–	–
(42)	*Accidental drowning (183)*	–	–	–	–	2	–	–	–	–	–
(42)	*Traumatism by fall (186a)*	1	1	–	–	1	15	–	3	–	–
(42)	*Railroad and automobile collisions (206)*	–	–	–	–	–	–	–	–	–	–
(42)	*Railroad accidents and injuries (207)*	–	–	–	–	–	3	–	2	–	–
(42)	*Street car and automobile collisions (208)*	–	–	–	–	–	–	–	–	–	–
(42)	*Other street car accidents (209)*	–	–	–	–	–	1	–	1	–	–
(42)	*Automobile accidents and injuries (210)*	1	–	–	2	–	15	1	4	1	–
(42)	*All others*	1	2	–	–	2	8	–	2	–	1
	All other defined causes (3–5, 12–14, 17, 19–22, 33, 35–37, 39–44, 54, 55, 60–74, 76–81, 83–89, 96, 98–103, 115, 116, 120, 123, 125–129, 133–138, 151–156, 159–161)	2	–	2	5	9	50	3	28	2	2
(43)	Cause of death not specified or ill-defined (199, 200)	–	–	–	–	–	–	–	–		–

The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES ALLOCATED TO EACH MUNICIPALITY: 1936.

Abridged Int. List No.	Methuen.	Middleborough.	Middlefield.	Middleton.	Milford.	Millbury.	Millis.	Millville.	Milton.	Monroe.	Monson.	Montague.	Monterey.	Montgomery.	Mount Washington.	Nahant.	Nantucket.	Natick.	Needham.
	236	**141**	**1**	**34**	**166**	**80**	**19**	**21**	**202**	**2**	**95**	**102**	–	**3**	**2**	**23**	**63**	**156**	**99**
(1)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(3)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(4)	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
(5)	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
(6)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(7)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(8)	6	–	–	–	1	2	–	–	2	–	–	3	–	–	–	–	–	2	1
(10)	3	–	–	11	8	3	2	1	1	–	1	2	–	–	–	–	3	3	–
(11)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(11)	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
(12)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(13)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–
(15)	37	15	–	2	19	7	5	3	34	2	10	10	–	–	1	3	8	24	14
(17)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
(18)	7	4	–	–	6	–	–	–	6	–	–	1	–	–	–	2	2	2	2
(19)	–	1	–	1	1	–	–	–	–	–	–	3	–	–	–	–	–	1	–
(22)	24	14	1	3	15	9	–	3	23	–	3	7	–	–	–	2	11	11	9
(24)	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
(24)	11	2	–	–	1	–	–	–	6	–	–	–	–	–	–	–	–	3	5
(24)	50	42	–	10	46	22	2	2	66	–	24	28	–	1	1	8	15	40	35
(25)	4	9	–	1	8	–	–	–	6	–	1	1	–	–	–	1	3	2	4
(26)	1	–	–	–	1	–	–	–	–	–	1	–	–	–	–	1	1	–	–
(27)	10	5	–	1	10	4	–	1	6	–	6	1	–	–	–	–	1	6	4
(27)	4	4	–	–	12	4	–	–	9	–	–	1	–	1	–	1	1	8	4
(27)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
(28)	2	2	–	–	1	–	–	–	2	–	4	2	–	–	–	–	–	–	1
(29)	–	–	–	–	2	1	–	–	–	–	–	1	–	–	–	–	–	–	–
(30)	4	2	–	–	–	–	1	–	2	–	–	1	–	–	–	1	–	1	–
(31)	2	1	–	–	–	1	–	1	1	–	1	2	–	–	–	–	–	–	–
(32)	–	2	–	–	2	1	–	–	1	–	1	2	–	–	–	–	–	1	1
(32)	3	1	–	–	2	–	–	–	2	–	3	–	–	–	–	–	–	2	1
(33)	27	7	–	–	8	9	–	5	6	–	11	18	–	–	–	1	1	10	3
(34)	–	1	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
(35)	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
(36)	–	1	–	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–
(38)	6	1	–	–	1	–	–	–	–	–	1	–	–	–	–	–	1	2	–
(38)	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
(39)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(40)	–	2	–	–	4	2	1	1	–	–	–	2	–	–	–	1	1	3	3
(41)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	8	10	–	3	9	4	4	3	9	–	8	4	–	–	–	–	5	13	8
(42)	–	1	–	–	–	–	1	–	–	–	1	–	–	–	–	–	1	1	1
(42)	–	1	–	–	2	1	1	–	–	–	1	–	–	–	–	–	1	–	–
(42)	5	3	–	2	3	–	–	–	6	–	4	3	–	–	–	–	2	7	2
(42)	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	1	3	–	1	3	1	1	2	3	–	1	–	–	–	–	–	1	1	4
(42)	2	1	–	–	1	1	1	–	–	–	1	1	–	–	–	–	–	4	1
	26	12	–	2	7	8	2	–	18	–	19	12	–	1	–	2	9	17	4
(43)	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–

[2] Exclusive of stillbirths.

Abridged Int. List No.	Table 15 — Cause of Death.[1]	Deaths from New Ashford.	New Bedford.	New Braintree.	New Marlborough.	New Salem.	Newbury.	Newburyport.	Newton.	Norfolk.	North Adams.
	All Causes.[2]	1	1,326	3	10	10	25	187	664	16	303
(1)	Typhoid and paratyphoid fever (1, 2)	–	1	–	–	–	–	–	1	–	–
(3)	Smallpox (6)	–	–	–	–	–	–	–	–	–	–
(4)	Measles (7)	–	–	–	–	–	–	–	1	–	–
(5)	Scarlet fever (8)	–	1	–	–	–	–	–	–	–	–
(6)	Whooping cough (9)	–	1	–	–	–	–	–	–	–	1
(7)	Diphtheria (10)	–	1	–	–	–	–	–	–	–	–
(8)	Influenza (11)	–	22	–	–	2	–	–	2	–	5
(10)	Tuberculosis of the respiratory system (23)	1	51	–	–	–	–	2	13	–	3
(11)	Tuberculosis of the meninges and central nervous system (24)	–	3	–	–	–	–	–	2	–	1
(11)	Other forms of tuberculosis (25–32)	–	6	–	–	–	–	–	3	–	–
(12)	Syphilis (34)	–	11	–	–	–	–	1	–	–	–
(13)	Malaria (38)	–	–	–	–	–	–	–	–	–	–
(14)	Erysipelas (15)	–	1	–	–	–	–	–	1	–	–
(14)	Poliomyelitis (16)	–	2	–	–	–	–	–	–	–	–
(14)	Epidemic cerebrospinal meningitis (18)	–	1	–	–	–	–	–	2	–	–
(15)	Cancer and other malignant tumors (45–53)	–	158	1	–	1	5	25	99	2	36
(17)	Rheumatism (56, 57, 58)	–	2	–	–	–	–	–	1	–	–
(18)	Diabetes mellitus (59)	–	44	–	–	–	–	3	26	–	8
(19)	Alcoholism (acute or chronic) (75)	–	2	–	–	–	–	1	1	–	–
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (82)	–	125	–	3	3	2	16	59	2	15
(24)	Acute endocarditis (91)	–	3	–	–	–	–	–	2	–	1
(24)	Angina pectoris (94a)	–	9	–	1	–	–	2	5	–	8
(24)	Other diseases of the heart (90, 92, 93, 94b, 95)	–	420	–	1	2	5	71	197	6	99
(25)	Arteriosclerosis (97)	–	35	–	1	–	–	3	16	–	3
(26)	Bronchitis (106)	–	2	–	–	–	–	1	–	–	1
(27)	Bronchopneumonia (including capillary bronchitis) (107)	–	70	–	1	–	–	10	27	–	12
(27)	Lobar pneumonia (108)	–	24	–	–	1	2	6	20	1	10
(27)	Pneumonia (unspecified) (109)	–	–	–	–	–	–	–	–	–	–
(28)	Other respiratory diseases (104, 105, 110–114)	–	7	–	–	–	–	1	2	–	4
(29)	Diarrhea and enteritis (under 2 years) (119)	–	1	–	–	–	–	–	–	–	1
(30)	Appendicitis (121)	–	9	–	–	–	1	–	3	–	3
(31)	Cirrhosis of the liver (124)	–	3	–	–	–	–	–	5	–	5
(32)	Diseases of the stomach (117, 118)	–	5	1	–	–	–	–	2	–	3
(32)	Hernia, intestinal obstruction (122)	–	14	–	–	–	–	1	3	–	2
(33)	Nephritis (130–132)	–	57	–	–	–	4	12	31	3	26
(34)	Diseases of the female genital organs, not specified as venereal (139)	–	–	–	–	1	–	–	1	–	1
(35)	Puerperal septicemia (140, 145)	–	5	–	–	–	–	–	–	–	–
(36)	Other diseases of pregnancy, childbirth and the puerperal state (141–144, 146–150)	–	7	–	–	–	–	2	2	–	1
(38)	Congenital malformations (157)	–	13	–	–	–	–	–	8	–	4
(38)	Congenital debility (158)	–	3	–	–	–	–	1	1	–	1
(39)	Senility (162)	–	1	–	–	–	–	–	1	–	–
(40)	Suicide (163–171)	–	19	–	–	–	1	4	11	1	3
(41)	Homicide (172–175)	–	1	–	2	–	–	–	1	–	–
(42)	Violent and accidental deaths (suicide and homicide excepted) (176–198, 201–214)	–	60	1	–	–	2	7	49	1	14
(42)	*Burns (conflagration excepted) (181)*	–	4	–	–	–	–	–	–	–	–
(42)	*Accidental drowning (183)*	–	3	–	–	–	–	1	3	–	–
(42)	*Traumatism by fall (186a)*	–	26	1	–	–	–	5	16	1	7
(42)	*Railroad and automobile collisions (206)*	–	–	–	–	–	–	–	–	–	–
(42)	*Railroad accidents and injuries (207)*	–	–	–	–	–	–	–	2	–	–
(42)	*Street car and automobile collisions (208)*	–	3	–	–	–	–	–	–	–	–
(42)	*Other street car accidents (209)*	–	1	–	–	–	–	–	–	–	–
(42)	*Automobile accidents and injuries (210)*	–	11	–	–	–	1	1	18	–	6
(42)	*All others*	–	12	–	–	–	1	–	10	–	1
	All other defined causes (3–5, 12–14, 17, 19–22, 33, 35–37, 39–44, 54, 55, 60–74, 76–81, 83–89, 96, 98–103, 115, 116, 120, 123, 125–129, 133–138, 151–156, 159–161)	–	125	–	1	–	3	18	66	–	32
(43)	Cause of death not specified or ill-defined 199, 200)	–	1	–	–	–	–	–	–	–	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES ALLOCATED TO EACH MUNICIPALITY: 1936.

Abridged Int. List No.	North Andover.	North Attleborough.	North Brookfield.	North Reading.	NORTHAMPTON.	Northborough.	Northbridge.	Northfield.	Norton.	Norwell.	Norwood.	Oak Bluffs.	Oakham.	Orange.	Orleans.	Otis.	Oxford.	Palmer.	Paxton.
	82	114	43	32	303	31	101	20	43	28	138	28	11	64	20	6	51	98	9
(1)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(3)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(4)	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
(5)	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	2	–
(6)	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
(7)	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(8)	–	–	–	–	1	–	1	–	–	–	1	–	–	–	–	–	–	2	–
(10)	1	3	–	4	14	–	1	1	1	–	4	2	–	1	–	–	1	1	–
(11)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
(11)	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(12)	1	–	–	–	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–
(13)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–
(14)	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
(15)	10	11	3	4	29	6	14	3	5	3	20	1	–	9	2	1	6	15	–
(17)	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–
(18)	5	2	2	–	5	1	5	1	1	–	4	1	–	1	1	–	–	3	1
(19)	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
(22)	7	15	3	1	30	2	12	3	6	3	11	6	3	7	3	–	4	6	1
(24)	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
(24)	7	2	–	–	4	–	2	1	–	–	4	1	–	4	2	1	–	–	1
(24)	20	33	12	9	105	15	25	8	13	9	37	8	4	20	7	1	18	19	3
(25)	2	3	–	2	9	–	2	–	1	1	2	–	–	–	1	–	1	–	–
(26)	–	–	–	–	–	–	1	–	–	–	–	1	–	1	–	–	–	1	–
(27)	3	2	3	–	10	1	4	–	1	2	3	–	–	3	1	–	5	4	1
(27)	2	3	–	1	5	–	9	–	3	2	3	–	1	1	–	–	2	4	1
(27)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(28)	1	–	1	–	4	–	–	–	–	–	–	–	–	1	–	–	–	–	–
(29)	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–
(30)	1	2	–	1	–	–	–	–	–	–	1	–	–	2	–	1	–	–	–
(31)	–	–	1	–	2	–	1	–	–	–	–	–	–	–	–	–	1	1	–
(32)	–	1	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–
(32)	–	2	–	–	1	–	1	–	1	–	1	1	–	1	–	–	–	–	–
(33)	7	8	4	3	21	2	5	2	5	2	4	4	–	4	2	–	2	12	1
(34)	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–	–	1	–	–
(35)	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–
(36)	–	2	–	–	–	–	–	–	–	–	3	–	–	1	–	–	–	1	–
(38)	1	2	–	–	3	1	2	–	–	–	4	–	–	1	–	–	2	2	–
(38)	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–
(39)	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(40)	3	–	–	–	3	–	2	–	–	1	–	–	–	–	–	2	–	1	–
(41)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
(42)	5	6	5	4	19	1	4	–	2	1	14	–	1	3	–	–	3	13	–
(42)	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–
(42)	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
(42)	2	2	1	1	9	–	1	–	1	1	3	–	–	1	–	–	1	2	–
(42)	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	2	3	3	2	3	1	1	–	1	–	8	–	1	2	–	–	1	3	–
(42)	1	1	1	1	4	–	2	–	–	–	2	–	–	–	–	–	1	7	–
	5	13	5	3	29	2	6	1	4	4	16	2	2	1	–	–	3	6	–
(43)	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–

[2] Exclusive of stillbirths.

Abridged Int. List No.	Table 15 — Cause of Death.	Deaths from Peabody.	Pelham.	Pembroke.	Pepperell.	Peru.	Petersham.	Phillipston.	Pittsfield.	Plainfield.	Plainville.
	All Causes.[2]	**228**	**6**	**25**	**59**	**1**	**8**	**6**	**515**	**3**	**28**
(1)	Typhoid and paratyphoid fever (1, 2)	–	–	–	–	–	–	–	1	–	–
(3)	Smallpox (6)	–	–	–	–	–	–	–	–	–	–
(4)	Measles (7)	–	–	–	–	–	–	–	–	–	–
(5)	Scarlet fever (8)	–	–	–	–	–	–	–	2	–	–
(6)	Whooping cough (9)	–	–	–	–	–	–	–	–	–	–
(7)	Diphtheria (10)	–	–	–	–	–	–	–	–	–	–
(8)	Influenza (11)	1	–	–	–	–	–	–	5	–	–
(10)	Tuberculosis of the respiratory system (23)	5	–	1	2	–	–	–	4	–	–
(11)	Tuberculosis of the meninges and central nervous system (24)	1	–	–	–	–	–	–	–	–	–
(11)	Other forms of tuberculosis (25–32)	1	–	–	–	–	–	–	3	–	1
(12)	Syphilis (34)	1	–	–	–	–	–	–	1	–	–
(13)	Malaria (38)	–	–	–	–	–	–	–	–	–	–
(14)	Erysipelas (15)	–	–	–	–	–	–	–	2	–	–
(14)	Poliomyelitis (16)	–	–	–	–	–	–	–	–	–	–
(14)	Epidemic cerebrospinal meningitis (18)	–	–	–	–	–	–	–	–	–	–
(15)	Cancer and other malignant tumors (45–53)	36	–	2	9	1	–	1	51	–	3
(17)	Rheumatism (56, 57, 58)	–	–	–	–	–	–	–	1	–	–
(18)	Diabetes mellitus (59)	7	1	2	1	–	–	–	17	1	1
(19)	Alcoholism (acute or chronic) (75)	–	–	–	–	–	–	–	2	–	–
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (82)	20	–	–	6	–	1	2	46	1	4
(24)	Acute endocarditis (91)	–	–	–	–	–	–	–	–	–	–
(24)	Angina pectoris (94a)	3	–	1	1	–	–	–	9	–	1
(24)	Other diseases of the heart (90, 92, 93, 94b, 95)	64	3	8	20	–	2	1	152	1	8
(25)	Arteriosclerosis (97)	8	–	–	2	–	1	–	8	–	–
(26)	Bronchitis (106)	–	–	–	–	–	–	–	1	–	–
(27)	Bronchopneumonia (including capillary bronchitis) (107)	5	–	–	3	–	–	–	14	–	–
(27)	Lobar pneumonia (108)	5	–	2	3	–	–	–	18	–	–
(27)	Pneumonia (unspecified) (109)	–	–	–	–	–	–	–	–	–	–
(28)	Other respiratory diseases (104, 105, 110–114)	2	–	–	1	–	–	–	3	–	–
(29)	Diarrhea and enteritis (under 2 years) (119)	–	–	–	–	–	–	–	1	–	1
(30)	Appendicitis (121)	4	–	–	–	–	1	–	3	–	–
(31)	Cirrhosis of the liver (124)	1	–	–	1	–	–	–	3	–	1
(32)	Diseases of the stomach (117, 118)	2	–	–	–	–	1	–	3	–	–
(32)	Hernia, intestinal obstruction (122)	1	–	–	–	–	1	–	9	–	1
(33)	Nephritis (130–132)	18	1	4	–	–	1	2	51	–	–
(34)	Diseases of the female genital organs, not specified as venereal (139)	–	–	–	–	–	–	–	–	–	–
(35)	Puerperal septicemia (140, 145)	–	–	–	–	–	–	–	–	–	–
(36)	Other diseases of pregnancy, childbirth and the puerperal state (141–144, 146–150)	4	–	–	–	–	–	–	2	–	–
(38)	Congenital malformations (157)	4	–	–	1	–	–	–	2	–	–
(38)	Congenital debility (158)	–	–	–	–	–	–	–	3	–	–
(39)	Senility (162)	–	–	–	–	–	–	–	–	–	–
(40)	Suicide (163–171)	4	–	1	2	–	–	–	11	–	–
(41)	Homicide (172–175)	–	–	–	–	–	–	–	1	–	–
(42)	Violent and accidental deaths (suicide and homicide excepted) (176–198, 201–214)	10	1	1	2	–	–	–	35	–	1
(42)	*Burns (conflagration excepted) (181)*	1	–	–	1	–	–	–	2	–	–
(42)	*Accidental drowning (183)*	2	–	1	–	–	–	–	1	–	–
(42)	*Traumatism by fall (186a)*	2	–	–	–	–	–	–	12	–	1
(42)	*Railroad and automobile collisions (206)*	–	–	–	–	–	–	–	–	–	–
(42)	*Railroad accidents and injuries (207)*	–	–	–	–	–	–	–	3	–	–
(42)	*Street car and automobile collisions (208)*	–	–	–	–	–	–	–	–	–	–
(42)	*Other street car accidents (209)*	–	–	–	–	–	–	–	–	–	–
(42)	*Automobile accidents and injuries (210)*	2	–	–	–	–	–	–	11	–	–
(42)	*All others*	3	1	–	1	–	–	–	6	–	–
	All other defined causes (3–5, 12–14, 17, 19–22, 33, 35–37, 39–44, 54, 55, 60–74, 76–81, 83–89, 96, 98–103, 115, 116, 120, 123, 125–129, 133–138, 151–156, 159–161)	21	–	3	5	–	–	–	51	–	6
(43)	Cause of death not specified or ill-defined (199, 200)	–	–	–	–	–	–	–	–	–	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES ALLOCATED TO EACH MUNICIPALITY: 1936.

Abridged Int. List No.	Plymouth.	Plympton.	Prescott.	Princeton.	Provincetown.	Quincy.	Randolph.	Raynham.	Reading.	Rehoboth.	Revere.	Richmond.	Rochester.	Rockland.	Rockport.	Rowe.	Rowley.	Royalston.	Russell.
	167	**12**	–	**7**	**63**	**731**	**89**	**14**	**119**	**23**	**351**	**11**	**15**	**112**	**52**	**5**	**22**	**12**	**9**
(1)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(3)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(4)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(5)	2	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
(6)	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
(7)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(8)	5	–	–	–	–	4	–	–	–	–	–	–	–	1	–	2	–	–	–
(10)	5	–	–	–	2	23	5	–	3	1	6	–	1	2	2	–	–	–	–
(11)	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
(11)	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
(12)	–	–	–	–	–	2	–	–	1	–	1	–	1	1	–	–	–	1	1
(13)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	3	1	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	3	–	–	–	–	–	–	–	1	–	–	–	–	–
(15)	18	2	–	1	11	113	12	1	26	2	56	2	–	9	8	1	5	2	1
(17)	–	–	–	–	–	1	1	–	–	–	1	–	–	1	–	–	–	–	–
(18)	4	–	–	–	4	20	3	–	5	1	8	–	1	3	1	–	–	1	–
(19)	–	–	–	–	1	4	–	–	–	–	–	–	–	1	–	–	–	–	1
(22)	11	1	–	1	4	46	8	–	13	3	27	1	4	6	6	1	1	1	–
(24)	1	–	–	–	–	2	–	–	1	–	1	–	–	–	–	–	–	–	–
(24)	–	–	–	–	1	4	2	1	3	–	3	–	1	1	1	–	–	–	–
(24)	49	3	–	3	23	197	27	5	28	6	102	6	4	41	16	–	4	2	1
(25)	2	2	–	–	1	11	5	–	2	–	6	–	–	6	2	–	–	–	–
(26)	1	–	–	–	–	2	–	–	2	–	2	–	–	–	–	–	–	–	–
(27)	5	–	–	–	–	28	4	1	3	–	23	–	–	5	–	–	–	–	–
(27)	2	–	–	–	3	27	3	–	1	–	16	–	–	2	3	–	1	–	–
(27)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(28)	2	–	–	–	1	6	–	–	1	–	1	–	–	–	–	–	–	2	–
(29)	–	–	–	–	–	1	–	–	–	–	–	–	1	2	1	–	–	–	–
(30)	3	–	–	–	–	11	–	–	2	–	4	–	–	–	–	–	–	–	–
(31)	3	–	–	–	–	5	–	–	–	–	5	–	–	1	–	–	–	–	–
(32)	3	1	–	–	–	6	–	–	1	–	4	–	–	1	–	–	1	–	–
(32)	1	–	–	1	1	7	–	–	–	–	1	–	–	1	–	–	–	–	–
(33)	24	–	–	1	2	63	8	1	10	1	21	2	–	10	4	–	8	1	3
(34)	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
(35)	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
(36)	–	–	–	–	–	8	–	–	–	–	2	–	–	1	–	–	–	–	–
(38)	1	–	–	–	–	6	–	1	1	–	2	–	–	2	–	–	–	–	1
(38)	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
(39)	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
(40)	2	–	–	–	–	10	1	–	3	1	3	–	–	4	1	–	–	–	–
(41)	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–
(42)	5	2	–	–	4	39	5	2	5	2	20	–	–	4	2	1	1	–	1
(42)	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	1	–	–	–	–	2	–	–	–	–	5	–	–	–	–	–	–	–	–
(42)	2	–	–	–	2	16	1	1	3	1	3	–	–	2	1	1	–	–	1
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	1	–	–	–	11	4	–	2	1	5	–	–	1	–	–	1	–	–
(42)	2	1	–	–	1	9	–	1	–	–	4	–	–	1	1	–	–	–	–
	18	1	–	–	3	73	4	2	6	5	34	–	2	6	4	–	–	2	–
(43)	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–

[1] Exclusive of stillbirths.

Abridged Int. List No.	Table 15 — Cause of Death.[1]	Deaths from Rutland.	Salem.	Salisbury.	Sandisfield.	Sandwich.	Saugus.	Savoy.	Scituate.	Seekonk.	Sharon.
	All Causes.[2]	**46**	**528**	**31**	**9**	**33**	**164**	**3**	**63**	**47**	**57**
(1)	Typhoid and paratyphoid fever (1, 2)	–	–	–	–	–	–	–	–	–	–
(3)	Smallpox (6)	–	–	–	–	–	–	–	–	–	–
(4)	Measles (7)	–	–	–	–	–	–	–	–	–	–
(5)	Scarlet fever (8)	–	1	–	–	–	–	–	–	–	–
(6)	Whooping cough (9)	–	–	–	–	–	–	–	–	–	–
(7)	Diphtheria (10)	–	–	–	–	–	–	–	–	–	–
(8)	Influenza (11)	–	2	–	–	–	2	–	–	–	–
(10)	Tuberculosis of the respiratory system (23)	25	10	2	–	–	3	–	2	1	4
(11)	Tuberculosis of the meninges and central nervous system (24)	–	1	–	–	–	–	–	–	–	–
(11)	Other forms of tuberculosis (25–32)	–	1	–	–	–	–	–	–	–	1
(12)	Syphilis (34)	–	–	1	–	–	–	–	–	1	–
(13)	Malaria (38)	–	–	–	–	–	–	–	–	–	–
(14)	Erysipelas (15)	–	–	–	–	–	1	–	–	–	–
(14)	Poliomyelitis (16)	–	–	–	–	–	–	–	–	–	–
(14)	Epidemic cerebrospinal meningitis (18)	–	–	–	–	–	1	–	–	–	–
(15)	Cancer and other malignant tumors (45–53)	4	64	3	–	4	12	–	13	7	6
(17)	Rheumatism (56, 57, 58)	1	1	–	–	–	–	–	1	–	–
(18)	Diabetes mellitus (59)	–	22	2	–	–	3	–	–	–	4
(19)	Alcoholism (acute or chronic) (75)	–	–	–	–	–	–	–	–	–	2
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (82)	5	34	2	1	3	22	–	9	5	6
(24)	Acute endocarditis (91)	–	–	–	–	–	–	–	–	–	–
(24)	Angina pectoris (94a)	–	7	1	–	1	4	1	1	–	–
(24)	Other diseases of the heart (90, 92, 93, 94b, 95)	5	190	8	5	8	56	2	14	18	16
(25)	Arteriosclerosis (97)	–	13	2	–	–	3	–	2	1	1
(26)	Bronchitis (106)	–	1	–	–	–	–	–	–	1	–
(27)	Bronchopneumonia (including capillary bronchitis) (107)	–	17	–	–	1	7	–	3	–	3
(27)	Lobar pneumonia (108)	–	24	–	2	1	6	–	4	–	2
(27)	Pneumonia (unspecified) (109)	–	–	–	–	–	–	–	–	–	–
(28)	Other respiratory diseases (104, 105, 110–114)	–	2	–	–	–	7	–	1	1	1
(29)	Diarrhea and enteritis (under 2 years) (119)	–	9	–	–	1	–	–	–	–	–
(30)	Appendicitis (121)	–	5	–	–	–	3	–	2	–	1
(31)	Cirrhosis of the liver (124)	–	1	–	–	–	3	–	1	–	–
(32)	Diseases of the stomach (117, 118)	1	5	–	–	2	1	–	–	–	1
(32)	Hernia, intestinal obstruction (122)	1	1	–	–	–	1	–	–	–	–
(33)	Nephritis (130–132)	1	13	3	–	3	5	–	4	4	3
(34)	Diseases of the female genital organs, not specified as venereal (139)	1	2	–	–	–	–	–	1	–	–
(35)	Puerperal septicemia (140, 145)	–	1	–	–	–	–	–	–	–	–
(36)	Other diseases of pregnancy, childbirth and the puerperal state (141–144, 146–150)	–	3	–	–	–	1	–	–	–	–
(38)	Congenital malformations (157)	–	5	1	–	1	2	–	–	–	–
(38)	Congenital debility (158)	–	–	–	–	–	1	–	–	–	–
(39)	Senility (162)	–	2	–	–	–	–	–	1	–	–
(40)	Suicide (163–171)	–	7	1	1	–	3	–	2	1	–
(41)	Homicide (172–175)	–	1	–	–	–	–	–	–	–	–
(42)	Violent and accidental deaths (suicide and homicide excepted) (176–198, 201–214)	–	28	3	–	5	6	–	–	3	1
(42)	*Burns (conflagration excepted) (181)*	–	1	–	–	–	1	–	–	–	–
(42)	*Accidental drowning (183)*	–	2	–	–	–	–	–	–	1	–
(42)	*Traumatism by fall (186a)*	–	10	1	–	1	4	–	–	1	–
(42)	*Railroad and automobile collisions (206)*	–	–	–	–	–	–	–	–	–	–
(42)	*Railroad accidents and injuries (207)*	–	–	–	–	2	–	–	–	–	–
(42)	*Street car and automobile collisions (208)*	–	–	–	–	–	–	–	–	–	–
(42)	*Other street car accidents (209)*	–	1	–	–	–	–	–	–	–	–
(42)	*Automobile accidents and injuries (210)*	–	8	–	–	1	–	–	–	–	1
(42)	*All others*	–	6	2	–	1	1	–	–	1	–
	All other defined causes (3–5, 12–14, 17, 19–22, 33, 35–37, 39–44, 54, 55, 60–74, 76–81, 83–89, 96, 98–103, 115, 116, 120, 123, 125–129, 133–138, 151–156, 159–161)	2	55	2	–	3	11	–	2	4	5
(43)	Cause of death not specified or ill-defined (199, 200)	–	–	–	–	–	–	–	–	–	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES ALLOCATED TO EACH MUNICIPALITY: 1936.

Abridged Int. List No.	Sheffield.	Shelburne.	Sherborn.	Shirley.	Shrewsbury.	Shutesbury.	Somerset.	SOMERVILLE.	South Hadley.	Southampton.	Southborough.	Southbridge.	Southwick.	Spencer.	SPRINGFIELD.	Sterling.	Stockbridge.	Stoneham.	Stoughton.
	31	17	14	21	59	4	64	1,186	68	11	19	155	10	85	1,650	22	14	107	109
(1)	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(3)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(4)	–	–	–	–	–	–	–	2	–	–	–	1	–	–	–	–	–	–	–
(5)	–	–	–	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–
(6)	–	–	–	–	–	–	–	4	–	–	–	–	–	–	2	–	–	–	–
(7)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(8)	–	–	–	–	–	–	–	7	1	–	–	1	–	–	12	–	–	–	–
(10)	2	–	–	–	2	–	1	38	3	–	–	3	–	–	38	–	–	4	2
(11)	–	–	–	–	–	–	–	2	–	–	–	–	–	–	2	–	–	–	–
(11)	–	–	–	–	–	–	–	3	–	–	–	–	–	–	4	–	–	–	–
(12)	–	–	–	–	–	–	–	5	–	–	–	–	–	1	7	–	–	–	1
(13)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	1	–	–	–	–	–	–	5	–	–	1	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	1	1	–	–	1	–	–	–	2	–	–	1	–
(15)	8	2	3	1	4	–	10	154	11	1	2	19	1	7	192	4	3	17	13
(17)	–	–	–	–	1	–	–	4	–	–	–	1	–	–	3	1	–	–	–
(18)	2	–	–	–	1	–	2	24	1	–	1	6	–	5	41	3	–	5	2
(19)	–	–	–	–	–	–	–	3	–	–	–	1	1	–	4	–	–	–	–
(22)	1	1	2	2	9	2	6	91	10	–	4	13	1	5	123	1	2	4	11
(24)	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
(24)	–	–	–	–	4	–	–	14	1	1	–	6	–	–	14	1	–	2	2
(24)	8	6	5	7	14	–	10	377	19	6	5	45	2	27	529	4	5	34	35
(25)	–	1	–	–	3	–	3	34	1	–	1	5	–	8	17	2	2	1	3
(26)	–	–	–	–	–	–	–	2	–	–	–	–	–	–	4	–	–	–	1
(27)	2	1	2	2	1	–	3	67	3	–	–	5	–	–	40	1	–	5	1
(27)	–	1	–	–	1	–	3	42	1	–	–	4	1	3	69	–	–	2	6
(27)	–	–	–	–	1	–	–	5	–	–	–	–	–	–	–	–	–	–	–
(28)	–	–	–	–	1	–	–	6	–	–	–	3	–	1	8	–	–	1	1
(29)	–	–	–	–	–	–	1	1	–	–	–	–	–	1	3	–	–	–	–
(30)	–	–	–	–	–	1	1	15	1	–	1	2	–	1	22	–	–	1	–
(31)	–	1	–	–	1	–	–	11	–	–	–	–	–	–	12	–	–	–	3
(32)	1	–	–	1	1	–	1	9	–	–	–	2	1	–	11	–	–	3	1
(32)	–	–	–	–	–	–	1	8	1	–	–	1	–	–	11	–	–	–	1
(33)	3	1	–	1	2	–	9	57	4	1	–	8	–	3	147	1	1	11	7
(34)	–	1	–	1	–	–	–	4	1	–	–	–	–	–	2	–	–	–	–
(35)	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
(36)	–	–	–	–	–	–	–	4	–	–	–	–	–	–	3	1	–	–	–
(38)	–	–	–	–	–	–	–	8	–	–	–	–	–	3	11	1	–	2	1
(38)	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	1
(39)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–
(40)	–	–	–	–	–	–	–	9	1	1	–	1	–	2	29	–	–	1	1
(41)	–	–	–	–	–	–	–	3	–	–	–	1	–	–	2	–	–	–	–
(42)	2	1	1	2	3	–	8	70	3	–	1	9	2	4	99	–	–	4	5
(42)	–	–	–	–	–	–	–	8	–	–	–	–	–	–	3	–	–	–	–
(42)	–	–	–	–	–	–	–	2	–	–	–	2	–	–	3	–	–	–	–
(42)	–	1	–	1	1	–	1	23	–	–	–	4	1	2	45	–	–	2	1
(42)	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	4	–	–	–	–	–	–	1	–	–	–	1
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
(42)	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
(42)	1	–	–	–	2	–	3	21	3	–	–	3	–	1	28	–	–	2	2
(42)	1	–	1	1	–	–	4	11	–	–	–	–	1	1	18	–	–	–	1
	2	1	1	3	9	1	4	96	6	–	3	18	1	14	178	2	1	8	11
(43)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

[1]Exclusive of stillbirths.

Table 15

Abridged Int. List No.	Cause of Death.[1]	Deaths from Stow.	Sturbridge.	Sudbury.	Sunderland.	Sutton.	Swampscott.	Swansea.	Taunton.	Templeton.	Tewksbury.
	All Causes.[2]	**19**	**27**	**19**	**7**	**27**	**125**	**51**	**524**	**60**	**40**
(1)	Typhoid and paratyphoid fever (1, 2)	–	–	–	–	–	–	–	–	–	–
(3)	Smallpox (6)	–	–	–	–	–	–	–	–	–	–
(4)	Measles (7)	–	–	–	–	–	–	–	–	–	–
(5)	Scarlet fever (8)	–	–	–	–	–	–	–	–	–	–
(6)	Whooping cough (9)	–	–	–	–	–	–	–	–	–	–
(7)	Diphtheria (10)	–	–	–	–	–	–	–	–	–	–
(8)	Influenza (11)	–	–	–	–	–	1	–	1	–	1
(10)	Tuberculosis of the respiratory system (23)	1	–	1	–	1	1	2	17	2	2
(11)	Tuberculosis of the meninges and central nervous system (24)	–	–	–	–	–	–	–	1	–	–
(11)	Other forms of tuberculosis (25–32)	–	–	–	–	–	–	–	2	–	–
(12)	Syphilis (34)	–	1	–	–	–	–	–	1	–	–
(13)	Malaria (38)	–	–	–	–	–	–	–	–	–	–
(14)	Erysipelas (15)	–	–	–	–	–	–	–	–	–	–
(14)	Poliomyelitis (16)	–	–	–	–	–	–	–	–	–	–
(14)	Epidemic cerebrospinal meningitis (18)	–	–	–	–	–	–	–	–	–	–
(15)	Cancer and other malignant tumors (45–53)	2	–	1	2	1	28	6	60	3	4
(17)	Rheumatism (56, 57, 58)	–	–	–	–	1	1	–	2	–	–
(18)	Diabetes mellitus (59)	–	1	–	–	2	6	2	18	3	1
(19)	Alcoholism (acute or chronic) (75)	–	–	–	–	–	–	1	2	–	–
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (82)	1	4	2	–	4	10	4	50	5	5
(24)	Acute endocarditis (91)	–	–	–	–	–	1	–	1	–	–
(24)	Angina pectoris (94a)	–	–	–	–	1	5	–	8	2	–
(24)	Other diseases of the heart (90, 92, 93, 94b, 95)	8	10	8	1	4	31	16	159	14	13
(25)	Arteriosclerosis (97)	1	–	–	–	1	2	1	21	2	–
(26)	Bronchitis (106)	–	–	–	–	–	–	1	2	–	–
(27)	Bronchopneumonia (including capillary bronchitis) (107)	1	3	1	–	4	2	2	15	3	2
(27)	Lobar pneumonia (108)	2	–	1	–	2	4	2	15	7	1
(27)	Pneumonia (unspecified) (109)	–	–	–	–	–	1	–	–	–	1
(28)	Other respiratory diseases (104, 105, 110–114)	–	–	–	–	–	1	–	2	–	–
(29)	Diarrhea and enteritis (under 2 years) (119)	–	–	–	–	1	–	1	–	1	–
(30)	Appendicitis (121)	–	–	–	1	–	3	2	5	–	1
(31)	Cirrhosis of the liver (124)	–	1	–	–	–	1	–	1	3	–
(32)	Diseases of the stomach (117, 118)	–	–	–	–	–	–	–	–	–	–
(32)	Hernia, intestinal obstruction (122)	–	–	–	–	1	–	–	3	–	–
(33)	Nephritis (130–132)	–	2	2	–	–	9	3	39	3	1
(34)	Diseases of the female genital organs, not specified as venereal (139)	–	–	–	–	–	–	–	1	–	–
(35)	Puerperal septicemia (140, 145)	–	–	–	–	1	–	–	2	–	–
(36)	Other diseases of pregnancy, childbirth and the puerperal state (141–144, 146–150)	–	–	1	–	–	1	1	–	1	–
(38)	Congenital malformations (157)	–	–	–	–	–	2	1	5	–	–
(38)	Congenital debility (158)	–	1	–	–	–	1	–	–	–	–
(39)	Senility (162)	–	–	–	1	–	2	–	–	–	–
(40)	Suicide (163–171)	–	–	1	1	–	–	–	8	–	–
(41)	Homicide (172–175)	–	–	–	–	–	–	–	–	1	–
(42)	Violent and accidental deaths (suicide and homicide excepted) (176–198, 201–214)	1	2	–	1	2	5	2	24	6	2
(42)	*Burns (conflagration excepted) (181)*	–	1	–	–	–	1	–	1	1	–
(42)	*Accidental drowning (183)*	–	–	–	–	–	–	1	1	–	–
(42)	*Traumatism by fall (186a)*	–	–	–	–	1	1	–	9	1	2
(42)	*Railroad and automobile collisions (206)*	–	–	–	–	–	–	–	–	–	–
(42)	*Railroad accidents and injuries (207)*	–	–	–	–	–	–	–	1	–	–
(42)	*Street car and automobile collisions (208)*	–	–	–	–	–	–	–	–	–	–
(42)	*Other street car accidents (209)*	–	–	–	–	–	–	–	–	–	–
(42)	*Automobile accidents and injuries (210)*	–	–	–	–	–	1	–	5	3	–
(42)	*All others*	1	1	–	1	1	2	1	7	1	–
	All other defined causes (3–5, 12–14, 17, 19–22, 33, 35–37, 39–44, 54, 55, 60–74, 76–81, 83–89, 96, 98–103, 115, 116, 120, 123, 125–129, 133–138, 151–156, 159–161)	2	2	1	–	1	7	4	59	4	5
(43)	Cause of death not specified or ill-defined (199, 200)	–	–	–	–	–	–	–	–	–	1

[1]The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES ALLOCATED TO EACH MUNICIPALITY: 1936.

Abridged Int. List No.	State Infirmary.	Tisbury.	Tolland.	Topsfield.	Townsend.	Truro.	Tyngsborough.	Tyringham.	Upton.	Uxbridge.	Wakefield.	Wales.	Walpole.	WALTHAM.	Ware.	Wareham.	Warren.	Warwick.	Washington.
	126	27	2	13	29	8	15	7	48	60	163	3	73	431	91	89	40	8	6
(1)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(3)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(4)	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
(5)	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
(6)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(7)	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
(8)	–	–	–	–	1	–	–	–	–	–	–	–	–	2	–	1	–	–	–
(10)	14	–	–	1	–	2	–	–	–	4	2	–	2	27	5	3	–	1	–
(11)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
(11)	1	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–
(12)	1	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–
(13)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(15)	13	3	–	1	4	3	2	–	6	6	25	2	14	52	11	14	6	–	1
(17)	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–
(18)	1	1	–	–	–	–	–	–	–	3	3	–	2	12	5	6	1	–	–
(19)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(22)	9	6	–	–	3	–	1	–	4	5	22	–	7	47	11	8	6	3	–
(24)	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–
(24)	–	–	–	–	–	–	–	–	–	2	1	–	2	2	1	–	1	1	–
(24)	19	7	1	4	10	3	5	4	12	9	39	1	21	98	21	25	12	3	4
(25)	28	4	–	–	2	–	–	–	2	1	7	–	–	10	2	2	–	–	–
(26)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–
(27)	7	1	–	1	1	–	3	–	2	5	7	–	2	21	1	1	–	–	–
(27)	6	1	–	–	–	–	2	–	3	4	6	–	2	7	6	2	–	–	–
(27)	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
(28)	2	–	–	–	–	–	–	–	–	–	3	–	–	7	2	–	–	–	–
(29)	–	–	–	–	–	–	1	–	–	1	–	–	1	6	–	–	–	–	–
(30)	1	–	1	–	–	–	–	–	–	–	2	–	–	3	–	–	–	–	–
(31)	1	–	–	–	–	–	–	–	1	–	–	–	–	2	–	–	–	–	–
(32)	–	–	–	–	–	–	–	–	–	2	1	–	3	4	–	–	1	–	–
(32)	–	–	–	–	–	–	1	–	–	–	2	–	2	3	1	–	–	–	–
(33)	4	2	–	–	2	–	–	2	5	7	11	–	2	20	7	5	4	–	1
(34)	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
(35)	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
(36)	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–
(38)	–	–	–	–	–	–	–	–	1	–	2	–	1	2	–	1	–	–	–
(38)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
(39)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
(40)	–	1	–	1	–	–	–	–	1	–	4	–	–	5	1	–	2	–	–
(41)	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
(42)	4	–	–	1	2	–	–	1	4	4	10	–	8	28	2	7	1	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–
(42)	4	–	–	–	1	–	–	–	1	1	2	–	4	6	1	1	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	3	1	3	–	3	12	–	1	1	–	–
(42)	–	–	–	1	1	–	–	1	–	2	5	–	1	6	1	3	–	–	–
	15	1	–	3	4	–	–	–	6	6	15	–	3	53	12	11	4	–	–
(43)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

[2] Exclusive of stillbirths.

Abridged Int. List No.	Table 15 — Cause of Death.[1]	Deaths from Watertown.	Wayland.	Webster.	Wellesley.	Wellfleet.	Wendell.	Wenham.	West Boylston.	West Bridgewater.	West Brookfield.
	All Causes.[2]	**330**	**36**	**136**	**125**	**22**	**6**	**7**	**34**	**47**	**27**
(1)	Typhoid and paratyphoid fever (1, 2)	–	–	–	–	–	–	–	–	–	–
(3)	Smallpox (6)	–	–	–	–	–	–	–	–	–	–
(4)	Measles (7)	–	–	–	–	–	1	–	–	–	–
(5)	Scarlet fever (8)	–	–	–	–	–	–	–	–	–	–
(6)	Whooping cough (9)	–	–	–	–	–	1	–	–	–	–
(7)	Diphtheria (10)	–	–	–	–	–	–	–	–	–	–
(8)	Influenza (11)	2	–	–	–	–	–	–	–	–	–
(10)	Tuberculosis of the respiratory system (23)	15	1	3	1	1	–	–	–	–	–
(11)	Tuberculosis of the meninges and central nervous system (24)	1	–	–	–	–	–	–	–	–	–
(11)	Other forms of tuberculosis (25–32)	–	–	–	–	–	–	–	–	–	–
(12)	Syphilis (34)	1	–	–	–	–	–	–	–	–	–
(13)	Malaria (38)	–	–	–	–	–	–	–	–	–	–
(14)	Erysipelas (15)	–	–	–	1	–	–	–	–	–	–
(14)	Poliomyelitis (16)	–	–	–	–	–	–	–	–	–	–
(14)	Epidemic cerebrospinal meningitis (18)	–	–	1	–	–	–	–	–	–	–
(15)	Cancer and other malignant tumors (45–53)	45	6	9	23	3	–	–	2	4	1
(17)	Rheumatism (56, 57, 58)	2	–	–	1	–	–	–	–	–	–
(18)	Diabetes mellitus (59)	9	1	4	7	1	1	–	2	–	1
(19)	Alcoholism (acute or chronic) (75)	1	–	–	–	–	–	–	–	–	–
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (82)	31	2	15	11	5	–	–	3	11	–
(24)	Acute endocarditis (91)	5	–	1	1	–	–	–	–	–	–
(24)	Angina pectoris (94a)	4	–	3	2	–	–	–	1	2	–
(24)	Other diseases of the heart (90, 92, 93, 94b, 95)	93	12	40	35	5	–	4	13	13	15
(25)	Arteriosclerosis (97)	1	1	–	3	4	–	–	–	–	–
(26)	Bronchitis (106)	2	–	–	2	–	–	–	–	–	–
(27)	Bronchopneumonia (including capillary bronchitis) (107)	5	3	5	5	–	–	–	1	2	–
(27)	Lobar pneumonia (108)	10	2	6	5	–	–	1	–	1	1
(27)	Pneumonia (unspecified) (109)	–	–	–	1	–	–	–	–	–	–
(28)	Other respiratory diseases (104, 105, 110–114)	1	–	–	–	–	–	–	–	1	–
(29)	Diarrhea and enteritis (under 2 years) (119)	5	–	1	–	–	–	–	–	1	–
(30)	Appendicitis (121)	5	–	1	–	–	–	–	1	1	2
(31)	Cirrhosis of the liver (124)	6	–	1	3	–	–	–	–	–	–
(32)	Diseases of the stomach (117, 118)	1	–	3	1	–	–	–	–	–	–
(32)	Hernia, intestinal obstruction (122)	–	–	–	1	–	–	–	1	2	–
(33)	Nephritis (130–132)	21	–	14	5	1	–	1	2	1	5
(34)	Diseases of the female genital organs, not specified as venereal (139)	–	–	–	–	–	–	–	–	–	–
(35)	Puerperal septicemia (140, 145)	–	–	1	–	–	–	–	–	1	–
(36)	Other diseases of pregnancy, childbirth and the puerperal state (141–144, 146–150)	2	1	1	–	–	–	–	–	–	–
(38)	Congenital malformations (157)	3	–	2	1	–	1	–	–	–	–
(38)	Congenital debility (158)	–	–	1	–	–	–	–	–	–	–
(39)	Senility (162)	–	–	–	–	–	–	–	–	2	–
(40)	Suicide (163–171)	3	–	1	–	–	–	–	–	–	–
(41)	Homicide (172–175)	–	–	1	–	–	–	–	–	–	–
(42)	Violent and accidental deaths (suicide and homicide excepted) (176–198, 201–214)	22	5	8	9	1	2	–	3	1	2
(42)	*Burns (conflagration excepted) (181)*	1	–	1	–	–	–	–	–	–	–
(42)	*Accidental drowning (183)*	5	1	–	–	–	–	–	–	–	–
(42)	*Traumatism by fall (186a)*	5	2	3	4	1	1	–	1	–	–
(42)	*Railroad and automobile collisions (206)*	–	–	1	–	–	–	–	–	–	–
(42)	*Railroad accidents and injuries (207)*	–	–	–	1	–	–	–	–	–	1
(42)	*Street car and automobile collisions (208)*	–	–	–	–	–	–	–	–	–	–
(42)	*Other street car accidents (209)*	–	–	–	–	–	–	–	–	–	–
(42)	*Automobile accidents and injuries (210)*	7	2	3	3	–	1	–	2	–	–
(42)	*All others*	4	–	–	1	–	–	–	–	1	1
	All other defined causes (3–5, 12–14, 17, 19–22, 33, 35–37, 39–44, 54, 55, 60–74, 76–81, 83–89, 96, 98–103, 115, 116, 120, 123, 125–129, 133–138, 151–156, 159–161)	34	2	14	7	1	–	1	5	4	–
(43)	Cause of death not specified or ill-defined (199, 200)	–	–	–	–	–	–	–	–	–	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES ALLOCATED TO EACH MUNICIPALITY: 1936.

Abridged Int. List No.	West Newbury.	West Springfield.	West Stockbridge.	West Tisbury.	Westborough.	WESTFIELD.	Westford.	Westhampton.	Westminster.	Weston.	Westport.	Westwood.	Weymouth.	Whately.	Whitman.	Wilbraham.	Williamsburg.	Williamstown.	Wilmington.
	17	183	22	1	96	228	50	10	28	35	59	24	261	13	111	27	28	55	44
(1)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
(3)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(4)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(5)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(6)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
(7)	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(8)	–	2	–	–	–	2	–	–	–	–	1	–	–	–	–	–	1	–	–
(10)	1	2	–	–	4	10	1	1	1	1	2	1	5	–	–	1	–	2	1
(11)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(11)	–	1	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
(12)	–	–	–	–	–	1	–	–	1	–	–	–	1	–	–	–	–	–	1
(13)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
(15)	3	24	1	–	9	24	7	2	3	7	6	1	37	2	8	8	3	5	8
(17)	–	1	–	–	–	–	–	–	–	–	–	–	3	–	–	–	1	–	–
(18)	1	2	–	–	2	8	1	1	–	1	2	1	5	1	1	–	1	1	1
(19)	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(22)	–	13	2	–	10	20	5	2	4	2	4	3	17	1	11	2	2	4	2
(24)	–	1	–	–	–	1	–	–	–	–	–	–	1	–	1	–	–	1	–
(24)	–	2	–	–	1	6	1	–	–	–	1	1	2	–	5	–	1	2	–
(24)	7	59	5	1	35	58	17	2	7	9	15	11	100	3	36	7	11	14	16
(25)	–	3	1	–	2	2	–	–	–	1	2	1	2	–	2	–	–	–	2
(26)	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–
(27)	–	5	1	–	6	8	2	–	1	1	4	–	5	–	4	1	1	4	3
(27)	1	6	–	–	3	7	3	1	3	2	2	–	4	1	7	3	–	–	1
(27)	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
(28)	–	2	–	–	–	1	–	–	–	–	–	–	2	–	–	–	–	1	–
(29)	–	–	–	–	–	1	–	–	–	1	1	–	–	–	–	–	–	1	–
(30)	1	3	–	–	–	1	1	–	–	–	1	–	3	–	5	–	–	2	–
(31)	–	1	1	–	–	–	1	–	–	–	1	–	3	–	–	–	–	–	–
(32)	–	2	–	–	–	2	1	–	1	2	–	–	1	1	–	–	–	–	–
(32)	1	3	–	–	2	1	–	–	–	–	2	–	3	–	–	–	–	–	–
(33)	2	7	3	–	6	22	1	–	2	1	5	–	17	1	6	2	1	6	3
(34)	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
(35)	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(36)	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
(38)	–	2	–	–	–	6	1	–	–	–	1	–	3	–	–	–	–	1	–
(38)	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
(39)	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
(40)	–	1	–	–	1	5	–	–	1	–	–	1	3	–	1	–	1	–	–
(41)	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–
(42)	–	11	3	–	6	27	3	–	–	1	3	3	15	2	10	1	2	5	2
(42)	–	–	–	–	–	1	–	–	–	–	–	–	2	–	–	–	1	–	–
(42)	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–
(42)	–	2	–	–	3	10	–	–	–	1	1	–	4	–	4	–	–	2	1
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
(42)	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	3	2	–	1	6	2	–	–	–	1	–	6	1	3	1	–	1	1
(42)	–	6	–	–	2	10	–	–	–	–	1	3	2	1	3	–	–	1	–
	–	27	4	–	9	11	4	1	4	6	6	1	22	1	11	1	3	4	4
(43)	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–

[2] Exclusive of stillbirths.

Abridged Int. List No.	Table 15 — Cause of Death.[1]	Winchendon.	Winchester.	Windsor.	Winthrop.	Woburn.	Worcester.	Worthington.	Wrentham.	Yarmouth.
		Deaths from Important Causes Allocated to Each Municipality: 1936.								
	All Causes.[2]	78	133	2	187	224	2,295	8	51	33
(1)	Typhoid and paratyphoid fever (1, 2)	–	–	–	–	–	–	–	–	–
(3)	Smallpox (6)	–	–	–	–	–	–	–	–	–
(4)	Measles (7)	–	–	–	–	–	–	–	–	–
(5)	Scarlet fever (8)	–	–	–	–	–	2	–	–	–
(6)	Whooping cough (9)	–	–	–	–	–	2	–	–	–
(7)	Diphtheria (10)	–	–	–	–	–	–	–	–	–
(8)	Influenza (11)	2	–	1	–	6	1	–	–	2
(10)	Tuberculosis of the respiratory system (23)	–	1	–	4	1	82	–	3	–
(11)	Tuberculosis of the meninges and central nervous system (24)	–	–	–	1	–	–	–	–	–
(11)	Other forms of tuberculosis (25–32)	–	–	–	–	–	6	–	–	–
(12)	Syphilis (34)	–	–	–	2	1	10	–	–	–
(13)	Malaria (38)	–	–	–	–	–	–	–	–	–
(14)	Erysipelas (15)	–	–	–	–	2	6	–	–	–
(14)	Poliomyelitis (16)	–	–	–	–	–	–	–	–	–
(14)	Epidemic cerebrospinal meningitis (18)	–	1	–	1	–	7	–	1	–
(15)	Cancer and other malignant tumors (45–53)	18	11	–	33	28	267	–	4	7
(17)	Rheumatism (56, 57, 58)	1	1	–	–	–	7	–	–	–
(18)	Diabetes mellitus (59)	2	6	–	5	3	56	–	1	–
(19)	Alcoholism (acute or chronic) (75)	–	1	–	–	–	7	–	–	1
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (82)	5	11	–	21	22	163	2	5	8
(24)	Acute endocarditis (91)	–	–	–	–	2	6	–	–	–
(24)	Angina pectoris (94a)	–	4	–	4	3	29	1	–	–
(24)	Other diseases of the heart, (90, 92, 93, 94b, 95)	20	43	–	52	59	619	2	12	6
(25)	Arteriosclerosis (97)	3	1	1	3	11	34	–	5	1
(26)	Bronchitis (106)	–	–	–	–	–	6	–	–	–
(27)	Bronchopneumonia (including capillary bronchitis) (107)	5	4	–	1	6	131	1	4	2
(27)	Lobar pneumonia (108)	2	7	–	3	7	110	–	–	1
(27)	Pneumonia (unspecified) (109)	–	–	–	–	–	–	–	–	–
(28)	Other respiratory diseases (104, 105, 110–114)	–	1	–	1	1	22	–	1	–
(29)	Diarrhea and enteritis (under 2 years) (119)	–	1	–	–	–	4	–	–	–
(30)	Appendicitis (121)	2	1	–	1	1	23	–	–	–
(31)	Cirrhosis of the liver (124)	–	1	–	4	–	19	–	1	–
(32)	Diseases of the stomach (117, 118)	–	–	–	5	1	16	–	–	–
(32)	Hernia, intestinal obstruction (122)	–	2	–	–	3	10	–	–	–
(33)	Nephritis (130–132)	7	12	–	19	22	205	–	–	2
(34)	Diseases of the female genital organs, not specified as venereal (139)	–	1	–	1	–	7	–	–	–
(35)	Puerperal septicemia (140, 145)	–	–	–	1	1	4	–	–	–
(36)	Other diseases of pregnancy, childbirth and the puerperal state (141–144, 146–150)	–	–	–	1	4	5	–	–	–
(38)	Congenital malformations (157)	1	2	–	1	3	30	–	1	–
(38)	Congenital debility (158)	–	–	–	–	–	–	–	–	–
(39)	Senility (162)	–	–	–	–	1	2	–	–	–
(40)	Suicide (163–171)	–	4	–	3	1	25	–	–	–
(41)	Homicide (172–175)	–	–	–	–	1	4	–	–	–
(42)	Violent and accidental deaths (suicide and homicide excepted) (176–198, 201–214)	5	7	–	12	13	159	1	3	2
(42)	*Burns (conflagration excepted) (181)*	–	–	–	1	–	9	–	–	–
(42)	*Accidental drowning (183)*	–	1	–	2	2	8	–	1	–
(42)	*Traumatism by fall (186a)*	3	2	–	4	4	69	–	1	2
(42)	*Railroad and automobile collisions (206)*	–	–	–	–	–	2	–	–	–
(42)	*Railroad accidents and injuries (207)*	–	–	–	2	1	3	–	–	–
(42)	*Street car and automobile collisions (208)*	–	–	–	–	–	–	–	–	–
(42)	*Other street car accidents (209)*	–	–	–	–	–	–	–	–	–
(42)	*Automobile accidents and injuries (210)*	2	4	–	–	2	31	1	1	–
(42)	*All others*	–	–	–	3	4	37	–	–	–
	All other defined causes (3–5, 12–14, 17, 19–22, 33, 35–37, 39–44, 54, 55, 60–74, 76–81, 83–89, 96, 98–103, 115, 116, 120, 123, 125–129, 133–138, 151–156, 159–161)	5	10	–	8	21	209	1	10	1
(43)	Cause of death not specified or ill-defined (199, 200)	–	–	–	–	–	–	–	–	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.
[2] Exclusive of stillbirths.

Table 16. — Deaths from Principal Causes: 1912 to 1936.

Years.	All causes.	Diseases of the heart. 90–95	Cancer. 45–53	Cerebral hemorrhage, embolism and thrombosis. 82	Pneumonia. 107–109	Nephritis. 130–132	Tuberculosis of the respiratory system. 23	Diabetes. 59	Influenza. 11	Puerperal causes. 140–150
1912	52,400	7,106	3,282	3,924	5,965	2,980	4,212	585	170	435
1913	53,402	7,310	3,526	3,802	6,112	3,356	4,180	621	204	467
1914	52,978	7,670	3,586	2,876	5,987	3,420	4,171	630	129	538
1915	53,131	7,164	3,708	3,691	6,448	3,530	4,194	673	232	462
1916	56,366	8,682	3,990	3,690	6,567	3,593	4,467	783	539	525
1917	56,628	8,889	4,057	4,152	6,293	3,591	4,559	776	494	616
1918	78,842	7,800	4,098	4,343	14,626	4,008	5,078	680	13,783	804
1919	52,345	6,941	4,112	4,461	5,279	3,743	4,145	633	2,872	622
1920	53,632	7,439	4,494	4,336	6,347	3,644	3,645	796	1,623	698
1921	47,780	7,757	4,645	4,389	4,200	3,250	3,272	777	153	580
1922	51,115	8,797	4,650	4,762	5,493	3,268	3,167	948	569	559
1923	52,380	9,132	4,775	4,847	5,835	3,466	3,062	852	742	498
1924	49,466	8,781	5,074	4,881	4,362	3,345	2,953	772	277	544
1925	51,890	9,747	5,196	5,050	5,244	3,153	2,883	806	519	501
1926	52,888	10,851	5,341	4,239	5,158	4,005	2,961	835	718	501
1927	49,324	10,309	5,454	4,113	4,088	3,763	2,774	844	326	486
1928	51,442	11,248	5,611	4,371	4,625	3,758	2,690	930	520	456
1929	52,171	11,528	5,672	4,299	4,906	3,565	2,561	997	1,185	453
1930	49,503	11,353	5,813	4,228	4,043	3,715	2,423	1,021	270	438
1931	48,743	11,959	5,859	4,363	3,844	3,488	2,306	1,060	432	408
1932	49,531	13,255	6,153	4,170	3,803	3,678	2,041	1,197	360	369
1933	50,832	14,119	6,382	4,359	4,039	3,518	2,059	1,234	584	389
1934	50,760	14,543	6,675	4,269	3,631	3,362	1,902	1,327	268	317
1935	49,634 [1]	14,835	6,351	4,167	3,992	3,307	1,813	1,303	322	325
1936	51,435 [1]	16,087	6,599	4,273	4,220	3,186	1,733	1,388	280	270

[1] Allocated.

Table 16a. — Deaths from Principal Communicable Diseases: 1912 to 1936.

Years.	Scarlet fever. 8	Whooping cough. 9	Diphtheria. 10	Poliomyelitis. 16	Measles. 7	Epidemic cerebrospinal meningitis. 18	Typhoid fever. 1	Encephalitis lethargica. 17	Dysentery. 13	Smallpox. 6
1912	118	225	473	76	286	2	269	–[1]	111	1
1913	293	239	628	69	315	3	280	–[1]	137	–
1914	246	225	652	45	149	5	268	–[1]	125	–
1915	182	283	720	32	149	9	246	–[1]	92	9
1916	127	346	629	452	392	10	172	–[1]	83	–
1917	120	243	838	51	371	13	178	–[1]	63	10
1918	78	729	608	37	532	115	160	–[1]	82	–
1919	122	323	593	15	183	71	107	–[1]	19	2
1920	214	546	591	144	352	39	95	–[1]	41	2
1921	191	201	607	48	179	49	119	81	41	–
1922	149	294	606	33	218	47	86	83	29	–
1923	155	493	579	35	321	41	70	85	14	–
1924	158	147	534	27	165	39	68	58	17	2
1925	117	269	333	52	337	35	73	99	19	–
1926	117	391	249	44	367	39	61	78	13	–
1927	144	149	268	169	87	43	44	61	19	–
1928	90	208	249	65	265	38	36	56	27	–
1929	71	137	256	21	121	79	41	44	18	1
1930	98	182	182	35	137	59	37	41	20	–
1931	101	88	130	114	64	30	30	24	15	–
1932	145	107	107	13	64	34	25	19	11	–
1933	108	97	86	32	27	25	22	16	9	–
1934	76	125	50	9	91	28	14	25	24	–
1935	57 [2]	67	26	61	37	55	10	16	9	–
1936	44 [2]	52	27	8	35	100	10	14	10	–

[1] Not tabulated.
[2] Allocated.

Abridged Int. List No.	Table 17 — Cause of Death.[1]	Number of Deaths.[2] 1936.[3]	1935.[3]	1934.	1933.	1932.	1931.	1930.
	All Causes.[2]	**51,435**	**49,634**	**50,760**	**50,832**	**49,531**	**48,743**	**49,503**
I	Infectious and parasitic diseases	2,824	2,954	3,127	3,590	3,476	3,913	4,163
II	Cancer and other tumors	6,836	6,590	6,917	6,630	6,403	6,106	–
III	Rheumatic diseases, nutritional diseases, diseases of the endocrine glands and other general diseases	1,638	1,573	1,602	1,566	1,516	1,373	–
IV	Diseases of the blood and blood-making organs	374	392	425	397	463	438	–
V	Chronic poisonings and intoxications	214	223	276	234	215	231	–
VI	Diseases of the nervous system and of the organs of special sense	5,020	4,911	5,094	5,167	4,993	5,173	5,211
VII	Diseases of the circulatory system	17,320	16,038	15,976	15,437	14,652	13,460	13,610
VIII	Diseases of the respiratory system	4,689	4,428	4,079	4,558	4,250	4,341	4,511
IX	Diseases of the digestive system	2,629	2,539	2,837	2,809	2,801	2,907	3,053
X	Diseases of the genitourinary system	3,844	3,922	4,019	4,141	4,340	4,113	–
XI	Diseases of pregnancy, childbirth and the puerperal state	270	325	317	389	369	408	437
XII	Diseases of the skin and cellular tissue	83	92	102	106	89	79	97
XIII	Diseases of the bones and organs of locomotion	66	44	55	55	70	57	49
XIV	Congenital malformations	405	393	444	473	500	543	621
XV	Diseases of early infancy	1,493	1,473	1,541	1,654	1,794	1,863	1,938
XVI	Senility	54	50	42	56	56	72	68
XVII	Violent and accidental deaths	3,662	3,650	3,836	3,505	3,485	3,582	3,499
XVIII	Ill-defined causes of death	14	37	71	65	59	84	70
1	Typhoid and paratyphoid fever (1, 2)	11	10	14	24	25	31	38
3	Smallpox (6)	–	–	–	–	–	–	–
4	Measles (7)	35	37	91	27	64	64	137
5	Scarlet fever (8)	44	57	76	108	145	101	98
6	Whooping cough (9)	52	67	125	97	107	88	182
7	Diphtheria (10)	27	26	50	86	107	130	182
8	Influenza (11)	280	322	268	584	360	432	270
10	Tuberculosis of the respiratory system (23)	1,733	1,813	1,902	2,059	2,041	2,306	2,423
11	Tuberculous meningitis (24)	54	51	74	74	100	100	108
11	Other forms of tuberculosis (25–32)	111	97	140	148	160	149	203
13	Malaria (38)	–	1	2	2	4	2	3
14	Acute poliomyelitis and polioencephalitis (16)	8	61	9	32	13	114	35
14	Epidemic cerebro-spinal meningitis (18)	100	55	28	25	34	30	59
15	Cancer and other malignant tumors (45–53)	6,599	6,351	6,675	6,382	6,153	5,859	5,813
18	Diabetes mellitus (59)	1,388	1,303	1,327	1,234	1,197	1,060	1,021
22	Cerebral hemorrhage, cerebral embolism and thrombosis (82)	4,273	4,167	4,269	4,359	4,170	4,363	4,131
24	Acute endocarditis (91)	107	125	120	157	184	173	314[4]
24	Angina pectoris (94a)	663	800	971	905	899	896	995
24	Other diseases of the heart (90, 92, 93, 94b, 95)	15,317	13,910	13,452	13,057	12,172[4]	10,890[4]	10,012
26	Acute bronchitis (106a)	45	63	47	68	60	62	75
26	Chronic bronchitis (106b)	37	39	50	72	47	68	76
27	Bronchopneumonia (including capillary bronchitis) (107)	2,233	2,232	2,005	2,166	2,054	2,063	2,160
27	Pneumonia (108, 109)	1,987	1,760	1,626	1,873	1,749	1,781	1,883
28	Other respiratory diseases (104, 105, 106c, 106d, 110–114)	387	334	351	379	340	367	254
29	Diarrhea and enteritis (under 2 years) (119)	153	219	194	161	229	275	410
30	Appendicitis (121)	490	484	588	623	601	614	606
31	Cirrhosis of the liver (124)	392	355	368	349	257	292	282
32	Diseases of the stomach (cancer excepted) (117,118)	354	312	355	333	349	333	417
32	Hernia, intestinal obstruction (122)	380	402	413	435	421	428	412
32	Acute nephritis and Bright's disease (130, 131)	3,119	3,222	3,247	3,394	3,575	3,375	3,617
16,34	Diseases of the female genital organs (54a, 54b, 54c, 55a, 55b, 55c, 139)	186	187	188	182	202	206	231
35	Puerperal septicemia (140, 145)	80	104	93	103	96	119	141
36	Other diseases of pregnancy, childbirth, and the puerperal state (141–144, 146–150)	190	221	224	286	273	289	296
38	Congenital debility and malformations (157–159)	1,490	1,374	1,509	1,570	1,631	1,760	1,929
39	Senility (162)	54	50	42	56	56	72	68
40	Suicide (163–171)	555	570	598	597	639	601	547
41	Homicide (172–175)	72	74	93	110	91	89	79
42	Violent and accidental deaths (suicide and homicide excepted) (176–198, 201–214)	3,035	3,006	3,145	2,798	2,755	2,892	2,873
42	Other diseases (3–5, 12–15, 17, 19–22, 33–37, 39–44, 54d, 54e, 55d, 55e–58, 60–81, 83–89, 96–103, 115, 116, 120, 123, 125–129, 132–138, 151–156, 160, 161)	5,380	5,336	5,960	5,852	6,112	6,185	7,089
43	Unknown or ill-defined diseases (199, 200)	14	37	71	65	59	84	69

[1]Abridged International List of Causes of Death. The title or titles of the detailed International List that are included under each heading are shown by numbers in parentheses.

Abridged Int. List No.	Death Rates[2] per 100,000 Population.							Per Cent Distribution.						
	1936.[3]	1935.[3]	1934.	1933.	1932.	1931.	1930.	1936.[3]	1935.[3]	1934.	1933.	1932.	1931.	1930.
	1,173.5	1,140.8	1,169.8	1,177.2	1,152.6	1,139.9	1,164.9	100.0	100.0	100.0	100.0	100.0	100.0	100.0
I	64.4	67.9	72.1	83.1	80.9	91.5	98.0	5.5	6.0	6.2	7.0	7.0	8.0	8.4
II	156.0	151.5	159.4	153.5	149.0	142.8	–	13.3	13.3	13.6	13.0	12.9	12.5	–
III	37.4	36.1	36.9	36.3	35.2	32.2	–	3.2	3.2	3.2	3.1	3.1	2.8	–
IV	8.5	9.0	9.8	9.2	10.8	10.2	–	.7	.8	.8	.8	.9	.9	–
V	4.9	5.1	6.4	5.4	5.0	5.4	–	.4	.4	.6	.5	.4	.5	–
VI	114.5	112.9	117.4	119.6	116.2	121.0	122.6	9.8	9.9	10.0	10.2	10.1	10.6	10.5
VII	395.2	368.6	368.2	357.5	341.0	314.8	320.3	33.7	32.3	31.5	30.4	29.6	27.6	27.5
VIII	107.0	101.8	94.0	105.6	98.9	101.5	106.2	9.1	8.9	8.0	9.0	8.6	8.9	9.1
IX	60.0	58.4	65.4	65.1	65.2	68.0	71.9	5.1	5.1	5.6	5.5	5.7	6.0	6.2
X	87.7	90.1	92.6	95.9	101.0	96.2	–	7.5	7.9	7.9	8.1	8.8	8.4	–
XI	6.1	7.5	7.3	9.0	8.6	9.5	10.3	.5	.6	.6	.8	.8	.8	.9
XII	1.9	2.1	2.4	2.4	2.1	1.8	2.3	.2	.2	.2	.2	.2	.2	.2
XIII	1.5	1.0	1.3	1.3	1.6	1.3	1.1	.1	.1	.1	.1	.1	.1	.1
XIV	9.2	9.0	10.2	11.0	11.6	12.7	14.6	.8	.8	.9	.9	1.0	1.1	1.3
XV	34.1	33.9	35.5	38.3	41.7	43.6	45.6	2.9	3.0	3.0	3.3	3.6	3.8	3.9
XVI	1.2	1.1	.9	1.3	1.3	1.7	1.6	.1	.1	.1	.1	.1	.2	.1
XVII	83.6	83.9	88.4	81.2	81.1	83.8	82.3	7.1	7.3	7.6	6.9	7.0	7.4	7.1
XVIII	.3	.9	1.6	1.5	1.4	1.9	1.6	–[6]	.1	.1	.1	.1	.2	.1
1	.3	.2	.3	.6	.6	.7	.8	–[6]	–[6]	–[6]	–[6]	.1	.1	.1
3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
4	.8	.9	2.1	.6	1.5	1.5	3.2	.1	.1	.2	.1	.1	.1	.3
5	1.0	1.3	1.7	2.5	3.4	2.4	2.3	.1	.1	.2	.2	.3	.2	.2
6	1.2	1.5	2.9	2.2	2.5	2.1	4.2	.1	.1	.2	.2	.2	.2	.4
7	.6	.6	1.2	2.0	2.5	3.0	4.2	.1	.1	.1	.2	.2	.3	.4
8	6.4	7.4	6.2	13.6	8.4	10.1	6.3	.5	.6	.5	1.1	.7	.9	.5
10	39.5	41.7	43.8	47.7	47.5	53.9	57.0	3.4	3.7	3.7	4.1	4.1	4.7	4.9
11	1.2	1.2	1.7	1.7	2.3	2.3	2.5	.1	.1	.1	.1	.2	.2	.2
11	2.5	2.2	3.2	3.4	3.7	3.5	4.7	.2	.2	.3	.3	.3	.3	.4
13	–	–[5]	–[5]	–[5]	.1	–[5]	–[5]	–	–[6]	–[6]	–[6]	–[6]	–[6]	–[6]
14	.2	1.4	.2	.7	.3	2.7	.8	–[6]	.1	–[6]	1	–[6]	.2	.1
14	2.3	1.3	.6	.6	.8	.7	1.3	.2	.1	.1	–[6]	.1	.1	.1
15	150.6	146.0	153.8	147.8	143.2	137.0	136.7	12.8	12.8	13.2	12.5	12.4	12.0	11.7
18	31.7	29.9	30.6	28.6	27.8	24.8	24.0	2.7	2.6	2.6	2.4	2.4	2.2	2.1
22	97.5	95.8	98.4	100.9	97.0	102.0	97.2	8.3	8.4	8.4	8.6	8.4	9.0	8.3
24	2.5	2.9	2.8	3.6	4.3	4.0	7.3	.2	.3	.2	.3	.4	.4	.6
24	15.1	18.4	22.4	21.0	20.9	21.0	23.4	1.3	1.6	1.9	1.8	1.8	1.8	2.0
24	349.5	319.7	310.0	302.4	283.3	254.7	235.6	29.8	28.0	26.5	25.7	24.6	22.3	20.2
26	1.0	1.4	1.1	1.6	1.4	1.5	1.8	.1	.1	.1	.1	.1	.1	.2
26	.8	.9	1.2	1.7	1.1	1.6	1.8	.1	.1	.1	.1	.1	.1	.2
27	50.9	51.3	46.2	50.1	47.8	48.2	50.8	4.3	4.5	4.0	4.3	4.1	4.2	4.4
27	45.3	40.5	37.5	43.4	40.7	41.6	44.3	3.9	3.6	3.2	3.7	3.6	3.7	3.8
28	8.8	7.7	8.1	8.8	7.9	8.6	6.0	.8	.7	.7	.7	.7	.7	.5
29	3.5	5.0	4.5	3.7	5.3	6.4	9.6	.3	.4	.4	.3	.5	.6	.8
30	11.2	11.1	13.5	14.4	14.0	14.4	14.3	.9	1.0	1.2	1.2	1.2	1.3	1.2
31	8.9	8.1	8.5	8.1	6.0	6.8	6.6	.8	.7	.7	.7	.5	.6	.6
32	8.1	7.2	8.2	7.7	8.1	7.8	9.8	.7	.6	.7	.7	.7	.7	.8
32	8.7	9.2	9.5	10.1	9.8	10.0	9.7	.7	.8	.8	.9	.9	.9	.8
32	71.2	74.1	74.8	78.6	83.2	78.9	85.1	6.1	6.5	6.4	6.7	7.2	6.9	7.3
16.34	4.3	4.3	4.3	4.2	4.7	4.8	5.4	.4	.4	.4	.4	.4	.4	.5
35	1.8	2.4	2.1	2.4	2.2	2.8	3.3	.1	.2	.2	.2	.2	.2	.3
36	4.3	5.1	5.2	6.6	6.3	6.8	7.0	.4	.4	.4	.6	.6	.6	.6
38	34.0	31.6	34.8	36.4	38.0	41.2	45.4	2.9	2.8	3.0	3.1	3.3	3.6	3.9
39	1.2	1.1	1.0	1.3	1.3	1.7	1.7	.1	.1	.1	.1	.1	.1	.1
40	12.7	13.1	13.8	13.8	14.9	14.1	12.9	1.1	1.1	1.2	1.2	1.3	1.2	1.1
41	1.7	1.7	2.1	2.6	2.1	2.1	1.8	.1	.1	.2	.2	.2	.2	.2
42	69.2	69.1	72.5	64.8	64.1	67.6	67.8	5.9	6.1	6.2	5.5	5.6	5.9	5.8
42	122.7	122.6	137.4	135.5	142.2	144.6	166.7	10.4	10.8	11.7	11.5	12.3	12.8	14.3
43	.3	.9	1.6	1.5	1.4	2.0	1.6	–[6]	.1	.1	.1	.1	.2	.1

[2] Exclusive of stillbirths.
[3] Allocated.
[4] Includes Acute Myocarditis.
[5] Less than one-tenth of 1 per 100,000.
[6] Less than one-tenth of 1 per cent.

Table 18. — Deaths Rates per 100,000 Population based on Annual Average Number of Deaths for the Five-year Period of which the Census Year is the Median Year:[1] Census Years 1905 to 1930.

Years.	All causes.[2]	Typhoid fever.* 1	Smallpox.* 6	Measles.* 7	Scarlet fever.* 8	Diphtheria and croup.* 10	Tuberculosis of the respiratory system.* 23	Cancer. 45-53	Nephritis, Bright's disease, etc. 130, 131, 132
1905	1,677.0	15.8	.3	6.3	7.9	24.6	155.7	83.0	88.1
1910	1,566.2	11.2	–[3]	6.9	7.0	18.1	130.0	89.9	89.6
1915	1,475.7	6.2	.1	7.5	5.2	18.8	116.8	102.2	94.7
1920	1,472.9	2.9	–[3]	7.6	3.9	15.6	100.2	114.2	93.0
1925	1,235.2	1.5	–[3]	6.2	4.1	11.1	70.6	124.3	85.6
1930	1,181.9	.8	–[3]	3.0	2.4	4.3	56.5	136.9	85.6

[1] This method eliminates any peculiarities in the census year and makes the rates more typical of the period as a whole.
[2] Exclusive of stillbirths.
[3] Less than one-tenth of 1 per 100,000.

Table 19. — Deaths Produced by External Causes: 1912 to 1936.

Years.	Total.	Traumatism by fall. 186a	Automobile (including railroad and street car collisions). 206, 208 210	Drowning. 183, 213d	Burns (conflagration excepted) 181	Absorption of poisonous gas. 178	Excessive heat. 191	Excessive cold. 190	Suicide. 163–171	Homicide. 172–175
1912	3,097	591	135	303	331	134	53	21	478	92
1913	3,222	588	165	364	311	168	25	7	486	111
1914	3,070	587	193	304	312	186	17	32	495	106
1915	3,206	621	265	362	274	197	17	11	515	113
1916	3,402	682	314	318	282	260	26	27	455	115
1917	3,584	630	415	315	309	272	91	27	493	106
1918	3,442	563	495	276	302	295	14	17	492	93
1919	3,242	535	532	292	296	207	26	13	445	102
1920	2,938	529	457	224	282	207	15	9	391	78
1921	2,996	523	526	301	202	140	31	9	472	116
1922	3,140	611	500	269	243	183	12	3	458	102
1923	3,392	646	638	260	265	192	32	4	452	106
1924	3,474	674	705	354	257	135	30	14	486	109
1925	3,573	643	743	273	215	151	135[1]	9	459	109
1926	3,343	700	682	225	219	157	63	1	473	87
1927	3,371	692	697	296	198	136	14	7	466	86
1928	3,567	746	734	318	204	127	34	8	550	82
1929	3,584	760	785	257	191	160	37	14	540	70
1930	3,499	817	799	238	189	123	25	7	547	79
1931	3,582	851	849	242	152	133	38	3	601	89
1932	3,485	859	804	261	179	94	12	6	639	91
1933	3,505	933	816	248	126	109	23	13	597	110
1934	3,142	982	1,016	238	137	71	24	28	598	93
1935	3,006[2]	1,109	824	232	143	72	21	28	570	74
1936	3,035[2]	1,130	866	188	135	83	13	15	555	72

[1] Deaths from heat for the year 1925 numbered 135. This is the nearest approach to the high mark since 1911 when the total number of deaths from this cause was 614.

The highest temperature recorded at the Weather Bureau of the United States Department of Agriculture since 1900 was 104 degrees on July 4, 1911. The highest temperature recorded in 1925 was 100 degrees on June 6.

The average monthly temperature for the months of June, July, and August, in 1911 and 1925, was as follows:

	June.	July.	August.
1911	65.6	77.1	69.0
1925	70.9	72.4	71.2

[2] Allocated.

Table 20

DEATHS FROM CANCER BY SEX, AGE AND MARITAL CONDITION: 1936.

Detailed Int. List No.	Cause of Death and Age Period.	Total both sexes.	Males. Single.	Males. Married.	Males. Widowed.	Males. Divorced.	Males. Unknown.	Females. Single.	Females. Married.	Females. Widowed.	Females. Divorced.	Females. Unknown.
45–53	**Cancer (all causes)**	**6,599**	**404**	**1,847**	**690**	**45**	**3**	**640**	**1,582**	**1,339**	**49**	–
	Under 20 years	38	21	–	–	–	–	17	–	–	–	–
	20 to 29 years	60	17	10	–	–	–	14	17	1	1	–
	30 to 39 years	223	25	45	–	1	–	29	112	7	4	–
	40 to 49 years	640	42	183	11	5	1	71	279	36	12	–
	50 to 59 years	1,382	78	460	49	17	1	149	465	154	9	–
	60 to 69 years	1,926	120	618	185	10	1	168	459	356	9	–
	70 to 79 years	1,705	90	439	290	11	–	140	217	505	13	–
	80 years and over	625	11	92	155	1	–	52	33	280	1	–
45	Cancer of the buccal cavity and pharynx	243	28	111	54	4	–	8	21	17	–	–
	Under 20 years	–	–	–	–	–	–	–	–	–	–	–
	20 to 29 years	1	1	–	–	–	–	–	–	–	–	–
	30 to 39 years	4	–	1	–	–	–	–	2	1	–	–
	40 to 49 years	12	1	7	1	–	–	1	2	–	–	–
	50 to 59 years	45	8	23	3	3	–	2	6	–	–	–
	60 to 69 years	74	11	37	14	–	–	–	8	4	–	–
	70 to 79 years	83	6	37	26	1	–	3	3	7	–	–
	80 years and over	24	1	6	10	–	–	2	–	5	–	–
45*a*	Cancer of the lip	40	4	21	9	1	–	–	1	4	–	–
	Under 20 years	–	–	–	–	–	–	–	–	–	–	–
	20 to 29 years	–	–	–	–	–	–	–	–	–	–	–
	30 to 39 years	1	–	–	–	–	–	–	1	–	–	–
	40 to 49 years	3	–	3	–	–	–	–	–	–	–	–
	50 to 59 years	7	1	4	1	1	–	–	–	–	–	–
	60 to 69 years	11	1	8	2	–	–	–	–	–	–	–
	70 to 79 years	11	1	4	3	–	–	–	–	3	–	–
	80 years and over	7	1	2	3	–	–	–	–	1	–	–
45*b*	Cancer of the tongue	52	8	19	14	–	–	2	7	2	–	–
	Under 20 years	–	–	–	–	–	–	–	–	–	–	–
	20 to 29 years	–	–	–	–	–	–	–	–	–	–	–
	30 to 39 years	–	–	–	–	–	–	–	–	–	–	–
	40 to 49 years	3	–	1	–	–	–	–	2	–	–	–
	50 to 59 years	8	3	3	–	–	–	1	1	–	–	–
	60 to 69 years	19	4	7	4	–	–	–	3	1	–	–
	70 to 79 years	18	1	7	9	–	–	–	1	–	–	–
	80 years and over	4	–	1	1	–	–	1	–	1	–	–
45*c*	Cancer of the mouth	25	–	11	7	–	–	3	2	2	–	–
	Under 20 years	–	–	–	–	–	–	–	–	–	–	–
	20 to 29 years	–	–	–	–	–	–	–	–	–	–	–
	30 to 39 years	1	–	1	–	–	–	–	–	–	–	–
	40 to 49 years	1	–	–	–	–	–	1	–	–	–	–
	50 to 59 years	2	–	1	–	–	–	–	1	–	–	–
	60 to 69 years	6	–	3	2	–	–	–	1	–	–	–
	70 to 79 years	13	–	5	5	–	–	1	–	2	–	–
	80 years and over	2	–	1	–	–	–	1	–	–	–	–
45*d*	Cancer of the jaw	38	4	14	7	–	–	2	6	5	–	–
	Under 20 years	–	–	–	–	–	–	–	–	–	–	–
	20 to 29 years	–	–	–	–	–	–	–	–	–	–	–
	30 to 39 years	1	–	–	–	–	–	–	–	1	–	–
	40 to 49 years	1	–	1	–	–	–	–	–	–	–	–
	50 to 59 years	9	1	3	–	–	–	1	4	–	–	–
	60 to 69 years	8	1	3	2	–	–	–	1	1	–	–
	70 to 79 years	15	2	6	3	–	–	1	1	2	–	–
	80 years and over	4	–	1	2	–	–	–	–	1	–	–
45*e*	Cancer of other and unspecified parts of the buccal cavity	41	7	24	7	1	–	–	1	1	–	–
	Under 20 years	–	–	–	–	–	–	–	–	–	–	–
	20 to 29 years	1	1	–	–	–	–	–	–	–	–	–
	30 to 39 years	–	–	–	–	–	–	–	–	–	–	–
	40 to 49 years	1	1	–	–	–	–	–	–	–	–	–
	50 to 59 years	11	1	8	2	–	–	–	–	–	–	–
	60 to 69 years	13	3	6	2	–	–	–	1	1	–	–
	70 to 79 years	13	1	10	1	1	–	–	–	–	–	–
	80 years and over	2	–	–	2	–	–	–	–	–	–	–

Table 20

DEATHS FROM CANCER BY SEX, AGE AND MARITAL CONDITION: 1936.

Detailed Int. List No.	Cause of Death and Age Period.	Total both sexes.	Males. Single.	Males. Married.	Males. Widowed.	Males. Divorced.	Males. Unknown.	Females. Single.	Females. Married.	Females. Widowed.	Females. Divorced.	Females. Unknown.
45*f*	Cancer of the pharynx	47	5	22	10	2	–	1	4	3	–	–
	Under 20 years	–	–	–	–	–	–	–	–	–	–	–
	20 to 29 years	–	–	–	–	–	–	–	–	–	–	–
	30 to 39 years	1	–	–	–	–	–	–	1	–	–	–
	40 to 49 years	3	–	2	1	–	–	–	–	–	–	–
	50 to 59 years	8	2	4	–	2	–	–	–	–	–	–
	60 to 69 years	17	2	10	2	–	–	–	2	1	–	–
	70 to 79 years	13	1	5	5	–	–	1	1	–	–	–
	80 years and over	5	–	1	2	–	–	–	–	2	–	–
46	Cancer of the digestive tract and peritoneum	3,228	205	1,041	370	25	–	249	614	702	22	–
	Under 20 years	6	3	–	–	–	–	3	–	–	–	–
	20 to 29 years	15	5	4	–	–	–	3	3	–	–	–
	30 to 39 years	72	10	22	–	–	–	7	30	2	1	–
	40 to 49 years	226	19	94	6	4	–	22	71	6	4	–
	50 to 59 years	628	36	269	29	7	–	49	166	69	3	–
	60 to 69 years	1,041	77	369	110	7	–	83	211	178	6	–
	70 to 79 years	925	50	239	147	6	–	64	117	295	7	–
	80 years and over	315	5	44	78	1	–	18	16	152	1	–
46*a*	Cancer of the esophagus pharynx	143	16	59	23	3	–	5	18	18	1	–
	Under 20 years	–	–	–	–	–	–	–	–	–	–	–
	20 to 29 years	–	–	–	–	–	–	–	–	–	–	–
	30 to 39 years	3	–	1	–	–	–	–	2	–	–	–
	40 to 49 years	6	2	2	–	–	–	–	1	–	1	–
	50 to 59 years	25	1	14	1	1	–	1	5	2	–	–
	60 to 69 years	57	9	27	8	2	–	1	5	5	–	–
	70 to 79 years	36	4	12	11	–	–	2	3	4	–	–
	80 years and over	16	–	3	3	–	–	1	2	7	–	–
46*b*	Cancer of the stomach and duodenum	1,119	78	401	160	6	–	65	184	220	5	–
	Under 20 years	–	–	–	–	–	–	–	–	–	–	–
	20 to 29 years	4	1	2	–	–	–	–	1	–	–	–
	30 to 39 years	31	4	11	–	–	–	3	11	1	1	–
	40 to 49 years	66	5	32	2	1	–	3	20	2	1	–
	50 to 59 years	224	18	107	14	1	–	14	40	29	1	–
	60 to 69 years	373	26	146	44	1	–	24	69	62	1	–
	70 to 79 years	316	20	86	64	2	–	16	40	87	1	–
	80 years and over	105	4	17	36	1	–	5	3	39	–	–
46*c*	Cancer of the intestines (except duodenum, rectum and anus)	938	51	255	86	8	–	93	199	238	8	–
	Under 20 years	–	–	–	–	–	–	–	–	–	–	–
	20 to 29 years	5	1	–	–	–	–	3	1	–	–	–
	30 to 39 years	22	3	4	–	–	–	4	11	–	–	–
	40 to 49 years	73	7	27	1	1	–	12	23	1	1	–
	50 to 59 years	187	8	71	7	1	–	14	63	21	2	–
	60 to 69 years	258	17	78	25	2	–	30	58	45	3	–
	70 to 79 years	291	15	62	34	4	–	23	39	113	1	–
	80 years and over	102	–	13	19	–	–	7	4	58	1	–
46*d*	Cancer of the rectum and anus	401	30	140	50	3	–	35	70	71	2	–
	Under 20 years	1	1	–	–	–	–	–	–	–	–	–
	20 to 29 years	2	–	1	–	–	–	–	1	–	–	–
	30 to 39 years	7	2	3	–	–	–	–	1	1	–	–
	40 to 49 years	31	2	12	3	1	–	5	6	2	–	–
	50 to 59 years	77	5	30	3	1	–	10	24	4	–	–
	60 to 69 years	153	15	57	16	1	–	11	28	24	1	–
	70 to 79 years	96	5	33	19	–	–	6	6	26	1	–
	80 years and over	34	–	4	9	–	–	3	4	14	–	–
46*e*	Cancer of the liver and biliary passages	380	16	97	34	2	–	37	96	93	5	–
	Under 20 years	3	2	–	–	–	–	1	–	–	–	–
	20 to 29 years	2	1	1	–	–	–	–	–	–	–	–
	30 to 39 years	3	1	1	–	–	–	–	1	–	–	–
	40 to 49 years	30	2	11	–	1	–	–	15	–	1	–
	50 to 59 years	67	3	24	3	1	–	7	23	6	–	–
	60 to 69 years	121	4	33	9	–	–	16	36	22	1	–
	70 to 79 years	116	2	24	14	–	–	12	18	43	3	–
	80 years and over	38	1	3	8	–	–	1	3	22	–	–

Table 20

DEATHS FROM CANCER BY SEX, AGE AND MARITAL CONDITION: 1936.

Detailed Int. List No.	Cause of Death and Age Period.	Total both sexes.	Males. Single.	Males. Married.	Males. Widowed.	Males. Divorced.	Males. Unknown.	Females. Single.	Females. Married.	Females. Widowed.	Females. Divorced.	Females. Unknown.
46*f*	Cancer of the pancreas	230	14	83	17	3	–	13	42	57	1	–
	Under 20 years	1	–	–	–	–	–	1	–	–	–	–
	20 to 29 years	2	2	–	–	–	–	–	–	–	–	–
	30 to 39 years	5	–	2	–	–	–	–	3	–	–	–
	40 to 49 years	15	1	7	–	–	–	2	4	1	–	–
	50 to 59 years	46	1	21	1	2	–	3	11	7	–	–
	60 to 69 years	73	6	27	8	1	–	1	13	17	–	–
	70 to 79 years	69	4	22	5	–	–	5	11	21	1	–
	80 years and over	19	–	4	3	–	–	1	–	11	–	–
46*g*	Cancer of the mesentery and peritoneum	17	–	6	–	–	–	1	5	5	–	–
	Under 20 years	1	–	–	–	–	–	1	–	–	–	–
	20 to 29 years	–	–	–	–	–	–	–	–	–	–	–
	30 to 39 years	1	–	–	–	–	–	–	1	–	–	–
	40 to 49 years	5	–	3	–	–	–	–	2	–	–	–
	50 to 59 years	2	–	2	–	–	–	–	–	–	–	–
	60 to 69 years	6	–	1	–	–	–	–	2	3	–	–
	70 to 79 years	1	–	–	–	–	–	–	–	1	–	–
	80 years and over	1	–	–	–	–	–	–	–	1	–	–
46*h*	Cancer of other organs under this title	–	–	–	–	–	–	–	–	–	–	–
	Under 20 years	–	–	–	–	–	–	–	–	–	–	–
	20 to 29 years	–	–	–	–	–	–	–	–	–	–	–
	30 to 39 years	–	–	–	–	–	–	–	–	–	–	–
	40 to 49 years	–	–	–	–	–	–	–	–	–	–	–
	50 to 59 years	–	–	–	–	–	–	–	–	–	–	–
	60 to 69 years	–	–	–	–	–	–	–	–	–	–	–
	70 to 79 years	–	–	–	–	–	–	–	–	–	–	–
	80 years and over	–	–	–	–	–	–	–	–	–	–	–
47	Cancer of the respiratory system	350	41	173	35	2	1	21	46	28	3	–
	Under 20 years	2	1	–	–	–	–	1	–	–	–	–
	20 to 29 years	5	3	2	–	–	–	–	–	–	–	–
	30 to 39 years	16	3	7	–	–	–	–	4	–	2	–
	40 to 49 years	61	8	36	1	1	–	6	8	1	–	–
	50 to 59 years	106	12	67	6	1	1	5	11	3	–	–
	60 to 69 years	92	8	39	14	–	–	5	15	10	1	–
	70 to 79 years	57	5	20	14	–	–	3	7	8	–	–
	80 years and over	11	1	2	–	–	–	1	1	6	–	–
47*a*	Cancer of the larynx	63	10	24	16	–	–	3	6	4	–	–
	Under 20 years	–	–	–	–	–	–	–	–	–	–	–
	20 to 29 years	–	–	–	–	–	–	–	–	–	–	–
	30 to 39 years	1	–	1	–	–	–	–	–	–	–	–
	40 to 49 years	5	2	1	–	–	–	2	–	–	–	–
	50 to 59 years	16	4	11	–	–	–	–	1	–	–	–
	60 to 69 years	23	2	6	9	–	–	1	3	2	–	–
	70 to 79 years	16	2	5	7	–	–	–	2	–	–	–
	80 years and over	2	–	–	–	–	–	–	–	2	–	–
47*b*	Cancer of the lungs and pleura	271	30	141	18	2	1	17	37	22	3	–
	Under 20 years	1	1	–	–	–	–	–	–	–	–	–
	20 to 29 years	3	2	1	–	–	–	–	–	–	–	–
	30 to 39 years	13	3	5	–	–	–	–	3	–	2	–
	40 to 49 years	54	6	34	1	1	–	4	7	1	–	–
	50 to 59 years	88	8	54	6	1	1	5	10	3	–	–
	60 to 69 years	64	6	31	4	–	–	4	11	7	1	–
	70 to 79 years	40	3	14	7	–	–	3	5	8	–	–
	80 years and over	8	1	2	–	–	–	1	1	3	–	–
47*c*	Cancer of the other respiratory organs	16	1	8	1	–	–	1	3	2	–	–
	Under 20 years	1	–	–	–	–	–	1	–	–	–	–
	20 to 29 years	2	1	1	–	–	–	–	–	–	–	–
	30 to 39 years	2	–	1	–	–	–	–	1	–	–	–
	40 to 49 years	2	–	1	–	–	–	–	1	–	–	–
	50 to 59 years	2	–	2	–	–	–	–	–	–	–	–
	60 to 69 years	5	–	2	1	–	–	–	1	1	–	–
	70 to 79 years	1	–	1	–	–	–	–	–	–	–	–
	80 years and over	1	–	–	–	–	–	–	–	1	–	–

Table 20

DEATHS FROM CANCER BY SEX, AGE AND MARITAL CONDITION: 1936.

Detailed Int. List No.	Cause of Death and Age Period.	Total both sexes.	Males. Single.	Males. Married.	Males. Widowed.	Males. Divorced.	Males. Unknown.	Females. Single.	Females. Married.	Females. Widowed.	Females. Divorced.	Females. Unknown.
48	Cancer of the uterus	600	–	–	–	–	–	81	301	204	14	–
	Under 20 years	–	–	–	–	–	–	–	–	–	–	–
	20 to 29 years	7	–	–	–	–	–	1	5	–	1	–
	30 to 39 years	38	–	–	–	–	–	1	34	2	1	–
	40 to 49 years	109	–	–	–	–	–	12	78	15	4	–
	50 to 59 years	162	–	–	–	–	–	24	95	39	4	–
	60 to 69 years	137	–	–	–	–	–	19	59	59	–	–
	70 to 79 years	108	–	–	–	–	–	17	25	62	4	–
	80 years and over	39	–	–	–	–	–	7	5	27	–	–
49	Cancer of other female genital organs	193	–	–	–	–	–	44	96	51	2	–
	Under 20 years	3	–	–	–	–	–	3	–	–	–	–
	20 to 29 years	5	–	–	–	–	–	3	2	–	–	–
	30 to 39 years	9	–	–	–	–	–	4	5	–	–	–
	40 to 49 years	31	–	–	–	–	–	6	23	1	1	–
	50 to 59 years	50	–	–	–	–	–	13	27	10	–	–
	60 to 69 years	52	–	–	–	–	–	6	29	16	1	–
	70 to 79 years	40	–	–	–	–	–	8	10	22	–	–
	80 years and over	3	–	–	–	–	–	1	–	2	–	–
49a	Cancer of the ovary and Fallopian tube	167	–	–	–	–	–	38	86	41	2	–
	Under 20 years	1	–	–	–	–	–	1	–	–	–	–
	20 to 29 years	4	–	–	–	–	–	2	2	–	–	–
	30 to 39 years	9	–	–	–	–	–	4	5	–	–	–
	40 to 49 years	31	–	–	–	–	–	6	23	1	1	–
	50 to 59 years	46	–	–	–	–	–	12	25	9	–	–
	60 to 69 years	44	–	–	–	–	–	6	24	13	1	–
	70 to 79 years	31	–	–	–	–	–	7	7	17	–	–
	80 years and over	1	–	–	–	–	–	–	–	1	–	–
49b	Cancer of the vagina and vulva	25	–	–	–	–	–	6	10	9	–	–
	Under 20 years	2	–	–	–	–	–	2	–	–	–	–
	20 to 29 years	1	–	–	–	–	–	1	–	–	–	–
	30 to 39 years	–	–	–	–	–	–	–	–	–	–	–
	40 to 49 years	–	–	–	–	–	–	–	–	–	–	–
	50 to 59 years	4	–	–	–	–	–	1	2	1	–	–
	60 to 69 years	7	–	–	–	–	–	–	5	2	–	–
	70 to 79 years	9	–	–	–	–	–	1	3	5	–	–
	80 years and over	2	–	–	–	–	–	1	–	1	–	–
49c	Cancer of other female genital organs	1	–	–	–	–	–	–	–	1	–	–
	Under 20 years	–	–	–	–	–	–	–	–	–	–	–
	20 to 29 years	–	–	–	–	–	–	–	–	–	–	–
	30 to 39 years	–	–	–	–	–	–	–	–	–	–	–
	40 to 49 years	–	–	–	–	–	–	–	–	–	–	–
	50 to 59 years	–	–	–	–	–	–	–	–	–	–	–
	60 to 69 years	1	–	–	–	–	–	–	–	1	–	–
	70 to 79 years	–	–	–	–	–	–	–	–	–	–	–
	80 years and over	–	–	–	–	–	–	–	–	–	–	–
50	Cancer of the breast	712	2	9	1	–	–	156	351	188	5	–
	Under 20 years	–	–	–	–	–	–	–	–	–	–	–
	20 to 29 years	4	–	–	–	–	–	1	2	1	–	–
	30 to 39 years	39	–	–	–	–	–	11	27	1	–	–
	40 to 49 years	95	–	–	–	–	–	18	71	6	–	–
	50 to 59 years	196	1	4	–	–	–	47	121	21	2	–
	60 to 69 years	188	–	3	–	–	–	37	89	58	1	–
	70 to 79 years	128	1	1	1	–	–	29	35	59	2	–
	80 years and over	62	–	1	–	–	–	13	6	42	–	–
51	Cancer of the male genito-urinary organs	567	64	334	159	10	–	–	–	–	–	–
	Under 20 years	6	6	–	–	–	–	–	–	–	–	–
	20 to 29 years	4	4	–	–	–	–	–	–	–	–	–
	30 to 39 years	10	3	6	–	1	–	–	–	–	–	–
	40 to 49 years	22	5	17	–	–	–	–	–	–	–	–
	50 to 59 years	66	11	45	6	4	–	–	–	–	–	–
	60 to 69 years	170	15	123	30	2	–	–	–	–	–	–
	70 to 79 years	212	16	114	79	3	–	–	–	–	–	–
	80 years and over	77	4	29	44	–	–	–	–	–	–	–

Table 20

DEATHS FROM CANCER BY SEX, AGE AND MARITAL CONDITION: 1936.

Detailed Int. List No.	Cause of Death and Age Period.	Total both sexes.	Males. Single.	Males. Married.	Males. Widowed.	Males. Divorced.	Males. Unknown.	Females. Single.	Females. Married.	Females. Widowed.	Females. Divorced.	Females. Unknown.
51a	Cancer of the kidneys and suprarenals (male)	60	13	38	9	–	–	–	–	–	–	–
	Under 20 years	6	6	–	–	–	–	–	–	–	–	–
	20 to 29 years	–	–	–	–	–	–	–	–	–	–	–
	30 to 39 years	3	1	2	–	–	–	–	–	–	–	–
	40 to 49 years	6	1	5	–	–	–	–	–	–	–	–
	50 to 59 years	17	4	11	2	–	–	–	–	–	–	–
	60 to 69 years	18	1	15	2	–	–	–	–	–	–	–
	70 to 79 years	8	–	4	4	–	–	–	–	–	–	–
	80 years and over	2	–	1	1	–	–	–	–	–	–	–
51b	Cancer of the bladder (male)	139	13	87	36	3	–	–	–	–	–	–
	Under 20 years	–	–	–	–	–	–	–	–	–	–	–
	20 to 29 years	1	1	–	–	–	–	–	–	–	–	–
	30 to 39 years	–	–	–	–	–	–	–	–	–	–	–
	40 to 49 years	7	1	6	–	–	–	–	–	–	–	–
	50 to 59 years	24	2	17	4	1	–	–	–	–	–	–
	60 to 69 years	43	4	31	6	2	–	–	–	–	–	–
	70 to 79 years	50	3	28	19	–	–	–	–	–	–	–
	80 years and over	14	2	5	7	–	–	–	–	–	–	–
51c	Cancer of the prostate	332	30	189	108	5	–	–	–	–	–	–
	Under 20 years	–	–	–	–	–	–	–	–	–	–	–
	20 to 29 years	–	–	–	–	–	–	–	–	–	–	–
	30 to 39 years	1	–	1	–	–	–	–	–	–	–	–
	40 to 49 years	6	2	4	–	–	–	–	–	–	–	–
	50 to 59 years	20	5	13	–	2	–	–	–	–	–	–
	60 to 69 years	96	8	70	18	–	–	–	–	–	–	–
	70 to 79 years	149	13	78	55	3	–	–	–	–	–	–
	80 years and over	60	2	23	35	–	–	–	–	–	–	–
51d	Cancer of the testes	16	4	11	–	1	–	–	–	–	–	–
	Under 20 years	–	–	–	–	–	–	–	–	–	–	–
	20 to 29 years	2	2	–	–	–	–	–	–	–	–	–
	30 to 39 years	4	1	2	–	1	–	–	–	–	–	–
	40 to 49 years	–	–	–	–	–	–	–	–	–	–	–
	50 to 59 years	2	–	2	–	–	–	–	–	–	–	–
	60 to 69 years	5	1	4	–	–	–	–	–	–	–	–
	70 to 79 years	3	–	3	–	–	–	–	–	–	–	–
	80 years and over	–	–	–	–	–	–	–	–	–	–	–
51e	Cancer of the scrotum	3	1	2	–	–	–	–	–	–	–	–
	Under 20 years	–	–	–	–	–	–	–	–	–	–	–
	20 to 29 years	–	–	–	–	–	–	–	–	–	–	–
	30 to 39 years	2	1	1	–	–	–	–	–	–	–	–
	40 to 49 years	1	–	1	–	–	–	–	–	–	–	–
	50 to 59 years	–	–	–	–	–	–	–	–	–	–	–
	60 to 69 years	–	–	–	–	–	–	–	–	–	–	–
	70 to 79 years	–	–	–	–	–	–	–	–	–	–	–
	80 years and over	–	–	–	–	–	–	–	–	–	–	–
51f	Cancer of other male genitourinary organs	17	3	7	6	1	–	–	–	–	–	–
	Under 20 years	–	–	–	–	–	–	–	–	–	–	–
	20 to 29 years	1	1	–	–	–	–	–	–	–	–	–
	30 to 39 years	–	–	–	–	–	–	–	–	–	–	–
	40 to 49 years	2	1	1	–	–	–	–	–	–	–	–
	50 to 59 years	3	–	2	–	1	–	–	–	–	–	–
	60 to 69 years	8	1	3	4	–	–	–	–	–	–	–
	70 to 79 years	2	–	1	1	–	–	–	–	–	–	–
	80 years and over	1	–	–	1	–	–	–	–	–	–	–
52	Cancer of the skin	96	5	24	23	–	–	8	11	25	–	–
	Under 20 years	–	–	–	–	–	–	–	–	–	–	–
	20 to 29 years	–	–	–	–	–	–	–	–	–	–	–
	30 to 39 years	4	–	2	–	–	–	1	–	1	–	–
	40 to 49 years	4	–	2	–	–	–	–	1	1	–	–
	50 to 59 years	13	1	5	–	–	–	1	6	–	–	–
	60 to 69 years	20	1	7	4	–	–	3	4	1	–	–
	70 to 79 years	26	3	5	7	–	–	1	–	10	–	–
	80 years and over	29	–	3	12	–	–	2	–	12	–	–

Table 20

DEATHS FROM CANCER BY SEX, AGE AND MARITAL CONDITION: 1936.

Detailed Int. List No.	Cause of Death and Age Period.	Total both sexes.	Males. Single.	Males. Married.	Males. Widowed.	Males. Divorced.	Males. Unknown.	Females. Single.	Females. Married.	Females. Widowed.	Females. Divorced.	Females. Unknown.
53	Cancer of other or unspecified organs	610	59	155	48	4	2	73	142	124	3	–
	Under 20 years	21	11	–	–	–	–	10	–	–	–	–
	20 to 29 years	19	4	4	–	–	–	6	5	–	–	–
	30 to 39 years	31	9	7	–	–	–	5	10	–	–	–
	40 to 49 years	80	9	27	3	–	1	6	25	6	3	–
	50 to 59 years	116	9	47	5	2	–	8	33	12	–	–
	60 to 69 years	152	8	40	13	1	1	15	44	30	–	–
	70 to 79 years	126	9	23	16	1	–	15	20	42	–	–
	80 years and over	65	–	7	11	–	–	8	5	34	–	–
53*a*	Cancer of the kidneys and suprarenals (female)	42	–	–	–	–	–	6	21	14	1	–
	Under 20 years	1	–	–	–	–	–	1	–	–	–	–
	20 to 29 years	–	–	–	–	–	–	–	–	–	–	–
	30 to 39 years	1	–	–	–	–	–	–	1	–	–	–
	40 to 49 years	9	–	–	–	–	–	1	5	2	1	–
	50 to 59 years	8	–	–	–	–	–	–	6	2	–	–
	60 to 69 years	9	–	–	–	–	–	1	5	3	–	–
	70 to 79 years	10	–	–	–	–	–	3	2	5	–	–
	80 years and over	4	–	–	–	–	–	–	2	2	–	–
53*b*	Cancer of the bladder (female)	64	–	–	–	–	–	9	25	30	–	–
	Under 20 years	–	–	–	–	–	–	–	–	–	–	–
	20 to 29 years	–	–	–	–	–	–	–	–	–	–	–
	30 to 39 years	–	–	–	–	–	–	–	–	–	–	–
	40 to 49 years	2	–	–	–	–	–	–	2	–	–	–
	50 to 59 years	8	–	–	–	–	–	1	6	1	–	–
	60 to 69 years	19	–	–	–	–	–	5	6	8	–	–
	70 to 79 years	25	–	–	–	–	–	3	8	14	–	–
	80 years and over	10	–	–	–	–	–	–	3	7	–	–
53*c*	Cancer of the brain	69	11	22	3	1	1	12	16	2	1	–
	Under 20 years	7	3	–	–	–	–	4	–	–	–	–
	20 to 29 years	5	1	–	–	–	–	3	1	–	–	–
	30 to 39 years	9	3	1	–	–	–	2	3	–	–	–
	40 to 49 years	18	3	7	–	–	1	2	4	–	1	–
	50 to 59 years	16	1	9	–	1	–	–	4	1	–	–
	60 to 69 years	9	–	4	2	–	–	–	2	1	–	–
	70 to 79 years	5	–	1	1	–	–	1	2	–	–	–
	80 years and over	–	–	–	–	–	–	–	–	–	–	–
53*d*	Cancer of the bones (except jaw)	89	14	27	9	–	1	8	16	14	–	–
	Under 20 years	6	4	–	–	–	–	2	–	–	–	–
	20 to 29 years	6	2	1	–	–	–	1	2	–	–	–
	30 to 39 years	3	1	1	–	–	–	–	1	–	–	–
	40 to 49 years	8	–	2	2	–	–	–	2	2	–	–
	50 to 59 years	15	2	8	1	–	–	–	3	1	–	–
	60 to 69 years	31	2	11	1	–	1	3	8	5	–	–
	70 to 79 years	14	3	3	3	–	–	1	–	4	–	–
	80 years and over	6	–	1	2	–	–	1	–	2	–	–
53*e*	Cancer of other or unspecified organs	346	34	106	36	3	–	38	64	64	1	–
	Under 20 years	7	4	–	–	–	–	3	–	–	–	–
	20 to 29 years	8	1	3	–	–	–	2	2	–	–	–
	30 to 39 years	18	5	5	–	–	–	3	5	–	–	–
	40 to 49 years	43	6	18	1	–	–	3	12	2	1	–
	50 to 59 years	69	6	30	4	1	–	7	14	7	–	–
	60 to 69 years	84	6	25	10	1	–	6	23	13	–	–
	70 to 79 years	72	6	19	12	1	–	7	8	19	–	–
	80 years and over	45	–	6	9	–	–	7	–	23	–	–

Table 21

Municipalities.	Total deaths under 1 month of age.	Allocated Deaths[1] under 1 Year of Age, by Sex, in the State and in Each Municipality: 1936. Total.	Males.	Females.
Infant Mortality Rate. The State.	**46.6**	**2,854**	**1,605**	**1,249**
Abington	1	2	1	1
Acton	1	2	–	2
Acushnet	2	3	1	2
Adams.	4	5	2	3
Agawam	5	7	5	2
Alford	–	–	–	–
Amesbury	6	8	5	3
Amherst	1	1	1	–
Andover	4	8	3	5
Arlington	18	26	15	11
Ashburnham	1	1	–	1
Ashby	3	4	4	–
Ashfield	1	1	1	–
Ashland	–	–	–	–
Athol	3	6	3	3
Attleboro	3	5	3	2
Auburn	2	3	2	1
Avon	1	2	1	1
Ayer	4	6	4	2
Barnstable	3	7	3	4
Barre	3	4	2	2
Becket.	–	–	–	–
Bedford	1	1	1	–
Belchertown.	2	3	1	2
Bellingham	3	4	2	2
Belmont	8	11	9	2
Berkley	–	1	1	–
Berlin	–	–	–	–
Bernardston	–	–	–	–
Beverly	9	11	7	4
Billerica	3	5	3	2
Blackstone	1	1	–	1
Blandford	1	1	1	–
Bolton	–	–	–	–
Boston	374	615	348	267
Bourne.	–	–	–	–
Boxborough	–	–	–	–
Boxford	–	–	–	–
Boylston	–	–	–	–
Braintree	8	10	1	9
Brewster	1	1	1	–
Bridgewater	5	6	4	2
Brimfield	–	–	–	–
Brockton	29	38	21	17
Brookfield	–	–	–	–
Brookline	6	10	6	4
Buckland	1	1	1	–
Burlington	2	3	–	3
Cambridge	55	96	47	49
Canton.	2	4	3	1
Carlisle	1	1	–	1
Carver.	–	–	–	–
Charlemont	2	2	1	1
Charlton	2	2	–	2
Chatham	–	–	–	–
Chelmsford	–	–	–	–
Chelsea	19	34	20	14
Cheshire	2	2	1	1
Chester	–	–	–	–
Chesterfield	–	–	–	–
Chicopee	24	40	21	19
Chilmark	–	–	–	–
Clarksburg	–	1	–	1
Clinton	2	6	1	5
Cohasset	–	1	–	1
Colrain.	–	–	–	–
Concord	2	2	2	–
Conway	–	–	–	–
Cummington.	–	–	–	–
Dalton.	1	2	1	1
Dana	1	1	1	–
Danvers	6	11	5	6
Dartmouth	2	5	2	3
Dedham	4	6	5	1
Deerfield	–	–	–	–
Dennis	–	–	–	–
Dighton	–	1	1	–
Douglas	1	1	–	1
Dover	1	1	–	1
Dracut.	4	8	6	2
Dudley.	1	1	1	–
Dunstable	–	–	–	–
Duxbury	1	1	–	1
East Bridgewater	2	3	1	2
East Brookfield	–	–	–	–
East Longmeadow	–	–	–	–
Eastham	1	1	1	–
Easthampton	5	10	5	5
Easton	2	2	1	1
Edgartown	4	4	2	2
Egremont	–	–	–	–
Enfield	–	–	–	–
Erving.	–	–	–	–
Essex	2	2	2	–
Everett	26	36	22	14
Fairhaven	4	5	2	3
Fall River	46	81	44	37
Falmouth	3	3	1	2
Fitchburg	15	21	13	8
Florida.	–	–	–	–
Foxborough	2	2	2	–
Framingham	10	15	8	7
Franklin	1	2	1	1
Freetown	–	2	2	–
Gardner	11	16	8	8
Gay Head	–	–	–	–
Georgetown	1	3	3	–
Gill	–	1	–	1
Gloucester.	18	28	11	17
Goshen	–	–	–	–
Gosnold	–	–	–	–
Grafton	4	5	3	2
Granby	–	–	–	–
Granville	–	–	–	–
Great Barrington	4	4	3	1
Greenfield	11	11	5	6
Greenwich	–	–	–	–
Groton.	–	–	–	–
Groveland	–	1	1	–
Hadley.	–	2	1	1
Halifax.	–	–	–	–
Hamilton	–	2	2	–
Hampden	–	–	–	–
Hancock	–	–	–	–
Hanover	2	3	1	2
Hanson	–	1	1	–
Hardwick	2	2	1	1
Harvard	–	–	–	–
Harwich	1	5	3	2
Hatfield	–	1	1	–
Haverhill	18	29	19	10
Hawley	–	–	–	–
Heath	1	2	1	1
Hingham	–	1	–	1
Hinsdale	–	–	–	–
Holbrook	–	–	–	–
Holden	2	2	2	–
Holland	–	–	–	–
Holliston	2	2	2	–
Holyoke	21	29	20	9
Hopedale	2	3	2	1
Hopkinton	–	1	1	–
Hubbardston	1	1	–	1
Hudson	1	2	1	1
Hull	2	2	–	2
Huntington	–	–	–	–
Ipswich	1	2	–	2
Kingston	2	4	2	2
Lakeville	2	2	1	1
Lancaster	1	1	–	1
Lanesborough	–	–	–	–
Lawrence	41	66	35	31
Lee	2	5	5	–
Leicester	2	3	2	1
Lenox	1	2	1	1
Leominster.	13	22	16	6
Leverett	–	–	–	–

[1] Exclusive of stillbirths

Table 21

Municipalities.	Total deaths under 1 month of age.	Allocated Deaths[1] under 1 Year of Age, by Sex, in the State and in Each Municipality: 1936.		
		Total.	Males.	Females.
Lexington	4	6	4	2
Leyden	–	–	–	–
Lincoln	–	–	–	–
Littleton	1	1	1	–
Longmeadow	3	3	3	–
Lowell	63	87	47	40
Ludlow	3	3	3	–
Lunenburg	1	1	–	1
Lynn	30	47	27	20
Lynnfield	–	–	–	–
Malden	22	36	17	19
Manchester	1	1	1	–
Mansfield	3	6	2	4
Marblehead	2	3	3	–
Marion	–	–	–	–
Marlborough	7	8	4	4
Marshfield	–	–	–	–
Mashpee	1	1	–	1
Mattapoisett	1	1	1	–
Maynard	3	3	3	–
Medfield	–	1	1	–
Medford	22	34	18	16
Medway	2	2	2	–
Melrose	5	6	4	2
Mendon	1	1	1	–
Merrimac	–	–	–	–
Methuen	9	16	7	9
Middleborough	6	8	4	4
Middlefield	–	–	–	–
Middleton	1	1	–	1
Milford	4	5	2	3
Millbury	3	8	6	2
Millis	1	2	1	1
Millville	–	–	–	–
Milton	6	8	7	1
Monroe	–	–	–	–
Monson	1	2	2	–
Montague	2	6	3	3
Monterey	–	–	–	–
Montgomery	1	1	–	1
Mount Washington	–	–	–	–
Nahant	1	1	1	–
Nantucket	4	4	2	2
Natick	10	12	4	8
Needham	1	1	–	1
New Ashford	–	–	–	–
New Bedford	54	95	52	43
New Braintree	–	–	–	–
New Marlborough	–	–	–	–
New Salem	–	–	–	–
Newbury	–	–	–	–
Newburyport	6	10	7	3
Newton	15	23	12	11
Norfolk	–	–	–	–
North Adams	11	18	9	9
North Andover	3	3	1	2
North Attleborough	8	9	3	6
North Brookfield	–	–	–	–
North Reading	2	3	–	3
Northampton	8	13	4	9
Northborough	1	1	1	–
Northbridge	5	6	6	–
Northfield	–	–	–	–
Norton	1	1	–	1
Norwell	2	2	1	1
Norwood	8	14	9	5
Oak Bluffs	1	1	1	–
Oakham	–	–	–	–
Orange	2	4	2	2
Orleans	–	–	–	–
Otis	–	–	–	–
Oxford	2	4	2	2
Palmer	6	13	8	5
Paxton	–	–	–	–
Peabody	11	15	6	9
Pelham	–	–	–	–
Pembroke	1	1	–	1
Pepperell	1	5	3	2
Peru	–	–	–	–
Petersham	–	–	–	–

Municipalities.	Total deaths under 1 month of age.	Allocated Deaths[1] under 1 Year of Age, by Sex, in the State and in Each Municipality: 1936.		
		Total.	Males.	Females.
Phillipston	–	–	–	–
Pittsfield	19	31	15	16
Plainfield	–	–	–	–
Plainville	2	4	2	2
Plymouth	3	8	6	2
Plympton	–	–	–	–
Prescott	–	–	–	–
Princeton	–	–	–	–
Provincetown	1	1	–	1
Quincy	38	49	29	20
Randolph	–	1	1	–
Raynham	1	1	1	–
Reading	1	2	–	2
Rehoboth	1	2	2	–
Revere	13	21	13	8
Richmond	–	–	–	–
Rochester	–	1	1	–
Rockland	2	6	3	3
Rockport	1	2	1	1
Rowe	–	1	1	–
Rowley	–	–	–	–
Royalston	–	1	1	–
Russell	–	–	–	–
Rutland	–	–	–	–
Salem	18	39	24	15
Salisbury	1	1	1	–
Sandisfield	–	–	–	–
Sandwich	1	3	1	2
Saugus	4	10	8	2
Savoy	–	–	–	–
Scituate	–	–	–	–
Seekonk	–	–	–	–
Sharon	–	–	–	–
Sheffield	1	1	–	1
Shelburne	–	1	1	–
Sherborn	1	1	–	1
Shirley	1	2	1	1
Shrewsbury	1	1	1	–
Shutesbury	–	–	–	–
Somerset	2	4	2	2
Somerville	39	64	38	26
South Hadley	–	–	–	–
Southampton	–	–	–	–
Southborough	2	2	1	1
Southbridge	6	9	4	5
Southwick	–	–	–	–
Spencer	7	8	3	5
Springfield	66	99	57	42
Sterling	1	2	2	–
Stockbridge	–	–	–	–
Stoneham	–	2	2	–
Stoughton	4	7	2	5
Stow	–	–	–	–
Sturbridge	1	3	3	–
Sudbury	–	–	–	–
Sunderland	–	–	–	–
Sutton	–	2	2	–
Swampscott	3	3	1	2
Swansea	2	4	4	–
Taunton	24	28	17	11
Templeton	2	5	3	2
Tewksbury	2	2	2	–
State Infirmary	–	–	–	–
Tisbury	–	–	–	–
Tolland	–	–	–	–
Topsfield	1	1	–	1
Townsend	–	–	–	–
Truro	–	–	–	–
Tyngsborough	–	1	–	1
Tyringham	–	–	–	–
Upton	2	3	2	1
Uxbridge	2	4	1	3
Wakefield	10	12	6	6
Wales	–	–	–	–
Walpole	1	3	3	–
Waltham	19	36	18	18
Ware	5	7	3	4
Wareham	2	3	2	1
Warren	1	1	1	–
Warwick	–	–	–	–

[1] Exclusive of stillbirths.

Table 21

Municipalities.	Total deaths under 1 month of age.	Allocated Deaths[1] under 1 Year of Age, by Sex, in the State and in Each Municipality: 1936.			Municipalities.	Total deaths under 1 month of age.	Allocated Deaths[1] under 1 Year of Age, by Sex, in the State and in Each Municipality: 1936.		
		Total.	Males.	Females.			Total.	Males.	Females.
Washington	–	–	–	–	Weston	1	2	1	1
Watertown	15	23	11	12	Westport	2	4	4	–
Wayland	–	–	–	–	Westwood	–	–	–	–
Webster	8	12	9	3	Weymouth	3	7	3	4
Wellesley	2	4	2	2	Whately	–	–	–	–
Wellfleet	–	–	–	–	Whitman	–	1	1	–
Wendell	1	1	1	–	Wilbraham	1	1	1	–
Wenham	–	–	–	–	Williamsburg	–	–	–	–
West Boylston	1	1	–	1	Williamstown	2	6	3	3
West Bridgewater	2	3	3	–	Wilmington	2	3	2	1
West Brookfield	–	–	–	–	Winchendon	–	3	1	2
West Newbury	–	–	–	–	Winchester	2	4	1	3
West Springfield	17	20	14	6	Windsor	–	–	–	–
West Stockbridge	2	2	2	–	Winthrop	2	3	2	1
West Tisbury	–	–	–	–	Woburn	10	11	7	4
Westborough	–	–	–	–	Worcester	89	143	84	59
Westfield	8	12	5	7	Worthington	–	–	–	–
Westford	3	4	3	1	Wrentham	2	2	1	1
Westhampton	1	1	–	1	Yarmouth	1	1	1	–
Westminster	1	1	1	–					

[1] Exclusive of stillbirths.

Table 22

Years.	Infant Mortality: 1912 to 1936.			
	Live births.	Deaths[1] under 1 Year.		
		Number.	Per 1,000 live births.	Per cent of total deaths.
1912	89,882	10,472	116.5	20.0
1913	91,644	10,086	110.1	18.9
1914	93,399	9,894	105.9	18.7
1915	93,155	9,490	101.9	17.9
1916	93,487	9,334	99.8	16.6
1917	95,731	9,325	97.4	16.5
1918	95,607	10,820	113.2	13.7
1919	87,827	7,769	88.5	14.8
1920	91,859	8,382	91.2	15.6
1921	92,245	7,005	75.9	14.7
1922	87,636	7,129	81.3	13.9
1923	89,210	6,968	78.1	13.3
1924	91,463	6,191	67.7	12.5
1925	86,014	6,294	73.1	12.1
1926	83,502	6,130	73.4	11.6
1927	82,273	5,320	64.7	10.7
1928	79,054	5,118	64.7	9.9
1929	74,122	4,592	62.0	8.8
1930	73,690	4,440	60.3	9.0
1931	69,385	3,803	54.8	7.8
1932	68,518	3,635	53.1	7.3
1933	63,457	3,294	51.9	6.5
1934	63,767	3,136	49.2	6.2
1935	62,416[2]	3,014	48.3	6.1
1936	61,184[2]	2,854	46.6	5.5

[1] Exclusive of stillbirths. [2] Allocated.

Table 23

Municipalities. (Grouped in order of population, 1935.)

Infant Deaths[1] per 1,000 Live Births[2] in Municipalities having over 15,000 Inhabitants in 1935: 1929 to 1936.

	1936.	1935.	1934.	1933.	1932.	1931.	1930.	1929.
The State.	47	48	49	52	53	54	60	62
Over 100,000.								
Boston	51	49	55	59	59	61	70	69
Worcester	53	41	62	55	53	50	63	60
Springfield	48	45	52	52	56	49	54	59
Cambridge	55	73	47	48	57	50	47	57
Fall River	49	58	42	63	53	60	66	66
New Bedford	62	58	61	56	57	83	55	66
Lynn	39	69	33	49	43	45	57	56
Somerville	39	44	45	50	47	48	64	53
Lowell	56	68	63	62	67	77	78	70
50,000 to 100,000.								
Lawrence	54	62	65	50	55	71	68	75
Quincy	44	38	50	57	53	40	47	48
Newton	27	40	31	21	40	49	31	46
Brockton	47	35	35	48	38	47	56	60
Medford	35	31	35	34	43	27	37	33
Malden	43	37	50	31	31	44	44	34
Holyoke	44	47	48	69	55	60	55	68
Brookline (town)	23	13	45	34	57	14	39	73
25,000 to 50,000.								
Haverhill	47	32	52	48	42	37	47	44
Pittsfield	43	35	43	52	47	52	40	74
Everett	44	35	33	59	50	33	46	51
Salem	61	84	83	57	63	92	87	97
Chelsea	57	54	39	47	58	41	49	39
Chicopee	68	75	71	73	75	61	48	94
Fitchburg	36	63	52	59	52	74	65	74
Waltham	55	38	34	40	32	46	51	44
Arlington (town)	48	43	31	42	33	43	45	62
Taunton	51	55	56	73	60	59	86	62
Watertown (town)	42	33	47	41	59	42	63	39
Revere	41	32	65	42	46	34	35	26
Beverly	33	56	17	30	39	35	33	43
15,000 to 25,000.								
Belmont (town)	32	12	21	52	85	111	53	34
Northampton	50	26	42	54	69	57	50	55
Melrose	21	51	41	49	35	28	53	42
Gloucester	73	46	56	37	57	43	57	79
Framingham (town)	46	43	31	57	56	48	34	34
North Adams	55	49	49	47	43	71	78	69
Peabody	47	69	37	32	35	61	36	79
Leominster	65	72	52	49	62	78	108	47
Attleboro	17	55	47	46	58	48	68	58
Weymouth (town)	20	27	38	43	45	26	36	27
Methuen (town)	55	52	32	52	54	71	65	50
Gardner	51	53	47	43	59	73	51	65
Woburn	35	57	37	35	26	49	43	56
Westfield	53	17	33	23	81	82	54	70
Milton (town)	42	40	52	48	—[3]	43	49	–
Braintree (town)	45	32	40	33	99	43	38	–
West Springfield (town)	98	67	43	52	43	51	87	85
Winthrop (town)	16	41	40	23	20	24	44	17
Wakefield (town)	49	48	44	56	61	20	48	47
Greenfield (town)	46	49	43	45	20	57	63	48
Southbridge (town)	35	27	–	–	–	–	–	–
Marlborough	45	53	39	38	44	41	36	29
Norwood (town)	57	29	24	47	56	36	52	–
Dedham (town)	29	68	23	51	70	43	116	–
Saugus (town)	47	101	–	–	–	–	–	–
Milford (town)	21	27	–	–	–	–	–	–

[1] Exclusive of stillbirths. [2] Allocated. [3] No deaths under 1 year of age.

Table 24

Municipalities. (Grouped in order of population, 1935.)

Birth Rates,[1] Death Rates,[1] Natural Increase, Infant Mortality Rates, and Survivorship, in Municipalities having over 15,000 Inhabitants in 1935: 1936.

	Births[2] per 1,000 population.	Deaths[2] per 1,000 population.	Natural increase per 1,000 population.	Deaths[2] under 1 year per 1,000 births.[2]	Survivors at end of first year of life.	
					Number.	Per 1,000 births.[2]
The State.	14.0	11.7	2.3	46.6	58,330	953
Over 100,000.						
Boston	14.6	12.3	2.3	50.8	11,502	949
Worcester	14.1	12.0	2.1	53.2	2,545	947
Springfield	13.7	11.0	2.7	48.4	1,945	952
Cambridge	14.6	11.3	3.3	55.1	1,646	945
Fall River	14.1	12.4	1.7	48.5	1,588	951
New Bedford	14.0	12.1	1.9	61.5	1,450	939
Lynn	12.1	11.8	.3	38.6	1,171	961
Somerville	16.5	11.8	4.7	38.6	1,594	961
Lowell	15.5	13.6	1.9	56.1	1,465	944

[1] Allocated. [2] Exclusive of stillbirths.

Table 24

BIRTH RATES[1], DEATH RATES[1], NATURAL INCREASE, INFANT MORTALITY RATES, AND SURVIVORSHIP, IN MUNICIPALITIES HAVING OVER 15,000 INHABITANTS IN 1935: 1936.—*Con.*

MUNICIPALITIES. (Grouped in order of population, 1935.)	Births[2] per 1,000 population.	Deaths[2] per 1,000 population.	Natural increase per 1,000 population.	Deaths[2] under 1 year per 1,000 births.[2]	SURVIVORS AT END OF FIRST YEAR OF LIFE. Number.	Per 1,000 births.[2]
50,000 TO 100,000.						
Lawrence	14.1	10.9	3.2	53.6	1,165	946
Quincy	14.1	9.3	4.8	44.2	1,059	956
Newton	12.7	10.0	2.7	27.2	823	973
Brockton	12.9	12.7	.2	47.3	765	953
Medford	15.7	9.5	6.2	34.9	939	965
Malden	14.6	11.3	3.3	43.1	800	957
Holyoke	11.6	11.9	.3[3]	44.4	624	956
Brookline (town)	8.6	11.3	2.7[3]	22.6	433	997
25,000 TO 50,000.						
Haverhill	12.4	11.6	.8	46.8	590	953
Pittsfield	15.1	10.8	4.3	43.1	688	957
Everett	17.2	10.1	7.1	44.4	775	956
Salem	14.8	12.1	2.7	60.5	606	940
Chelsea	14.0	10.3	3.7	57.0	563	943
Chicopee	14.1	9.2	4.9	67.7	551	932
Fitchburg	13.8	11.0	2.8	36.1	560	964
Waltham	15.9	10.5	5.4	55.3	615	945
Arlington (town)	13.8	11.3	2.5	48.0	516	952
Taunton	14.6	14.0	.6	51.4	517	949
Watertown (town)	15.3	9.1	6.2	41.5	531	958
Revere	14.4	9.9	4.5	41.2	489	959
Beverly	12.7	11.1	1.6	33.0	322	967
15,000 TO 25,000.						
Belmont (town)	13.3	8.8	4.5	32.1	332	968
Northampton	10.5	12.3	1.8[3]	50.4	245	950
Melrose	11.5	10.9	.6	21.1	278	979
Gloucester	15.9	13.2	2.7	72.9	356	927
Framingham (town)	14.3	12.0	2.3	46.2	310	954
North Adams	14.7	13.6	1.1	55.0	309	945
Peabody	14.3	10.2	4.1	46.9	305	953
Leominster	15.5	11.5	4.0	64.7	318	935
Attleboro	13.5	10.4	3.1	16.9	290	983
Weymouth (town)	15.8	11.9	3.9	20.2	340	980
Methuen (town)	13.7	11.2	2.5	55.4	273	945
Gardner	15.3	11.7	3.6	50.5	301	950
Woburn	15.8	11.3	4.5	35.3	301	965
Westfield	12.0	12.1	.1[3]	53.1	214	947
Milton (town)	10.1	10.8	.7[3]	42.3	181	958
Braintree (town)	12.7	9.3	3.4	44.6	214	955
West Springfield (town)	11.9	10.6	1.3	97.6	185	902
Winthrop (town)	11.2	11.0	.2	15.7	188	984
Wakefield (town)	14.7	9.9	4.8	49.4	231	951
Greenfield (town)	14.8	13.4	1.4	46.2	227	954
Southbridge (town)	15.8	9.5	6.3	35.0	248	965
Marlborough	11.3	11.0	.3	44.7	171	955
Norwood (town)	15.7	8.8	6.9	56.7	233	943
Dedham (town)	13.6	10.4	3.2	28.6	204	971
Saugus (town)	13.9	10.8	3.1	47.4	201	953
Milford (town)	15.8	11.0	4.8	21.0	233	979

[1] Allocated. [2] Exclusive of stillbirths. [3] Decrease.

Table 25

INFANT MORTALITY IN MASSACHUSETTS, BOSTON, AND THE REMAINDER OF THE STATE OUTSIDE OF BOSTON: 1920 TO 1936.

YEARS.	MASSACHUSETTS. Live births.	Deaths under 1 year. Number.	Per 1,000 live births.	BOSTON. Live births.	Deaths under 1 year. Number.	Per 1,000 live births.	REMAINDER OF STATE OUTSIDE BOSTON. Live births.	Deaths under 1 year. Number.	Per 1,000 live births.
1920	91,859	8,382	91.2	19,573	1,962	100.2	72,286	6,420	88.8
1921	92,245	7,005	75.9	19,397	1,497	77.2	72,848	5,508	75.6
1922	87,636	7,129	81.3	18,536	1,711	92.3	69,100	5,418	78.4
1923	89,210	6,968	78.1	19,056	1,570	82.4	70,154	5,398	76.9
1924	91,463	6,191	67.7	19,776	1,468	74.2	71,687	4,723	65.9
1925	86,014	6,294	73.1	18,636	1,585	85.1	67,378	4,709	69.9
1926	83,502	6,130	73.4	18,731	1,572	83.9	64,771	4,558	70.4
1927	82,273	5,320	64.7	17,079	1,459	85.4	65,194	3,861	59.2
1928	79,054	5,118	64.7	18,781	1,445	76.9	60,273	3,673	60.9
1929	74,122	4,592	62.0	17,942	1,236	68.9	56,180	3,356	59.7
1930	73,690	4,440	60.3	18,057	1,257	69.6	55,633	3,183	57.2
1931	69,385	3,803	54.8	17,137	1,039	60.6	52,248	2,764	52.9
1932	68,518	3,635	53.1	17,271	1,025	59.3	51,247	2,610	50.9
1933	63,457	3,294	51.9	16,249	958	58.9	47,208	2,436	51.6
1934	63,767	3,136	49.2	15,825	871	55.0	47,942	2,265	47.2
1935	62,416[1]	3,014	48.3	12,371[1]	607	49.1	50,045	2,407	48.1
1936	61,184[1]	2,854	46.6	12,117[1]	615	50.8	49,067	2,239	45.6

[1] Allocated.

Table 26

Years.	Survivors at End of First Year of Life: 1911 to 1936. Per 1,000 population.	Per 1,000 live births.	Years.	Survivors at End of First Year of Life: 1911 to 1936. Per 1,000 population.	Per 1,000 live births.
1911	22.6	881	1924	21.3	932
1912	22.6	883	1925	19.2	927
1913	22.8	890	1926	18.4	927
1914	22.9	894	1927	18.0	935
1915	22.7	898	1928	17.1	935
1916	22.3	900	1929	15.9	938
1917	22.5	903	1930	16.3	940
1918	21.7	887	1931	15.5	945
1919	20.9	911	1932	11.9	946
1920	21.7	909	1933	13.9	948
1921	21.9	924	1934	14.0	951
1922	20.5	919	1935	13.7[1]	952[1]
1923	20.7	922	1936	13.3[1]	953[1]

[1] Allocated.

Table 27

Detailed Int. List No.	Causes.	Infant Deaths per 1,000 Live Births, by Causes: 1929 to 1936. 1936.[1]	1935.[1]	1934.	1933.	1932.	1931.	1930.	1929.
	All Causes.	**46.6**	**48.3**	**49.2**	**51.9**	**53.1**	**54.8**	**60.3**	**62.0**
	Developmental and wasting diseases*	23.7	21.7	23.2	24.1	23.3	24.8	25.5	26.9
159	Premature birth*	17.1	15.0	16.0	15.8	15.6	16.1	15.7	17.5
157	Congenital malformations	6.0	5.8	6.5	6.9	6.8	7.3	7.8	7.1
158	Congenital debility, etc.*	.6	.9	.7	1.4	.9	1.4	2.0	2.3
119	Diarrhea and enteritis*	2.3	3.1	2.7	2.2	2.9	3.4	5.0	4.5
107*a*	Bronchopneumonia*	6.1	7.3	7.0	7.5	7.8	7.1	8.5	9.0
108	Lobar pneumonia*	1.4	1.4	1.1	1.3	1.3	1.6	1.6	1.6
86	Convulsions	.2	.1	.2	.3	.2	.2	.2	.5
106*a*, 106*b*, 106*c*	Bronchitis*	.2	.2	.2	.2	.2	.2	.4	.5
9	Whooping cough*	.6	.7	1.1	.9	.9	.7	1.3	.9
18, 79	Meningitis	.5	.5	.2	.3	.3	.4	.5	.4
24	Tuberculous meningitis	.1	.1	.1	.2	.3	.2	.2	.3
34	Syphilis	.1	.3	.2	.3	.3	.4	.4	.3
109	Pneumonia, undefined	.1	.1	–	.2	.2	.2	.2	.2
16	Acute anterior poliomyelitis	–	–	–	–	–	.1	–	–
	All other causes	11.3	12.7	13.2	14.4	15.4	15.5	16.5	16.9

[1] Allocated.

Table 28

Deaths under 2 Years of Age from Diarrhea and Enteritis (119)*, by Months: 1929 to 1936.

Months	1936.[1]	1935.[1]	1934.	1933.	1932.	1931.	1930.	1929.
The Year.	**153**	**219**	**194**	**161**	**229**	**275**	**410**	**394**
January	24	6	7	12	13	10	30	42
February	17	17	10	13	16	13	25	17
March	18	14	20	17	21	18	34	31
April	9	22	12	11	18	15	35	21
May	7	26	15	14	14	26	30	24
June	12	20	16	10	17	12	23	28
July	15	15	18	12	19	35	28	30
August	10	28	38	11	24	35	38	45
September	14	21	23	24	29	48	66	54
October	12	15	23	13	22	33	53	48
November	7	23	6	12	18	17	26	25
December	8	12	6	12	18	13	22	29
	Per Cent Distribution.							
The Year.	**100.0**	**100.0**	**100.0**	**100.0**	**100.0**	**100.0**	**100.0**	**100.0**
January	15.7	2.7	3.6	7.5	5.6	3.6	7.3	10.7
February	11.1	7.8	5.1	8.0	7.0	4.7	6.1	4.3
March	11.8	6.4	10.3	10.6	9.2	6.5	8.3	7.9
April	5.9	10.1	6.2	6.8	7.9	5.5	8.5	5.3
May	4.6	11.9	7.7	8.7	6.1	9.5	7.3	6.0
June	7.8	9.1	8.2	6.2	7.4	4.4	5.6	7.1
July	9.8	6.8	9.3	7.5	8.3	12.7	6.8	7.6
August	6.5	12.8	19.6	6.8	10.5	12.7	9.3	11.5
September	9.2	9.6	11.9	14.9	12.6	17.5	16.1	13.7
October	7.8	6.8	11.9	8.0	9.6	12.0	12.9	12.2
November	4.6	10.5	3.1	7.5	7.9	6.2	6.4	6.3
December	5.2	5.5	3.1	7.5	7.9	4.7	5.4	7.4

[1] Allocated.

Table 29

DEATHS[1] FROM IMPORTANT CAUSES FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1935: **1936.**

Detailed Int. List No.	Cause of Death.	Sex.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Total less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 1 month.	Total less than 1 month.	1 month but less than 2.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12.
	The State[2]	T	2,854	960	199	156	198	1,513	122	91	84	1,810	187	146	309	236	166
		M	1,605	528	114	95	104	841	79	43	51	1,014	109	79	177	128	98
		F	1,249	432	85	61	94	672	43	48	33	796	78	67	132	108	68
7	Measles	M	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–
		F	4	–	–	–	–	–	–	–	–	–	–	–	–	1	3
8	Scarlet fever	M	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
9	Whooping cough	M	18	–	–	–	–	–	–	–	2	2	1	5	3	5	2
		F	18	–	–	–	–	–	–	–	–	–	2	2	3	5	6
10	Diphtheria	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
11	Influenza	M	12	–	–	–	–	–	–	–	–	–	–	2	4	3	3
		F	10	–	–	–	–	–	–	–	1	1	–	1	1	5	2
13	Dysentery	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
15	Erysipelas	M	10	–	–	–	–	–	2	2	2	6	2	1	–	1	–
		F	10	–	–	–	1	1	–	2	2	5	3	2	–	–	–
18	Epidemic cerebro-spinal meningitis	M	7	–	–	–	–	–	–	–	–	–	–	–	2	3	2
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
22	Tetanus	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
23	Tuberculosis of the respiratory system	M	2	–	–	–	–	–	–	–	–	–	–	–	1	–	1
		F	4	–	–	–	–	–	–	–	–	–	–	–	–	3	1
24	Tuberculosis of the meninges and central nervous system	M	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–
		F	3	–	–	–	–	–	–	–	–	–	–	–	–	3	–
25–32	Other forms of tuberculosis	M	3	–	–	–	–	–	–	–	–	–	–	–	2	–	1
		F	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
34	Syphilis	M	5	–	–	1	–	1	–	–	–	1	–	2	1	1	–
		F	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–
86	Convulsions	M	4	–	–	–	1	1	–	–	–	1	–	1	1	–	1
		F	8	–	–	–	–	–	–	–	1	1	–	–	3	1	3
106	Bronchitis	M	9	1	2	–	–	3	1	–	–	4	1	2	1	–	1
		F	7	–	–	–	–	–	–	–	–	–	1	–	2	2	2
107	Bronchopneumonia	M	203	–	2	–	5	7	7	11	9	34	23	13	63	37	33
		F	171	–	1	1	5	7	–	8	4	19	17	26	43	46	20
108, 109	Pneumonia	M	63	–	1	1	–	2	1	–	2	5	11	10	13	15	9
		F	32	–	–	1	–	1	1	1	–	3	3	5	8	9	4
117, 118	Diseases of the stomach	M	2	–	–	–	–	–	–	–	2	2	–	–	–	–	–
		F	4	–	–	–	–	–	–	–	–	–	1	1	1	1	–
119	Diarrhea and enteritis	M	93	–	–	–	1	1	4	4	4	13	12	15	23	20	10
		F	46	–	–	–	–	–	–	4	1	5	5	5	20	6	5
122b	Intestinal obstruction	M	6	–	–	–	1	1	2	–	–	3	–	1	1	1	–
		F	3	–	–	–	–	–	–	–	–	–	–	–	3	–	–
157	Congenital malformations	M	196	51	11	14	24	100	20	11	5	136	19	10	19	8	4
		F	170	46	12	11	12	81	13	7	6	107	16	9	20	9	9
158, 161*b*, *c*	Congenital debility, icterus, sclerema	M	30	4	–	1	6	11	3	1	–	15	9	2	1	1	2
		F	25	5	1	1	8	15	1	–	1	17	1	2	4	–	1
159	Premature birth	M	569	350	63	45	29	437	27	10	20	544	15	5	4	1	–
		F	477	296	53	24	3[1]	404	18	20	12	454	16	5	1	1	–
160	Injuries at birth	M	121	58	18	17	17	110	4	–	2	116	1	–	2	1	1
		F	86	34	12	10	22	78	5	1	–	84	1	–	1	–	–
161*a*, *d*	Other diseases of early infancy	M	106	55	14	13	16	98	4	–	–	102	2	–	–	2	–
		F	77	47	3	9	14	73	2	–	–	75	–	1	1	–	–
172–198, 201–214	External causes	M	44	7	1	–	1	9	1	2	–	12	5	3	8	8	8
		F	21	2	2	–	–	4	–	–	2	6	3	1	5	3	3
199, 200	Unknown or ill-defined diseases	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	All other causes	M	99	2	2	3	3	10	3	2	3	18	8	7	28	19	19
		F	70	2	1	4	1	8	3	5	3	19	8	7	14	13	9

[1] Exclusive of stillbirths.
[2] Allocated.

Table 29a

DEATHS[1] FROM IMPORTANT CAUSES FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1935: 1936.

Detailed Int. List No.	Cause of Death.	Sex.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Total less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 1 month.	Total less than 1 month.	1 month but less than 2.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12.
	BOSTON[2]	T	615	167	36	36	48	287	25	30	32	374	34	39	71	63	34
		M	348	96	21	21	27	165	15	11	18	209	23	20	46	31	19
		F	267	71	15	15	21	122	10	19	14	165	11	19	25	32	15
7	Measles	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–
8	Scarlet fever	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
9	Whooping cough	M	6	–	–	–	–	–	–	–	1	1	–	1	2	2	–
		F	7	–	–	–	–	–	–	–	–	–	–	1	–	1	5
10	Diphtheria	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
11	Influenza	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
13	Dysentery	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
15	Erysipelas	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
18	Epidemic cerebrospinal meningitis	M	2	–	–	–	–	–	–	–	–	–	–	–	–	–	2
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
22	Tetanus	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
23	Tuberculosis of the respiratory system	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
24	Tuberculosis of the meninges and central nervous system	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
25–32	Other forms of tuberculosis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
34	Syphilis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
86	Convulsions	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
106	Bronchitis	M	1	1	–	–	–	1	–	–	–	1	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
107	Bronchopneumonia	M	52	–	–	–	1	1	1	2	3	7	3	6	21	9	6
		F	46	–	–	–	2	2	–	3	1	6	3	6	8	18	5
108, 109	Pneumonia	M	19	–	–	–	–	–	1	–	1	2	3	2	7	3	2
		F	10	–	–	1	–	1	–	–	–	1	–	3	3	3	–
117, 118	Diseases of the stomach	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
119	Diarrhea and enteritis	M	20	–	–	–	–	–	–	1	–	1	3	4	4	5	3
		F	10	–	–	–	–	–	–	–	1	1	–	1	6	2	–
122*b*	Intestinal obstruction	M	2	–	–	–	–	–	2	–	–	2	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
157	Congenital malformations	M	35	12	1	3	3	19	2	1	2	24	4	1	3	2	1
		F	25	6	2	1	1	10	2	–	1	13	2	1	6	2	1
158, 161*b*, *c*	Congenital debility, icterus, sclerema	M	8	1	–	–	3	4	–	–	–	4	2	1	–	1	–
		F	2	–	–	–	2	2	–	–	–	2	–	–	–	–	–
159	Premature birth	M	119	56	12	12	9	89	6	6	10	111	5	2	1	–	–
		F	114	49	9	7	10	75	6	16	10	107	4	3	–	–	–
160	Injuries at birth	M	24	9	5	1	7	22	–	–	–	22	–	–	1	–	1
		F	13	4	2	2	5	13	–	–	–	13	–	–	–	–	–
161*a*, *d*	Other diseases of early infancy	M	30	16	2	5	3	26	1	–	–	27	1	–	–	2	–
		F	18	10	1	4	1	16	1	–	–	17	–	1	–	–	–
172–198, 201,–214	External causes	M	12	–	–	–	1	1	1	1	–	3	1	–	4	2	2
		F	6	–	–	–	–	–	–	–	1	1	2	–	–	1	2
199 200	Unknown or ill-defined diseases	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other causes	M	18	1	1	–	–	2	1	–	1	4	1	3	3	5	2
		F	14	2	1	–	–	3	1	–	–	4	–	3	1	4	2

[1] Exclusive of stillbirths.
[2] Allocated.

Table 29b

DEATHS[1] FROM IMPORTANT CAUSES FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1935: 1936.

Detailed Int. List No.	Cause of Death.	Sex.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Total less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 1 month.	Total less than 1 month.	1 month but less than 2.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12.
	WORCESTER.[2]	T	143	48	13	6	12	79	5	2	3	89	14	5	16	13	6
		M	84	35	9	2	9	55	2	–	1	58	6	2	12	5	1
		F	59	13	4	4	3	24	3	2	2	31	8	3	4	8	5
7	Measles	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
8	Scarlet fever	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
9	Whooping cough	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	–	–	–	–	1	1	–
10	Diphtheria	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
11	Influenza	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
13	Dysentery	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
15	Erysipelas	M	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–
		F	2	–	–	–	1	1	–	–	–	1	1	–	–	–	–
18	Epidemic cerebrospinal meningitis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
22	Tetanus	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
23	Tuberculosis of the respiratory system	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
24	Tuberculosis of the meninges and central nervous system	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
25–32	Other forms of tuberculosis	M	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
34	Syphilis	M	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
86	Convulsions	M	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
106	Bronchitis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–
107	Bronchopneumonia	M	8	–	1	–	1	2	–	–	–	2	1	–	3	2	–
		F	15	–	–	–	–	–	–	1	1	2	3	2	3	2	3
108, 109	Pneumonia	M	3	–	–	–	–	–	–	–	–	–	1	–	–	1	1
		F	2	–	–	–	–	–	–	–	–	–	1	–	–	1	–
117, 118	Diseases of the stomach	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
119	Diarrhea and enteritis	M	2	–	–	–	–	–	1	–	–	1	–	–	–	1	–
		F	2	–	–	–	–	–	–	–	–	–	1	–	–	1	–
122*b*	Intestinal obstruction	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
157	Congenital malformations	M	12	4	1	–	4	9	–	–	–	9	–	1	2	–	–
		F	18	3	2	3	1	9	2	1	1	13	2	–	–	2	1
158, 161*b*, *c*	Congenital debility, icterus, sclerema	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
159	Premature birth	M	34	26	5	–	1	32	1	–	–	33	1	–	–	–	–
		F	12	7	2	1	1	11	1	–	–	12	–	–	–	–	–
160	Injuries at birth	M	8	3	2	1	1	7	–	–	1	8	–	–	–	–	–
		F	1	1	–	–	–	1	–	–	–	1	–	–	–	–	–
161*a*, *d*	Other diseases of early infancy	M	5	2	–	1	2	5	–	–	–	5	–	–	–	–	–
		F	2	2	–	–	–	2	–	–	–	2	–	–	–	–	–
172–198, 201–214	External causes	M	3	–	–	–	–	–	–	–	–	–	1	–	1	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
199, 200	Unknown or ill-defined diseases	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other causes	M	5	–	–	–	–	–	–	–	–	–	1	–	4	–	–
		F	2	–	–	–	–	–	–	–	–	–	–	1	–	–	1

[1] Exclusive of stillbirths.
[2] Allocated.

Table 29c

DEATHS[1] FROM IMPORTANT CAUSES FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1935: 1936.

Detailed Int. List No.	Cause of Death	Sex.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Total less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 1 month.	Total less than 1 month.	1 month but less than 2.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12.
	SPRINGFIELD.[2]	T	99	31	14	7	5	57	3	4	2	66	9	8	4	7	5
		M	57	19	6	5	3	33	3	1	1	38	6	5	–	4	4
		F	42	12	8	2	2	24	–	3	1	28	3	3	4	3	1
7	Measles	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
8	Scarlet fever	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
9	Whooping cough	M	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
10	Diphtheria	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
11	Influenza	M	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–
13	Dysentery	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
15	Erysipelas	M	2	–	–	–	–	–	–	–	1	1	–	1	–	–	–
		F	1	–	–	–	–	–	–	1	–	1	–	–	–	–	–
18	Epidemic cerebrospinal meningitis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
22	Tetanus	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
23	Tuberculosis of the respiratory system	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
24	Tuberculosis of the meninges and central nervous system	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–
25–32	Other forms of tuberculosis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
34	Syphilis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
86	Convulsions	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
106	Bronchitis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
107	Bronchopneumonia	M	5	–	1	–	1	2	–	1	–	3	2	–	–	–	–
		F	4	–	–	–	–	–	–	–	–	–	–	1	1	1	1
108, 109	Pneumonia	M	2	–	–	–	–	–	–	–	–	–	2	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
117, 118	Diseases of the stomach	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
119	Diarrhea and enteritis	M	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1
		F	2	–	–	–	–	–	–	1	–	1	–	1	–	–	–
122*b*	Intestinal obstruction	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
157	Congenital malformations	M	5	1	1	–	–	2	–	–	–	2	1	2	–	–	–
		F	5	2	1	–	–	3	–	–	1	4	–	–	1	–	–
158, 161*b*, *c*	Congenital debility, icterus, sclerema	M	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–
		F	1	–	1	–	–	1	–	–	–	1	–	–	–	–	–
159	Premature birth	M	22	14	2	4	1	21	1	–	–	22	–	–	–	–	–
		F	16	7	5	1	–	13	–	1	–	14	2	–	–	–	–
160	Injuries at birth	M	2	1	1	–	–	2	–	–	–	2	–	–	–	–	–
		F	4	1	–	1	2	4	–	–	–	4	–	–	–	–	–
161*a*, *d*	Other diseases of early infancy	M	4	1	–	1	1	3	1	–	–	4	–	–	–	–	–
		F	3	2	1	–	–	3	–	–	–	3	–	–	–	–	–
172–198, 201–214	External causes	M	3	2	1	–	–	3	–	–	–	3	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
199, 200	Unknown or ill-defined diseases	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other causes	M	8	–	–	–	–	–	1	–	–	1	1	–	–	4	2
		F	3	–	–	–	–	–	–	–	–	–	1	1	1	–	–

[1] Exclusive of stillbirths.
[2] Allocated.

Table 29d

DEATHS[1] FROM IMPORTANT CAUSES FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1935: 1936

Detailed Int. List No.	Cause of Death.	Sex.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Total less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 1 month.	Total less than 1 month.	1 month but less than 2.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12
	CAMBRIDGE.[2]	T	96	22	5	5	8	40	10	4	1	55	1	8	18	8	6
		M	47	12	2	3	3	20	7	1	1	29	1	3	6	4	4
		F	49	10	3	2	5	20	3	3	–	26	–	5	12	4	2
7	Measles	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
8	Scarlet fever	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
9	Whooping cough	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
10	Diphtheria	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
11	Influenza	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
13	Dysentery	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
15	Erysipelas	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
18	Epidemic cerebrospinal meningitis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
22	Tetanus	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
23	Tuberculosis of the respiratory system	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–
24	Tuberculosis of the meninges and central nervous system	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
25–32	Other forms of tuberculosis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
34	Syphilis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
86	Convulsions	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1
106	Bronchitis	M	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
107	Bronchopneumonia	M	11	–	–	–	1	1	2	1	–	4	–	–	3	2	2
		F	9	–	–	–	–	–	–	–	–	–	–	2	6	1	–
108, 109	Pneumonia	M	2	–	–	–	–	–	–	–	–	–	1	–	–	–	1
		F	2	–	–	–	–	–	1	–	–	1	–	–	–	1	–
117, 118	Diseases of the stomach	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
119	Diarrhea and enteritis	M	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–
		F	4	–	–	–	–	–	–	–	–	–	–	1	3	–	–
122*b*	Intestinal obstruction	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
157	Congenital malformations	M	8	2	–	1	1	4	1	–	–	5	–	2	–	1	–
		F	10	1	2	2	–	5	–	1	–	6	–	2	1	–	1
158, 161*b*, *c*	Congenital debility, icterus, sclerema	M	1	–	–	–	1	1	–	–	–	1	–	–	–	–	–
		F	1	–	–	–	1	1	–	–	–	1	–	–	–	–	–
159	Premature birth	M	15	9	1	2	–	12	2	–	1	15	–	–	–	–	–
		F	14	9	–	–	2	11	2	–	–	13	–	–	–	1	–
160	Injuries at birth	M	4	1	1	–	–	2	2	–	–	4	–	–	–	–	–
		F	3	–	1	–	2	3	–	–	–	3	–	–	–	–	–
161*a*, *d*	Other diseases of early infancy	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
172–198, 201–214	External causes	M	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
199, 200	Unknown or ill-defined diseases	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other causes	M	3	–	–	–	–	–	–	–	–	–	–	–	2	–	1
		F	4	–	–	–	–	–	–	2	–	2	–	–	2	–	–

[1] Exclusive of stillbirths.
[2] Allocated.

Table 29e

DEATHS[1] FROM IMPORTANT CAUSES FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1935: 1936.

Detailed Int. List No.	Cause of Death.	Sex.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Total less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 1 month.	Total less than 1 month.	1 month but less than 2.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12.
	FALL RIVER.[2]	T	81	28	3	2	8	41	5	–	–	46	4	7	9	9	6
		M	44	14	1	2	5	22	5	–	–	27	1	3	4	4	5
		F	37	14	2	–	3	19	–	–	–	19	3	4	5	5	1
7	Measles	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
8	Scarlet fever	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
9	Whooping cough	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–
10	Diphtheria	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
11	Influenza	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	3	–	–	–	–	–	–	–	–	–	–	–	–	2	1
13	Dysentery	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
15	Erysipelas	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
18	Epidemic cerebrospinal meningitis	M	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
22	Tetanus	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
23	Tuberculosis of the respiratory system	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
24	Tuberculosis of the meninges and central nervous system	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
25–32	Other forms of tuberculosis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
34	Syphilis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
86	Convulsions	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
106	Bronchitis	M	2	–	–	–	–	–	1	–	–	1	–	–	–	–	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
107	Bronchopneumonia	M	6	–	–	–	–	–	–	–	–	–	–	1	1	2	2
		F	7	–	–	–	–	–	–	–	–	–	1	2	2	2	–
108, 109	Pneumonia	M	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–
117, 118	Diseases of the stomach	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
119	Diarrhea and enteritis	M	5	–	–	–	–	–	–	–	–	–	1	1	2	–	1
		F	3	–	–	–	–	–	–	–	–	–	1	1	1	–	–
122*b*	Intestinal obstruction	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
157	Congenital malformations	M	5	1	–	–	1	2	1	–	–	3	–	1	1	–	–
		F	4	2	–	–	1	3	–	–	–	3	1	–	–	–	–
158, 161*b*, *c*	Congenital debility, icterus, sclerema	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
159	Premature birth	M	14	10	–	1	1	12	2	–	–	14	–	–	–	–	–
		F	11	9	2	–	–	11	–	–	–	11	–	–	–	–	–
160	Injuries at birth	M	3	2	–	–	1	3	–	–	–	3	–	–	–	–	–
		F	2	1	–	–	–	1	–	–	–	1	–	–	1	–	–
161*a*, *d*	Other diseases of early infancy	M	3	1	1	1	–	3	–	–	–	3	–	–	–	–	–
		F	4	2	–	–	2	4	–	–	–	4	–	–	–	–	–
172–198, 201–214	External causes	M	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
199, 200	Unknown or ill-defined diseases	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other causes	M	3	–	–	–	2	2	1	–	–	3	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

[1] Exclusive of stillbirths.
[2] Allocated.

Table 29f

DEATHS[1] FROM IMPORTANT CAUSES FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1935: 1936.

Detailed Int. List No.	Cause of Death.	Sex.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Total less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 1 month.	Total less than 1 month.	1 month but less than 2.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12.
	NEW BEDFORD.[2]	T	95	26	6	4	10	46	4	1	3	54	7	2	15	8	9
		M	52	10	5	1	5	21	3	–	2	26	4	1	11	5	5
		F	43	16	1	3	5	25	1	1	1	28	3	1	4	3	4
7	Measles	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
8	Scarlet fever	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
9	Whooping cough	M	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
10	Diphtheria	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
11	Influenza	M	3	–	–	–	–	–	–	–	–	–	–	–	1	1	1
		F	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1
13	Dysentery	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
15	Erysipelas	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
18	Epidemic cerebrospinal meningitis	M	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
22	Tetanus	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
23	Tuberculosis of the respiratory system	M	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
24	Tuberculosis of the meninges and central nervous system	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
25–32	Other forms of tuberculosis	M	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
34	Syphilis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–
86	Convulsions	M	1	–	–	–	1	1	–	–	–	1	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
106	Bronchitis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1
107	Bronchopneumonia	M	8	–	–	–	–	–	–	–	1	1	1	–	4	1	1
		F	6	–	–	–	–	–	–	–	–	–	–	–	3	3	–
108, 109	Pneumonia	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1
117, 118	Diseases of the stomach	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
119	Diarrhea and enteritis	M	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
122*b*	Intestinal obstruction	M	2	–	–	–	–	–	–	–	–	–	–	–	1	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
157	Congenital malformations	M	5	1	1	–	1	3	–	–	–	3	1	–	1	–	–
		F	6	2	–	–	–	2	–	1	1	4	2	–	–	–	–
158, 161*b*, *c*	Congenital debility, icterus, sclerema	M	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–
		F	2	–	–	–	1	1	–	–	–	1	–	–	–	–	1
159	Premature birth	M	17	7	3	–	1	11	3	–	1	15	1	–	1	–	–
		F	18	13	–	2	2	17	–	–	–	17	–	1	–	–	–
160	Injuries at birth	M	3	–	–	1	1	2	–	–	–	2	–	–	–	1	–
		F	4	–	1	1	1	3	1	–	–	4	–	–	–	–	–
161*a*, *d*	Other diseases of early infancy	M	4	2	1	–	1	4	–	–	–	4	–	–	–	–	–
		F	2	1	–	–	1	2	–	–	–	2	–	–	–	–	–
172–198, 201–214	External causes	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
199, 200	Unknown or ill-defined diseases	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other causes	M	3	–	–	–	–	–	–	–	–	–	–	1	2	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

[1] Exclusive of stillbirths.
[2] Allocated.

Table 29g

DEATHS[1] FROM IMPORTANT CAUSES FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1935: 1936.

Detailed Int. List No.	Cause of Death.	Sex.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Total less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 1 month.	Total less than 1 month.	1 month but less than 2.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12.
	LYNN.[2]	T	47	14	5	1	5	25	2	2	1	30	3	5	4	4	1
		M	27	4	4	1	3	12	1	1	1	15	3	3	3	2	1
		F	20	10	1	–	2	13	1	1	–	15	–	2	1	2	–
7	Measles	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
8	Scarlet fever	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
9	Whooping cough	M	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
10	Diphtheria	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
11	Influenza	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
13	Dysentery	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
15	Erysipelas	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
18	Epidemic cerebrospinal meningitis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
22	Tetanus	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
23	Tuberculosis of the respiratory system	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
24	Tuberculosis of the meninges and central nervous system	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
25–32	Other forms of tuberculosis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
34	Syphilis	M	2	–	–	–	–	–	–	–	–	–	–	1	–	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
86	Convulsions	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
106	Bronchitis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
107	Bronchopneumonia	M	4	–	–	–	–	–	–	–	1	1	1	–	2	–	–
		F	3	–	–	–	–	–	–	–	–	–	–	1	–	2	–
108, 109	Pneumonia	M	2	–	–	–	–	–	–	–	–	–	–	–	1	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
117, 118	Diseases of the stomach	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
119	Diarrhea and enteritis	M	4	–	–	–	–	–	1	–	–	1	1	1	–	–	1
		F	1	–	–	–	–	–	–	1	–	1	–	–	–	–	–
122*b*	Intestinal obstruction	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
157	Congenital malformations	M	2	1	–	–	1	2	–	–	–	2	–	–	–	–	–
		F	2	–	–	–	1	1	–	–	–	1	–	–	1	–	–
158, 161*b*, *c*	Congenital debility, icterus, sclerema	M	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
159	Premature birth	M	7	3	2	1	1	7	–	–	–	7	–	–	–	–	–
		F	12	9	1	–	1	11	1	–	–	12	–	–	–	–	–
160	Injuries at birth	M	1	–	1	–	–	1	–	–	–	1	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
161*a*, *d*	Other diseases of early infancy	M	2	–	1	–	1	2	–	–	–	2	–	–	–	–	–
		F	1	1	–	–	–	1	–	–	–	1	–	–	–	–	–
172–198, 201–214	External causes	M	1	–	–	–	–	–	–	1	–	1	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–
199, 200	Unknown or ill-defined diseases	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other causes	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

[1] Exclusive of stillbirths.
[2] Allocated.

Table 29h

DEATHS[1] FROM IMPORTANT CAUSES FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1935: 1936

Detailed Int. List No.	Cause of Death.	Sex.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Total less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 1 month.	Total less than 1 month.	1 month but less than 2.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12.
	SOMERVILLE.[2]	T	64	15	7	7	2	31	5	2	1	39	7	5	1	5	7
		M	38	8	4	4	1	17	5	1	–	23	3	4	1	3	4
		F	26	7	3	3	1	14	–	1	1	16	4	1	–	2	3
7	Measles	M	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
8	Scarlet fever	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
9	Whooping cough	M	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–
10	Diphtheria	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
11	Influenza	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
13	Dysentery	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
15	Erysipelas	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	1	1	–	–	–	–	–
18	Epidemic cerebrospinal meningitis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
22	Tetanus	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
23	Tuberculosis of the respiratory system	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
24	Tuberculosis of the meninges and central nervous system	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
25–32	Other forms of tuberculosis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
34	Syphilis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
86	Convulsions	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
106	Bronchitis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
107	Bronchopneumonia	M	5	–	–	–	–	–	1	–	–	1	2	1	–	–	1
		F	6	–	–	–	–	–	–	1	–	1	1	1	–	–	3
108, 109	Pneumonia	M	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–
		F	2	–	–	–	–	–	–	–	–	–	1	–	–	1	–
117, 118	Diseases of the stomach	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
119	Diarrhea and enteritis	M	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
122*b*	Intestinal obstruction	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
157	Congenital malformations	M	5	–	–	–	1	1	2	1	–	4	–	–	–	1	–
		F	3	1	1	–	1	3	–	–	–	3	–	–	–	–	–
158, 161*b*, *c*	Congenital debility, icterus, sclerema	M	1	–	–	1	–	1	–	–	–	1	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
159	Premature birth	M	13	7	1	2	–	10	2	–	–	12	1	–	–	–	–
		F	7	4	2	1	–	7	–	–	–	7	–	–	–	–	–
160	Injuries at birth	M	2	–	1	1	–	2	–	–	–	2	–	–	–	–	–
		F	3	2	–	–	–	2	–	–	–	2	1	–	–	–	–
161*a*, *d*	Other diseases of early infancy	M	3	1	2	–	–	3	–	–	–	3	–	–	–	–	–
		F	1	–	–	1	–	1	–	–	–	1	–	–	–	–	–
172–198, 201–214	External causes	M	3	–	–	–	–	–	–	–	–	–	–	–	1	–	2
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
199, 200	Unknown or ill-defined diseases	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other causes	M	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1
		F	2	–	–	1	–	1	–	–	–	1	1	–	–	–	–

[1] Exclusive of stillbirths.
[2] Allocated.

Table 29i

DEATHS[1] FROM IMPORTANT CAUSES FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1935: 1936.

Detailed Int. List No.	Cause of Death.	Sex.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Total less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 1 month.	Total less than 1 month.	1 month but less than 2.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12.
	LOWELL.[2]	T	87	42	9	6	3	60	1	2	–	63	2	1	10	5	6
		M	47	17	6	4	1	28	–	2	–	30	2	–	6	4	5
		F	40	25	3	2	2	32	1	–	–	33	–	1	4	1	1
7	Measles	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
8	Scarlet fever	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
9	Whooping cough	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
10	Diphtheria	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
11	Influenza	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
13	Dysentery	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
15	Erysipelas	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
18	Epidemic cerebrospinal meningitis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
22	Tetanus	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
23	Tuberculosis of the respiratory system	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
24	Tuberculosis of the meninges and central nervous system	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
25–32	Other forms of tuberculosis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
34	Syphilis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
86	Convulsions	M	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1
106	Bronchitis	M	1	–	1	–	–	1	–	–	–	1	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
107	Bronchopneumonia	M	8	–	–	–	–	–	–	–	–	–	1	–	2	1	4
		F	2	–	–	–	–	–	–	–	–	–	–	1	1	–	–
108, 109	Pneumonia	M	4	–	–	1	–	1	–	–	–	1	–	–	1	2	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
117, 118	Diseases of the stomach	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
119	Diarrhea and enteritis	M	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
122*b*	Intestinal obstruction	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
157	Congenital malformations	M	4	1	–	1	–	2	–	1	–	3	1	–	–	–	–
		F	8	4	1	1	1	7	–	–	–	7	–	–	1	–	–
158, 161*b*, *c*	Congenital debility, icterus, sclerema	M	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
159	Premature birth	M	15	9	3	1	1	14	–	1	–	15	–	–	–	–	–
		F	23	19	2	1	1	23	–	–	–	23	–	–	–	–	–
160	Injuries at birth	M	8	6	1	1	–	8	–	–	–	8	–	–	–	–	–
		F	1	1	–	–	–	1	–	–	–	1	–	–	–	–	–
161*a*, *d*	Other diseases of early infancy	M	2	1	1	–	–	2	–	–	–	2	–	–	–	–	–
		F	2	1	–	–	–	1	1	–	–	2	–	–	–	–	–
172–198, 201–214	External causes	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
199, 200	Unknown or ill-defined diseases	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other causes	M	2	–	–	–	–	–	–	–	–	–	–	–	1	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

[1] Exclusive of stillbirths.
[2] Allocated.

Table 29j

DEATHS[1] FROM IMPORTANT CAUSES FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1935: 1936.

Detailed Int. List No.	Cause of Death.	Sex.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Total less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 1 month.	Total less than 1 month.	1 month but less than 2.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12.
	LAWRENCE.[2]	T	66	23	4	4	2	33	3	2	3	41	4	4	5	9	3
		M	35	11	3	2	1	17	3	-	1	21	2	2	3	5	2
		F	31	12	1	2	1	16	-	2	2	20	2	2	2	4	1
7	Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
10	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
11	Influenza	M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Dysentery	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	Erysipelas	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
18	Epidemic cerebrospinal meningitis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
22	Tetanus	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
23	Tuberculosis of the respiratory system	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24	Tuberculosis of the meninges and central nervous system	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25–32	Other forms of tuberculosis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
34	Syphilis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
86	Convulsions	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-
106	Bronchitis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
107	Bronchopneumonia	M	4	-	-	-	-	-	-	-	-	-	1	1	1	-	1
		F	8	-	-	1	1	2	-	-	-	2	-	2	1	2	1
108, 109	Pneumonia	M	5	-	1	-	-	1	-	-	-	1	-	-	2	1	1
		F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
117, 118	Diseases of the stomach	M	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119	Diarrhea and enteritis	M	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
122*b*	Intestinal obstruction	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	M	5	2	-	1	1	4	1	-	-	5	-	-	-	-	-
		F	5	4	-	-	-	4	-	1	-	5	-	-	-	-	-
158, 161*b*,*c*	Congenital debility, icterus, sclerema	M	2	-	-	-	-	-	1	-	-	1	1	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	M	10	6	2	1	-	9	1	-	-	10	-	-	-	-	-
		F	8	7	1	-	-	8	-	-	-	8	-	-	-	-	-
160	Injuries at birth	M	3	3	-	-	-	3	-	-	-	3	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
161*a*,*d*	Other diseases of early infancy	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	1	-	1	-	2	-	-	-	2	-	-	-	-	-
172–198, 201–214	External causes	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
199, 200	Unknown or ill-defined diseases	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other causes	M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
		F	2	-	-	-	-	-	-	1	1	2	-	-	-	-	-

[1] Exclusive of stillbirths.
[2] Allocated.

Table 29k

DEATHS[1] FROM IMPORTANT CAUSES FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1935: 1936.

Detailed Int. List No.	Cause of Death.	Sex.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Total less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 1 month.	Total less than 1 month.	1 month but less than 2.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12.
	QUINCY.[2]	T	49	21	7	2	4	34	2	2	–	38	–	1	5	4	1
		M	29	9	4	2	2	17	1	2	–	20	–	–	4	4	1
		F	20	12	3	–	2	17	1	–	–	18	–	1	1	–	–
7	Measles	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
8	Scarlet fever	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
9	Whooping cough	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
10	Diphtheria	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
11	Influenza	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
13	Dysentery	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
15	Erysipelas	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–
18	Epidemic cerebrospinal meningitis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
22	Tetanus	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
23	Tuberculosis of the respiratory system	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
24	Tuberculosis of the meninges and central nervous system	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
25–32	Other forms of tuberculosis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
34	Syphilis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
86	Convulsions	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
106	Bronchitis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
107	Bronchopneumonia	M	4	–	–	–	–	–	–	1	–	1	–	–	3	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
108, 109	Pneumonia	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
117, 118	Diseases of the stomach	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
119	Diarrhea and enteritis	M	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
122*b*	Intestinal obstruction	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
157	Congenital malformations	M	6	1	–	–	1	2	1	1	–	4	–	–	1	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
158, 161*b*, *c*	Congenital debility, icterus, sclerema	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	1	–	–	–	1	–	–	–	1	–	–	–	–	–
159	Premature birth	M	13	7	4	2	–	13	–	–	–	13	–	–	–	–	–
		F	12	10	1	–	–	11	1	–	–	12	–	–	–	–	–
160	Injuries at birth	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	2	–	1	–	1	2	–	–	–	2	–	–	–	–	–
161*a*, *d*	Other diseases of early infancy	M	2	1	–	–	1	2	–	–	–	2	–	–	–	–	–
		F	2	1	–	–	1	2	–	–	–	2	–	–	–	–	–
172–198, 201–214	External causes	M	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–
		F	1	–	1	–	–	1	–	–	–	1	–	–	–	–	–
199, 200	Unknown or ill-defined diseases	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other causes	M	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

[1] Exclusive of stillbirths.
[2] Allocated.

Table 291

DEATHS[1] FROM IMPORTANT CAUSES FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1935: 1936.

Detailed Int. List No.	Cause of Death.	Sex.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Total less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 1 month.	Total less than 1 month.	1 month but less than 2.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12.
	NEWTON.[2]	T	23	10	1	2	1	14	–	–	1	15	4	–	2	1	1
		M	12	5	–	1	–	6	–	–	1	7	3	–	1	1	–
		F	11	5	1	1	1	8	–	–	–	8	1	–	1	–	1
7	Measles	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
8	Scarlet fever	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
9	Whooping cough	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
10	Diphtheria	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
11	Influenza	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
13	Dysentery	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
15	Erysipelas	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
18	Epidemic cerebrospinal meningitis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
22	Tetanus	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
23	Tuberculosis of the respiratory system	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
24	Tuberculosis of the meninges and central nervous system	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
25–32	Other forms of tuberculosis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
34	Syphilis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
86	Convulsions	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
106	Bronchitis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
107	Bronchopneumonia	M	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
		F	2	–	–	–	–	–	–	–	–	–	1	–	–	–	1
108, 109	Pneumonia	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
117, 118	Diseases of the stomach	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
119	Diarrhea and enteritis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
122*b*	Intestinal obstruction	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
157	Congenital malformations	M	4	1	–	1	–	2	–	–	–	2	2	–	–	–	–
		F	2	1	–	–	–	1	–	–	–	1	–	–	1	–	–
158, 161*b*, *c*	Congenital debility, icterus, sclerema	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	1	–	–	–	1	–	–	–	1	–	–	–	–	–
159	Premature birth	M	3	3	–	–	–	3	–	–	–	3	–	–	–	–	–
		F	4	2	–	1	1	4	–	–	–	4	–	–	–	–	–
160	Injuries at birth	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	1	–	–	1	–	–	–	1	–	–	–	–	–
161*a*, *d*	Other diseases of early infancy	M	1	1	–	–	–	1	–	–	–	1	–	–	–	–	–
		F	1	1	–	–	–	1	–	–	–	1	–	–	–	–	–
172–198, 201–214	External causes	M	2	–	–	–	–	–	–	–	–	–	1	–	–	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
199, 200	Unknown or ill-defined diseases	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other causes	M	1	–	–	–	–	–	–	–	1	1	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

[1] Exclusive of stillbirths.
[2] Allocated.

Table 29m

DEATHS[1] FROM IMPORTANT CAUSES FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1935: 1936.

Detailed Int. List No.	Cause of Death.	Sex.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Total less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 1 month.	Total less than 1 month.	1 month but less than 2.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12.
	BROCKTON.[2]	T	38	21	3	–	1	25	2	2	–	29	2	–	1	3	3
		M	21	12	3	–	–	15	1	1	–	17	2	–	1	1	–
		F	17	9	–	–	1	10	1	1	–	12	–	–	–	2	3
7	Measles	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1
8	Scarlet fever	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
9	Whooping cough	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
10	Diphtheria	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
11	Influenza	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
13	Dysentery	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
15	Erysipelas	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
18	Epidemic cerebrospinal meningitis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
22	Tetanus	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
23	Tuberculosis of the respiratory system	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
24	Tuberculosis of the meninges and central nervous system	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
25–32	Other forms of tuberculosis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
34	Syphilis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
86	Convulsions	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–
106	Bronchitis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
107	Bronchopneumonia	M	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
108, 109	Pneumonia	M	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
117, 118	Diseases of the stomach	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
119	Diarrhea and enteritis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1
122*b*	Intestinal obstruction	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
157	Congenital malformations	M	2	1	–	–	–	1	–	1	–	2	–	–	–	–	–
		F	2	–	–	–	–	–	1	–	–	1	–	–	–	–	1
158, 161*b*, *c*	Congenital debility, icterus, sclerema	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
159	Premature birth	M	12	9	2	–	–	11	1	–	–	12	–	–	–	–	–
		F	8	6	–	–	1	7	–	1	–	8	–	–	–	–	–
160	Injuries at birth	M	1	1	–	–	–	1	–	–	–	1	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
161*a*, *d*	Other diseases of early infancy	M	2	1	1	–	–	2	–	–	–	2	–	–	–	–	–
		F	3	3	–	–	–	3	–	–	–	3	–	–	–	–	–
172–198, 201–214	External causes	M	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
199, 200	Unknown or ill-defined diseases	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other causes	M	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–

[1] Exclusive of stillbirths.
[2] Allocated.

Table 29n

DEATHS[1] FROM IMPORTANT CAUSES FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1935: 1936.

Detailed Int. List No.	Cause of Death.	Sex.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Total less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 1 month.	Total less than 1 month.	1 month but less than 2.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12.
	MEDFORD.[2]	T	34	10	3	2	4	19	2	–	1	22	1	2	4	3	2
		M	18	6	2	2	1	11	2	–	1	14	–	–	1	2	1
		F	16	4	1	–	3	8	–	–	–	8	1	2	3	1	1
7	Measles	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
8	Scarlet fever	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
9	Whooping cough	M	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
10	Diphtheria	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
11	Influenza	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
13	Dysentery	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
15	Erysipelas	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
18	Epidemic cerebrospinal meningitis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
22	Tetanus	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
23	Tuberculosis of the respiratory system	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–
24	Tuberculosis of the meninges and central nervous system	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
25–32	Other forms of tuberculosis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
34	Syphilis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
86	Convulsions	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
106	Bronchitis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
107	Bronchopneumonia	M	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–
		F	3	–	1	–	–	1	–	–	–	1	1	1	–	–	–
108, 109	Pneumonia	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	–	–	–	1	1	–	–
117, 118	Diseases of the stomach	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
119	Diarrhea and enteritis	M	2	–	–	–	–	–	–	–	–	–	–	–	1	–	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
122*b*	Intestinal obstruction	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
157	Congenital malformations	M	1	–	1	–	–	1	–	–	–	1	–	–	–	–	–
		F	3	1	–	–	1	2	–	–	–	2	–	–	1	–	–
158, 161*b*, *c*	Congenital debility, icterus, sclerema	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
159	Premature birth	M	11	5	1	1	1	8	2	–	1	11	–	–	–	–	–
		F	2	2	–	–	–	2	–	–	–	2	–	–	–	–	–
160	Injuries at birth	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	1	1	–	–	–	1	–	–	–	–	–
161*a*, *d*	Other diseases of early infancy	M	2	1	–	1	–	2	–	–	–	2	–	–	–	–	–
		F	2	1	–	–	1	2	–	–	–	2	–	–	–	–	–
172–198, 201–214	External causes	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
199, 200	Unknown or ill-defined diseases	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other causes	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	–	–	–	–	1	–	1

[1] Exclusive of stillbirths.
[2] Allocated.

Table 29o

DEATHS[1] FROM IMPORTANT CAUSES FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1935: 1936.

Detailed Int. List No.	Cause of Death.	Sex.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Total less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 1 month.	Total less than 1 month.	1 month but less than 2.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12.
	MALDEN.[2]	T	36	11	4	2	3	20	1	–	1	22	2	–	5	6	1
		M	17	4	4	–	1	9	–	–	1	10	1	–	2	4	–
		F	19	7	–	2	2	11	1	–	–	12	1	–	3	2	1
7	Measles	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
8	Scarlet fever	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
9	Whooping cough	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
10	Diphtheria	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
11	Influenza	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
13	Dysentery	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
15	Erysipelas	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
18	Epidemic cerebrospinal meningitis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
22	Tetanus	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
23	Tuberculosis of the respiratory system	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
24	Tuberculosis of the meninges and central nervous system	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
25–32	Other forms of tuberculosis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
34	Syphilis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
86	Convulsions	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
106	Bronchitis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
107	Bronchopneumonia	M	3	–	–	–	–	–	–	–	–	–	–	–	2	1	–
		F	3	–	–	–	–	–	–	–	–	–	1	–	2	–	–
108, 109	Pneumonia	M	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1
117, 118	Diseases of the stomach	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
119	Diarrhea and enteritis	M	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
122*b*	Intestinal obstruction	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
157	Congenital malformations	M	3	–	1	–	–	1	–	–	–	1	1	–	–	1	–
		F	5	3	–	–	1	4	1	–	–	5	–	–	–	–	–
158, 161*b*, *c*	Congenital debility, icterus, sclerema	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	1	–	1	–	–	–	1	–	–	–	–	–
159	Premature birth	M	7	3	3	–	1	7	–	–	–	7	–	–	–	–	–
		F	4	3	–	–	–	3	–	–	–	3	–	–	1	–	–
160	Injuries at birth	M	1	1	–	–	–	1	–	–	–	1	–	–	–	–	–
		F	2	–	–	1	1	2	–	–	–	2	–	–	–	–	–
161*a*, *d*	Other diseases of early infancy	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	1	–	–	–	1	–	–	–	1	–	–	–	–	–
172–198, 201–214	External causes	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
199, 200	Unknown or ill-defined diseases	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other causes	M	1	–	–	–	–	–	–	–	1	1	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	–	–	–	–	–	2	–

[1] Exclusive of stillbirths.
[2] Allocated.

Table 29p

DEATHS[1] FROM IMPORTANT CAUSES FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1935: 1936.

Detailed Int. List No.	Cause of Death.	Sex.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Total less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 1 month.	Total less than 1 month.	1 month but less than 2.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12.
	HOLYOKE.[2]	T	29	8	5	3	1	17	1	1	2	21	–	–	7	–	1
		M	20	5	3	3	–	11	1	1	2	15	–	–	5	–	–
		F	9	3	2	–	1	6	–	–	–	6	–	–	2	–	1
7	Measles	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
8	Scarlet fever	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
9	Whooping cough	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
10	Diphtheria	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
11	Influenza	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
13	Dysentery	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
15	Erysipelas	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
18	Epidemic cerebrospinal meningitis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
22	Tetanus	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
23	Tuberculosis of the respiratory system	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
24	Tuberculosis of the meninges and central nervous system	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
25–32	Other forms of tuberculosis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
34	Syphilis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
86	Convulsions	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
106	Bronchitis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
107	Bronchopneumonia	M	1	–	–	–	–	–	–	–	1	1	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
108, 109	Pneumonia	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
117, 118	Diseases of the stomach	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
119	Diarrhea and enteritis	M	2	–	–	–	–	–	–	–	1	1	–	–	1	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
122*b*	Intestinal obstruction	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
157	Congenital malformations	M	2	–	–	–	–	–	1	–	–	1	–	–	1	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1
158, 161*b*, *c*	Congenital debility, icterus, sclerema	M	2	–	1	1	–	2	–	–	–	2	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
159	Premature birth	M	9	5	2	2	–	9	–	–	–	9	–	–	–	–	–
		F	3	1	2	–	–	3	–	–	–	3	–	–	–	–	–
160	Injuries at birth	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	1	–	–	–	1	–	–	–	1	–	–	–	–	–
161*a*, *d*	Other diseases of early infancy	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	2	1	–	–	1	2	–	–	–	2	–	–	–	–	–
172–198, 201–214	External causes	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
199, 200	Unknown or ill-defined diseases	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other causes	M	4	–	–	–	–	–	–	1	–	1	–	–	3	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

[1] Exclusive of stillbirths.
[2] Allocated.

Table 29q

DEATHS[1] FROM IMPORTANT CAUSES FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1935: 1936.

Detailed Int. List No.	Cause of Death.	Sex.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Total less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 1 month.	Total less than 1 month.	1 month but less than 2.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12.
	BROOKLINE (Town)[2]	T	10	4	–	1	–	5	–	1	–	6	–	–	3	1	–
		M	6	2	–	1	–	3	–	–	–	3	–	–	2	1	–
		F	4	2	–	–	–	2	–	1	–	3	–	–	1	–	–
7	Measles	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
8	Scarlet fever	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
9	Whooping cough	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
10	Diphtheria	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
11	Influenza	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
13	Dysentery	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
15	Erysipelas	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
18	Epidemic cerebrospinal meningitis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
22	Tetanus	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
23	Tuberculosis of the respiratory system	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
24	Tuberculosis of the meninges and central nervous system	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
25–32	Other forms of tuberculosis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
34	Syphilis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
86	Convulsions	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
106	Bronchitis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
107	Bronchopneumonia	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
108, 109	Pneumonia	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
117, 118	Diseases of the stomach	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
119	Diarrhea and enteritis	M	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
122*b*	Intestinal obstruction	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
157	Congenital malformations	M	1	–	–	1	–	1	–	–	–	1	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
158, 161*b*, *c*	Congenital debility, icterus, sclerema	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
159	Premature birth	M	2	2	–	–	–	2	–	–	–	2	–	–	–	–	–
		F	3	2	–	–	–	2	–	1	–	3	–	–	–	–	–
160	Injuries at birth	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
161*a*, *d*	Other diseases of early infancy	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
172–198, 201–214	External causes	M	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
199, 200	Unknown or ill-defined diseases	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other causes	M	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

[1] Exclusive of stillbirths.
[2] Allocated.

Table 30

Deaths[1] from Influenza, by Months, in Municipalities Having Over 10,000 Inhabitants in 1935–1936.

Municipalities.	The Year.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
The State.	**280**	**34**	**63**	**58**	**22**	**14**	**6**	**4**	**4**	**5**	**11**	**14**	**45**
Adams	4	–	1	1	–	–	–	–	–	–	–	–	2
Amesbury	2	–	–	–	–	1	–	–	–	–	–	1	–
Andover	1	–	–	–	–	–	–	–	–	–	–	1	–
Arlington	2	–	1	–	–	–	–	–	–	–	–	–	1
Athol	–	–	–	–	–	–	–	–	–	–	–	–	–
Attleboro	3	1	1	–	–	–	–	–	–	–	–	–	1
Belmont	1	–	1	–	–	–	–	–	–	–	–	–	–
Beverly	1	–	–	–	–	–	–	–	–	–	1	–	–
Boston	19	4	1	2	1	2	–	2	–	–	–	1	6
Braintree	1	–	–	1	–	–	–	–	–	–	–	–	–
Brockton	1	–	–	–	–	–	–	–	–	–	–	–	1
Brookline	1	–	1	–	–	–	–	–	–	–	–	–	–
Cambridge	3	–	–	–	1	–	–	–	–	–	–	1	1
Chelsea	1	–	–	–	1	–	–	–	–	–	–	–	–
Chicopee	7	–	2	3	1	–	–	–	–	–	–	–	1
Clinton	–	–	–	–	–	–	–	–	–	–	–	–	–
Danvers	–	–	–	–	–	–	–	–	–	–	–	–	–
Dedham	–	–	–	–	–	–	–	–	–	–	–	–	–
Easthampton	1	1	–	–	–	–	–	–	–	–	–	–	–
Everett	3	–	–	–	1	1	–	–	–	–	–	1	–
Fairhaven	1	–	1	–	–	–	–	–	–	–	–	–	–
Fall River	21	4	5	5	–	2	–	1	–	–	–	–	4
Fitchburg	2	–	–	1	–	1	–	–	–	–	–	–	–
Framingham	3	–	–	–	–	–	1	–	–	–	1	–	1
Gardner	3	–	–	3	–	–	–	–	–	–	–	–	–
Gloucester	5	–	2	1	–	–	–	–	–	–	–	–	2
Greenfield	2	–	1	–	–	–	–	–	1	–	–	–	–
Haverhill	6	1	1	2	2	–	–	–	–	–	–	–	–
Holyoke	3	1	1	–	–	–	–	–	–	1	–	–	–
Lawrence	8	1	2	1	1	–	–	–	–	–	1	2	–
Leominster	1	–	–	1	–	–	–	–	–	–	–	–	–
Lexington	1	–	–	–	1	–	–	–	–	–	–	–	–
Lowell	2	–	–	–	–	–	–	1	–	–	–	1	–
Lynn	4	1	1	–	1	–	–	–	1	–	–	–	–
Malden	2	1	–	1	–	–	–	–	–	–	–	–	–
Marblehead	–	–	–	–	–	–	–	–	–	–	–	–	–
Marlborough	1	1	–	–	–	–	–	–	–	–	–	–	–
Medford	–	–	–	–	–	–	–	–	–	–	–	–	–
Melrose	1	–	–	–	–	–	1	–	–	–	–	–	–
Methuen	6	1	2	–	–	–	–	–	–	–	–	–	3
Milford	1	–	1	–	–	–	–	–	–	–	–	–	–
Milton	2	1	–	1	–	–	–	–	–	–	–	–	–
Natick	2	–	1	1	–	–	–	–	–	–	–	–	–
Needham	1	–	–	1	–	–	–	–	–	–	–	–	–
New Bedford	22	3	6	2	2	4	–	–	–	–	1	–	4
Newburyport	–	–	–	–	–	–	–	–	–	–	–	–	–
Newton	2	–	1	1	–	–	–	–	–	–	–	–	–
North Adams	5	1	1	3	–	–	–	–	–	–	–	–	–
North Attleborough	–	–	–	–	–	–	–	–	–	–	–	–	–
Northampton	1	–	–	1	–	–	–	–	–	–	–	–	–
Northbridge	1	–	–	1	–	–	–	–	–	–	–	–	–
Norwood	1	–	1	–	–	–	–	–	–	–	–	–	–
Peabody	1	–	–	–	–	–	–	–	–	–	1	–	–
Pittsfield	5	1	2	–	1	–	–	–	–	–	–	–	1
Plymouth	5	–	1	–	1	–	–	–	–	–	1	–	2
Quincy	4	2	1	–	–	–	–	–	–	–	1	–	–
Reading	–	–	–	–	–	–	–	–	–	–	–	–	–
Revere	–	–	–	–	–	–	–	–	–	–	–	–	–
Salem	2	–	1	–	–	–	–	–	–	1	–	–	–
Saugus	2	1	–	1	–	–	–	–	–	–	–	–	–
Somerville	7	–	1	4	1	–	–	–	–	–	–	1	–
Southbridge	1	–	–	–	–	–	–	–	–	–	–	1	–
Springfield	12	2	2	4	2	–	–	–	–	–	–	–	2
Stoneham	–	–	–	–	–	–	–	–	–	–	–	–	–
Swampscott	1	1	–	–	–	–	–	–	–	–	–	–	–
Taunton	1	–	–	–	–	–	–	–	–	–	–	–	1
Wakefield	–	–	–	–	–	–	–	–	–	–	–	–	–
Waltham	2	–	1	–	–	–	–	–	–	–	–	–	1
Watertown	2	–	–	–	–	–	1	–	–	–	–	–	1
Webster	–	–	–	–	–	–	–	–	–	–	–	–	–
Wellesley	–	–	–	–	–	–	–	–	–	–	–	–	–
West Springfield	2	–	–	2	–	–	–	–	–	–	–	–	–
Westfield	2	–	–	2	–	–	–	–	–	–	–	–	–
Weymouth	–	–	–	–	–	–	–	–	–	–	–	–	–
Winchester	–	–	–	–	–	–	–	–	–	–	–	–	–
Winthrop	–	–	–	–	–	–	–	–	–	–	–	–	–
Woburn	6	1	1	1	–	1	1	–	–	–	–	–	1
Worcester	1	–	–	–	–	–	–	–	–	–	–	–	1

[1]Allocated.

Table 31

Deaths[1], from Lobar Pneumonia, by Months, in Municipalities Having Over 10,000 Inhabitants in 1935–1936.

Municipalities.	The Year.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
The State.	**1,944**	**341**	**279**	**283**	**225**	**147**	**98**	**63**	**35**	**42**	**105**	**120**	**206**
Adams	4	–	1	–	–	1	–	–	–	–	–	–	2
Amesbury	4	–	1	–	–	–	–	1	–	–	–	1	1
Andover	5	–	1	–	2	1	–	–	–	–	1	–	–
Arlington	15	2	1	1	3	1	1	–	–	–	1	4	1
Athol	4	1	–	2	–	–	1	–	–	–	–	–	–
Attleboro	12	1	2	1	4	–	1	–	–	–	1	1	1
Belmont	4	1	1	–	–	–	–	–	–	–	1	1	–
Beverly	11	1	1	1	3	1	–	1	–	–	1	1	1
Boston	479	92	60	71	46	37	29	22	9	15	28	28	42
Braintree	1	–	–	–	–	–	–	–	–	–	–	1	–
Brockton	31	3	7	6	1	1	–	1	2	1	4	2	3
Brookline	20	5	–	2	3	1	–	2	–	2	–	3	2
Cambridge	58	11	9	11	6	4	4	3	1	–	3	1	5
Chelsea	21	2	2	4	3	3	–	1	–	–	1	–	5
Chicopee	17	4	1	1	2	1	1	1	–	1	–	2	3
Clinton	1	–	–	–	1	–	–	–	–	–	–	–	–
Danvers	6	2	2	–	1	1	–	–	–	–	–	–	–
Dedham	6	–	2	–	1	1	2	–	–	–	–	–	–
Easthampton	4	2	1	1	–	–	–	–	–	–	–	–	–
Everett	25	7	4	2	4	1	3	–	1	–	2	–	1
Fairhaven	3	–	–	–	1	–	1	1	–	–	–	–	–
Fall River	48	13	5	7	4	3	4	2	2	1	1	1	5
Fitchburg	22	2	2	4	3	2	1	1	1	–	3	2	1
Framingham	16	2	1	5	1	–	1	–	–	1	1	2	2
Gardner	9	–	–	2	1	1	–	–	–	–	3	–	2
Gloucester	13	3	2	2	1	2	–	–	–	–	1	2	–
Greenfield	9	1	–	2	2	3	1	–	–	–	–	–	–
Haverhill	15	1	1	4	1	2	1	–	–	1	–	3	1
Holyoke	19	2	6	3	3	1	1	1	–	1	–	–	1
Lawrence	31	1	4	4	2	6	1	3	–	–	3	3	4
Leominster	8	1	3	–	–	–	1	–	–	–	–	1	2
Lexington	4	1	–	–	2	–	–	–	–	–	1	–	–
Lowell	42	11	2	5	1	4	4	–	1	1	1	4	8
Lynn	49	4	8	9	9	4	2	2	–	2	2	2	5
Malden	27	3	3	1	2	6	1	–	3	–	3	2	3
Marblehead	2	–	1	1	–	–	–	–	–	–	–	–	–
Marlborough	5	1	–	2	–	–	–	–	–	–	1	1	–
Medford	23	6	3	5	4	1	1	–	–	–	1	2	–
Melrose	7	–	–	–	2	–	1	–	–	–	–	1	3
Methuen	4	1	–	–	–	–	–	–	–	1	1	1	–
Milford	12	1	–	2	4	–	–	–	1	–	–	2	2
Milton	9	–	3	2	–	1	1	–	–	–	–	1	1
Natick	8	1	–	3	–	1	–	–	–	–	2	–	1
Needham	4	1	1	–	1	–	–	–	–	–	–	–	1
New Bedford	24	3	6	3	4	–	1	1	–	–	–	5	1
Newburyport	6	1	–	1	–	1	–	–	–	1	–	–	2
Newton	20	10	2	–	2	2	1	1	–	–	–	1	1
North Adams	10	2	1	2	1	–	–	1	1	–	–	1	1
North Attleborough	3	–	1	–	–	1	–	–	–	–	–	–	1
Northampton	5	1	1	1	–	1	–	–	–	–	–	–	1
Northbridge	9	–	4	–	2	2	–	–	–	–	1	–	–
Norwood	3	–	1	1	–	–	1	–	–	–	–	–	–
Peabody	5	1	–	1	–	–	–	–	–	–	2	–	1
Pittsfield	18	1	5	2	3	1	–	–	–	–	2	1	3
Plymouth	2	–	–	–	–	1	–	–	–	–	1	–	–
Quincy	27	5	5	3	5	1	3	–	1	–	–	1	3
Reading	1	–	1	–	–	–	–	–	–	–	–	–	–
Revere	16	4	4	2	2	–	1	1	1	–	–	–	1
Salem	24	2	2	3	3	1	1	1	–	1	6	1	3
Saugus	6	–	1	1	–	–	–	–	1	–	1	2	–
Somerville	42	13	3	9	7	5	–	2	–	–	1	1	1
Southbridge	4	–	–	–	1	–	–	–	–	–	1	1	1
Springfield	69	16	13	14	2	4	5	2	–	1	3	4	5
Stoneham	2	1	–	–	–	–	–	1	–	–	–	–	–
Swampscott	4	–	1	2	–	–	–	–	–	–	–	–	1
Taunton	15	5	4	–	–	1	–	2	–	–	2	–	1
Wakefield	6	2	1	–	–	1	–	–	1	–	–	1	–
Waltham	7	1	–	1	2	–	–	–	–	1	1	–	1
Watertown	10	2	1	1	2	–	–	–	–	–	–	3	1
Webster	6	2	1	1	1	–	–	–	–	–	–	–	1
Wellesley	5	–	2	–	1	–	–	–	–	–	–	–	2
West Springfield	6	3	–	–	–	–	–	–	–	2	–	–	1
Westfield	7	–	2	–	1	1	–	–	1	–	–	2	–
Weymouth	4	1	–	–	1	1	–	–	–	–	–	–	1
Winchester	7	–	1	–	3	1	–	–	–	–	–	–	2
Winthrop	3	–	1	1	–	–	–	–	–	–	–	–	1
Woburn	7	2	–	–	1	–	–	1	–	1	–	1	1
Worcester	110	17	22	22	9	4	3	1	–	4	6	4	18

[1]Allocated.

Table 32

Deaths[1], from Bronchopneumonia, by Months, in Municipalities Having Over 10,000 Inhabitants in 1935–1936.

Municipalities.	The Year.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
The State.	**2,230**	**291**	**268**	**213**	**215**	**171**	**115**	**97**	**92**	**107**	**177**	**189**	**295**
Adams	2	2	–	–	–	–	–	–	–	–	–	–	–
Amesbury	5	1	–	–	–	–	1	–	1	–	–	1	1
Andover	4	1	–	–	–	–	–	–	–	2	1	–	–
Arlington	23	2	1	3	3	2	–	–	–	1	3	3	5
Athol	5	2	–	–	1	1	–	–	–	–	–	1	–
Attleboro	4	1	1	–	–	–	1	1	–	–	–	–	–
Belmont	12	1	2	1	1	1	–	1	–	–	2	3	–
Beverly	6	1	2	–	2	–	–	–	–	–	1	–	–
Boston	607	71	60	61	69	46	41	27	26	30	52	50	74
Braintree	4	2	–	1	–	–	–	–	–	–	1	–	–
Brockton	20	2	2	3	1	3	1	1	–	–	2	1	4
Brookline	22	3	2	1	4	–	1	–	3	2	1	2	3
Cambridge	73	10	8	8	6	8	2	4	4	2	5	6	10
Chelsea	23	1	3	1	2	4	2	1	–	2	1	1	5
Chicopee	15	2	2	1	4	–	–	1	–	–	–	1	4
Clinton	7	1	2	1	1	–	–	–	–	–	–	1	1
Danvers	11	–	–	–	2	1	1	–	–	1	4	–	2
Dedham	7	1	–	1	–	1	–	1	–	–	–	2	1
Easthampton	6	–	1	2	–	–	–	–	–	–	–	1	2
Everett	20	1	4	1	3	1	2	1	–	1	3	–	3
Fairhaven	3	–	1	–	–	–	2	–	–	–	–	–	–
Fall River	63	8	11	5	6	4	5	5	–	4	4	2	9
Fitchburg	21	1	3	1	1	1	2	–	1	2	2	4	3
Framingham	17	2	1	4	1	2	1	–	–	–	1	–	5
Gardner	14	2	1	1	–	–	2	1	2	1	1	2	1
Gloucester	13	1	1	1	2	1	–	1	–	2	3	–	1
Greenfield	10	–	3	–	–	1	1	1	1	1	–	1	1
Haverhill	19	2	1	5	2	1	–	1	–	1	3	2	1
Holyoke	25	6	5	5	1	1	–	1	1	1	–	1	3
Lawrence	44	7	6	3	3	6	2	1	4	–	6	1	5
Leominster	13	1	1	–	2	2	–	1	2	–	–	2	2
Lexington	3	1	2	–	–	–	–	–	–	–	–	–	–
Lowell	58	10	10	3	4	6	4	2	4	1	1	5	8
Lynn	45	3	4	6	6	3	4	1	1	1	1	5	10
Malden	22	4	2	2	4	2	–	–	–	–	2	4	2
Marblehead	3	–	–	1	–	1	–	–	–	–	–	–	1
Marlborough	5	1	1	–	1	–	–	1	–	–	1	–	–
Medford	20	4	1	2	2	1	1	–	–	–	2	1	6
Melrose	7	1	–	2	–	–	–	1	1	1	–	–	1
Methuen	10	3	1	1	1	–	1	–	–	–	–	2	1
Milford	10	1	1	–	–	2	–	–	3	3	–	–	–
Milton	6	–	–	1	1	1	–	–	–	2	–	1	–
Natick	6	1	1	–	–	1	–	1	–	–	–	–	2
Needham	4	1	–	–	1	–	–	–	–	–	–	1	1
New Bedford	70	11	11	10	5	5	4	4	3	–	2	8	7
Newburyport	10	2	–	1	–	2	–	–	–	1	3	–	1
Newton	27	3	4	2	3	3	–	–	–	4	1	3	4
North Adams	12	1	1	1	2	2	2	1	–	–	–	–	2
North Attleborough	2	–	–	–	–	–	–	1	–	–	–	1	–
Northampton	10	–	2	–	2	1	1	–	–	2	2	–	–
Northbridge	4	–	–	1	1	–	–	–	–	–	1	–	1
Norwood	3	2	–	–	–	–	–	–	–	1	–	–	–
Peabody	5	–	–	1	1	–	–	–	–	–	1	–	2
Pittsfield	14	2	2	–	1	–	–	–	–	2	2	2	3
Plymouth	5	–	–	1	–	–	1	1	–	–	–	1	1
Quincy	28	4	3	2	2	2	2	2	–	2	2	3	4
Reading	3	1	–	1	–	–	–	–	–	–	–	–	1
Revere	23	1	4	4	1	1	–	3	–	1	2	2	4
Salem	15	2	1	4	1	1	2	–	1	–	–	1	2
Saugus	7	–	2	1	–	1	–	–	–	1	–	2	7
Somerville	67	8	11	5	5	3	5	2	5	5	7	4	–
Southbridge	5	–	1	1	1	1	–	–	–	–	–	1	–
Springfield	40	6	8	5	–	2	1	1	3	2	6	5	1
Stoneham	5	1	–	–	–	1	–	–	1	–	–	2	–
Swampscott	2	–	1	–	–	–	–	–	1	–	–	–	–
Taunton	15	4	1	1	2	2	–	1	2	–	1	1	–
Wakefield	7	3	–	1	2	–	–	–	–	–	1	–	–
Waltham	21	4	5	4	1	1	2	1	1	–	–	1	1
Watertown	5	1	1	1	–	–	–	1	–	–	–	–	1
Webster	5	1	–	1	1	–	–	–	–	1	–	–	1
Wellesley	5	–	–	–	1	1	1	2	–	–	–	–	–
West Springfield	5	1	–	1	1	–	–	–	–	–	1	–	1
Westfield	8	–	2	–	–	2	–	–	–	–	3	–	1
Weymouth	5	–	–	–	2	–	–	–	–	–	1	2	–
Winchester	4	2	–	–	–	–	–	1	–	–	–	–	1
Winthrop	1	–	–	–	–	1	–	–	–	–	–	–	–
Woburn	6	–	–	–	–	–	1	1	–	1	1	1	1
Worcester	131	18	14	10	11	7	5	7	7	5	15	8	24

[1]Allocated.

Maternal Mortality.

Table 33

Deaths and Death Rates per 100,000 Population from Diseases caused by Pregnancy and Confinement*: 1912 to 1936.

Years.	Deaths. Total. 140-150.	Deaths. Puerperal septicemia. 140, 145.	Deaths. All others. 141-144, 146-150.	Death rates — per 100,000 population. Total.	Death rates — per 100,000 population. Puerperal septicemia.	Death rates — per 100,000 population. All others.	Death rates — per 100,000 female population. Total.	Death rates — per 100,000 female population. Puerperal septicemia.	Death rates — per 100,000 female population. All others.
1912	435	97	338	12.4	2.8	9.6	24.5	5.5	19.0
1913	467	101	366	13.1	2.8	10.2	25.9	5.6	20.3
1914	538	104	434	14.8	2.9	11.9	29.4	5.7	23.7
1915	462	106	356	12.5	2.9	9.6	24.9	5.7	19.2
1916	525	159	366	13.9	4.2	9.7	27.3	8.3	19.0
1917	616	194	422	16.0	5.0	11.0	31.5	9.9	21.6
1918	804	159	645	20.6	4.1	16.5	40.4	8.0	32.4
1919	622	163	459	16.2	4.2	12.0	31.8	8.3	23.5
1920	698	195	503	18.1	5.1	13.0	35.6	10.0	25.6
1921	580	178	402	14.9	4.6	10.3	29.3	9.0	20.3
1922	559	159	400	14.2	4.0	10.2	27.9	7.9	20.0
1923	498	128	370	12.5	3.2	9.3	24.6	6.3	18.3
1924	544	161	383	13.6	4.0	9.6	26.7	7.9	18.8
1925	501	140	361	12.1	3.4	8.7	24.1	6.7	17.4
1926	501	150	351	11.9	3.6	8.3	23.9	7.2	16.7
1927	486	141	345	11.4	3.3	8.1	22.9	6.6	16.3
1928	456	123	333	10.5	2.8	7.7	21.3	5.7	15.6
1929	453	147	306	10.4	3.4	7.0	21.0	6.8	14.2
1930	438	141	297	10.3	3.3	7.0	20.1	6.5	13.6
1931	408	119	289	9.5	2.8	6.7	18.5	5.4	13.1
1932	369	96	273	8.6	2.2	6.4	16.6	4.3	12.3
1933	389	103	286	9.0	2.4	6.6	17.3	4.6	12.7
1934	317	93	224	7.3	2.1	5 2	14.0	4.1	9.9
1935	325[1]	104	221	7.5	2.4	5.1	14.3	4.6	9.7
1936	270[1]	80	190	6.1	1.8	4.3	11.7	3.5	8.2

[1] Allocated.

Maternal Mortality.

Table 34

Death Rates per 10,000 Confinements and per 10,000 Births[1] from Diseases caused by Pregnancy and Confinement (140-150)*: 1912 to 1936.

Years.	Per 10,000 confinements.[1] Total. 140-150.	Per 10,000 confinements.[1] Puerperal septicemia. 140, 145.	Per 10,000 confinements.[1] All others. 141-144,146-150.	Per 10,000 births.[2] Total. 140-150.	Per 10,000 births.[2] Puerperal septicemia. 140, 145.	Per 10,000 births.[2] All others. 141-144,146-150.	Per 10,000 live births. Total. 140-150.	Per 10,000 live births. Puerperal septicemia. 140, 145.	Per 10,000 live births. All Others. 141-144,146-150.	Per 10,000 confinements. 140-150. Three-year averages.	Per 10,000 confinements. 140-150. Five-year averages.
1912	47	11	36	47	10	37	48	11	37		
1913	50	11	39	49	11	38	51	11	40		51
1914	56	11	45	56	11	45	58	11	47	51	
1915	48	11	37	48	11	37	48	11	37		
1916	55	17	39	54	16	38	56	17	39		
1917	63	20	43	62	19	43	64	20	44	67	
1918	82	16	66	81	16	65	84	17	67		69
1919	69	18	51	68	18	50	71	19	52		
1920	74	21	53	73	20	53	76	21	55	68	
1921	61	19	42	60	18	42	63	19	44		
1922	62	18	44	61	17	44	64	18	46		
1923	54	14	40	54	14	40	56	14	41	58	58
1924	58	17	41	57	17	40	59	17	42		
1925	57	16	41	56	16	40	58	16	42		
1926	59	18	41	58	17	41	60	18	42	58	
1927	58	17	41	57	17	40	59	17	42		
1928	56	15	41	56	15	41	58	16	42		59
1929	62	20	42	59	19	40	61	20	41	59	
1930	58	19	39	57	18	39	59	19	40		
1931	57	17	40	57	17	40	59	17	42		
1932	53	14	39	52	14	38	54	14	40	57	
1933	60	16	44	59	16	43	61	16	45		54
1934	49	14	35	48	14	34	50	15	35		
1935[3]	51	16	35	50	16	34	52	17	35	48	
1936[3]	45	13	32	43	13	30	44	13	31		

[1] Inclusive of stillbirths and making proper deductions for plural births.
[2] Inclusive of stillbirths.
[3] Allocated.

Deaths Investigated by Medical Examiners.

Table 35

Deaths (inclusive of Stillbirths) investigated by Medical Examiners, by Cause of Death, in Each County: 1936.

Line No.	Cause of Death.	The State. Number.	The State. Per Cent. Distribution.	Barnstable.	Berkshire.	Bristol.	Dukes.	Essex.	Franklin.	Hampden.	Hampshire.	Middlesex.	Nantucket.	Norfolk.	Plymouth.	Suffolk.	Worcester.
1	**All Causes.**	**9,788**	**100.0**	**108**	**233**	**804**	**11**	**873**	**97**	**1,011**	**168**	**2,019**	**14**	**683**	**330**	**2,434**	**1,003**
2	Violence.	3,428	35.0	41	125	244	3	329	48	287	66	666	5	205	128	870	411
3	*Suicide.*	571	5.8	7	24	48	1	70	7	51	9	114	1	32	26	119	62
4	Poisons (163)	59	.6	2	1	5	–	5	1	3	1	9	–	2	1	22	7
5	Asphyxia by poisonous gas (164)	159	1.6	3	10	22	1	29	2	19	2	32	–	7	7	14	11
6	Hanging (165)	132	1.3	–	4	8	–	18	2	9	3	26	1	9	4	31	17
7	Drowning (166)	53	.5	2	3	3	–	8	–	8	1	11	–	2	1	9	5
8	Firearms (167)	109	1.1	–	6	8	–	5	2	6	1	25	–	10	9	22	15
9	Cutting or piercing instruments (168)	24	.3	–	–	1	–	3	–	1	1	6	–	1	2	3	6
10	Other means	35	.4	–	–	1	–	2	–	5	–	5	–	1	2	18	1
11	*Homicide.*	73	.8	–	6	2	–	9	1	6	–	14	–	–	3	24	8
12	Infanticide (172)	5	.1	–	1	–	–	1	–	2	–	–	–	–	–	1	–
13	Firearms (173)	17	.2	–	2	1	–	2	1	–	–	5	–	–	2	4	–
14	Cutting (174)	7	.1	–	–	–	–	–	–	1	–	1	–	–	–	3	2
15	Other means (175)	44	.4	–	3	1	–	6	–	3	–	8	–	–	1	16	6
16	*Accident or Negligence.*	2,784	28.4	34	95	194	2	250	40	230	57	538	4	173	99	727	341
17	Asphyxia, other than drowning (178, 182)	134	1.4	2	6	19	1	11	2	10	1	20	–	9	1	30	22
18	Poisons (179)	51	.5	–	1	2	–	7	1	10	1	5	–	3	–	11	10
19	Burns and scalds (180, 181)	181	1.8	3	5	15	–	21	2	18	3	28	–	8	3	51	24
20	Drowning (183)	167	1.7	2	6	12	–	20	4	13	4	28	1	14	9	34	20
21	Firearms and other weapons (184)	19	.2	–	1	2	–	3	–	3	1	5	–	–	–	2	2
22	Falls, blows and falling bodies (186, 194b)	1,072	10.9	10	24	65	1	84	7	95	19	206	2	54	33	341	131
23	Weather agencies (190–192)	30	.3	–	1	4	–	4	2	1	1	4	–	–	3	4	6
24	Machinery (202–205)	32	.3	–	–	5	–	4	–	1	–	4	–	–	–	11	7
25	Public travel (railroads, vehicles, etc.) (206–214)	1,024	10.5	17	49	65	–	88	19	76	25	228	1	80	47	220	109
26	Other accidental causes	74	.8	–	2	5	–	8	3	3	2	10	–	5	3	23	10
27	Causes Not Due to Violence.	5,282	54.0	59	107	544	8	528	46	500	87	1,075	9	425	200	1,117	577
28	Natural causes	5,041	51.5	48	105	526	8	506	41	492	84	1,040	9	418	194	1,008	562
29	Alcoholism	211	2.2	4	2	17	–	21	4	5	–	29	–	5	4	107	13
30	Unknown or ill-defined causes	30	.3	7	–	1	–	1	1	3	3	6	–	2	2	2	2
31	Cremations	1,026	10.5	7	–	13	–	14	3	215	14	262	–	41	–	444	13
32	Stillbirths.	52	.5	1	1	3	–	2	–	9	1	16	–	12	2	3	2
33	**Autopsies.**																
34	Number	907	–	1	8	73	1	43	1	21	4	94	–	12	6	531	112

Table 36

Detailed Int. List No.	Cause of Death.	Sex.	All deaths investigated.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
			Deaths Due to Violence and Other and Months, and by												
	All Causes.	T	8,762	787	703	702	706	696	663	753	705	641	769	846	791
		M	5,765	486	464	459	468	458	452	508	482	428	502	563	495
		F	2,997	301	239	243	238	238	211	245	223	213	267	283	296
	All Causes (exclusive of stillbirths).	T	8,710	–	–	–	–	–	–	–	–	–	–	–	–
		M	5,735	484	462	459	464	453	450	506	480	425	499	562	491
		F	2,975	299	238	240	238	236	209	242	222	210	265	281	295
	Violence.	T	3,428	–	–	–	–	–	–	–	–	–	–	–	–
		M	2,339	186	164	180	196	189	181	219	206	182	188	230	218
		F	1,089	103	77	79	90	79	97	95	87	88	86	89	119
	Suicide.	T	571	–	–	–	–	–	–	–	–	–	–	–	–
		M	421	32	23	46	42	44	38	27	41	29	29	30	40
		F	150	9	9	6	13	12	14	11	15	17	16	10	18
163	Suicide by solid or liquid poisons or by absorption of corrosive substances	T	59	–	–	–	–	–	–	–	–	–	–	–	–
		M	33	3	–	4	1	3	1	3	4	2	4	3	5
		F	26	1	2	1	–	3	1	4	3	3	2	1	5
163*a*	Arsenical group	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	1	–	–	–	1	–	–	–	–	–
		F	3	–	–	–	–	–	–	1	–	1	1	–	–
163*b*	Barbituric acid	T	14	–	–	–	–	–	–	–	–	–	–	–	–
		M	7	2	–	1	–	1	–	1	1	–	1	–	–
		F	7	–	1	–	–	2	–	1	1	1	–	–	1
163*c*	Cresol compounds	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	–	–	–	–	–	1	–	–	1	1	1
		F	2	–	–	1	–	–	–	–	–	–	–	–	1
163*d*	Mercury compounds	T	7	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	1	–	–	–	1	–	–	–	–	–	–	–
		F	5	–	1	–	–	–	–	1	–	–	1	–	2
163*e*	Nux vomica and strychnine	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	1	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	1	–	–	–
163*f*	Lye	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	–	–	1	–	1	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	1
163*g*	Tobacco and derivatives	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	1	–	–	–	–
		F	1	1	–	–	–	–	–	–	–	–	–	–	–
163*h*	Narcotic group	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	1	–	–	–	–	–	–	–	–	1
		F	1	–	–	–	–	–	–	–	1	–	–	–	–
163*o*	Carbolic acid and phenol	T	11	–	–	–	–	–	–	–	–	–	–	–	–
		M	8	–	–	–	1	–	1	–	1	1	1	1	2
		F	3	–	–	–	–	–	1	–	1	–	–	1	–
163*x*	Others	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	–	1	–	1	–	–	–	–	1	–	1
		F	2	–	–	–	–	1	–	1	–	–	–	–	–
164	Suicide by poisonous gas	T	159	–	–	–	–	–	–	–	–	–	–	–	–
		M	111	8	10	12	10	10	9	7	9	12	6	6	12
		F	48	4	3	–	7	2	5	1	5	6	5	4	6
165	Suicide by hanging or strangulation	T	132	–	–	–	–	–	–	–	–	–	–	–	–
		M	101	10	6	10	10	11	13	3	10	5	9	8	6
		F	31	–	3	1	2	2	3	4	3	3	3	3	4
166	Suicide by drowning	T	53	–	–	–	–	–	–	–	–	–	–	–	–
		M	35	2	–	1	5	6	6	2	4	2	1	4	2
		F	18	–	1	1	2	2	2	1	–	3	4	1	1
167	Suicide by firearms	T	109	–	–	–	–	–	–	–	–	–	–	–	–
		M	102	6	5	11	13	11	7	11	11	4	8	4	11
		F	7	2	–	–	–	2	2	–	–	–	–	–	1
168	Suicide by cutting or piercing instruments	T	24	–	–	–	–	–	–	–	–	–	–	–	–
		M	21	–	2	5	1	2	–	1	2	3	1	1	3
		F	3	–	–	1	–	–	–	–	1	–	–	–	1
169	Suicide by jumping from high places	T	28	–	–	–	–	–	–	–	–	–	–	–	–
		M	12	2	–	1	2	–	1	–	1	1	–	3	1
		F	16	2	–	2	2	1	1	1	3	1	2	1	–
170	Suicide by crushing	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	2	–	1	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
171	Suicide by other means	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	1	–	–	–	–	1	–	–	–	–	1	–
		F	1	–	–	–	–	–	–	–	–	1	–	–	–
	Homicide.	T	73	–	–	–	–	–	–	–	–	–	–	–	–
		M	49	–	1	2	8	5	5	6	5	4	4	5	4
		F	24	4	1	–	2	5	2	2	–	1	3	2	2
172	Infanticide (murder of infants less than 1 year of age)	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	–	–	–	2	1	–	–	1	1	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
172*a*	Immediately after birth	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	1	1	–	–	–	1	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–

Not including 1,026 views for cremation.

CAUSES, INVESTIGATED BY MEDICAL EXAMINERS BY CAUSES, SEX, CAUSES, SEX AND AGE: **1936.**

Detailed Int. List No.	AGE PERIODS.												
	Under 1 week.	1 week but under 1 year.	1 to 4 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 years and over.	Unknown.
	99	167	195	119	124	144	463	588	1,184	1,589	1,923	1,416	751	-
	54	91	113	77	95	102	318	426	896	1,164	1,263	843	323	-
	45	76	82	42	29	42	145	162	288	425	660	573	428	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	24	91	113	77	95	102	318	426	896	1,164	1,263	843	323	-
	23	76	82	42	29	42	145	162	288	425	660	573	428	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	30	92	66	82	81	259	226	392	398	372	235	98	-
	4	19	55	34	16	24	90	74	98	102	204	183	186	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	7	49	59	102	103	66	30	5	-
	-	-	-	-	-	6	25	20	37	26	26	7	3	-
163	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	8	7	8	7	3	-	-	-
163*a*	-	-	-	-	-	2	10	3	5	4	1	1	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	-	1	-	-	-	-
	-	-	-	-	-	-	-	2	1	-	-	-	-	-
163*b*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	2	2	2	1	-	-	-	-
	-	-	-	-	-	-	2	-	2	3	-	-	-	-
163*c*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	1	-	2	1	-	-	-	-
	-	-	-	-	-	-	2	-	-	-	-	-	-	-
163*d*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	1	-	-	1	-	-	-	-
	-	-	-	-	-	-	2	1	1	-	1	-	-	-
163*e*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	-	-	-	-	-	1	-	-	-	-	-	-	-	-
163*f*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	-	-	1	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	-	-
163*g*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	-	-	-	-	-	1	-	-	-	-	-	-	-	-
163*h*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	-	-	1	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	-
163*o*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	2	1	3	1	1	-	-	-
	-	-	-	-	-	-	3	-	-	-	-	-	-	-
163*x*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	1	1	1	1	-	-	-	-
	-	-	-	-	-	-	1	-	-	-	-	1	-	-
164	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	13	16	31	28	19	2	2	-
	-	-	-	-	-	2	6	10	14	6	5	4	1	-
165	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	7	8	28	29	20	9	-	-
	-	-	-	-	-	-	3	4	6	6	10	1	1	-
166	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	1	3	1	12	9	6	2	1	-
	-	-	-	-	-	1	2	1	4	4	5	-	1	-
167	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	6	15	21	14	19	12	14	1	-
	-	-	-	-	-	1	-	-	2	1	2	1	-	-
168	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	1	2	5	6	3	3	1	-
	-	-	-	-	-	-	-	-	-	2	1	-	-	-
169	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	3	3	4	2	-	-	-
	-	-	-	-	-	-	4	2	5	3	2	-	-	-
170	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	1	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
171	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	2	-	-	-	1	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	2	1	-	1	1	7	7	12	5	6	1	-	-
	1	-	1	-	-	-	12	3	3	2	2	-	-	-
172	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	1	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
172*a*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 36

Deaths Due to Violence and Other and Months, and by

Detailed Int. List No.	Cause of Death.	Sex.	All deaths investigated.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
172b	Others under 1 year	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	1	–	–	–	1	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
173	Homicide by firearms	T	17	–	–	–	–	–	–	–	–	–	–	–	–
		M	14	–	–	1	1	2	2	1	1	–	1	2	3
		F	3	–	–	–	1	1	1	–	–	–	–	–	–
174	Homicide by cutting or piercing instruments	T	7	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	–	–	–	–	–	–	2	1	1	1	–	–
		F	2	–	1	–	–	–	–	–	–	–	–	–	1
175	Homicide by other means	T	44	–	–	–	–	–	–	–	–	–	–	–	–
		M	25	–	1	1	5	2	3	3	2	2	2	3	1
		F	19	4	–	–	1	4	1	2	–	1	3	2	1
	Accidental.	T	2,784	–	–	–	–	–	–	–	–	–	–	–	–
		M	1,869	154	140	132	146	140	138	186	160	149	155	195	174
		F	915	90	67	73	75	62	81	82	72	70	67	77	99
176	Attack by venomous animals	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	1	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
177	Poisoning by food	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	1	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
178	Accidental absorption of poisonous gas	T	75	–	–	–	–	–	–	–	–	–	–	–	–
		M	54	11	7	5	3	3	1	3	–	1	7	6	7
		F	21	–	4	3	3	–	2	1	2	2	2	1	1
179	Other acute accidental poisonings (gas excepted)	T	51	–	–	–	–	–	–	–	–	–	–	–	–
		M	37	2	6	3	5	4	2	4	1	4	3	3	–
		F	14	1	–	2	2	1	2	3	1	–	1	1	–
180	Conflagration	T	53	–	–	–	–	–	–	–	–	–	–	–	–
		M	31	10	4	1	2	3	2	1	–	–	–	2	6
		F	22	8	2	1	1	1	2	–	1	2	–	–	4
181	Accidental burns (conflagration excepted)	T	128	–	–	–	–	–	–	–	–	–	–	–	–
		M	64	6	6	3	7	8	4	2	1	5	6	8	8
		F	64	11	5	6	4	2	4	6	2	2	5	12	5
182	Accidental mechanical suffocation	T	59	–	–	–	–	–	–	–	–	–	–	–	–
		M	39	2	6	2	4	1	6	3	4	1	1	7	2
		F	20	1	1	1	1	–	3	–	2	4	1	3	3
183	Accidental drowning	T	167	–	–	–	–	–	–	–	–	–	–	–	–
		M	143	2	4	14	14	10	17	30	24	9	8	4	7
		F	24	2	–	2	–	–	2	7	5	4	1	1	–
184	Accidental traumatism by firearms (wounds of war excepted)	T	19	–	–	–	–	–	–	–	–	–	–	–	–
		M	16	1	1	2	1	2	–	–	–	1	3	2	3
		F	3	–	–	–	–	–	1	–	1	1	–	–	–
185	Accidental traumatism by cutting or piercing instruments (wounds of war excepted)	T	10	–	–	–	–	–	–	–	–	–	–	–	–
		M	7	1	–	1	–	1	1	–	–	2	–	–	1
		F	3	–	1	–	–	–	1	–	–	–	–	–	1
186	Accidental traumatism by fall, crushing, landslide	T	931	–	–	–	–	–	–	–	–	–	–	–	–
		M	468	37	39	33	47	40	25	45	45	34	44	45	34
		F	463	54	35	42	41	36	40	35	32	23	30	41	54
186a	Fall	T	929	–	–	–	–	–	–	–	–	–	–	–	–
		M	466	37	39	33	46	40	25	45	45	34	43	45	34
		F	463	54	35	42	41	36	40	35	32	23	30	41	54
186b	Crushing, landslide	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	1	–	–	–	–	–	1	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
187	Cataclysm	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
188	Injuries by animals	T	8	–	–	–	–	–	–	–	–	–	–	–	–
		M	8	1	–	–	1	1	–	3	1	–	1	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
189	Hunger or thirst	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
190	Excessive cold	T	19	–	–	–	–	–	–	–	–	–	–	–	–
		M	16	3	6	1	–	–	–	–	–	–	–	4	2
		F	3	–	2	–	–	–	–	–	–	–	–	1	–
191	Excessive heat	T	8	–	–	–	–	–	–	–	–	–	–	–	–
		M	7	–	–	–	–	–	–	6	1	–	–	–	–
		F	1	–	–	–	–	–	–	1	–	–	–	–	–
192	Lightning	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	1	1	–	–	–	–	–
		F	1	–	–	–	–	–	–	1	–	–	–	–	–
193	Accidents due to electric currents	T	15	–	–	–	–	–	–	–	–	–	–	–	–
		M	15	–	1	3	–	3	1	3	–	1	2	–	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
194	Other accidents	T	178	–	–	–	–	–	–	–	–	–	–	–	–
		M	130	13	14	15	6	8	8	14	10	9	10	6	17
		F	48	4	–	2	5	5	3	9	8	5	3	1	3

CAUSES, INVESTIGATED BY MEDICAL EXAMINERS BY CAUSES, SEX, CAUSES, SEX AND AGE: 1936.

Detailed Int. List No.	AGE PERIODS.													
	Under 1 week.	1 week but under 1 year.	1 to 4 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 years and over.	Unknown.
172b	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
173	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	1	-	1	1	3	2	2	1	2	1	-	-
	-	-	-	-	-	-	1	1	-	1	-	-	-	-
174	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	1	2	2	-	-	-	-	-
	-	-	-	-	-	-	-	-	2	-	-	-	-	-
175	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2	1	-	-	-	-	3	3	8	4	4	-	-	-
	1	-	1	-	-	-	11	2	1	1	2	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2	28	91	66	81	73	203	160	278	290	300	204	93	-
	3	19	54	34	16	18	53	51	58	74	176	176	183	-
176	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
177	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
178	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	1	1	-	-	-	8	7	9	8	13	3	4	-
	-	-	-	1	-	-	1	3	3	1	5	3	4	-
179	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	1	8	-	-	2	-	4	12	4	2	3	1	-
	1	2	4	1	-	-	1	1	1	2	-	1	-	-
180	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	2	4	-	-	-	-	2	5	8	4	6	-	-
	-	-	3	1	-	1	2	5	2	1	7	-	-	-
181	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	3	12	1	1	3	4	7	5	6	8	10	4	-
	-	-	15	8	-	-	5	3	5	7	8	4	9	-
182	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2	15	-	-	2	-	2	3	5	5	4	1	-	-
	1	10	5	-	-	-	1	-	-	1	1	1	-	-
183	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	11	22	22	12	14	9	20	16	13	4	-	-
	1	-	2	7	2	3	2	1	1	1	3	-	1	-
184	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	1	3	1	6	3	1	-	-	1	-	-
	-	-	-	-	1	-	1	-	1	-	-	-	-	-
185	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	1	2	2	-	2	-	-	-
	-	-	-	-	-	-	1	-	-	1	1	-	-	-
186	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	2	8	5	5	7	20	22	57	79	104	101	58	-
	-	2	5	-	1	2	3	6	14	33	98	139	160	-
186a	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	2	8	5	5	7	19	22	57	78	104	101	58	-
	-	2	5	-	1	2	3	6	14	33	98	139	160	-
186b	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	1	-	-	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
187	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
188	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	1	-	-	-	3	1	2	1	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
189	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
190	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	5	7	2	1	-
	-	-	-	-	-	-	-	-	1	-	2	-	-	-
191	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	1	2	-	1	2	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-
192	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	1	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-
193	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	1	-	-	4	7	-	3	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
194	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	4	6	3	6	4	16	8	27	24	17	12	3	-
	-	4	3	1	2	-	6	15	2	1	8	3	3	-

Table 36

DEATHS DUE TO VIOLENCE AND OTHER AND MONTHS, AND BY

Detailed Int. List No.	Cause of Death.	Sex.	All deaths investigated.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
				MONTHS.											
194a	Foreign bodies	T	37	–	–	–	–	–	–	–	–	–	–	–	–
		M	26	1	3	2	–	1	2	5	1	2	5	–	4
		F	11	2	–	–	2	2	–	2	1	1	1	–	–
194b	Others	T	141	–	–	–	–	–	–	–	–	–	–	–	–
		M	104	12	11	13	6	7	6	9	9	7	5	6	13
		F	37	2	–	2	3	3	3	7	7	4	2	1	3
195	Violent deaths of which the nature (accident, suicide, homicide) is unknown	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
196	Wounds of war	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
197	Executions of civilians by belligerent armies	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
198	Legal executions	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	1	–	–	–	–	–	–	1	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
201	Accidental traumatism in mines and quarries	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
202	Accidents from agricultural machinery	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	1	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
203	Elevator accidents	T	16	–	–	–	–	–	–	–	–	–	–	–	–
		M	16	2	–	1	1	–	–	4	4	1	1	1	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
204	Accidents from machinery used for recreation	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	1	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
205	Other machinery accidents	T	14	–	–	–	–	–	–	–	–	–	–	–	–
		M	12	1	2	2	–	2	–	2	1	–	1	1	–
		F	2	–	–	–	–	1	–	–	–	–	–	1	–
206	Railroad and automobile collisions	T	11	–	–	–	–	–	–	–	–	–	–	–	–
		M	11	2	3	1	1	–	–	–	1	–	1	2	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
207	Other railroad accidents	T	73	–	–	–	–	–	–	–	–	–	–	–	–
		M	62	4	5	2	6	3	6	2	5	6	5	14	4
		F	11	–	3	1	–	–	1	1	1	–	2	–	2
208	Street car and automobile collisions	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	6	–	1	–	–	–	–	2	2	–	–	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
209	Other street car accidents	T	18	–	–	–	–	–	–	–	–	–	–	–	–
		M	13	1	–	1	1	1	–	3	–	1	1	3	1
		F	5	–	–	–	1	–	1	1	–	1	–	1	–
210	Automobile accidents	T	862	–	–	–	–	–	–	–	–	–	–	–	–
		M	659	52	33	40	47	43	54	51	54	73	57	78	77
		F	203	9	14	13	17	15	18	16	14	25	22	14	26
211	Motorcycle accidents	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	1	–	–	–	–	1	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
212	Other land transportation accidents	T	12	–	–	–	–	–	–	–	–	–	–	–	–
		M	11	2	1	–	–	1	–	1	2	–	–	3	1
		F	1	–	–	–	–	–	–	–	–	1	–	–	–
213	Water transportation accidents	T	33	–	–	–	–	–	–	–	–	–	–	–	–
		M	29	–	1	1	–	4	8	5	2	–	3	4	1
		F	4	–	–	–	–	1	–	1	2	–	–	–	–
214	Air transportation accidents	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	–	–	–	–	2	1	–	–	–	–	1
		F	2	–	–	–	–	–	1	–	1	–	–	–	–
	CAUSES NOT DUE TO VIOLENCE	T	5,282	–	–	–	–	–	–	–	–	–	–	–	–
		M	3,396	298	298	279	268	264	269	287	274	243	311	332	273
		F	1,886	196	161	161	148	157	112	147	135	122	179	192	176
	Stillbirths	T	52	–	–	–	–	–	–	–	–	–	–	–	–
		M	30	2	2	–	4	5	2	2	2	3	3	1	4
		F	22	2	1	3	–	2	2	3	1	3	2	2	1

CAUSES, INVESTIGATED BY MEDICAL EXAMINERS BY CAUSES, SEX, CAUSES, SEX AND AGE: 1936.

Detailed Int. List No.	AGE PERIODS.													
	Under 1 week.	1 week but under 1 year.	1 to 4 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 years and over	Unknown.
194a	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	3	5	1	-	-	1	-	3	6	5	2	-	-
	-	3	2	-	1	-	-	2	-	1	1	1	-	-
194b	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	1	1	2	6	4	15	8	24	18	12	10	3	-
	-	1	1	1	1	-	6	13	2	-	7	2	3	-
195	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
196	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
197	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
198	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
201	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
202	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
203	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	3	3	2	2	3	-	2	1	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
204	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
205	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	4	2	3	2	1	-	-	-
	-	-	-	-	1	-	-	-	-	-	1	-	-	-
206	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	1	1	2	4	1	2	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
207	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	1	-	3	1	5	9	12	13	10	7	1	-
	-	-	-	1	1	2	2	-	1	2	1	-	1	-
208	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	1	-	-	3	-	2	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
209	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	2	2	-	5	2	1	1	-
	-	-	1	-	-	-	1	1	-	-	-	1	1	-
210	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	40	33	30	28	100	66	96	105	98	47	16	-
	-	1	15	14	8	10	24	15	25	24	40	23	4	-
211	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	1	1	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
212	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	3	2	-	-	-	1	3	1	1	-
	-	-	-	-	-	-	-	-	1	-	-	-	-	-
213	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	2	7	8	2	4	3	3	-	-	-
	-	-	1	-	-	-	1	1	1	-	-	-	-	-
214	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	4	-	-	-	-	-	-	-
	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	16	61	21	11	13	21	59	200	504	766	891	608	225	-
	19	57	27	8	13	18	55	88	190	323	456	390	242	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	30	-	-	-	-	-	-	-	-	-	-	-	-	-
	22	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 37

DEATHS (INCLUSIVE OF STILLBIRTHS) INVESTIGATED AND AUTOPSIES MADE BY MEDICAL EXAMINERS IN EACH COUNTY: 1927 TO 1936.

Line No.	Counties.	10 years, 1927 to 1936.			1936.		1935.		1934.		1933.	
		Views.	Autopsies.		Views.	Autopsies.	Views.	Autopsies.	Views.	Autopsies.	Views.	Autopsies.
			Number.	Per cent.								
1	**The State.**	84,592	6,671	7.9	9,788	907	9,098	797	9,145	787	8,587	688
2	Barnstable .	839	19	2.3	108	1	75	5	70	2	103	–
3	Berkshire .	1,893	49	2.6	233	8	200	6	227	6	171	2
4	Bristol .	6,928	562	8.1	804	73	708	62	754	71	733	72
5	Dukes . .	115	9	7.8	11	1	12	1	9	–	12	2
6	Essex . .	8,119	306	3.8	873	43	909	51	886	40	802	39
7	Franklin .	824	16	1.9	97	1	92	1	84	3	74	2
8	Hampden .	7,986	186	2.3	1,011	21	913	32	864	38	793	15
9	Hampshire .	1,474	25	1.7	168	4	158	4	179	4	152	1
10	Middlesex .	17,605	647	3.7	2,019	94	1,864	76	1,951	96	1,816	83
11	Nantucket .	96	14	14.6	14	–	7	2	12	6	8	1
12	Norfolk .	6,227	171	2.7	683	12	734	11	694	28	665	19
13	Plymouth	3,242	96	3.0	330	6	332	6	367	5	327	10
14	Suffolk .	20,166	3,729	18.4	2,434	531	2,103	442	2,004	357	1,933	330
15	Worcester	9,078	842	9.3	1,003	112	991	98	1,044	131	998	112

Deaths (inclusive of Stillbirths) investigated and Autopsies made by Medical Examiners in Each County: 1927 to 1936.

Line No.	1932.		1931.		1930.		1929.		1928.		1927.	
	Views.	Autopsies.	Views.	Autopsies.	Views.	Autopsies.	Views.	Autopsies.	Views.	Autopsies.	Views.	Autopsies.
1	8,377	605	8,028	578	7,982	551	8,097	585	8,021	639	7,469	534
2	72	2	88	2	79	2	77	2	87	3	80	–
3	184	3	158	3	183	6	189	4	197	5	151	6
4	757	66	694	53	630	46	637	45	637	50	574	24
5	13	1	8	–	10	1	15	–	14	2	11	1
6	806	20	790	31	821	29	787	22	773	12	672	19
7	80	3	81	1	63	1	94	3	83	1	76	–
8	785	17	755	11	787	17	742	15	682	11	654	9
9	130	1	140	3	147	–	141	2	128	6	131	–
10	1,859	66	1,736	56	1,622	57	1,610	39	1,581	46	1,547	34
11	10	2	13	–	12	1	4	1	11	–	5	1
12	660	13	567	11	567	23	604	25	570	16	483	13
13	332	9	351	14	333	12	303	10	307	16	260	8
14	1,871	320	1,910	336	1,817	280	2,047	357	2,078	421	1,969	355
15	818	82	737	57	911	76	847	60	873	50	856	64

PART II. A.

BIRTH STATISTICS

	PAGE
Introduction	196-199
Birth registration	196-197
Records impounded	197
Allocation	197
Live births	198
Birth rates	198
Changes in birth rate	198
Stillbirths	198
Birth rates, highest	198
Sex proportion at birth	198
Nativity of parents	198, 199
Plural births	199
Natural increase	199
Statistical tables	200-212

INTRODUCTION.

Birth Registration. — Birth registration has been compulsory in Massachusetts since Colonial times. It was one of the first States to be included in the registration area of the United States Census Bureau. The making of authentic birth records presents greater difficulties than that of either marriages or deaths, and probably no State claims 100 per cent birth registration; but the results in Massachusetts on the whole are considered to be far above the average and efforts are continually being made for its improvement.

The physician* in attendance at the birth of a child is required, within forty-eight hours, to give notice and make a complete return within fifteen days of the facts required for record to the clerk. Parents, within forty days, are required to give notice to the registration official of every child born to them.

In addition to the above, persons in charge of a hospital, almshouse, or other institution, public or private, are required to give, on or before the fifth day of each month, notice to the town clerk of every birth occurring among the persons in such institution during the preceding month. The law also provides that the clerk of each town may annually in January ascertain the facts required for record of all children born in his town during the preceding year and resident therein.

Returns are made in the first instance to the local registrars of the city or town in which the birth occurred, who are the city and town clerks, with the exception of Boston where the City Registrar is the official in charge.

The records on file in the Division of Vital Statistics are attested copies of the originals filed with local officials. The law has required the filing at this central record office since 1841. During this time 5,402,132 births have been filed and indexed. Since the establishment of the office of State Registrar of Vital Statistics in 1918, a systematic campaign has been carried on to obtain prompt and complete compliance with the birth registration laws. People are generally beginning to realize the importance of birth records, so complete registration should soon be an accomplished fact.

There is hardly a relation of life, social, legal, or economic, in which the evidence furnished by an accurate registration of births may not prove to be of the grea est value, not only to the individual, but also to the public at large. It is not only an act of civilization to register Birth Certificates, but also good business, for they are frequently used in many practical ways:

1. As evidence to prove the age and legitimacy of heirs;
2. As proof of age to determine the validity of a contract entered into by an alleged minor;
3. As evidence to establish age and proof of citizenship and descent; in order to vote;
4. As evidence to establish the right of admission to the professions and to many public offices;
5. As evidence of legal age to marry;

* Midwives are not recognized in Massachusetts. It has been held that the practice of midwifery is the practice of medicine, and as there is no provision under the law for licensing midwives, any one who practices midwifery is violating the medical registration laws.

6. As evidence to prove the pension claims of widows and orphans;
7. As evidence to determine the liability of parents for the debts of a minor;
8. As evidence in the administration of estates, the settlement of insurance and pensions;
9. As evidence to prove the irresponsibility of children under age for crime and misdemeanor, and various other matters in the criminal statute;
10. As evidence in the enforcement of laws relating to education and to child labor;
11. As evidence to determine the relations of guardians and wards;
12. As proof of citizenship in order to obtain a passport;
13. As evidence in the claim for exemption from or the right to jury and militia service.

Copies of records of births occurring during the preceding year are required to be forwarded to the Division of Vital Statistics on or before March 1st, April 1st and May 1st of the year following; the time depending upon the population of the city or town making the return.

After the statutory period has elapsed for filing copies of the records with the Department of the Secretary of the Commonwealth, no delayed returns or corrections are accepted unless by a deposition made by the parents, supported by written evidence at the time of birth, or by deposition of the attending physician at the time of birth, or at the discretion of the town clerk the depositions of responsible persons with knowledge of the facts, or based upon a writing made at the time by a person since deceased charged with making the return in the first instance. As the evidential value of a record depends for its authenticity upon the fact that it is made contemporaneously with the happening of the event recorded, the registrars are urged to exercise considerable care by requiring written evidence before accepting delayed returns, particularly if it is some years after the birth occurred. This holds true of corrections which can only be made in accordance with the facts as they actually existed at the time the birth occurred, with the exception of an illegitimate child who is legitimatized through the subsequent marriage of its parents; in these cases the record may be amended in accordance with Chapter 281 of the Acts of 1925, so that the child will appear on the record as the legitimate offspring of its parents. Chapter 169, Acts of 1930 and Chapter 258, Acts of 1931 provide for amendment of birth records of illegitimate children who have acquired new names by judicial decree, so that the amended record will appear as if the child were the natural child of the adoptive parents.

As a means of eliminating errors from physicians' returns of births, many local registrars are sending a supplemental report of the physician's return to the parents for their approval; and when the certificate is returned properly signed by a parent, it is filed with the physician's certificate. This is a splendid system as it eliminates any claim later that an error has been made in the return of birth. Many cities and towns have already adopted this follow-up system, and an attempt is being made to institute this method throughout Massachusetts.

Certain Records Impounded.—Returns and records of illegitimate and abnormal sex births are impounded by statute from inspection. The law prohibits the issuance of copies of such records to the general public. These records can be inspected or copies issued only to the child, the mother, attorney for the child, its legal guardian or to others by order of the court.

Allocation.—Births are charged to the place of the event and also are allocated to the place of residence of the parent, having been charged previous to 1935 only to the place of birth. This insures as near a true rate as possible and has a marked effect on municipalities which are large hospital centers. These cities and towns have been charged with a high rate and small communities without hospital facilities have shown a low rate. The usual place of residence has been used as a basis for all births occurring outside the State as well as for those in the State. In the case of institutions, births have been allocated to the place of residence before entrance.

Live Births.—In the Commonwealth in 1936 there were 61,903 live births registered, a decrease of 1,106, or 1.8 per cent as compared with the number registered in 1935. There was an increase in 1936 of 569, or 1.3 per cent in the number of infants born to native parents; a decrease of 1,062, or 12.3 per cent to foreign-born parents; and also a decrease of 611, or 5.1 per cent, to mixed parents, namely, one parent native, the other foreign-born, as compared with 1935. The allocated births numbered 61,184 for 1936.

Birth Rate.—In proportion to the total population, the total births registered were equivalent to a rate of 14.1 per 1,000 population, and is the lowest rate ever recorded in the Commonwealth. This was .4 per 1,000 lower than that recorded in 1935, and 1.1 per 1,000 below the average for the five years 1931 to 1935. The allocated births for 1936 lowered the birth rate to 14.0.

Changes in Birth Rate.—The birth rate for the Commonwealth attained the highest point on record, 30.2 in the year 1857. Since then the rate, although fluctuating considerably, has shown a considerable decline, and a steady decline since 1924, notwithstanding an improvement in the registration. Although the birth rate has been smaller in recent years, the infant death rate has also declined, the infant mortality rate for 1936 being the lowest ever recorded, so that the number of babies who survived the dangers of infancy is becoming steadily greater. This fact is strikingly shown in the infant mortality tables.

Stillbirths.—The Legislature has enacted legislation (Chap. 100, Acts of 1936) defining stillborn children for the purposes of Vital Statistics: "A stillborn child shall be deemed to be a foetus born after a period of gestation of not less than five months, in which foetus there is no attempt at respiration, no action of heart and no movement of voluntary muscle—". In the past there has been no statute defining a stillbirth, consequently many returns have been made which, under this definition, would not have been returned. As the statute now clearly defines a stillbirth and precludes any misunderstanding as to what returns should be made, there should be fewer returns of stillbirths.

Stillbirths allocated in 1936 number 1,816. The rate per 1,000 live births registered was 30.2 in 1935; 31.3 in 1934; 34.2 in 1933; 34.3 in 1932; 35.2 in 1931 and 1930. The rate per 1,000 allocated births was 29.5 per cent in 1936.

Birth Rates, Highest.—The six municipalities having 15,000 inhabitants or more showing the highest registered birth rates in 1936 are: Milford, 29.5; Norwood, 29.2; Gardner, 22.3; Weymouth, 21.4; Waltham, 21.2 and Attleboro, 20.8

Variations in the birth rates of different communities may be partially accounted for by differences in the proportions of married women of child-bearing age residing therein, and by the presence of hospitals to which expectant mothers go from neighboring cities and towns in order to take advantage of the best medical advice and obstetrical care during pregnancy and childbirth. The allocated birth rates help to substantiate this statement. The eight communities showing the highest rates are: Everett, 17.2; Somerville, 16.5; Waltham and Gloucester, 15.9 each; Weymouth, Woburn, Southbridge and Milford, 15.8 each. Boston, which showed the highest registered rate (19.0) of any place in the State of over 100,000 population loses to Somerville (16.5) by the allocation of births.

Sex Proportion at Birth.—It has never been determined whether the higher proportion of masculine than of feminine births is the result of definite causes or not. Registered births of males in 1936 numbered 31,664 and those of females 30,239, corresponding to a ratio of 1,047 male births to 1,000 female births. Allocated births numbered 31,290 males and 29,894 females in 1936, with a ratio of 1,047 male to female births.

Nativity of Parents.—The number of registered births where both parents were native (42,892) exceeded the number of births where both parents were foreign-born (7,538) by 35,354, or 469 per cent in 1936. Children of mixed parents (one parent native and one parent foreign-born) numbered 11,469 in 1936 as compared with 12,080 in 1935. Allocated births numbered 42,512 children born of native parents; 7,681 of foreign parents, 10,987 of mixed parentage and 4 whose parent nativity was unknown.

The proportion of children born of native parents declined from 1890 until 1910,

since then, the proportion has steadily increased. In 1936 the proportion was 69.3 for registered births and 69.5 per cent for allocated births.

The proportion of children born of parents one of whom was native and the other foreign-born was 18.5 for the registered and 18.0 for the allocated births in 1936 as compared with 19.2 in 1935 for both the registered and allocated births.

Plural Births.—In 1936 there were 642 cases of plural births (allocated), 634 cases of twins and 8 cases of triplets, or 10.4 pairs of twins per 1,000 live births (allocated), and .1 case of triplets.

Natural Increase.—The excess of the birth rate over the death rate shows the ratio at which the community is reproducing itself by natural increases. In every year since the compilation of birth statistics was started the birth rate has been higher than the death rate.

The rate of natural increase for 1936 was 2.2 per 1,000 population for registered births and averaged 3.6 for the five years 1931 to 1935. The rate of increase was 2.3 for allocated births.

Notwithstanding the decline in the birth rate in recent years, the number of births is greatly in excess of the number of deaths; and this fact coupled with the steady decrease in infant mortality, has resulted in a net gain in the natural increase in population. The excess of births over deaths amounted to 25.3 in 1935; 25.6 in 1934; 24.8 in 1933; 38.3 in 1932; and 42.3 in 1931. The excess of registered births over registered deaths in 1936 was 9,849, or 18.9 per cent, while the increase of allocated births over allocated deaths was 9,749 or 19.0 per cent.

For comparisons previous to 1900 relative to the natural increase from 1851, and for figures from that date up to and including 1919, reference may be made to the Annual Report of Vital Statistics of Massachusetts for the year ending December 31, 1919, Public Document No. 1.

Table 38

Counties and Municipalities.[1]	Live Births[2], by Sex and Parent Nativity, in Each County and Municipality; and Birth Rates: 1936.								
	Total number.	Sex.			Parent nativity.				Birth rate per 1,000 population.
		Male.	Female.	Unknown.	Native.	Foreign.	Mixed.	Unknown.	
The State.	**61,903**	**31,664**	**30,239**	–	**42,892**	**7,538**	**11,469**	**4**	**14.1**
Counties.									
Barnstable	418	210	208	–	329	30	59	–	11.0
Berkshire	1,785	959	826	–	1,458	108	219	–	14.7
Bristol	5,377	2,737	2,640	–	3,684	600	1,093	–	14.6
Dukes	88	45	43	–	75	4	9	–	14.8
Essex	6,554	3,300	3,254	–	4,649	643	1,261	1	12.9
Franklin	675	359	316	–	593	24	58	–	13.1
Hampden	4,548	2,325	2,223	–	3,326	446	776	–	13.6
Hampshire	895	440	455	–	723	50	122	–	12.0
Middlesex	12,979	6,667	6,312	–	8,720	1,777	2,481	1	13.4
Nantucket	60	41	19	–	41	3	16	–	17.2
Norfolk	2,654	1,373	1,281	–	1,866	291	497	–	8.1
Plymouth	2,098	1,086	1,012	–	1,604	137	357	–	12.5
Suffolk	16,672	8,538	8,134	–	10,743	2,702	3,225	2	18.1
Worcester	7,100	3,584	3,516	–	5,081	723	1,296	–	14.3
Municipalities.									
Abington	17	10	7	–	15	–	2	–	–
Acton	11	5	6	–	4	–	7	–	–
Acushnet	116	59	57	–	76	13	27	–	–
Adams	181	93	88	–	161	6	14	–	14.0
Agawam	24	9	15	–	13	6	5	–	–
Alford	2	–	2	–	1	–	1	–	–
Amesbury	146	86	60	–	105	14	27	–	13.9
Amherst	19	8	11	–	17	–	2	–	–
Andover	59	32	27	–	35	9	15	–	5.5
Arlington	384	189	195	–	277	46	61	–	9.8
Ashburnham	8	5	3	–	8	–	–	–	–
Ashby	–	–	–	–	–	–	–	–	–
Ashfield	1	1	–	–	1	–	–	–	–
Ashland	2	1	1	–	1	–	1	–	–
Athol	88	54	34	–	56	14	18	–	8.2
Attleboro	454	233	221	–	349	33	72	–	20.8
Auburn	28	17	11	–	22	1	5	–	–
Avon	15	7	8	–	15	–	–	–	–
Ayer	96	45	51	–	85	1	10	–	–
Barnstable	218	118	100	–	179	11	28	–	–
Barre	16	5	11	–	9	6	1	–	–
Becket	9	4	5	–	8	–	1	–	–
Bedford	4	2	2	–	3	–	1	–	–
Belchertown	7	3	4	–	6	–	1	–	–
Bellingham	35	19	16	–	24	1	10	–	–
Belmont	23	11	12	–	10	5	8	–	.9
Berkley	8	5	3	–	7	1	–	–	–
Berlin	1	–	1	–	–	–	1	–	–
Bernardston	3	2	1	–	3	–	–	–	–
Beverly	385	186	199	–	270	34	81	–	14.7
Billerica	34	19	15	–	26	1	7	–	–
Blackstone	45	23	22	–	25	3	17	–	–
Blandford	1	1	–	–	1	–	–	–	–
Bolton	1	1	–	–	–	1	–	–	–
Boston	15,722	8,062	7,660	–	10,155	2,546	3,019	2	19.0
Bourne	20	7	13	–	15	2	3	–	–
Boxborough	1	–	1	–	1	–	–	–	–
Boxford	4	2	2	–	3	–	1	–	–
Boylston	3	2	1	–	1	1	1	–	–
Braintree	47	27	20	–	34	8	5	–	2.7
Brewster	2	1	1	–	2	–	–	–	–
Bridgewater	42	21	21	–	30	3	9	–	–
Brimfield	4	3	1	–	3	1	–	–	–
Brockton	1,209	619	590	–	960	81	168	–	19.4
Brookfield	9	5	4	–	9	–	–	–	–
Brookline	136	77	59	–	82	30	24	–	2.7
Buckland	11	6	5	–	9	1	1	–	–
Burlington	7	6	1	–	4	2	1	–	–
Cambridge	2,096	1,060	1,036	–	1,364	331	401	–	17.5
Canton	29	14	15	–	21	2	6	–	–
Carlisle	–	–	–	–	–	–	–	–	–
Carver	14	7	7	–	7	3	4	–	–
Charlemont	5	2	3	–	4	–	1	–	–
Charlton	27	9	18	–	23	–	4	–	–
Chatham	4	2	2	–	3	–	1	–	–
Chelmsford	27	11	16	–	20	2	5	–	–
Chelsea	486	241	245	–	274	103	109	–	11.4
Cheshire	9	6	3	–	9	–	–	–	–
Chester	5	2	3	–	5	–	–	–	–
Chesterfield	1	–	1	–	1	–	–	–	–
Chicopee	319	153	166	–	200	33	86	–	7.6

[1] Cities are printed in small capitals. [2] Including nonresidents.

Table 38

LIVE BIRTHS[2], BY SEX AND PARENT NATIVITY, IN EACH COUNTY AND MUNICIPALITY; AND BIRTH RATES: 1936.

MUNICIPALITIES.[1]	Total number.	SEX.			PARENT NATIVITY.				Birth rate per 1,000 population.
		Male.	Female.	Unknown.	Native.	Foreign.	Mixed.	Unknown.	
Chilmark	–	–	–	–	–	–	–	–	–
Clarksburg	12	4	8	–	9	1	2	–	–
Clinton	232	109	123	–	172	16	44	–	18.8
Cohasset	45	23	22	–	38	7	–	–	–
Colrain	8	2	6	–	8	–	–	–	–
Concord	198	115	83	–	143	15	40	–	–
Conway	2	–	2	–	1	–	1	–	–
Cummington	1	1	–	–	1	–	–	–	–
Dalton	4	2	2	–	1	–	3	–	–
Dana	–	–	–	–	–	–	–	–	–
Danvers	113	60	53	–	87	4	22	–	8.0
Dartmouth	73	34	39	–	32	19	22	–	–
Dedham	69	38	31	–	39	9	21	–	4.5
Deerfield	18	10	8	–	14	1	3	–	–
Dennis	3	1	2	–	3	–	–	–	–
Dighton	100	64	36	–	73	7	20	–	–
Douglas	10	3	7	–	5	1	4	–	–
Dover	1	1	–	–	1	–	–	–	–
Dracut	71	41	30	–	45	5	21	–	–
Dudley	39	18	21	–	30	3	6	–	–
Dunstable	2	1	1	–	2	–	–	–	–
Duxbury	13	8	5	–	9	2	2	–	–
East Bridgewater	9	4	5	–	7	–	2	–	–
East Brookfield	6	3	3	–	6	–	–	–	–
East Longmeadow	11	6	5	–	6	1	4	–	–
Eastham	1	–	1	–	1	–	–	–	–
Easthampton	77	40	37	–	58	5	14	–	7.3
Easton	26	14	12	–	14	1	11	–	–
Edgartown	5	3	2	–	2	1	2	–	–
Egremont	2	2	–	–	2	–	–	–	–
Enfield	–	–	–	–	–	–	–	–	–
Erving	4	2	2	–	4	–	–	–	–
Essex	4	2	2	–	2	–	2	–	–
EVERETT	740	377	363	–	417	141	182	–	15.7
Fairhaven	81	35	46	–	58	8	15	–	7.3
FALL RIVER	1,934	1,001	933	–	1,389	182	363	–	16.4
Falmouth	70	31	39	–	34	14	22	–	–
FITCHBURG	645	325	320	–	431	76	138	–	15.3
Florida	2	1	1	–	1	–	1	–	–
Foxborough	23	13	10	–	20	2	1	–	–
Framingham	441	233	208	–	327	41	73	–	19.3
Franklin	54	25	29	–	31	10	13	–	–
Freetown	12	7	5	–	9	2	1	–	–
GARDNER	462	228	234	–	318	45	99	–	22.3
Gay Head	–	–	–	–	–	–	–	–	–
Georgetown	14	9	5	–	11	1	2	–	–
Gill	1	–	1	–	–	1	–	–	–
GLOUCESTER	380	199	181	–	265	34	81	–	15.7
Goshen	1	1	–	–	1	–	–	–	–
Gosnold	–	–	–	–	–	–	–	–	–
Grafton	35	17	18	–	24	3	8	–	–
Granby	2	2	–	–	1	–	1	–	–
Granville	–	–	–	–	–	–	–	–	–
Great Barrington	124	77	47	–	103	5	16	–	–
Greenfield	331	177	154	–	291	13	27	–	20.7
Greenwich	1	1	–	–	1	–	–	–	–
Groton	38	19	19	–	31	3	4	–	–
Groveland	12	9	3	–	10	1	1	–	–
Hadley	19	12	7	–	15	1	3	–	–
Halifax	5	3	2	–	3	–	2	–	–
Hamilton	5	–	5	–	5	–	–	–	–
Hampden	3	1	2	–	2	–	1	–	–
Hancock	4	2	2	–	4	–	–	–	–
Hanover	17	6	11	–	11	2	4	–	–
Hanson	8	5	3	–	6	1	1	–	–
Hardwick	4	3	1	–	2	–	2	–	–
Harvard	1	–	1	–	1	–	–	–	–
Harwich	20	12	8	–	16	–	4	–	–
Hatfield	8	3	5	–	6	1	1	–	–
HAVERHILL	662	330	332	–	506	36	120	–	13.3
Hawley	2	1	1	–	2	–	–	–	–
Heath	4	4	–	–	2	–	2	–	–
Hingham	71	32	39	–	49	7	15	–	–
Hinsdale	3	2	1	–	3	–	–	–	–
Holbrook	15	6	9	–	12	1	2	–	–
Holden	89	43	46	–	74	5	10	–	–
Holland	2	–	2	–	1	–	1	–	–
Holliston	13	6	7	–	10	–	3	–	–

[1] See footnote on page 200. [2] Including nonresidents.

Table 38

LIVE BIRTHS,[2] BY SEX AND PARENT NATIVITY, IN EACH COUNTY AND MUNICIPALITY; AND BIRTH RATES: 1936.

MUNICIPALITIES.[1]	Total number.	SEX.			PARENT NATIVITY.				Birth rate per 1,000 population.
		Male.	Female.	Unknown.	Native.	Foreign.	Mixed.	Unknown.	
HOLYOKE	920	474	446	–	660	86	174	–	16.4
Hopedale	1	–	1	–	1	–	–	–	–
Hopkinton	5	1	4	–	4	–	1	–	–
Hubbardston	2	–	2	–	2	–	–	–	–
Hudson	28	15	13	–	18	6	4	–	–
Hull	3	–	3	–	2	1	–	–	–
Huntington	9	5	4	–	8	–	1	–	–
Ipswich	124	63	61	–	94	5	25	–	–
Kingston	12	8	4	–	10	1	1	–	–
Lakeville	16	8	8	–	15	1	–	–	–
Lancaster	8	5	3	–	5	1	2	–	–
Lanesborough	1	1	–	–	–	–	1	–	–
LAWRENCE	1,380	714	666	–	867	186	326	1	15.8
Lee	21	10	11	–	15	3	3	–	–
Leicester	28	16	12	–	17	3	8	–	–
Lenox	4	2	2	–	4	–	–	–	–
LEOMINSTER	329	160	169	–	219	52	58	–	15.0
Leverett	7	4	3	–	6	–	1	–	–
Lexington	37	23	14	–	23	8	6	–	3.3
Leyden	–	–	–	–	–	–	–	–	–
Lincoln	2	–	2	–	1	–	1	–	–
Littleton	7	4	3	–	5	–	2	–	–
Longmeadow	1	1	–	–	1	–	–	–	–
LOWELL	1,784	956	828	–	1,378	121	285	–	17.8
Ludlow	180	93	87	–	129	25	26	–	–
Lunenburg	4	1	3	–	2	–	2	–	–
LYNN	1,198	602	596	–	812	154	232	–	11.9
Lynnfield	4	1	3	–	4	–	–	–	–
MALDEN	753	405	348	–	489	112	152	–	13.1
Manchester	5	4	1	–	2	–	3	–	–
Mansfield	39	21	18	–	25	1	13	–	–
Marblehead	76	38	38	–	60	2	14	–	7.1
Marion	20	10	10	–	14	–	6	–	–
MARLBOROUGH	275	135	140	–	212	16	47	–	17.4
Marshfield	5	3	2	–	4	–	1	–	–
Mashpee	5	3	2	–	5	–	–	–	–
Mattapoisett	14	7	7	–	10	1	3	–	–
Maynard	26	11	15	–	14	3	9	–	–
Medfield	7	3	4	–	3	1	3	–	–
MEDFORD	837	420	417	–	568	114	155	–	13.5
Medway	6	3	3	–	3	1	2	–	–
MELROSE	403	207	196	–	293	33	77	–	16.4
Mendon	11	5	6	–	10	–	1	–	–
Merrimac	13	4	9	–	10	1	2	–	–
Methuen	273	145	128	–	205	19	49	–	13.0
Middleborough	145	75	70	–	118	4	23	–	–
Middlefield	1	1	–	–	1	–	–	–	–
Middleton	8	4	4	–	4	–	4	–	–
Milford	445	233	212	–	314	51	80	–	29.5
Millbury	46	24	22	–	41	–	5	–	–
Millis	16	10	6	–	15	–	1	–	–
Millville	7	3	4	–	4	1	2	–	–
Milton	74	42	32	–	53	7	14	–	4.0
Monroe	1	–	1	–	1	–	–	–	–
Monson	16	9	7	–	11	–	5	–	–
Montague	179	95	84	–	158	7	14	–	–
Monterey	–	–	–	–	–	–	–	–	–
Montgomery	2	–	2	–	2	–	–	–	–
Mount Washington	–	–	–	–	–	–	–	–	–
Nahant	4	–	4	–	4	–	–	–	–
Nantucket	60	41	19	–	41	3	16	–	–
Natick	196	103	93	–	146	18	32	–	13.4
Needham	55	32	23	–	33	6	16	–	4.5
New Ashford	1	1	–	–	1	–	–	–	–
NEW BEDFORD	1,760	865	895	–	1,099	260	401	–	16.0
New Braintree	1	–	1	–	–	–	1	–	–
New Marlborough	6	6	–	–	6	–	–	–	–
New Salem	3	2	1	–	2	–	1	–	–
Newbury	8	2	6	–	8	–	–	–	–
NEWBURYPORT	250	121	129	–	220	6	24	–	16.9
NEWTON	717	349	368	–	486	88	143	–	10.8
Norfolk	3	–	3	–	3	–	–	–	–
NORTH ADAMS	387	204	183	–	305	17	65	–	17.4
North Andover	32	14	18	–	18	2	12	–	–
North Attleborough	64	41	23	–	49	2	13	–	6.3
North Brookfield	17	9	8	–	14	1	2	–	–
North Reading	15	6	9	–	10	1	4	–	–
NORTHAMPTON	438	224	214	–	363	25	50	–	17.8

[1] See footnote on page 200. [2] Including nonresidents.

Table 38

LIVE BIRTHS,[2] BY SEX AND PARENT NATIVITY, IN EACH COUNTY AND MUNICIPALITY; AND BIRTH RATES: 1936.

MUNICIPALITIES.[1]	Total number.	SEX.			PARENT NATIVITY.				Birth rate per 1,000 population.
		Male.	Female.	Unknown.	Native.	Foreign.	Mixed.	Unknown.	
Northborough	5	1	4	–	5	–	–	–	–
Northbridge	187	100	87	–	116	19	52	–	17.2
Northfield	12	8	4	–	12	–	–	–	–
Norton	10	6	4	–	6	1	3	–	–
Norwell	5	2	3	–	5	–	–	–	–
Norwood	459	230	229	–	321	54	84	–	29.2
Oak Bluffs	76	39	37	–	68	1	7	–	–
Oakham	2	2	–	–	2	–	–	–	–
Orange	47	29	18	–	41	1	5	–	–
Orleans	7	4	3	–	6	1	–	–	–
Otis	4	2	2	–	4	–	–	–	–
Oxford	54	26	28	–	41	2	11	–	–
Palmer	119	58	61	–	96	7	16	–	–
Paxton	–	–	–	–	–	–	–	–	–
PEABODY	326	154	172	–	227	51	48	–	14.6
Pelham	6	4	2	–	5	–	1	–	–
Pembroke	9	5	4	–	7	–	2	–	–
Pepperell	39	21	18	–	32	1	6	–	–
Peru	1	–	1	–	1	–	–	–	–
Petersham	3	2	1	–	3	–	–	–	–
Phillipston	5	2	3	–	5	–	–	–	–
PITTSFIELD	950	506	444	–	770	72	108	–	20.0
Plainfield	3	3	–	–	2	–	1	–	–
Plainville	7	4	3	–	7	–	–	–	–
Plymouth	242	127	115	–	166	12	64	–	18.3
Plympton	2	1	1	–	2	–	–	–	–
Prescott	–	–	–	–	–	–	–	–	–
Princeton	1	1	–	–	1	–	–	–	–
Provincetown	38	17	21	–	36	1	1	–	–
QUINCY	923	483	440	–	624	100	199	–	11.8
Randolph	27	10	17	–	22	2	3	–	–
Raynham	14	3	11	–	11	1	2	–	–
Reading	35	16	19	–	25	4	6	–	3.2
Rehoboth	16	8	8	–	7	1	8	–	–
REVERE	112	50	62	–	62	19	31	–	3.2
Richmond	–	–	–	–	–	–	–	–	–
Rochester	15	10	5	–	11	1	3	–	–
Rockland	38	21	17	–	31	2	5	–	–
Rockport	40	18	22	–	32	3	5	–	–
Rowe	1	1	–	–	1	–	–	–	–
Rowley	4	3	1	–	4	–	–	–	–
Royalston	8	5	3	–	8	–	–	–	–
Russell	7	4	3	–	5	1	1	–	–
Rutland	3	1	2	–	2	–	1	–	–
SALEM	741	371	370	–	566	61	114	–	17.0
Salisbury	14	6	8	–	11	–	3	–	–
Sandisfield	3	3	–	–	3	–	–	–	–
Sandwich	7	4	3	–	7	–	–	–	–
Saugus	91	46	45	–	59	5	27	–	6.0
Savoy	–	–	–	–	–	–	–	–	–
Scituate	17	8	9	–	9	2	6	–	–
Seekonk	29	10	19	–	22	3	4	–	–
Sharon	8	2	6	–	5	2	1	–	–
Sheffield	13	7	6	–	10	1	2	–	–
Shelburne	5	–	5	–	5	–	–	–	–
Sherborn	–	–	–	–	–	–	–	–	–
Shirley	22	9	13	–	16	3	3	–	–
Shrewsbury	10	7	3	–	4	4	2	–	–
Shutesbury	1	1	–	–	1	–	–	–	–
Somerset	46	17	29	–	32	5	9	–	–
SOMERVILLE	1,288	678	610	–	713	294	281	–	12.8
South Hadley	14	5	9	–	7	4	3	–	–
Southampton	5	2	3	–	3	1	1	–	–
Southborough	2	2	–	–	–	1	1	–	–
Southbridge	253	142	111	–	178	34	41	–	15.5
Southwick	2	1	1	–	2	–	–	–	–
Spencer	61	24	37	–	50	1	10	–	–
SPRINGFIELD	2,521	1,289	1,232	–	1,858	245	418	–	16.8
Sterling	7	3	4	–	5	1	1	–	–
Stockbridge	2	2	–	–	2	–	–	–	–
Stoneham	329	171	158	–	228	69	32	–	29.7
Stoughton	76	37	39	–	53	12	11	–	–
Stow	1	1	–	–	1	–	–	–	–
Sturbridge	12	4	8	–	9	–	3	–	–
Sudbury	2	1	1	–	1	1	–	–	–
Sunderland	3	2	1	–	2	–	1	–	–
Sutton	19	9	10	–	13	2	4	–	–
Swampscott	166	70	96	–	132	13	21	–	15.8

[1] See footnote on page 200. [2] Including nonresidents.

Table 38

Municipalities.[1]	Live Births,[2] by Sex and Parent Nativity, in Each County and Municipality; and Birth Rates: 1936.								
	Total number.	Sex.			Parent nativity.				Birth rate per 1,000 population.
		Male.	Female.	Unknown.	Native.	Foreign.	Mixed.	Unknown.	
Swansea	34	12	22	–	20	8	6	–	–
Taunton	526	281	245	–	381	47	98	–	14.0
Templeton	35	16	19	–	25	1	9	–	–
Tewksbury	15	6	9	–	10	1	4	–	–
State Infirmary	157	75	82	–	126	19	11	1	–
Tisbury	6	3	3	–	4	2	–	–	–
Tolland	–	–	–	–	–	–	–	–	–
Topsfield	4	2	2	–	2	2	–	–	–
Townsend	8	3	5	–	6	1	1	–	–
Truro	7	3	4	–	7	–	–	–	–
Tyngsborough	16	5	11	–	12	–	4	–	–
Tyringham	1	1	–	–	1	–	–	–	–
Upton	17	9	8	–	10	2	5	–	–
Uxbridge	52	30	22	–	36	6	10	–	–
Wakefield	140	59	81	–	86	18	36	–	8.5
Wales	5	3	2	–	4	–	1	–	–
Walpole	29	12	17	–	17	5	7	–	–
Waltham	870	439	431	–	514	141	215	–	21.2
Ware	275	120	155	–	221	12	42	–	–
Wareham	87	52	35	–	54	9	24	–	–
Warren	11	6	5	–	5	4	2	–	–
Warwick	8	3	5	–	7	–	1	–	–
Washington	3	1	2	–	3	–	–	–	–
Watertown	88	42	46	–	25	42	21	–	2.4
Wayland	15	4	11	–	11	–	4	–	–
Webster	260	124	136	–	212	14	34	–	18.4
Wellesley	8	5	3	–	2	5	1	–	.6
Wellfleet	5	3	2	–	5	–	–	–	–
Wendell	6	2	4	–	6	–	–	–	–
Wenham	1	1	–	–	1	–	–	–	–
West Boylston	2	1	1	–	1	1	–	–	–
West Bridgewater	13	7	6	–	10	–	3	–	–
West Brookfield	2	1	1	–	2	–	–	–	–
West Newbury	8	2	6	–	8	–	–	–	–
West Springfield	52	25	27	–	33	10	9	–	3.0
West Stockbridge	9	4	5	–	6	2	1	–	–
West Tisbury	1	–	1	–	1	–	–	–	–
Westborough	13	8	5	–	11	1	1	–	–
Westfield	343	187	156	–	289	29	25	–	18.3
Westford	17	13	4	–	5	4	8	–	–
Westhampton	2	2	–	–	2	–	–	–	–
Westminster	2	–	2	–	2	–	–	–	–
Weston	1	–	1	–	1	–	–	–	–
Westport	35	21	14	–	25	5	5	–	–
Westwood	3	2	1	–	2	–	1	–	–
Weymouth	472	241	231	–	375	26	71	–	21.4
Whately	12	5	7	–	12	–	–	–	–
Whitman	50	27	23	–	39	4	7	–	–
Wilbraham	11	6	5	–	5	2	4	–	–
Williamsburg	4	3	1	–	3	1	–	–	–
Williamstown	27	16	11	–	25	1	1	–	–
Wilmington	38	19	19	–	25	3	10	–	–
Winchendon	147	80	67	–	114	7	26	–	–
Winchester	244	140	104	–	191	16	37	–	18.0
Windsor	–	–	–	–	–	–	–	–	–
Winthrop	352	185	167	–	252	34	66	–	20.6
Woburn	381	189	192	–	274	48	59	–	19.3
Worcester	3,279	1,652	1,627	–	2,376	338	565	–	17.2
Worthington	2	–	2	–	1	–	1	–	–
Wrentham	12	7	5	–	11	–	1	–	–
Yarmouth	11	4	7	–	10	1	–	–	–

[1] See footnote on page 200. [2] Including nonresidents.

Table 38A

ALLOCATED LIVE BIRTHS, BY SEX AND PARENT NATIVITY, IN EACH COUNTY AND MUNICIPALITY; AND BIRTH RATES: 1936.

COUNTIES AND MUNICIPALITIES.[1]	Total number.	Sex.			Parent Nativity.				Birth rate per 1,000 population.
		Male.	Female.	Unknown.	Native.	Foreign.	Mixed.	Unknown.	
The State.	**61,184**	**31,290**	**29,894**	–	**42,512**	**7,681**	**10,987**	**4**	**14.0**
COUNTIES.									
Barnstable	511	255	256	–	396	37	78	–	13.4
Berkshire	1,729	924	805	–	1,409	107	213	–	14.3
Bristol	5,152	2,626	2,526	–	3,639	551	962	–	14.0
Dukes	92	45	47	–	76	5	11	–	15.5
Essex	6,687	3,367	3,320	–	4,755	653	1,278	1	13.2
Franklin	705	377	328	–	624	24	56	1	13.7
Hampden	4,299	2,175	2,124	–	3,105	436	758	–	12.9
Hampshire	876	447	429	–	716	49	111	–	11.7
Middlesex	14,142	7,267	6,875	–	9,549	1,911	2,681	1	14.6
Nantucket	62	42	20	–	43	3	16	–	17.7
Norfolk	4,171	2,147	2,024	–	3,030	377	764	–	12.7
Plymouth	2,229	1,155	1,074	–	1,715	151	363	–	13.3
Suffolk	13,415	6,885	6,530	–	8,253	2,660	2,501	1	14.5
Worcester	7,114	3,578	3,536	–	5,202	717	1,195	–	14.3
MUNICIPALITIES.									
Abington	69	37	32	–	60	3	6	–	–
Acton	48	20	28	–	32	2	14	–	–
Acushnet	62	30	32	–	33	10	19	–	–
Adams	163	85	78	–	143	6	14	–	12.6
Agawam	92	42	50	–	63	13	16	–	–
Alford	3	1	2	–	3	–	–	–	–
Amesbury	145	80	65	–	103	15	27	–	13.8
Amherst	86	39	47	–	78	2	6	–	–
Andover	121	66	55	–	85	10	26	–	11.3
Arlington	542	273	269	–	410	50	82	–	13.8
Ashburnham	25	11	14	–	22	–	3	–	–
Ashby	16	8	8	–	13	1	2	–	–
Ashfield	13	6	7	–	13	–	–	–	–
Ashland	26	14	12	–	21	2	3	–	–
Athol	163	92	71	–	118	15	30	–	15.1
ATTLEBORO	295	153	142	–	224	25	46	–	13.5
Auburn	93	51	42	–	72	3	18	–	–
Avon	30	16	14	–	26	–	4	–	–
Ayer	76	39	37	–	67	1	8	–	–
Barnstable	100	50	50	–	78	6	16	–	–
Barre	72	28	44	–	48	10	14	–	–
Becket	11	5	6	–	10	–	1	–	–
Bedford	21	12	9	–	17	2	2	–	–
Belchertown	26	10	16	–	22	–	4	–	–
Bellingham	54	29	25	–	35	2	17	–	–
Belmont	343	195	148	–	255	30	58	–	13.3
Berkley	17	10	7	–	14	1	2	–	–
Berlin	4	2	2	–	3	–	1	–	–
Bernardston	11	5	6	–	11	–	–	–	–
BEVERLY	333	153	180	–	243	28	62	–	12.7
Billerica	112	59	53	–	92	6	14	–	–
Blackstone	64	33	31	–	40	4	20	–	–
Blandford	4	1	3	–	4	–	–	–	–
Bolton	8	7	1	–	5	1	2	–	–
BOSTON	12,117	6,191	5,926	–	7,461	2,453	2,202	1	14.6
Bourne	47	18	29	–	39	2	6	–	–
Boxborough	7	3	4	–	7	–	–	–	–
Boxford	14	7	7	–	11	–	3	–	–
Boylston	12	6	6	–	9	1	2	–	–
Braintree	224	111	113	–	164	19	41	–	12.7
Brewster	7	4	3	–	6	–	1	–	–
Bridgewater	74	40	34	–	59	4	11	–	–
Brimfield	13	10	3	–	10	2	1	–	–
BROCKTON	803	416	387	–	615	66	122	–	12.9
Brookfield	17	12	5	–	17	–	–	–	–
Brookline	443	225	218	–	320	49	74	–	8.6
Buckland	16	9	7	–	13	1	2	–	–
Burlington	35	18	17	–	24	3	8	–	–
CAMBRIDGE	1,742	878	864	–	1,116	313	313	–	14.6
Canton	93	48	45	–	65	7	21	–	–
Carlisle	11	5	6	–	8	1	2	–	–
Carver	28	12	16	–	19	3	6	–	–
Charlemont	11	4	7	–	10	–	1	–	–
Charlton	40	19	21	–	34	–	6	–	–
Chatham	29	19	10	–	26	–	3	–	–
Chelmsford	88	38	50	–	73	3	12	–	–
CHELSEA	597	322	275	–	309	123	165	–	14.0
Cheshire	22	15	7	–	22	–	–	–	–
Chester	22	14	8	–	21	1	–	–	–
Chesterfield	8	3	5	–	7	–	1	–	–
CHICOPEE	591	290	301	–	408	51	132	–	14.1

[1] Cities are printed in small CAPITALS.

Table 38A

Allocated Live Births, by Sex and Parent Nativity, in Each County and Municipality; and Birth Rates: 1936.

Municipalities.[1]	Total number.	Sex.			Parent Nativity.				Birth rate per 1,000 population.
		Male.	Female.	Unknown.	Native.	Foreign.	Mixed.	Unknown.	
Chilmark	2	1	1	–	1	–	1	–	–
Clarksburg	26	12	14	–	21	1	4	–	–
Clinton	179	84	95	–	131	13	35	–	14.5
Cohasset	41	19	22	–	31	–	10	–	–
Colrain	25	7	18	–	25	–	–	–	–
Concord	84	51	33	–	54	12	18	–	–
Conway	12	3	9	–	11	–	1	–	–
Cummington	7	5	2	–	7	–	–	–	–
Dalton	53	27	26	–	49	–	4	–	–
Dana	2	1	1	–	2	–	–	–	–
Danvers	154	77	77	–	126	5	23	–	10.9
Dartmouth	130	63	67	–	79	24	27	–	–
Dedham	210	114	96	–	150	13	47	–	13.6
Deerfield	35	21	14	–	31	1	3	–	–
Dennis	12	4	8	–	11	1	–	–	–
Dighton	54	31	23	–	40	4	10	–	–
Douglas	35	11	24	–	26	1	8	–	–
Dover	23	9	14	–	17	5	1	–	–
Dracut	99	53	46	–	66	10	23	–	–
Dudley	73	36	37	–	61	3	9	–	–
Dunstable	4	1	3	–	4	–	–	–	–
Duxbury	34	15	19	–	23	4	7	–	–
East Bridgewater	40	21	19	–	34	2	4	–	–
East Brookfield	13	6	7	–	11	–	2	–	–
East Longmeadow	45	18	27	–	31	3	11	–	–
Eastham	2	1	1	–	2	–	–	–	–
Easthampton	147	72	75	–	120	9	18	–	14.0
Easton	64	30	34	–	46	3	15	–	–
Edgartown	28	12	16	–	21	2	5	–	–
Egremont	7	4	3	–	6	1	–	–	–
Enfield	8	2	6	–	7	–	1	–	–
Erving	9	5	4	–	8	–	1	–	–
Essex	11	7	4	–	7	1	3	–	–
Everett	811	403	408	–	467	155	189	–	17.2
Fairhaven	147	74	73	–	111	11	25	–	13.3
Fall River	1,669	866	803	–	1,177	169	323	–	14.1
Falmouth	124	63	61	–	73	18	33	–	–
Fitchburg	581	287	294	–	378	72	131	–	13.8
Florida	11	3	8	–	10	–	1	–	–
Foxborough	66	37	29	–	55	3	8	–	–
Framingham	325	169	156	–	225	38	62	–	14.3
Franklin	115	56	59	–	80	12	23	–	–
Freetown	28	15	13	–	22	4	2	–	–
Gardner	317	152	165	–	205	39	73	–	15.3
Gay Head	1	1	–	–	1	–	–	–	–
Georgetown	24	11	13	–	21	1	2	–	–
Gill	10	7	3	–	6	1	3	–	–
Gloucester	384	202	182	–	269	35	80	–	15.9
Goshen	3	3	–	–	3	–	–	–	–
Gosnold	2	–	2	–	1	–	1	–	–
Grafton	83	41	42	–	65	5	13	–	–
Granby	9	5	4	–	7	1	1	–	–
Granville	7	5	2	–	6	–	1	–	–
Great Barrington	74	46	28	–	61	4	9	–	–
Greenfield	238	134	104	–	207	13	18	–	14.8
Greenwich	3	2	1	–	3	–	–	–	–
Groton	34	20	14	–	25	4	5	–	–
Groveland	26	14	12	–	23	1	2	–	–
Hadley	35	21	14	–	27	3	5	–	–
Halifax	8	4	4	–	6	–	2	–	–
Hamilton	27	5	22	–	21	1	5	–	–
Hampden	15	6	9	–	12	–	3	–	–
Hancock	5	3	2	–	5	–	–	–	–
Hanover	38	14	24	–	27	5	6	–	–
Hanson	26	18	8	–	22	2	2	–	–
Hardwick	25	15	10	–	19	1	5	–	–
Harvard	13	5	8	–	9	1	3	–	–
Harwich	42	22	20	–	34	–	8	–	–
Hatfield	26	14	12	–	22	1	3	–	–
Haverhill	619	313	306	–	460	38	121	–	12.4
Hawley	5	3	2	–	4	–	1	–	–
Heath	8	6	2	–	6	–	2	–	–
Hingham	84	40	44	–	63	7	14	–	–
Hinsdale	17	8	9	–	17	–	–	–	–
Holbrook	50	28	22	–	40	1	9	–	–
Holden	50	22	28	–	41	1	8	–	–
Holland	2	–	2	–	1	–	1	–	–
Holliston	45	26	19	–	38	4	3	–	–

[1] See footnote on page 205.

Table 38A

ALLOCATED LIVE BIRTHS, BY SEX AND PARENT NATIVITY, IN EACH COUNTY AND MUNICIPALITY; AND BIRTH RATES: 1936.

MUNICIPALITIES.[1]	Total number.	Sex.			Parent Nativity.				Birth rate per 1,000 population.
		Male.	Female.	Unknown.	Native.	Foreign.	Mixed.	Unknown.	
HOLYOKE	653	329	324	–	461	68	124	–	11.6
Hopedale	23	15	8	–	13	8	2	–	–
Hopkinton	43	20	23	–	37	1	5	–	–
Hubbardston	13	1	12	–	8	2	3	–	–
Hudson	104	54	50	–	77	12	15	–	–
Hull	27	12	15	–	20	4	3	–	–
Huntington	24	15	9	–	21	1	2	–	–
Ipswich	104	53	51	–	78	4	22	–	–
Kingston	38	26	12	–	31	2	5	–	–
Lakeville	26	14	12	–	23	1	2	–	–
Lancaster	31	11	20	–	22	1	8	–	–
Lanesborough	15	7	8	–	12	–	3	–	–
LAWRENCE	1,231	640	591	–	765	178	287	1	14.1
Lee	67	37	30	–	58	4	5	–	–
Leicester	81	40	41	–	60	4	17	–	–
Lenox	29	11	18	–	25	–	4	–	–
LEOMINSTER	340	164	176	–	230	52	58	–	15.5
Leverett	11	6	5	–	10	–	1	–	–
Lexington	151	88	63	–	111	12	28	–	1.43
Leyden	5	4	1	–	5	–	–	–	–
Lincoln	28	12	16	–	18	1	9	–	–
Littleton	22	13	9	–	19	–	3	–	–
Longmeadow	45	28	17	–	36	–	9	–	–
LOWELL	1,552	840	712	–	1,195	105	252	–	15.5
Ludlow	97	51	46	–	61	20	16	–	–
Lunenburg	17	6	11	–	12	1	4	–	–
LYNN	1,218	610	608	–	832	154	232	–	12.1
Lynnfield	26	15	11	–	21	–	5	–	–
MALDEN	836	434	402	–	529	120	187	–	14.6
Manchester	36	22	14	–	21	4	11	–	–
Mansfield	81	42	39	–	60	5	16	–	–
Marblehead	131	64	67	–	107	3	21	–	12.3
Marion	51	29	22	–	37	3	11	–	–
MARLBOROUGH	179	90	89	–	137	7	35	–	11.3
Marshfield	25	17	8	–	19	1	5	–	–
Mashpee	6	3	3	–	6	–	–	–	–
Mattapoisett	30	13	17	–	24	2	4	–	–
Maynard	92	55	37	–	61	7	24	–	–
Medfield	24	11	13	–	18	2	4	–	–
MEDFORD	973	479	494	–	656	136	181	–	15.7
Medway	38	20	18	–	30	1	7	–	–
MELROSE	284	148	136	–	207	25	52	–	11.5
Mendon	20	10	10	–	17	1	2	–	–
Merrimac	25	7	18	–	20	2	3	–	–
Methuen	289	146	143	–	204	22	63	–	13.7
Middleborough	129	69	60	–	105	4	20	–	–
Middlefield	1	1	–	–	1	–	–	–	–
Middleton	24	12	12	–	17	1	6	–	–
Milford	238	123	115	–	156	32	50	–	15.8
Millbury	116	59	57	–	101	1	14	–	–
Millis	49	27	22	–	40	1	8	–	–
Millville	20	9	11	–	17	1	2	–	–
Milton	189	97	92	–	149	23	17	–	10.1
Monroe	3	1	2	–	3	–	–	–	–
Monson	38	17	21	–	33	–	5	–	–
Montague	101	48	53	–	88	5	8	–	–
Monterey	1	1	–	–	1	–	–	–	–
Montgomery	4	2	2	–	3	–	1	–	–
Mount Washington	–	–	–	–	–	–	–	–	–
Nahant	15	5	10	–	14	1	–	–	–
Nantucket	62	42	20	–	43	3	16	–	–
Natick	193	104	89	–	143	16	34	–	13.2
Needham	132	72	60	–	95	6	31	–	10.9
New Ashford	1	1	–	–	1	–	–	–	–
NEW BEDFORD	1,545	753	792	–	938	245	362	–	14.0
New Braintree	3	1	2	–	2	–	1	–	–
New Marlborough	12	10	2	–	12	–	–	–	–
New Salem	5	4	1	–	4	–	1	–	–
Newbury	15	5	10	–	15	–	–	–	–
NEWBURYPORT	185	98	87	–	163	5	17	–	12.5
NEWTON	846	399	447	–	614	95	137	–	12.7
Norfolk	16	6	10	–	13	2	1	–	–
NORTH ADAMS	327	162	165	–	250	17	60	–	14.7
North Andover	90	46	44	–	61	6	23	–	–
North Attleborough	156	86	70	–	128	4	24	–	15.3
North Brookfield	36	25	11	–	30	1	5	–	–
North Reading	36	18	18	–	29	1	6	–	–
NORTHAMPTON	258	141	117	–	206	15	37	–	10.5

[1] See footnote on page 205.

Table 38A

Allocated Live Births, by Sex and Parent Nativity, in Each County and Municipality; and Birth Rates: 1936.

Municipalities.[1]	Total number.	Sex.			Parent Nativity.				Birth rate per 1,000 population.
		Male.	Female.	Unknown.	Native.	Foreign.	Mixed.	Unknown.	
Northborough	30	13	17	–	28	–	2	–	–
Northbridge	148	84	64	–	90	18	40	–	13.6
Northfield	31	15	16	–	28	–	3	–	–
Norton	40	23	17	–	29	3	8	–	–
Norwell	15	7	8	–	14	–	1	–	–
Norwood	247	128	119	–	159	43	45	–	15.7
Oak Bluffs	27	15	12	–	24	–	3	–	–
Oakham	3	2	1	–	3	–	–	–	–
Orange	75	46	29	–	67	1	6	1	–
Orleans	20	12	8	–	14	2	4	–	–
Otis	9	4	5	–	9	–	–	–	–
Oxford	87	42	45	–	68	4	15	–	–
Palmer	111	55	56	–	84	9	18	–	–
Paxton	6	4	2	–	3	2	1	–	–
Peabody	320	160	160	–	215	58	47	–	14.3
Pelham	8	4	4	–	7	–	1	1	–
Pembroke	19	8	11	–	15	–	4	–	–
Pepperell	48	23	25	–	43	1	4	–	–
Peru	4	1	3	–	4	–	–	–	–
Petersham	5	4	1	–	5	–	–	–	–
Phillipston	9	5	4	–	9	–	–	–	–
Pittsfield	719	383	336	–	558	67	94	–	15.1
Plainfield	5	3	2	–	4	–	1	–	–
Plainville	20	11	9	–	18	–	2	–	–
Plymouth	202	109	93	–	137	12	53	–	15.3
Plympton	3	2	1	–	3	–	–	–	–
Prescott	–	–	–	–	–	–	–	–	–
Princeton	7	6	1	–	6	–	1	–	–
Provincetown	49	22	27	–	42	3	4	–	–
Quincy	1,108	583	525	–	779	107	222	–	14.1
Randolph	100	48	52	–	76	7	17	–	–
Raynham	30	10	20	–	23	2	5	–	–
Reading	144	75	69	–	109	12	23	–	13.1
Rehoboth	36	22	14	–	23	2	11	–	–
Revere	510	261	249	–	340	70	100	–	14.4
Richmond	4	3	1	–	3	1	–	–	–
Rochester	25	15	10	–	20	1	4	–	–
Rockland	105	52	53	–	85	5	15	–	–
Rockport	47	19	28	–	40	2	5	–	–
Rowe	3	2	1	–	3	–	–	–	–
Rowley	27	14	13	–	25	–	2	–	–
Royalston	18	9	9	–	16	–	2	–	–
Russell	17	9	8	–	13	1	3	–	–
Rutland	15	6	9	–	12	2	1	–	–
Salem	645	310	335	–	483	57	105	–	14.8
Salisbury	41	18	23	–	35	–	6	–	–
Sandisfield	4	4	–	–	3	–	1	–	–
Sandwich	15	9	6	–	13	1	1	–	–
Saugus	211	112	99	–	151	12	48	–	13.9
Savoy	8	4	4	–	7	–	1	–	–
Scituate	57	27	30	–	49	2	6	–	–
Seekonk	54	21	33	–	42	3	9	–	–
Sharon	50	25	25	–	33	4	13	–	–
Sheffield	38	20	18	–	33	1	4	–	–
Shelburne	28	15	13	–	26	1	1	–	–
Sherborn	11	6	5	–	10	–	1	–	–
Shirley	48	19	29	–	37	3	8	–	–
Shrewsbury	99	48	51	–	74	10	15	–	–
Shutesbury	2	2	–	–	1	–	1	–	–
Somerset	78	39	39	–	62	6	10	–	–
Somerville	1,658	864	794	–	942	359	357	–	16.5
South Hadley	72	42	30	–	54	7	11	–	–
Southampton	9	3	6	–	6	1	2	–	–
Southborough	23	14	9	–	16	3	4	–	–
Southbridge	257	137	120	–	183	34	40	–	15.8
Southwick	20	10	10	–	19	1	–	–	–
Spencer	98	42	56	–	82	1	15	–	–
Springfield	2,044	1,044	1,000	–	1,466	220	358	–	13.7
Sterling	29	13	16	–	24	2	3	–	–
Stockbridge	16	11	5	–	12	–	4	–	–
Stoneham	148	85	63	–	111	13	24	–	13.3
Stoughton	127	58	69	–	90	13	24	–	–
Stow	10	6	4	–	7	–	3	–	–
Sturbridge	23	14	9	–	19	–	4	–	–
Sudbury	23	17	6	–	20	3	–	–	–
Sunderland	10	7	3	–	8	1	1	–	–
Sutton	39	18	21	–	30	2	7	–	–
Swampscott	96	50	46	–	75	5	16	–	9.1

[1] See footnote on page 205.

Table 38A

ALLOCATED LIVE BIRTHS, BY SEX AND PARENT NATIVITY, IN EACH COUNTY AND MUNICIPALITY; AND BIRTH RATES: 1936.

MUNICIPALITIES.[1]	Total number.	Sex.			Parent Nativity.				Birth rate per 1,000 population.
		Male.	Female.	Unknown.	Native.	Foreign.	Mixed.	Unknown.	
Swansea	59	26	33	–	43	8	8	–	–
TAUNTON	545	298	247	–	499	16	30	–	14.6
Templeton	74	39	35	–	54	4	16	–	–
Tewksbury	37	17	20	–	26	1	10	–	–
State Infirmary	10	8	2	–	9	1	–	–	–
Tisbury	28	14	14	–	25	2	1	–	–
Tolland	2	1	1	–	2	–	–	–	–
Topsfield	16	8	8	–	11	3	2	–	–
Townsend	26	14	12	–	21	1	4	–	–
Truro	11	4	7	–	11	–	–	–	–
Tyngsborough	28	13	15	–	25	–	3	–	–
Tyringham	4	3	1	–	4	–	–	–	–
Upton	44	23	21	–	31	4	9	–	–
Uxbridge	105	62	43	–	75	7	23	–	–
Wakefield	243	120	123	–	169	22	52	–	14.7
Wales	10	4	6	–	8	–	2	–	–
Walpole	119	59	60	–	81	13	25	–	–
WALTHAM	651	320	331	–	387	103	160	1	15.9
Ware	100	37	63	–	80	5	15	–	–
Wareham	125	65	60	–	86	10	29	–	–
Warren	50	24	26	–	36	6	8	–	–
Warwick	11	5	6	–	10	–	1	–	–
Washington	5	2	3	–	5	–	–	–	–
Watertown	554	265	289	–	288	135	131	–	15.3
Wayland	48	23	25	–	38	1	9	–	–
Webster	194	86	108	–	157	12	25	–	13.8
Wellesley	200	105	95	–	151	18	31	–	14.3
Wellfleet	10	6	4	–	10	–	–	–	–
Wendell	7	3	4	–	7	–	–	–	–
Wenham	16	8	8	–	13	–	3	–	–
West Boylston	21	10	11	–	16	2	3	–	–
West Bridgewater	36	15	21	–	27	2	7	–	–
West Brookfield	13	5	8	–	13	–	–	–	–
West Newbury	21	10	11	–	20	1	–	–	–
West Springfield	205	102	103	–	154	22	29	–	11.9
West Stockbridge	17	8	9	–	11	4	2	–	–
West Tisbury	4	2	2	–	3	1	–	–	–
Westborough	77	42	35	–	61	2	14	–	–
WESTFIELD	226	115	111	–	183	22	21	–	12.0
Westford	64	44	20	–	38	9	17	–	–
Westhampton	7	4	3	–	6	1	–	–	–
Westminster	13	8	5	–	12	–	1	–	–
Weston	36	19	17	–	29	2	5	–	–
Westport	62	34	28	–	46	6	10	–	–
Westwood	30	19	11	–	25	1	4	–	–
Weymouth	347	172	175	–	271	23	53	–	15.8
Whately	20	9	11	–	19	–	1	–	–
Whitman	112	58	54	–	92	6	14	–	–
Wilbraham	36	22	14	–	26	3	7	–	–
Williamsburg	27	17	10	–	22	3	2	–	–
Williamstown	54	40	14	–	51	1	2	–	–
Wilmington	70	36	34	–	54	5	11	–	–
Winchendon	132	73	59	–	100	7	25	–	–
Winchester	165	98	67	–	126	13	26	–	12.2
Windsor	3	3	–	–	3	–	–	–	–
Winthrop	191	111	80	–	143	14	34	–	11.2
WOBURN	312	156	156	–	223	42	47	–	15.8
WORCESTER	2,688	1,360	1,328	–	1,895	321	472	–	14.1
Worthington	7	4	3	–	6	–	1	–	–
Wrentham	26	14	12	–	19	2	5	–	–
Yarmouth	37	18	19	–	31	4	2	–	–

[1] See footnote on page 205.

Table 39

Counties and Cities having over 50,000 Inhabitants in 1935. (Grouped in order of population.)	Allocated Live Births, by Month of Birth, in Counties and in Cities having over 50,000 Inhabitants: 1936.												
	The Year.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
The State.	**61,184**	**4,933**	**4,782**	**5,260**	**4,946**	**5,203**	**5,295**	**5,480**	**5,282**	**5,151**	**5,112**	**4,865**	**4,875**
Average daily number of births	139	159	165	170	165	170	174	171	170	171	165	162	157
Counties.													
Middlesex	14,142	1,091	1,105	1,170	1,166	1,184	1,231	1,290	1,231	1,229	1,188	1,122	1,135
Suffolk	13,415	1,083	1,047	1,173	1,071	1,131	1,154	1,219	1,201	1,110	1,112	1,045	1,069
Essex	6,687	521	517	594	553	589	568	599	579	575	532	518	542
Worcester	7,114	567	544	596	558	632	616	639	613	592	623	569	565
Bristol	5,152	441	409	429	392	414	452	437	442	417	441	431	447
Hampden	4,299	377	372	404	335	353	354	394	367	335	358	353	297
Norfolk	4,171	346	341	350	352	383	373	359	310	329	359	332	337
Plymouth	2,229	191	148	193	188	178	204	200	194	206	177	182	168
Berkshire	1,729	131	126	159	135	153	154	148	138	156	143	154	132
Hampshire	876	59	65	70	80	80	79	73	96	66	66	73	69
Franklin	705	65	54	66	57	58	52	61	48	70	64	49	61
Barnstable	511	45	41	43	46	37	48	43	42	51	43	26	46
Dukes	92	9	7	7	9	5	4	17	13	8	4	6	3
Nantucket	62	7	6	6	4	6	6	1	8	7	2	5	4
Cities over 100,000													
Boston	12,117	995	936	1,059	968	1,021	1,050	1,086	1,100	993	996	930	983
Worcester	2,688	203	227	226	195	257	218	239	239	233	234	202	215
Springfield	2,044	187	170	179	158	171	171	176	165	161	169	180	157
Cambridge	1,742	116	124	161	155	136	161	164	146	142	152	153	132
Fall River	1,669	157	138	139	114	130	146	152	142	137	126	150	138
New Bedford	1,545	121	108	141	121	126	120	136	123	134	142	129	144
Lynn	1,218	71	100	107	111	107	98	117	88	116	86	114	103
Somerville	1,658	130	123	118	130	150	129	151	134	154	141	146	152
Lowell	1,552	128	118	147	115	134	139	141	128	138	113	137	114
Cities 50,000 to 100,000													
Lawrence	1,231	95	97	106	103	114	96	114	115	111	98	84	98
Quincy	1,108	100	74	95	85	101	96	93	81	78	98	106	101
Newton	846	72	70	77	67	65	69	64	86	62	107	42	65
Brockton	803	72	54	75	64	76	71	67	68	67	72	58	59
Medford	973	83	64	80	77	91	71	82	88	85	84	76	92
Malden	836	62	71	55	72	71	87	68	66	71	70	69	74
Holyoke	653	51	63	62	49	48	60	65	57	46	48	54	50
Brookline (town)	443	36	45	38	41	34	39	30	33	36	43	34	34

Table 40

Counties and Cities having over 50,000 Inhabitants in 1935. (Grouped in order of population.)	Plural Births[1], by Sex, and Stillbirths[1], in Counties and in Cities having over 50,000 Inhabitants: 1936.						
	Plural Births.						Stillbirths.[1]
	Twins.			Triplets.			
	Total.	Males.	Females.	Total.	Males.	Females.	
The State.	**1,268**	**627**	**641**	**24**	**10**	**14**	**1,816**
Counties.							
Middlesex	300	149	151	6	3	3	427
Suffolk	276	136	140	6	3	3	337
Essex	132	63	69	3	1	2	204
Worcester	164	80	84	–	–	–	221
Bristol	78	38	40	3	3	–	178
Hampden	114	50	64	–	–	–	129
Norfolk	78	42	36	6	–	6	113
Plymouth	38	20	18	–	–	–	74
Berkshire	32	19	13	–	–	–	70
Hampshire	22	11	11	–	–	–	24
Franklin	22	12	10	–	–	–	17
Barnstable	10	5	5	–	–	–	18
Dukes	2	2	–	–	–	–	3
Nantucket	–	–	–	–	–	–	1
Cities over 100,000.							
Boston	256	124	132	6	3	3	287
Worcester	50	26	24	–	–	–	82
Springfield	46	17	29	–	–	–	59
Cambridge	42	19	23	–	–	–	55
Fall River	12	5	7	–	–	–	59
New Bedford	38	21	17	–	–	–	50
Lynn	24	8	16	–	–	–	36
Somerville	28	16	12	–	–	–	61
Lowell	38	18	20	–	–	–	47
Cities 50,000 to 100,000.							
Lawrence	16	11	5	–	–	–	50
Quincy	26	17	9	3	–	3	32
Newton	12	3	9	3	3	–	27
Brockton	16	8	8	–	–	–	26
Medford	16	11	5	–	–	–	27
Malden	16	2	14	–	–	–	17
Holyoke	26	12	14	–	–	–	23
Brookline (town)	2	–	2	–	–	–	9

[1] Allocated.

Table 41 — Live Births[1] and Birth Rates[1] for the State and Cities having over 100,000 Inhabitants in 1935: 1912 to 1936.

Years.	The State.	Cities having over 100,000 Inhabitants in 1936.								
		Boston.	Worcester.	Springfield.	Fall River.	Cambridge.	New Bedford.	Somerville.	Lynn.	Lowell.
	Live Births									
1912	89,882	18,745	4,167	2,779	4,714	2,605	3,594	–	2,111	2,748
1913	91,644	19,109	4,520	2,866	4,664	2,713	3,647	–	2,087	2,794
1914	93,399	19,467	4,667	2,986	4,703	2,745	3,574	–	2,083	2,914
1915	93,155	19,713	4,504	3,099	3,910	2,610	3,533	–	2,108	2,944
1916	93,487	19,604	4,941	3,281	3,690	2,691	3,497	–	2,205	3,289
1917	95,731	19,950	5,276	3,614	3,807	2,764	3,664	–	2,176	3,289
1918	95,607	20,092	5,239	3,770	3,645	2,672	3,920	–	2,143	3,279
1919	87,827	18,799	4,596	3,268	3,421	2,757	3,386	–	1,935	3,064
1920	91,859	19,573	4,812	3,419	3,537	2,862	3,507	–	2,024	3,154
1921	92,207	19,397	4,838	3,392	3,710	3,048	3,649	–	2,064	3,157
1922	87,636	18,536	4,357	3,089	3,537	3,007	3,344	–	2,057	2,923
1923	89,210	19,056	4,517	3,358	3,645	3,033	3,295	–	1,964	2,902
1924	91,463	19,776	4,551	3,520	3,594	3,144	3,170	–	2,077	3,011
1925	86,014	18,636	4,340	3,385	3,324	2,932	3,009	–	1,972	2,705
1926	83,502	18,731	4,312	3,298	3,050	2,933	2,762	–	1,887	2,466
1927	82,273	19,079	4,310	3,158	2,872	2,902	2,432	–	1,903	2,404
1928	79,054	18,781	3,997	2,991	2,707	2,724	2,394	–	1,912	2,177
1929	74,122	17,942	3,759	3,040	2,255	2,597	2,033	–	1,866	1,968
1930	73,690	18,057	3,638	3,106	2,201	2,524	1,988	1,677	1,813	1,999
1931	69,385	17,137	3,611	2,939	2,083	2,477	1,861	1,428	1,588	1,812
1932	68,518	17,271	3,435	2,643	2,099	2,462	1,728	1,342	1,559	1,932
1933	63,457	16,249	3,101	2,414	1,977	2,169	1,666	1,220	1,477	1,734
1934	63,767	15,825	3,237	2,431	2,072	2,190	1,775	1,233	1,493	1,740
1935	62,416	12,371	2,811	2,086	1,790	1,857	1,501	1,630	1,341	1,468
1936	61,184	12,117	2,688	2,044	1,669	1,742	1,545	1,658	1,218	1,552
	Birth Rates per 1,000 Population: Census Years 1915 to 1935.									
1915	25.2	26.4	27.7	30.1	31.3	24.0	32.2	–	22.0	27.3
1920	23.8	26.2	26.8	26.4	29.4	26.1	28.9	–	20.4	28.0
1925	20.8	23.9	22.8	23.8	25.8	24.5	25.2	–	19.1	24.5
1930	17.3	23.1	18.6	20.7	19.1	22.2	17.7	16.1	17.7	19.9
1935	14.3[1]	15.1	14.8	13.9	15.2	15.7	13.6	16.2	13.3	14.7

[1] Allocated for 1935 and 1936.

Table 42 — Live Births by Sex and Parent Nativity: 1912 to 1936.

Years.	Population.	Sex.					Parent Nativity.			
		Total number.	Males.	Females.	Unknown.	Males to 1,000 females.	Native.	Foreign.	Mixed.	Unknown.
1912	3,512,007	89,882	46,436	43,440	6	1,069	28,424	45,861	15,497	100
1913	3,577,935	91,644	47,099	44,541	4	1,057	29,387	46,737	15,430	90
1914	3,643,863	93,399	47,671	45,725	3	1,043	30,127	47,824	15,378	70
1915	3,709,792	93,155	47,786	45,363	6	1,053	31,325	46,347	15,401	82
1916	3,775,720	93,487	48,256	45,227	4	1,067	31,971	45,920	15,525	71
1917	3,841,648	95,731	49,017	46,714	–	1,049	34,129	45,753	15,786	63
1918	3,907,576	95,607	49,138	46,465	4	1,058	35,913	43,419	16,222	53
1919	3,835,614	87,827	44,713	43,113	1	1,037	33,295	39,194	15,302	36
1920	3,852,356	91,859	47,288	44,569	2	1,061	38,395	37,236	16,207	21
1921	3,885,836	92,207	47,414	44,791	2	1,059	39,254	36,553	16,378	22
1922	3,936,056	87,636	45,035	42,595	6	1,057	38,355	33,701	15,551	29
1923	3,969,536	89,210	45,631	43,572	7	1,047	40,035	33,049	16,106	20
1924	4,003,016	91,463	46,957	44,500	6	1,055	42,393	32,380	16,653	37
1925	4,144,205	86,014	44,082	41,930	2	1,051	40,905	28,968	16,112	29
1926	4,170,560[1]	83,502	42,681	40,821	–	1,046	40,898	26,229	16,345	30
1927	4,191,644[1]	82,273	42,270	40,003	–	1,057	41,722	24,294	16,214	43
1928	4,212,728[1]	79,054	40,518	38,536	–	1,051	41,552	21,818	15,657	27
1929	4,233,812[1]	74,122	38,125	35,994	–	1,059	39,783	19,299	15,026	14
1930	4,249,614	73,690	37,687	36,002	1	1,047	41,140	17,621	14,913	16
1931	4,275,969	69,385	35,534	33,850	1	1,050	40,384	14,946	14,051	4
1932	4,297,053	68,518	35,080	33,437	–	1,049	41,292	13,180	14,039	7
1933	4,318,137	63,457	32,462	30,995	–	1,047	39,907	10,818	12,716	16
1934	4,339,221	63,767	32,815	30,952	–	1,060	41,351	9,748	12,653	15
1935	4,350,910	62,416[2]	32,117	30,299	–	1,060	41,837	8,565	12,009	5
1936	4,382,896	61,184[2]	31,290	29,894	–	1,047	42,512	7,681	10,987	4

[1] Revised figures. [2] Allocated.

Table 43

Years.	Live Births: 1912 to 1936.					Stillbirths: 1912 to 1936.					
	Birth rate per 1,000 population.	Excess of births over deaths.[1]	Excess of births over deaths per 1,000 population.	Cases of plural births.[2]		Total number.	Per 1,000 live births.	Sex.			
				Twins.	Triplets.			Males.	Females.	Unknown.	Males to 1,000 females.
1912 . .	25.6	37,482	10.7	996	8	3,188	35	1,871	1,263	29	1,456
1913 . .	25.6	38,242	10.7	996	13	3,175		1,872	1,275	28	1,468
1914 . .	25.6	40,426	11.1	1,008	15	3,349		1,936	1,369	44	1,414
1915 . .	25.2	40,045	10.8	952	9	3,161		1,815	1,312	34	1,383
1916 . .	24.8	37,121	9.9	942	13	3,300	36	1,916	1,334	50	1,436
1917 . .	24.9	39,103	10.2	1,065	7	3,324		1,937	1,330	57	1,456
1918 . .	24.5	16,765	4.3	1,054	10	3,779		2,173	1,570	36	1,384
1919 . .	22.9	35,482	9.3	986	7	3,092		1,750	1,332	10	1,314
1920 . .	23.8	38,227	9.9	1,006	6	3,336	37	1,948	1,374	14	1,418
1921 . .	23.7	44,427	11.4	1,059	13	3,428		1,983	1,429	16	1,388
1922 . .	22.3	36,521	9.3	916	11	3,268		1,886	1,373	9	1,374
1923 . .	22.5	36,830	9.3	976	8	3,332		1,891	1,413	28	1,338
1924 . .	22.8	41,997	10.4	1,003	13	3,548		1,965	1,490	93	1,319
1925 . .	20.8	34,124	8.3	869	17	3,141		1,807	1,317	17	1,372
1926 . .	20.0[3]	30,614	7.3[3]	898	10	2,997	35	1,675	1,313	9	1,276
1927 . .	19.6[3]	32,949	7.8[3]	894	10	2,969		1,606	1,356	7	1,184
1928 . .	18.8[3]	27,612	6.6[3]	857	9	2,821		1,605	1,207	9	1,330
1929 . .	17.5[3]	21,951	5.2[3]	804	4	2,540		1,414	1,123	3	1,259
1930 . .	17.3	24,187	5.7	783	15	2,597		1,442	1,148	7	1,256
1931 . .	16.2	20,642	4.8	731	13	2,440		1,350	1,079	11	1,251
1932 . .	15.9	18,987	4.4	735	6	2,350		1,317	1,025	8	1,285
1933 . .	14.7	12,625	2.9	645	4	2,173	33	1,206	959	8	1,257
1934 . .	14.7	13,007	3.0	635	7	1,997		1,108	889	–	1,246
1935 . .	14.3[4]	12,782	2.9	612	5	1,886		1,000	885	1	1,130
1936 . .	14.0[4]	9,749	2.3	634	8	1,816		980	835	1	1,174

[1] Exclusive of stillbirths. [2] There was one case of quadruplets in 1926. [3] Revised rate.
[4] Allocated.

PART II. B.
MARRIAGE STATISTICS

PAGE
Introduction 213, 214
Marriage registration 213
Source of data 213
Solemnization 213
Accuracy 213, 214
Purpose, marriage requirements 214
Statistical tables 215–225

INTRODUCTION.

Marriage Registration. — The public registration of marriages has been required for many years in Massachusetts. Records of marriage are made in the first instance in the cities and towns of the State where the contracting parties dwell and if the ceremony is solemnized in a town other than where the parties reside, in the town where the ceremony is performed.

Since 1841 it has been required that copies of these records be forwarded annually to the Secretary of the Commonwealth and from 1841 to 1936, inclusive, there have been 4,958,180 marriages reported, recorded and tabulated in this department.

Source of Data. — The marriage statistics in this report are compiled from attested copies of the records of marriages recorded in every city and town. Persons intending to be joined in marriage in Massachusetts must file a notice of intention in the town in which they respectively dwell, and this notice of intention must contain the facts required for record and be sworn to by each of the parties to the marriage. If a marriage is performed in a town other than the town issuing the license, a copy of the license must be made and forwarded by the clergyman or magistrate to the clerk of the municipality in which the ceremony was performed. Five days after the notice of intention is filed the marriage license may be issued with all the facts set forth in the notice of intention which are required for record. This certificate is presented to the clergyman or magistrate before whom the marriage is performed, and the facts as to the ceremony are certified by that person. Between the first and tenth days of the month following the ceremony the license or licenses must be returned to the office or offices issuing the same.

Solemnization. — A marriage may be solemnized in any place within the Commonwealth by a minister of the gospel who resides in the Commonwealth, or, who if a nonresident is the pastor of a church or denomination duly established in the Commonwealth and who is recognized by his church or denomination as duly ordained and in good and regular standing as a minister of such church or denomination; by a rabbi of the Israelitish faith, duly licensed by a congregation of said faith established in the Commonwealth, who has filed with the clerk or registrar of the city or town where such congregation is established a certificate of the establishment of the synagogue therein, the date of his appointment thereto, and of the term of his engagement; by a justice of the peace if he is also clerk or assistant clerk of a city or town, or a registrar or assistant registrar, in the city or town where he holds such office, or, if he is also clerk or assistant clerk of a court, in the city or town where the court is authorized to be held, or, if he has been designated as a justice of the peace to solemnize marriages in the city or town where he resides; and it may be solemnized among Friends or Quakers according to the usage of their societies; and a specified marriage may be performed by a nonresident clergyman commissioned by the Governor in accordance with the provisions of Chap. 102 of the Acts of 1926; but no person shall solemnize a marriage in the Commonwealth unless he can read and write the English language.

When Massachusetts residents go into another state to be married and return to live in this Commonwealth they are required within seven days after their return to file a declaration of their marriage with the clerk of the town where either of them resided at the time of their marriage. A penalty is provided by statute for non-compliance with the law.

Accuracy. — The registration of marriages presents fewer difficulties than the registration of birth and death records and the statistics should be nearly 100 per cent perfect.

Every precaution has been taken to see that the statutes pertaining to the solemnization of marriage are strictly enforced, but as there is no public registration of ministers of the gospel in Massachusetts, it is not always possible to get in touch with the persons responsible for making returns of marriages solemnized by them. To guard against the possibility of marriages being performed on one license where two are required, on an out-of-state license, or on a license that has become invalid because of lapse of time, a circular setting forth the requirements before and after solemnizing a marriage has been prepared, together with a copy of the marriage laws and these are forwarded, upon request, to all persons interested, and are sent to the city and town clerks, together with posters setting forth the legal impediments to marriage, which are required to be posted in their offices.

The errors in solemnizing and returning a record of marriage, if any, are due to the lack of information as to the requirements of the statute rather than to any wilful attempt to evade the requirements of the law.

Marriage licenses issued to residents are valid throughout the Commonwealth, regardless of the residence of either party and many marriages are performed in cities and towns other than the place where either party lived. Persons who do not reside in the Commonwealth must file their intention with the clerk of the city or town where they propose to have the marriage solemnized and the marriage must be solemnized in that particular municipality.

The principal source of error in the records of marriage comes about through the carelessness or ignorance of one of the parties in filing the notice of intention as to the facts concerning the other party. Therefore, it sometimes happens that records for the same marriage coming from different towns do not contain the same information. Names and other facts will be at variance. These certificates are compared in the Division of Vital Statistics and every effort is made to have the certificates agree, but considerable confusion and delay follow from this situation.

Purpose. — The practical purposes of marriage records are:

1. As evidence to establish dower and curtesy rights of husband and wife.
2. To prove legality as to claims of inheritance.
3. As evidence upon which to base subsequent records concerning the parties.
4. For Governmental pension purposes.
5. For pensions under Employees Pension Laws.
6. For insurance, pension and retirement purposes.
7. To establish legal settlement for public aid and the settlement of dependent children of parents.
8. For naturalization and passport purposes.
9. To prove legitimacy of children.

The following tables contain the number of marriages solemnized:

Table 44

Counties and Municipalities.[1]	Marriages, classified by Nativity of Bride and Groom, in each County and Municipality: 1936. Nativity. Total couples.	Bride and groom both— Native.	Bride and groom both— Foreign.	Native groom and foreign bride.	Foreign groom and native bride.	Marriages, classified by Residence of Bride and Groom, in each County and Municipality: 1936. Groom and bride residents.	Groom a resident.	Bride a resident.	Groom and bride non-residents.
The State.	**31,985**	**24,545**	**2,007**	**2,345**	**3,088**	**16,401**	**1,762**	**7,731**	**6,091**
COUNTIES.									
Barnstable	306	257	8	17	24	113	25	56	112
Berkshire	728	620	19	41	48	402	35	159	132
Bristol	3,459	2,704	129	234	392	1,935	116	613	795
Dukes	35	31	–	1	3	11	5	6	13
Essex	3,378	2,647	158	223	350	1,711	217	900	550
Franklin	330	292	7	7	24	121	18	79	112
Hampden	2,217	1,758	110	133	216	1,211	95	623	288
Hampshire	506	437	8	23	38	187	30	182	107
Middlesex	6,633	5,021	405	537	670	2,848	390	1,993	1,402
Nantucket	35	25	4	2	4	21	1	5	8
Norfolk	2,393	1,814	139	198	242	769	146	777	701
Plymouth	1,183	991	40	57	95	536	98	297	252
Suffolk	7,132	5,029	814	660	629	4,464	383	1,199	1,086
Worcester	3,650	2,919	165	213	353	2,072	203	842	533
MUNICIPALITIES.[1]									
Abington	35	28	3	1	3	5	10	9	11
Acton	9	6	–	2	1	3	–	5	1
Acushnet	27	20	1	2	4	7	1	16	3
Adams	106	91	3	3	9	66	3	27	10
Agawam	42	33	1	3	5	12	3	21	6
Alford	2	2	–	–	–	–	–	–	2
Amesbury	76	60	3	4	9	29	5	30	12
Amherst	26	21	2	1	2	6	–	8	12
Andover	57	47	2	4	4	18	5	26	8
Arlington	190	140	12	19	19	47	13	90	40
Ashburnham	19	16	–	2	1	10	–	4	5
Ashby	3	3	–	–	–	1	–	–	2
Ashfield	5	5	–	–	–	2	–	1	2
Ashland	21	20	1	–	–	2	1	7	11
Athol	99	78	3	7	11	54	5	26	14
ATTLEBORO	206	170	4	15	17	85	10	61	50
Auburn	49	42	2	2	3	12	6	15	16
Avon	11	8	–	2	1	–	1	10	–
Ayer	28	21	1	1	5	11	5	5	7
Barnstable	78	58	5	8	7	29	9	14	26
Barre	29	21	2	4	2	16	–	5	8
Becket	4	4	–	–	–	1	–	2	1
Bedford	19	12	1	4	2	2	2	1	14
Belchertown	23	21	–	1	1	6	5	2	10
Bellingham	27	21	1	–	5	5	1	12	9
Belmont	146	109	13	17	7	33	8	54	51
Berkley	2	1	–	1	–	1	–	–	1
Berlin	4	3	–	1	–	3	–	–	1
Bernardston	8	8	–	–	–	2	–	–	6
BEVERLY	126	100	2	6	18	54	7	43	22
Billerica	43	37	–	2	4	15	3	14	11
Blackstone	38	29	3	1	5	7	3	18	10
Blandford	6	4	–	1	1	2	1	2	1
Bolton	4	4	–	–	–	1	–	3	–
BOSTON	6,415	4,513	766	595	541	4,122	343	1,014	936
Bourne	26	22	–	2	2	10	4	4	8
Boxborough	1	1	–	–	–	1	–	–	–
Boxford	6	5	–	–	1	1	–	2	3
Boylston	2	–	–	–	2	–	–	1	1
Braintree	97	82	3	2	10	34	8	36	19
Brewster	3	3	–	–	–	–	1	–	2
Bridgewater	35	29	1	1	4	9	5	9	12
Brimfield	14	11	–	2	1	1	1	5	7
BROCKTON	456	380	12	27	37	265	28	102	61
Brookfield	12	10	–	–	2	3	2	4	3
Brookline	609	397	66	68	78	93	29	177	310
Buckland	9	8	–	–	1	3	–	2	4
Burlington	1	1	–	–	–	–	–	–	1
CAMBRIDGE	977	681	85	96	115	398	65	253	261
Canton	39	28	2	4	5	19	3	14	3
Carlisle	5	4	1	–	–	2	–	3	–
Carver	6	4	–	–	2	2	–	4	–
Charlemont	2	1	–	–	1	1	–	–	1
Charlton	11	9	1	1	–	3	1	4	3
Chatham	17	15	–	1	1	5	2	5	5
Chelmsford	44	37	1	4	2	8	5	17	14
CHELSEA	294	193	33	28	40	166	16	73	39
Cheshire	4	4	–	–	–	–	–	1	3
Chester	2	1	1	–	–	–	1	–	1
Chesterfield	1	1	–	–	–	–	–	–	1
CHICOPEE	310	240	18	16	36	174	9	116	11
Chilmark	1	1	–	–	–	–	–	–	1

[1] Cities are printed in small CAPITALS.

Table 44

Municipalities.[1]	Marriages, classified by Nativity of Bride and Groom, in Each County and Municipality: 1936. Nativity.					Marriages, classified by Residence of Bride and Groom, in Each County and Municipality: 1936.			
	Total couples.	Bride and groom both— Native.	Bride and groom both— Foreign.	Native groom and foreign bride.	Foreign groom and native bride.	Groom and bride residents.	Groom a resident.	Bride a resident.	Groom and bride non-residents.
Clarksburg	1	–	–	1	–	–	–	1	–
Clinton	84	72	3	4	5	40	4	25	15
Cohasset	30	25	1	2	2	5	2	13	10
Colrain	5	5	–	–	–	3	–	1	1
Concord	57	43	2	8	4	12	13	17	15
Conway	2	2	–	–	–	1	–	–	1
Cummington	2	2	–	–	–	1	–	1	–
Dalton	22	22	–	–	–	10	4	8	–
Dana	4	4	–	–	–	1	–	–	3
Danvers	63	55	1	3	4	27	4	24	8
Dartmouth	45	36	1	2	6	13	3	11	18
Dedham	105	80	6	9	10	34	7	43	21
Deerfield	34	31	–	–	3	–	3	9	22
Dennis	6	6	–	–	–	1	1	2	2
Dighton	33	26	–	1	6	6	1	11	15
Douglas	22	18	–	1	3	10	2	7	3
Dover	7	6	–	1	–	–	–	6	1
Dracut	35	29	–	1	5	15	–	14	6
Dudley	6	4	1	–	1	1	1	1	3
Dunstable	10	9	–	1	–	–	–	–	10
Duxbury	8	7	–	–	1	1	2	1	4
East Bridgewater	22	21	–	–	1	2	–	17	3
East Brookfield	4	4	–	–	–	–	1	1	2
East Longmeadow	27	22	2	–	3	9	3	9	6
Eastham	1	1	–	–	–	–	–	–	1
Easthampton	78	62	3	5	8	31	2	35	10
Easton	28	25	–	3	–	10	4	6	8
Edgartown	6	4	–	–	2	3	1	1	1
Egremont	5	5	–	–	–	1	1	–	3
Enfield	2	2	–	–	–	–	1	–	1
Erving	4	4	–	–	–	2	–	–	2
Essex	10	8	–	1	1	2	1	4	3
EVERETT	389	278	35	27	49	213	12	110	54
Fairhaven	67	49	1	4	13	22	1	27	17
FALL RIVER	1,060	856	39	62	103	751	19	163	127
Falmouth	39	30	2	2	5	27	–	4	8
FITCHBURG	331	242	25	25	39	180	16	83	52
Florida	2	2	–	–	–	1	–	–	1
Foxborough	47	38	2	4	3	15	2	9	21
Framingham	182	138	8	16	20	97	13	41	31
Franklin	63	52	2	3	6	28	1	21	13
Freetown	10	9	–	–	1	3	–	2	5
GARDNER	152	116	10	7	19	94	7	36	15
Gay Head	2	2	–	–	–	2	–	–	–
Georgetown	12	12	–	–	–	4	2	5	1
Gill	2	2	–	–	–	–	1	1	–
GLOUCESTER	141	115	6	4	16	97	7	17	20
Goshen	2	2	–	–	–	–	–	–	2
Gosnold	–	–	–	–	–	–	–	–	–
Grafton	47	36	2	3	6	16	1	23	7
Granby	7	6	–	1	–	1	1	1	4
Granville	3	3	–	–	–	1	–	–	2
Great Barrington	42	38	1	1	2	16	4	10	12
Greenfield	122	107	3	3	9	62	5	25	30
Greenwich	–	–	–	–	–	–	–	–	–
Groton	18	17	1	–	–	3	4	8	3
Groveland	7	7	–	–	–	1	–	4	2
Hadley	20	19	–	–	1	2	4	14	–
Halifax	5	4	–	–	1	1	–	1	3
Hamilton	20	18	1	–	1	5	1	9	5
Hampden	3	2	–	–	1	–	–	1	2
Hancock	1	1	–	–	–	–	–	1	–
Hanover	5	3	–	–	2	–	–	3	2
Hanson	10	7	2	–	1	3	–	1	6
Hardwick	28	26	–	1	1	9	3	9	7
Harvard	9	9	–	–	–	2	2	1	4
Harwich	38	35	–	–	3	8	1	8	21
Hatfield	25	24	–	–	1	7	1	16	1
HAVERHILL	236	196	13	10	17	154	10	59	13
Hawley	–	–	–	–	–	–	–	–	–
Heath	1	1	–	–	–	1	–	–	–
Hingham	38	34	1	2	1	12	4	17	5
Hinsdale	10	5	2	1	2	2	–	2	6
Holbrook	12	11	–	–	1	3	1	4	4
Holden	20	19	–	–	1	8	1	6	5
Holland	2	1	–	–	1	–	–	–	2
Holliston	23	19	–	–	4	8	1	6	8
HOLYOKE	394	316	20	27	31	235	10	112	37

[1] Cities are printed in small capitals.

Table 44

Municipalities.[1]	Marriages, classified by Nativity of Bride and Groom, in Each County and Municipality: 1936. Nativity.					Marriages, classified by Residence of Bride and Groom, in Each County and Municipality: 1936.			
	Total couples.	Bride and groom both—		Native groom and foreign bride.	Foreign groom and native bride.	Groom and bride residents.	Groom a resident.	Bride a resident.	Groom and bride non-residents.
		Native.	Foreign.						
Hopedale	9	8	–	–	1	–	–	3	6
Hopkinton	11	10	–	–	1	3	–	6	2
Hubbardston	9	6	1	1	1	2	1	3	3
Hudson	56	43	2	3	8	22	6	20	8
Hull	18	12	1	4	1	9	2	1	6
Huntington	11	10	–	1	–	–	3	4	4
Ipswich	50	38	–	5	7	20	4	14	12
Kingston	31	27	–	2	2	5	6	6	14
Lakeville	3	3	–	–	–	1	–	1	1
Lancaster	16	15	1	–	–	5	–	5	6
Lanesborough	7	7	–	–	–	1	–	4	2
LAWRENCE	721	513	43	53	112	435	55	134	97
Lee	25	22	–	–	3	12	–	3	10
Leicester	34	31	–	–	3	11	3	13	7
Lenox	22	21	–	1	–	8	4	6	4
LEOMINSTER	124	91	6	13	14	73	2	39	10
Leverett	3	3	–	–	–	2	–	–	1
Lexington	68	50	3	10	5	20	1	23	24
Leyden	1	1	–	–	–	–	–	–	1
Lincoln	4	3	1	–	–	–	1	2	1
Littleton	18	16	–	1	1	1	1	8	8
Longmeadow	24	18	–	3	3	3	2	7	12
LOWELL	850	674	40	42	94	553	36	164	97
Ludlow	22	18	1	1	2	5	1	14	2
Lunenburg	6	6	–	–	–	1	3	–	2
LYNN	718	556	38	56	68	447	32	175	64
Lynnfield	9	7	–	1	1	2	–	2	5
MALDEN	450	328	37	41	44	178	26	130	116
Manchester	20	15	1	2	2	6	5	6	3
Mansfield	50	39	1	4	6	13	3	18	16
Marblehead	66	57	2	5	2	16	7	31	12
Marion	11	9	–	–	2	5	1	2	3
MARLBOROUGH	86	79	1	1	5	49	3	21	13
Marshfield	10	8	–	–	2	3	–	–	7
Mashpee	3	2	–	–	1	2	–	–	1
Mattapoisett	9	9	–	–	–	3	1	4	1
Maynard	49	40	2	2	5	15	4	19	11
Medfield	10	10	–	–	–	5	–	2	3
MEDFORD	348	278	9	29	32	136	22	107	83
Medway	38	28	1	2	7	9	3	10	16
MELROSE	126	106	1	10	9	44	6	51	25
Mendon	5	4	–	–	1	3	–	–	2
Merrimac	37	35	–	–	2	11	4	8	14
Methuen	120	90	10	10	10	39	7	30	44
Middleborough	82	75	1	3	3	38	11	13	20
Middlefield	3	3	–	–	–	1	–	–	2
Middleton	2	2	–	–	–	–	–	1	1
Milford	114	95	3	8	8	62	7	29	16
Millbury	43	35	1	3	4	14	3	15	11
Millis	20	13	3	1	3	2	2	–	16
Millville	9	6	1	1	1	3	1	5	–
Milton	103	82	3	10	8	16	14	52	21
Monroe	–	–	–	–	–	–	–	–	–
Monson	36	31	–	2	3	12	3	10	11
Montague	62	54	4	–	4	24	4	20	14
Monterey	–	–	–	–	–	–	–	–	–
Montgomery	1	1	–	–	–	–	–	1	–
Mount Washington	–	–	–	–	–	–	–	–	–
Nahant	14	10	2	–	2	1	1	5	7
Nantucket	35	25	4	2	4	21	1	5	8
Natick	88	73	3	6	6	34	8	29	17
Needham	75	55	5	8	7	27	4	27	17
New Ashford	–	–	–	–	–	–	–	–	–
NEW BEDFORD	984	697	59	84	144	722	33	149	80
New Braintree	2	1	–	1	–	–	–	–	2
New Marlborough	3	3	–	–	–	1	–	–	2
New Salem	1	–	–	–	1	–	–	–	1
Newbury	9	9	–	–	–	2	2	1	4
NEWBURYPORT	120	108	–	5	7	49	6	31	34
NEWTON	468	367	29	38	34	125	22	206	115
Norfolk	7	7	–	–	–	3	–	4	–
NORTH ADAMS	117	99	1	11	6	72	8	25	12
North Andover	36	30	2	2	2	13	5	14	4
North Attleborough	107	85	5	5	12	37	4	29	37
North Brookfield	20	19	–	–	1	9	–	6	5
North Reading	10	10	–	–	–	2	2	4	2
NORTHAMPTON	157	131	2	10	14	76	9	55	17
Northborough	3	3	–	–	–	–	1	2	–

[1] Cities are printed in small capitals.

Table 44

Municipalities.[1]	Marriages, classified by Nativity of Bride and Groom, in Each County and Municipality: 1936. Nativity. Total couples.	Bride and groom both— Native.	Bride and groom both— Foreign.	Native groom and foreign bride.	Foreign groom and native bride.	Marriages, classified by Residence of Bride and Groom, in Each County and Municipality: 1936. Groom and bride residents.	Groom a resident.	Bride a resident.	Groom and bride non-residents.
Northbridge	66	41	3	7	15	38	5	21	2
Northfield	12	10	–	1	1	2	–	3	7
Norton	47	36	1	5	5	9	5	7	26
Norwell	11	10	–	1	–	2	1	2	6
Norwood	99	80	4	4	11	33	7	40	19
Oak Bluffs	14	13	–	–	1	1	2	3	8
Oakham	5	5	–	–	–	1	1	–	3
Orange	40	35	–	2	3	13	2	13	12
Orleans	20	19	–	–	1	4	2	7	7
Otis	3	3	–	–	–	–	–	1	2
Oxford	26	24	–	1	1	9	–	13	4
Palmer	79	69	1	2	7	20	3	34	22
Paxton	1	1	–	–	–	1	–	–	–
PEABODY	119	93	8	4	14	35	15	41	28
Pelham	–	–	–	–	–	–	–	–	–
Pembroke	10	10	–	–	–	3	1	2	4
Pepperell	31	27	–	1	3	7	3	3	18
Peru	–	–	–	–	–	–	–	–	–
Petersham	10	8	–	–	2	2	3	1	4
Phillipston	3	2	–	1	–	–	–	2	1
PITTSFIELD	294	236	11	22	25	198	8	52	36
Plainfield	1	1	–	–	–	1	–	–	–
Plainville	3	3	–	–	–	–	–	1	2
Plymouth	118	92	6	8	12	65	7	23	23
Plympton	4	3	–	–	1	2	–	1	1
Prescott	–	–	–	–	–	–	–	–	–
Princeton	4	3	–	–	1	–	–	2	2
Provincetown	35	29	1	3	2	19	3	7	6
QUINCY	530	400	27	51	52	302	30	141	57
Randolph	45	43	–	2	–	18	8	11	8
Raynham	21	19	1	1	–	6	3	3	9
Reading	68	57	3	3	5	26	7	15	20
Rehoboth	11	9	–	1	1	2	1	–	8
REVERE	325	244	11	28	42	132	16	82	95
Richmond	5	5	–	–	–	–	–	2	3
Rochester	6	5	–	–	1	1	–	2	3
Rockland	48	44	1	1	2	19	2	21	6
Rockport	34	31	1	2	–	11	3	15	5
Rowe	–	–	–	–	–	–	–	–	–
Rowley	5	4	–	–	1	1	–	2	2
Royalston	4	4	–	–	–	1	–	2	1
Russell	7	6	–	1	–	3	–	2	2
Rutland	6	5	1	–	–	4	–	–	2
SALEM	351	265	18	30	38	177	15	106	53
Salisbury	19	15	–	1	3	4	2	–	13
Sandisfield	–	–	–	–	–	–	–	–	–
Sandwich	10	10	–	–	–	3	–	–	7
Saugus	71	64	–	3	4	28	5	22	16
Savoy	–	–	–	–	–	–	–	–	–
Scituate	29	24	1	1	3	15	2	7	5
Seekonk	324	280	2	15	27	22	2	17	283
Sharon	56	39	5	4	8	5	3	6	42
Sheffield	15	14	1	–	–	3	1	3	8
Shelburne	7	6	–	1	–	1	1	3	2
Sherborn	3	3	–	–	–	–	–	1	2
Shirley	19	15	1	2	1	10	2	4	3
Shrewsbury	40	31	–	6	3	12	2	15	11
Shutesbury	2	2	–	–	–	–	–	–	2
Somerset	40	30	1	5	4	11	7	10	12
SOMERVILLE	628	442	49	66	71	333	33	186	76
South Hadley	55	46	–	3	6	13	1	18	23
Southampton	2	2	–	–	–	–	–	–	2
Southborough	8	8	–	–	–	5	–	3	–
Southbridge	158	124	5	10	19	116	3	24	15
Southwick	3	3	–	–	–	–	1	–	2
Spencer	35	29	–	3	3	20	1	10	4
SPRINGFIELD	997	773	59	64	101	639	45	196	117
Sterling	6	6	–	–	–	1	1	1	3
Stockbridge	13	12	–	1	–	6	–	2	5
Stoneham	52	45	2	2	3	20	5	22	5
Stoughton	58	53	1	2	2	26	2	23	7
Stow	6	6	–	–	–	–	1	2	3
Sturbridge	19	17	2	–	–	5	1	5	8
Sudbury	13	10	–	–	3	1	–	4	8
Sunderland	4	4	–	–	–	–	2	–	2
Sutton	19	15	2	–	2	9	1	3	6
Swampscott	87	70	4	10	3	14	7	32	34
Swansea	46	37	1	3	5	9	3	18	16

[1] Cities are printed in small capitals.

Table 44

Municipalities.[1]	Marriages, classified by Nativity of Bride and Groom, in Each County and Municipality: 1936. Nativity. Total couples.	Bride and groom both— Native.	Bride and groom both— Foreign.	Native groom and foreign bride.	Foreign groom and native bride.	Marriages, classified by Residence of Bride and Groom, in Each County and Municipality: 1936. Groom and bride residents.	Groom a resident.	Bride a resident.	Groom and bride non-residents.
TAUNTON	323	253	12	21	37	199	14	59	51
Templeton	35	32	–	2	1	10	6	15	4
Tewksbury	18	15	–	2	1	7	1	5	5
Tisbury	9	8	–	1	–	5	1	2	1
Tolland	–	–	–	–	–	–	–	–	–
Topsfield	7	5	1	–	1	4	–	3	–
Townsend	16	13	–	2	1	5	–	1	10
Truro	9	8	–	1	–	1	1	1	6
Tyngsborough	24	21	1	1	1	1	2	1	20
Tyringham	–	–	–	–	–	–	–	–	–
Upton	8	8	–	–	–	6	–	2	–
Uxbridge	51	37	5	3	6	16	5	15	15
Wakefield	100	76	4	8	12	40	4	37	19
Wales	7	7	–	–	–	2	1	1	3
Walpole	63	54	1	4	4	20	5	26	12
WALTHAM	301	202	27	37	35	185	13	79	24
Ware	73	66	1	1	5	33	3	25	12
Wareham	81	62	10	1	8	38	5	23	15
Warren	33	32	–	–	1	18	1	12	2
Warwick	1	1	–	–	–	–	–	–	1
Washington	–	–	–	–	–	–	–	–	–
Watertown	213	146	20	17	30	65	13	88	47
Wayland	18	16	–	1	1	1	2	5	10
Webster	185	159	6	8	12	65	25	46	49
Wellesley	47	38	2	4	3	10	1	24	12
Wellfleet	15	14	–	–	1	2	1	2	10
Wendell	2	2	–	–	–	2	–	–	–
Wenham	6	4	–	2	–	3	–	2	1
West Boylston	16	13	–	2	1	5	–	4	7
West Bridgewater	13	12	–	1	–	7	2	3	1
West Brookfield	4	3	–	–	1	1	–	–	3
West Newbury	3	3	–	–	–	1	–	2	–
West Springfield	89	77	2	2	8	28	5	37	19
West Stockbridge	5	5	–	–	–	–	1	2	2
West Tisbury	3	3	–	–	–	–	1	–	2
Westborough	26	22	–	1	3	11	5	4	6
WESTFIELD	138	113	5	8	12	62	6	51	19
Westford	33	24	2	4	3	15	1	10	7
Westhampton	5	5	–	–	–	3	–	–	2
Westminster	3	1	–	–	2	1	–	1	1
Weston	15	14	–	–	1	2	1	3	9
Westport	28	27	–	–	1	7	2	6	13
Westwood	16	11	1	1	3	1	3	6	6
Weymouth	143	120	3	7	13	51	8	51	33
Whately	1	–	–	–	1	–	–	1	–
Whitman	79	69	1	4	5	20	8	22	29
Wilbraham	11	9	–	1	1	3	–	4	4
Williamsburg	11	11	–	–	–	5	–	3	3
Williamstown	17	16	–	–	1	4	1	6	6
Wilmington	43	36	2	2	3	13	4	6	20
Winchendon	64	59	1	–	4	29	6	12	17
Winchester	86	74	4	4	4	17	8	35	26
Windsor	3	3	–	–	–	–	–	1	2
Winthrop	98	79	4	9	6	44	8	30	16
WOBURN	113	97	1	4	11	47	7	51	8
WORCESTER	1,447	1,148	75	83	141	1,033	61	237	116
Worthington	2	2	–	–	–	1	–	–	1
Wrentham	33	30	–	3	–	5	1	8	19
Yarmouth	6	5	–	–	1	2	–	2	2

[1] Cities are printed in small capitals.

Table 45

Age at Marriage.	Marriages, by Sex, Age, and Marital Condition: 1936. Both sexes.	Males. Total.	Males. Single.	Males. Widowed.	Males. Divorced.	Females. Total.	Females. Single.	Females. Widowed.	Females. Divorced
The State									
13 Years and Over.	**63,970**	**31,985**	**28,585**	**1,983**	**1,417**	**31,985**	**29,100**	**1,314**	**1,571**
Under 20 years	5,846	785	785	–	–	5,061	5,054	2	5
20 to 29 years	41,896	21,087	20,747	115	225	20,809	20,108	134	567
30 to 39 years	11,106	6,896	5,809	434	653	4,210	3,269	312	629
40 to 49 years	3,231	1,972	1,018	557	397	1,259	532	443	284
50 to 59 years	1,215	765	186	468	111	450	114	265	71
60 to 69 years	541	372	35	311	26	169	20	135	14
70 to 79 years	127	100	5	90	5	27	3	23	1
80 years and over	8	8	–	8	–	–	–	–	–

Line No.	Table 46 — Months	Marriages, by Months in Counties — The State: Total number.	The State: Average daily number.	Counties: Barnstable.	Berkshire.	Bristol.	Dukes.	Essex.	Franklin.	Hampden.	Hampshire.	Middlesex.
1	**The Year**	**31,985**	**87**	**306**	**728**	**3,459**	**35**	**3,378**	**330**	**2,217**	**506**	**6,633**
2	January	1,587	51	17	27	184	1	167	15	86	21	321
3	February	1,959	68	12	42	214	3	195	12	125	37	379
4	March	918	30	5	6	85	–	87	7	55	5	185
5	April	2,411	80	19	58	293	1	278	29	153	29	523
6	May	2,302	74	18	53	290	3	246	22	195	48	411
7	June	4,780	159	37	118	461	1	523	47	311	76	1,045
8	July	2,611	84	34	68	300	5	273	21	163	41	530
9	August	2,899	94	30	66	270	7	322	34	204	38	577
10	September	3,871	129	44	83	470	5	384	43	295	69	832
11	October	3,773	122	42	94	345	4	408	41	288	55	865
12	November	3,204	107	28	80	386	2	325	39	257	67	629
13	December	1,670	54	20	33	161	3	170	20	85	20	336

Line No.	Table 47 — Counties and Sex.	Marriages in Each County: All ages.	13 years.	14 years.	15 years.	16 years.	17 years.	18 years.	19 years.	20 to 24 years.
	The State.									
1	**Grooms**	**31,985**	–	–	–	**3**	**47**	**229**	**506**	**10,697**
2	**Brides**	**31,985**	–	**22**	**52**	**285**	**701**	**1,716**	**2,285**	**12,996**
	Barnstable:									
3	Grooms	306	–	–	–	–	–	4	8	109
4	Brides	306	–	–	1	4	14	24	32	108
	Berkshire:									
5	Grooms	728	–	–	–	–	1	1	9	259
6	Brides	728	–	1	–	9	20	39	52	303
	Bristol:									
7	Grooms	3,459	–	–	–	–	7	25	64	1,378
8	Brides	3,459	–	2	4	38	99	212	312	1,527
	Dukes:									
9	Grooms	35	–	–	–	–	–	1	1	10
10	Brides	35	–	–	1	–	–	–	4	12
	Essex:									
11	Grooms	3,378	–	–	–	1	4	31	66	1,158
12	Brides	3,378	–	6	3	35	84	210	241	1,325
	Franklin:									
13	Grooms	330	–	–	–	–	–	3	12	122
14	Brides	330	–	–	1	6	6	20	34	145
	Hampden:									
15	Grooms	2,217	–	–	–	1	5	17	25	757
16	Brides	2,217	–	1	2	22	59	124	163	912
	Hampshire:									
17	Grooms	506	–	–	–	–	–	3	7	209
18	Brides	506	–	–	–	5	13	28	42	228
	Middlesex:									
19	Grooms	6,633	–	–	–	1	11	44	86	2,097
20	Brides	6,633	–	1	9	52	110	324	401	2,593
	Nantucket:									
21	Grooms	35	–	–	–	–	–	–	–	12
22	Brides	35	–	–	–	1	–	–	4	19
	Norfolk:									
23	Grooms	2,393	–	–	–	–	1	8	36	675
24	Brides	2,393	–	–	1	10	39	93	125	946
	Plymouth:									
25	Grooms	1,183	–	–	–	–	1	10	23	434
26	Brides	1,183	–	1	6	22	47	89	96	444
	Suffolk:									
27	Grooms	7,132	–	–	–	–	12	41	101	2,113
28	Brides	7,132	–	2	13	32	125	338	446	2,886
	Worcester:									
29	Grooms	3,650	–	–	–	–	5	41	68	1,364
30	Brides	3,650	–	8	11	49	85	215	333	1,548

AND IN CITIES HAVING OVER 100,000 INHABITANTS: 1936.

Line No.	Counties — Con.					Cities having over 100,000 inhabitants.								
	Nantucket.	Norfolk.	Plymouth.	Suffolk.	Worcester.	Boston.	Worcester.	Springfield.	Cambridge.	Fall River.	New Bedford.	Lynn.	Somerville.	Lowell.
1	**35**	**2,393**	**1,183**	**7,132**	**3,650**	**6,415**	**1,447**	**997**	**977**	**1,060**	**984**	**718**	**628**	**850**
2	1	129	50	400	168	365	74	47	42	67	42	35	36	43
3	3	144	73	505	215	445	89	61	56	67	70	46	35	57
4	–	84	51	266	82	247	34	27	25	17	20	18	17	15
5	2	179	87	506	254	459	101	70	90	103	69	62	48	67
6	3	168	86	464	295	396	103	77	56	94	72	40	33	71
7	3	410	163	1,044	541	937	212	154	165	125	145	94	89	122
8	2	165	112	565	332	504	142	60	71	95	93	72	63	57
9	5	233	126	639	348	548	134	90	79	72	68	84	58	67
10	7	249	134	789	467	716	175	113	132	147	148	86	87	99
11	3	294	152	789	393	718	168	134	126	104	113	77	69	118
12	3	182	91	708	407	655	150	112	85	124	105	69	59	100
13	3	156	58	457	148	425	65	52	50	45	39	35	34	34

Line No.	By Sex and Age: 1936.											
	25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 yrs. and over.
1	**10,390**	**4,638**	**2,258**	**1,246**	**726**	**446**	**319**	**240**	**132**	**75**	**25**	**8**
2	**7,813**	**2,845**	**1,365**	**753**	**506**	**280**	**170**	**93**	**76**	**22**	**5**	**–**
3	86	32	28	16	8	3	4	1	3	2	1	1
4	60	23	9	11	6	10	2	1	–	1	–	–
5	229	109	39	35	18	13	9	4	1	1	–	–
6	180	60	22	10	18	8	3	1	2	–	–	–
7	1,087	390	206	105	77	39	32	26	11	9	2	1
8	723	231	127	73	46	30	11	10	9	3	2	–
9	15	1	3	2	–	–	–	–	–	1	–	1
10	12	1	1	2	–	1	–	–	–	1	–	–
11	1,076	480	220	133	77	47	35	22	17	4	7	–
12	800	322	151	83	54	25	20	6	9	3	1	–
13	107	43	14	9	4	7	3	2	3	1	–	–
14	75	19	5	5	4	2	3	3	1	1	–	–
15	753	310	140	79	48	30	17	20	10	4	1	–
16	546	175	84	55	34	14	10	7	9	–	–	–
17	156	63	33	12	5	5	2	2	5	2	1	1
18	117	28	18	7	8	1	3	6	1	1	–	–
19	2,206	983	525	278	159	80	64	49	26	21	3	–
20	1,774	671	304	181	103	39	39	15	11	5	1	–
21	11	6	3	1	–	1	–	1	–	–	–	–
22	6	2	2	–	–	1	–	–	–	–	–	–
23	853	412	179	94	43	32	27	19	7	4	3	–
24	719	228	112	47	34	22	8	4	3	1	1	–
25	358	157	55	45	35	28	14	10	9	2	1	1
26	246	109	40	26	25	12	11	2	5	2	–	–
27	2,319	1,168	591	314	187	110	69	55	28	18	6	–
28	1,797	678	364	180	112	80	35	24	17	3	–	–
29	1,134	484	222	123	65	51	43	29	12	6	–	3
30	758	298	126	73	62	35	25	14	9	1	–	–

Table 48

MARRIAGES, BY SEX AND AGE: 1936.

Age of Grooms.	Age of brides. All ages.	Under 20.	20 to 24.	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 and over.
All Ages.	**31,985**	**5,061**	**12,996**	**7,813**	**2,845**	**1,365**	**753**	**506**	**280**	**170**	**93**	**76**	**22**	**5**	–
Under 20	785	568	200	14	2	–	1	–	–	–	–	–	–	–	–
20 to 24	10,697	3,399	6,234	978	72	12	2	–	–	–	–	–	–	–	–
25 to 29	10,390	867	5,003	3,837	588	82	12	1	–	–	–	–	–	–	–
30 to 34	4,638	167	1,143	1,959	1,083	227	42	14	3	–	–	–	–	–	–
35 to 39	2,258	42	317	706	636	418	108	26	3	1	–	1	–	–	–
40 to 44	1,246	8	74	229	294	320	219	80	16	6	–	–	–	–	–
45 to 49	726	7	20	62	105	183	171	129	31	14	3	1	–	–	–
50 to 54	446	2	1	13	37	68	106	100	78	28	8	4	–	1	–
55 to 59	319	1	2	7	18	31	59	82	66	38	10	5	–	–	–
60 to 64	240	–	2	8	8	14	20	43	53	42	27	20	2	1	–
65 to 69	132	–	–	–	2	10	10	19	18	22	24	24	3	–	–
70 to 74	75	–	–	–	–	–	3	10	7	13	19	13	9	1	–
75 to 79	25	–	–	–	–	–	–	1	5	4	1	6	6	2	–
80 and over	8	–	–	–	–	–	–	1	–	2	1	2	2	–	–

Table 49

FIRST MARRIAGES, BY SEX AND AGE: 1936.

Age of Grooms (Bachelors).	Age of brides (maids). All ages.	Under 20.	20 to 24.	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 and over.
All Ages.	**27,194**	**4,957**	**12,380**	**6,806**	**2,051**	**662**	**229**	**65**	**31**	**6**	**3**	**3**	–	**1**	–
Under 20	780	568	198	12	1	–	1	–	–	–	–	–	–	–	–
20 to 24	10,497	3385	6,148	899	57	8	–	–	–	–	–	–	–	–	–
25 to 29	9,750	830	4,795	3,583	492	46	4	–	–	–	–	–	–	–	–
30 to 34	3,812	138	979	1,687	852	135	18	1	2	–	–	–	–	–	–
35 to 39	1,490	29	212	498	451	247	50	3	–	–	–	–	–	–	–
40 to 44	554	6	39	110	145	148	83	16	6	1	–	–	–	–	–
45 to 49	188	1	9	14	37	56	43	22	6	–	–	–	–	–	–
50 to 54	70	–	–	1	11	16	19	10	10	3	–	–	–	–	–
55 to 59	36	–	–	1	5	3	9	11	5	1	1	–	–	–	–
60 to 64	8	–	–	1	–	1	1	1	2	–	2	–	–	–	–
65 to 69	8	–	–	–	–	2	1	1	–	1	–	3	–	–	–
70 to 74	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
75 to 79	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–
80 and over	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 50

FIRST MARRIAGES OF GROOMS AND REMARRIAGES OF BRIDES, BY AGE: 1936.

Age of Grooms (Bachelors).	Age of brides (widows).[1] All ages.	Under 20.	20 to 24.	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 and over.
All Ages.	**1,391**	**7**	**162**	**365**	**304**	**233**	**137**	**111**	**39**	**16**	**6**	**8**	**2**	**1**	–
Under 20	5	–	2	2	1	–	–	–	–	–	–	–	–	–	–
20 to 24	159	4	63	72	14	4	2	–	–	–	–	–	–	–	–
25 to 29	341	3	72	152	76	31	6	1	–	–	–	–	–	–	–
30 to 34	301	–	21	87	115	50	16	11	1	–	–	–	–	–	–
35 to 39	206	–	3	37	50	72	23	18	2	–	–	1	–	–	–
40 to 44	185	–	1	11	34	49	48	34	5	3	–	–	–	–	–
45 to 49	91	–	–	3	9	15	25	24	8	5	2	–	–	–	–
50 to 54	59	–	–	–	4	11	11	15	11	4	1	1	–	1	–
55 to 59	21	–	–	–	1	1	3	7	5	2	–	2	–	–	–
60 to 64	14	–	–	1	–	–	3	–	4	1	2	2	1	–	–
65 to 69	5	–	–	–	–	–	–	–	3	1	–	1	–	–	–
70 to 74	4	–	–	–	–	–	–	1	–	–	1	1	1	–	–
75 to 79	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
80 and over	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

[1] Includes divorced.

Table 51

REMARRIAGES OF GROOMS AND FIRST MARRIAGES OF BRIDES, BY AGE: 1936.

Age of Grooms (Widowers).[1]	Age of brides (maids). All ages.	Under 20.	20 to 24.	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 and over.
All Ages.	**1,906**	**97**	**419**	**503**	**302**	**254**	**141**	**97**	**58**	**19**	**10**	**4**	**1**	**1**	–
Under 20	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
20 to 24	33	10	18	4	1	–	–	–	–	–	–	–	–	–	–
25 to 29	261	34	129	84	11	2	1	–	–	–	–	–	–	–	–
30 to 34	401	29	132	144	72	24	–	–	–	–	–	–	–	–	–
35 to 39	392	13	95	137	81	50	14	2	–	–	–	–	–	–	–
40 to 44	289	2	30	82	69	66	30	9	1	–	–	–	–	–	–
45 to 49	205	6	10	32	37	63	35	17	4	1	–	–	–	–	–
50 to 54	108	2	1	10	13	23	24	22	12	1	–	–	–	–	–
55 to 59	91	1	2	5	10	14	25	17	13	3	1	–	–	–	–
60 to 64	71	–	2	5	6	8	8	16	16	7	1	2	–	–	–
65 to 69	33	–	–	–	2	4	4	10	7	3	3	–	–	–	–
70 to 74	15	–	–	–	–	–	–	3	2	3	5	2	–	–	–
75 to 79	6	–	–	–	–	–	–	–	3	1	–	–	1	1	–
80 and over	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–

[1] Includes divorced.

Table 52

REMARRIAGES OF BOTH PARTIES, BY AGE: 1936.

Age of Grooms (Widowers).[1]	Age of brides (widows).[1] All Ages.	Under 20.	20 to 24.	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 and over.
All Ages.	**1,494**	–	**35**	**139**	**188**	**216**	**246**	**233**	**152**	**129**	**74**	**61**	**19**	**2**	–
Under 20	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
20 to 24	8	–	5	3	–	–	–	–	–	–	–	–	–	–	–
25 to 29	38	–	7	18	9	3	1	–	–	–	–	–	–	–	–
30 to 34	124	–	11	41	44	18	8	2	–	–	–	–	–	–	–
35 to 39	170	–	7	34	54	49	21	3	1	1	–	–	–	–	–
40 to 44	218	–	4	26	46	57	58	21	4	2	–	–	–	–	–
45 to 49	242	–	1	13	22	49	68	66	13	8	1	1	–	–	–
50 to 54	209	–	–	2	9	18	52	53	45	20	7	3	–	–	–
55 to 59	171	–	–	1	2	13	22	47	43	32	8	3	–	–	–
60 to 64	147	–	–	1	2	5	8	26	31	34	22	16	1	1	–
65 to 69	86	–	–	–	–	4	5	8	8	17	21	20	3	–	–
70 to 74	56	–	–	–	–	–	3	6	5	10	13	10	8	1	–
75 to 79	18	–	–	–	–	–	–	1	2	3	1	6	5	–	–
80 and over	7	–	–	–	–	–	–	–	–	2	1	2	2	–	–

[1] Includes divorced

Table 53

FIRST MARRIAGES AND REMARRIAGES: 1936.

Grooms.	Brides. Total number of marriages	First marriage	Second marriage	Third marriage	Fourth marriage	Fifth marriage
Total Number	**31,085**	**29,100**	**2,692**	**183**	**9**	**1**
First marriage	28,585	27,194	1,331	58	2	–
Second marriage	3,170	1,824	1,248	92	5	1
Third marriage	211	77	104	28	2	–
Fourth marriage	19	5	9	5	–	–
Fifth marriage	–	–	–	–	–	–

Table 54

MARRIAGES, MARRIAGE RATES, AND NATIVITY OF PERSONS MARRIED: 1912 TO 1936.

Years.	Total Number.	Rates — Persons married per 1,000 population.		Nativity — Percentages.			
		Annual.	Five-year averages.	Bride and groom — both — Native.	Bride and groom — both — Foreign.	Native groom and foreign bride.	Foreign groom and native bride.
1912	30,898	17.6	17.7	43.5	36.2	9.6	10.6
1913	31,403	17.6		43.4	36.4	9.6	10.6
1914	32,588	17.9		44.4	36.4	9.2	10.0
1915	31,301	17.0		45.3	35.0	9.1	10.6
1916	34,386	18.2	18.1	47.0	33.3	9.3	10.3
1917	37,945	19.8		50.8	28.6	9.8	10.8
1918	29,163	14.9		52.3	26.6	9.8	11.3
1919	34,329	17.9		54.8	23.9	9.9	11.6
1920	38,048	19.7		56.8	21.7	9.8	11.7
1921	33,590	17.3	16.5	55.5	24.0	9.1	11.4
1922	32,683	16.6		57.3	21.5	9.3	11.9
1923	35,200	17.7		57.2	20.7	9.8	12.3
1924	32,080	16.0		57.4	20.0	9.6	13.0
1925	31,238	15.1		58.0	19.0	9.7	13.3
1926	30,584	14.5		59.2	17.6	9.8	13.4
1927	30,408	14.2		60.7	16.6	9.2	13.5
1928	29,082	13.4	13.8	62.3	14.7	9.2	13.8
1929	30,568	14.0		63.3	13.9	9.6	13.2
1930	27,431	12.9		65.4	12.6	9.0	13.0
1931	26,296	12.3		67.2	11.3	9.0	12.5
1932	22,817	10.6		68.8	10.1	8.6	12.5
1933	25,949	12.0	12.5	71.4	8.5	8.1	12.0
1934	30,241	13.9		74.0	7.3	7.7	11.0
1935	30,019	13.8		75.4	6.1	8.3	10.2
1936	31,985	13.7		76.7	6.3	7.3	9.7

Table 55

PROPORTIONS OF FIRST MARRIAGES AND REMARRIAGES PER 1,000 MARRIAGES: 1912 TO 1936.

Years.	Males.		Females.		Bachelors who married —		Widowers[1] who married —	
	Bachelors.	Widowers.[1]	Maids.	Widows.[1]	Maids.	Widows [1]	Maids.	Widows.[1]
1912	89.7	10.3	91.8	8.2	85.4	4.2	6.4	4.0
1913	89.5	10.5	91.7	8.3	85.4	4.1	6.3	4.2
1914	89.6	10.4	91.7	8.3	85.3	4.2	6.4	4.1
1915	89.6	10.4	91.7	8.3	85.3	4.2	6.4	4.1
1916	89.8	10.2	91.3	8.7	85.3	4.6	6.1	4.1
1917	89.8	10.2	90.9	9.1	84.9	4.9	6.0	4.2
1918	86.7	13.3	88.0	12.0	80.6	6.1	7.4	5.9
1919	85.9	14.1	88.0	12.0	80.2	5.7	7.9	6.2
1920	86.1	13.9	88.0	12.0	80.3	5.9	7.7	6.1
1921	85.2	14.8	87.3	12.7	79.2	6.0	8.1	6.7
1922	86.4	13.6	88.0	12.0	80.5	5.9	7.5	6.1
1923	86.9	13.1	88.4	11.6	81.2	5.7	7.2	5.9
1924	86.9	13.1	88.3	11.7	81.3	5.6	7.1	6.0
1925	87.4	12.6	88.8	11.2	82.1	5.4	6.7	5.8
1926	87.5	12.5	89.0	11.0	82.3	5.2	6.8	5.7
1927	87.6	12.4	89.1	10.9	82.5	5.1	6.6	5.8
1928	87.9	12.1	89.2	10.8	83.0	5.0	6.2	5.8
1929	87.8	12.2	89.8	10.2	83.2	4.5	6.6	5.7
1930	87.8	12.2	89.7	10.3	83.3	4.6	6.4	5.7
1931	87.6	12.4	89.5	10.5	82.7	4.8	6.8	5.7
1932	87.8	12.2	89.7	10.3	83.0	4.8	6.8	5.4
1933	88.6	11.4	90.7	9.3	84.3	4.3	6.4	5.0
1934	89.7	10.3	91.7	8.3	85.7	4.0	6.0	4.3
1935	90.1	9.9	91.3	8.7	85.8	4.3	5.5	4.4
1936	89.4	10.6	90.9	9.1	85.0	4.4	5.9	4.7

Includes divorced

Table 56

MARRIAGES AND MARRIAGE RATES IN THE STATE AND IN CITIES HAVING OVER 100,000 INHABITANTS IN 1935: 1912 TO 1936.

YEARS.	The State.	CITIES HAVING OVER 100,000 INHABITANTS IN 1935.								
		Boston.	Worcester.	Springfield.	Cambridge.	Fall River.	New Bedford.	Lynn.	Somerville.	Lowell
1912 . .	30,898	7,896	1,404	732	1,146	1,056	997	966	–	1,003
1913 . .	31,403	8,130	1,495	887	1,126	1,166	1,023	959	–	1,016
1914 . .	32,588	8,522	1,411	871	1,141	1,229	1,017	856	–	1,058
1915 . .	31,301	8,141	1,408	828	1,121	1,118	1,035	832	–	986
1916 . .	34,386	8,552	1,687	1,062	1,163	1,207	1,166	1,043	–	1,113
1917 . .	37,945	9,191	1,836	1,265	1,297	1,451	1,280	1,044	–	1,243
1918 . .	29,163	7,396	1,325	1,081	973	1,102	1,091	837	–	1,111
1919 . .	34,329	8,122	1,569	1,257	1,296	1,248	1,206	1,036	–	1,132
1920 . .	38,048	8,545	1,811	1,403	1,372	1,565	1,238	1,092	–	1,271
1921 . .	33,590	8,241	1,466	1,136	1,221	1,211	996	954	–	1,051
1922 . .	32,683	7,816	1,414	1,104	1,350	1,176	895	897	–	1,070
1923 . .	35,200	8,243	1,505	1,181	1,340	1,255	1,004	1,001	–	1,164
1924 . .	32,080	7,688	1,375	1,148	1,114	978	880	894	–	1,093
1925 . .	31,238	7,263	1,420	1,080	1,015	1,052	1,028	808	–	843
1926 . .	30,584	7,151	1,287	1,024	1,062	1,027	912	879	–	795
1927 . .	30,408	6,944	1,240	904	963	1,106	842	848	–	771
1928 . .	29,082	6,691	1,195	1,012	986	848	659	827	–	737
1929 . .	30,568	6,828	1,378	1,044	1,039	925	860	878	–	767
1930 . .	27,431	6,238	1,122	983	1,008	831	698	747	666	648
1931 . .	26,296	5,863	1,027	787	948	937	660	606	638	625
1932 . .	22,817	5,193	840	659	769	769	528	558	492	582
1933 . .	25,949	5,366	989	769	823	961	740	638	539	678
1934 . .	30,241	6,288	1,318	991	958	1,085	912	729	621	739
1935 . .	30,019	6,114	1,317	986	886	944	814	703	580	748
1936 . .	31,985	6,415	1,447	997	977	1,060	984	718	628	850
	MARRIAGE RATES — PERSONS MARRIED PER 1,000 POPULATION, CENSUS YEARS 1910 TO 1935.									
1910 . .	18.2	22.1	19.1	20.3	20.8	22.6	18.8	19.9	–	17.8
1915 . .	17.0	21.8	17.3	16.1	18.0	20.4	19.2	17.4	–	18.1
1920 . .	19.8	22.8	20.1	21.7	22.8	25.8	21.9	22.0	–	23.2
1925 . .	15.1	18.6	14.9	15.2	17.0	16.3	17.2	15.7	–	15.3
1930 . .	12.9	16.0	11.5	13.1	17.7	14.4	12.4	14.6	12.8	12.9
1935 . .	13.8	15.0	13.8	13.2	15.0	16.1	14.8	13.9	11.5	14.9

PART II. C.
DIVORCE STATISTICS

	PAGE
Introduction	226, 227
Causes for divorce	226
Source of data	226
Applications for divorce	226
Contested cases	226
Number of divorces	226
Divorce rates	226, 227
Party to which granted	227
Divorces classified by causes	227
Annulment classified as divorce	227
Duration of marriages	227
Statistical tables	228-246

INTRODUCTION.

Causes for Divorce. — Causes for which divorce from the bonds of matrimony may be granted in Massachusetts under the provisions of Chapter 208, Sections 1 and 2 of the General Laws, are as follows: —

1. Adultery.
2. Impotency.
3. Desertion for three consecutive years next prior to the filing of the libel.
4. Gross and confirmed habits of intoxication caused by the voluntary and excessive use of intoxicating liquor, opium or other drugs.
5. Cruel and abusive treatment.
6. Neglect to provide.
7. Sentence to imprisonment at hard labor for five years or more.

A marriage may be declared void in consequence of violation of the provisions of the laws concerning marriage; that is, a separation may be granted because of the demonstration of conditions obtaining at the time of, or previous to, the alleged marriage, which show that there never was a legal marriage.

Source of Data. — The statistics of divorce presented in this report are compiled from returns made to the Secretary of the Commonwealth annually by the clerks of courts and registers of probate for the several counties.

In Massachusetts there is no central record office for divorces, the statistics only being returned as stated above. The records remain with the clerks or registers.

Previous to 1922 the superior court only had jurisdiction in such matters. Under the provisions of General Laws, Tercentenary Edition, Chapter 208, the probate court now has concurrent jurisdiction with the superior court to hear libels for divorce and to determine the same in a similar manner.

Applications for Divorce. — The courts granted over 4 petitions out of every 5 filed. This proportion fluctuated considerably during the twenty-five years from 1912 to 1936, the highest proportion of applications being granted in 1924 (89.5 per cent), and the lowest proportion in 1929 (71.1 per cent). During this entire period 83.6 per cent of all applications were granted, .6 per cent were refused, and 15.8 per cent were dismissed.

Contested Cases. — Of the total number of applications for divorces during the twenty-five years from 1912 to 1936, only 19.5 per cent were contested. In 1936 of the 4,895 applications for divorce, only 1,441, or 29.4 per cent, were contested, and of the 4,311 divorces granted, 1,092, or 25.3 per cent, were contested. The proportion of contested cases is larger for divorces granted to the wife (25.6 per cent) than for those granted to the husband (24.4 per cent).

Number of Divorces. — Divorces granted in 1936 numbered 4,311, an increase of 230, or 5.3 per cent more than the number granted in 1935, and 690 more than the average number granted for the five-year period 1931 to 1935.

Divorce Rates. — The number of divorces granted per 100,000 population was 98.4, as compared with 93.8 in 1935, 84.0 in 1934, 74.3 in 1933 and 82.5 in 1932.

Divorce rates based on the married population, i.e., the number of divorces per 100,000 married population, are more significant than rates based upon the total population, because of the elimination of possible variations in the proportion married, and because of the fact that divorce can arise only among the married. Rates calculated in this manner are shown in Table 61, page 243, for the census

years 1905 to 1930. In this table the number of divorces shown for the census years 1905 to 1930 is not the actual number in that year, but the annual average for the five-year period of which the census year is the median. This method eliminates any peculiarities in the census year which may have affected divorce and makes the figures more typical of the period as a whole.

Party to Which Granted. — Over two-thirds (73.3 per cent) of the total number of divorces in the period 1912 to 1936 were granted to the wife. In other words, divorces obtained by the wife are more than twice as numerous as those obtained by the husband. It may be that husbands more often than wives give occasion for divorce but the difference may be partially explained by the fact that without any reference to the question of which party is the more frequently responsible for the marital unhappiness, the wife has more legal grounds for divorce than the husband, because certain well known and comparatively common grounds are more readily applicable against the husband than against the wife. For example, neglect to provide, a common legal cause for divorce on the part of the wife and cruelty, in so far as it is physical cruelty, are not ordinarily available grounds for a husband, although men are sometimes granted divorces on the ground of cruelty.

Moreover, where each party desires divorce, it is more likely that the wife, more often than the husband will make the application, since a cause for which the wife would be granted a divorce might reflect less favorably upon the parties than would a cause for which the husband might be granted a divorce.

The proportion of divorces granted to the wife fluctuated between 69.3 per cent in 1913, and 76.6 in 1935, as compared with 73.3 per cent for the entire period of 1912 to 1936.

Divorces Classified by Causes. — The statistics concerning the cause of divorce deal with the legal cause as ascertained from the court records. It should be borne in mind, however, that the cause for which a divorce is granted by the courts is not necessarily the underlying reason for the marital unhappiness, and that the value of statistics of divorce as an index to the actual causes is as a consequence impaired.

Divorces granted on the ground of desertion have nearly doubled in the twenty-five-year period 1912 to 1936, while the number of divorces granted for adultery has decreased slightly.

The most common ground on which divorce was granted by the courts was desertion, which accounted for 45.2 per cent of all the divorces granted in the period 1912 to 1936, for 38.9 per cent of all those granted to the husband in this period, and for 61.1 per cent of those granted to the wife.

The number and per cent of divorces granted for all causes, to the husband and to the wife, for the twenty-five-year period 1912 to 1936, are shown in Table 63, page 244.

Annulled Cases. — Among the less important classes of cases appears the term "Annulments." In 932 cases, or 1.2 per cent of the total number of divorces granted during the period 1912 to 1936, there was some cause shown which may have existed at the time of marriage. These cases form but a small proportion of all cases considered, and do not affect the results to any material degree.

Duration of Marriages. — The average number of years libellants were married at the time of application for divorce has fluctuated between 10.2 years in 1928 and 11.2 years in 1909. The average number of years the libellants were married in 1936 was 10.7.

Of the total libellants in Massachusetts for whom the number of years married was reported in 1936, 54.2 per cent made application for divorce before they had been married ten years, as compared with 55.5 in 1935, 55.9 in 1934, 57.2 in 1933, 55.5 in 1932 and 55.2 for the twenty-five-year period 1912 to 1936.

Table 57

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: 1936.

LIBELS AND LIBELLANTS.	CAUSES. All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	Annulments.
The State.	**4,895**[1]	**1,706**	**2,724**	**181**	**139**	**116**	**6**	**23**	**95**
Husband	1,343	725	466	131	17	–	4	–	33
Wife	3,552	981	2,258	50	122	116	2	23	62
Granted	4,311	1,575	2,321	153	134	101	4	23	79
Husband	1,037	627	285	108	14	–	3	–	27
Wife	3,274	948	2,036	45	120	101	1	23	52
Refused	43	14	28	1	–	–	–	–	4
Husband	28	11	16	1	–	–	–	–	1
Wife	15	3	12	–	–	–	–	–	3
Dismissed	541	117	375	27	5	15	2	–	12
Husband	278	87	165	22	3	–	1	–	5
Wife	263	30	210	5	2	15	1	–	7
Contested	1,441	297	1,027	65	34	14	3	1	14
Husband	472	165	249	47	9	–	2	–	11
Wife	969	132	778	18	25	14	1	1	3
Not contested	3,454	1,409	1,697	116	105	102	3	22	81
Husband	871	560	217	84	8	–	2	–	22
Wife	2,583	849	1,480	32	97	102	1	22	59
DURATION OF MARRIAGE.									
Less than 6 months	49	1	44	1	1	1	1	–	25
Husband	8	1	6	1	–	–	–	–	8
Wife	41	–	38	–	1	1	1	–	17
6 to 11 months	83	–	77	1	–	5	–	–	18
Husband	13	–	12	1	–	–	–	–	11
Wife	70	–	65	–	–	5	–	–	7
1 to 4 years	1,045	177	757	31	32	41	1	6	31
Husband	248	82	135	25	6	–	–	–	6
Wife	797	95	622	6	26	41	1	6	25
5 to 9 years	1,473	529	810	55	30	33	4	12	11
Husband	409	242	122	40	1	–	4	–	5
Wife	1,064	287	688	15	29	33	–	12	6
10 to 19 years	1,615	672	794	67	52	25	–	5	8
Husband	467	265	145	50	7	–	–	–	3
Wife	1,148	407	649	17	45	25	–	5	5
20 to 29 years	493	242	199	21	22	9	–	–	–
Husband	154	100	38	13	3	–	–	–	–
Wife	339	142	161	8	19	9	–	–	–
30 years and over	134	84	41	5	2	2	–	–	–
Husband	43	34	8	1	–	–	–	–	–
Wife	91	50	33	4	2	2	–	–	–
Unknown	3	1	2	–	–	–	–	–	2
Husband	1	1	–	–	–	–	–	–	–
Wife	2	–	2	–	–	–	–	–	2
Average number of years	10.7	13.4	9.2	11.3	8.8	8.3	5.5	7.0	2.9

Number of libels for divorce pending January 1, 1936 (including all cases, whether decrees *nisi* had been entered or not)	9,279
Number of libels for divorce pending January 1, 1936, in which decrees *nisi* had been entered at that date	1,853
Number of libels for divorce filed during the year 1936	6,004
Number of libels for divorce in which decrees *nisi* were entered during the year 1936	4,452
Number of cases in which *nisi* decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1936	4,475
Number of cases finally determined in 1936	11,967
Number of petitions for annulment in 1936	276

[1] Sixty-eight libels were received from the Superior Court; eleven thousand, eight hundred and ninety-nine from the Probate Court. Two libels transferred. Six libels discontinued. Seven thousand and sixty-four libels dismissed under Rule 43 of the Probate Court. One hundred and twenty-eight petitions for annulment dismissed under Rule 43 of the Probate Court.

Table 57a

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: **1936.**

LIBELS AND LIBELLANTS.	CAUSES.								Annulments.
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	
Barnstable County.	**64**[1]	**20**	**41**	**1**	–	**1**	**1**	–	–
Husband	19	10	7	1	–	–	1	–	–
Wife	45	10	34	–	–	1	–	–	–
Granted	60	20	37	1	–	1	1	–	–
Husband	17	10	5	1	–	–	1	–	–
Wife	43	10	32	–	–	1	–	–	–
Refused	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Dismissed	4	–	4	–	–	–	–	–	–
Husband	2	–	2	–	–	–	–	–	–
Wife	2	–	2	–	–	–	–	–	–
Contested	33	6	25	1	–	–	1	–	–
Husband	7	1	4	1	–	–	1	–	–
Wife	26	5	21	–	–	–	–	–	–
Not contested	31	14	16	–	–	1	–	–	–
Husband	12	9	3	–	–	–	–	–	–
Wife	19	5	13	–	–	1	–	–	–
DURATION OF MARRIAGE.									
Less than 6 months	2	–	2	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	2	–	2	–	–	–	–	–	–
6 to 11 months	2	–	2	–	–	–	–	–	–
Husband	1	–	1	–	–	–	–	–	–
Wife	1	–	1	–	–	–	–	–	–
1 to 4 years	18	6	10	1	–	1	–	–	–
Husband	5	2	2	1	–	–	–	–	–
Wife	13	4	8	–	–	1	–	–	–
5 to 9 years	16	6	9	–	–	–	1	–	–
Husband	7	5	1	–	–	–	1	–	–
Wife	9	1	8	–	–	–	–	–	–
10 to 19 years	17	5	12	–	–	–	–	–	–
Husband	5	3	2	–	–	–	–	–	–
Wife	12	2	10	–	–	–	–	–	–
20 to 29 years	7	2	5	–	–	–	–	–	–
Husband	1	–	1	–	–	–	–	–	–
Wife	6	2	4	–	–	–	–	–	–
30 years and over	2	1	1	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	2	1	1	–	–	–	–	–	–
Unknown	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Average number of years	10.4	11.2	10.4	1.3	–	2.4	8.8	–	–

Number of libels for divorce pending January 1, 1936 (including all cases, whether decrees *nisi* had been entered or not)	157
Number of libels for divorce pending January 1, 1936, in which decrees *nisi* had been entered at that date	43
Number of libels for divorce filed during the year 1936	79
Number of libels for divorce in which decrees *nisi* were entered during the year 1936	50
Number of cases in which *nisi* decrees had been entered (whether pending January 1, or since entered) which were finally disposed of during the year 1936	64
Number of cases finally determined in 1936	158
Number of petitions for annulment in 1936	–

[1] No libels were received from the Superior Court; one hundred and fifty-eight from the Probate Court. Ninety-four libels dismissed under Rule 43 of the Probate Court.

Table 57b

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: **1936.**

LIBELS AND LIBELLANTS.	CAUSES.								ANNULMENTS.
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	
Berkshire County.	**181**[1]	**51**	**92**	**11**	**6**	**21**	–	–	**14**
Husband	38	18	12	8	–	–	–	–	3
Wife	143	33	80	3	6	21	–	–	11
Granted	152	43	77	8	6	18	–	–	14
Husband	28	13	9	6	–	–	–	–	3
Wife	124	30	68	2	6	18	–	–	11
Refused	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Dismissed	29	8	15	3	–	3	–	–	–
Husband	10	5	3	2	–	–	–	–	–
Wife	19	3	12	1	–	3	–	–	–
Contested	8	–	6	2	–	–	–	–	–
Husband	3	–	2	1	–	–	–	–	–
Wife	5	–	4	1	–	–	–	–	–
Not contested	173	51	86	9	6	21	–	–	14
Husband	35	18	10	7	–	–	–	–	3
Wife	138	33	76	2	6	21	–	–	11
DURATION OF MARRIAGE.									
Less than 6 months	2	–	–	–	–	2	–	–	6
Husband	–	–	–	–	–	–	–	–	1
Wife	2	–	–	–	–	2	–	–	5
6 to 11 months	1	–	–	–	–	1	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	1	–	–	–	–	1	–	–	–
1 to 4 years	46	4	31	1	2	8	–	–	5
Husband	6	1	5	–	–	–	–	–	1
Wife	40	3	26	1	2	8	–	–	4
5 to 9 years	53	18	24	3	2	6	–	–	3
Husband	12	6	4	2	–	–	–	–	1
Wife	41	12	20	1	2	6	–	–	2
10 to 19 years	63	22	32	5	1	3	–	–	–
Husband	16	8	3	5	–	–	–	–	–
Wife	47	14	29	–	1	3	–	–	–
20 to 29 years	11	5	4	1	1	–	–	–	–
Husband	2	1	–	1	–	–	–	–	–
Wife	9	4	4	–	1	–	–	–	–
30 years and over	5	2	1	1	–	1	–	–	–
Husband	2	2	–	–	–	–	–	–	–
Wife	3	–	1	1	–	1	–	–	–
Unknown	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Average number of years	10.2	12.6	9.4	12.7	10.5	6.8	–	–	2.2

Number of libels for divorce pending January 1, 1936 (including all cases, whether decrees *nisi* had been entered or not)	340
Number of libels for divorce pending January 1, 1936, in which decrees *nisi* had been entered at that date	81
Number of libels for divorce filed during the year 1936	222
Number of libels for divorce in which decrees *nisi* were entered during the year 1936	167
Number of cases in which *nisi* decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1936	153
Number of cases finally determined in 1936	181
Number of petitions for annulment in 1936	14

[1] No libels were received from the Superior Court; one hundred and eighty-one from the Probate Court.

Table 57c

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: 1936.

LIBELS AND LIBELLANTS.	CAUSES.								Annulments.
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	
Bristol County.	**363**[1]	**159**	**149**	**21**	**9**	**24**	**1**	–	**5**
Husband	115	79	18	16	1	–	1	–	4
Wife	248	80	131	5	8	24	–	–	1
Granted	325	149	128	18	8	22	–	–	5
Husband	92	70	8	14	–	–	–	–	4
Wife	233	79	120	4	8	22	–	–	1
Refused	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Dismissed	38	10	21	3	1	2	1	–	–
Husband	23	9	10	2	1	–	1	–	–
Wife	15	1	11	1	–	2	–	–	–
Contested	40	12	23	2	2	–	1	–	1
Husband	22	11	7	2	1	–	1	–	1
Wife	18	1	16	–	1	–	–	–	–
Not contested	323	147	126	19	7	24	–	–	4
Husband	93	68	11	14	–	–	–	–	3
Wife	230	79	115	5	7	24	–	–	1
DURATION OF MARRIAGE.									
Less than 6 months	1	–	1	–	–	–	–	–	2
Husband	–	–	–	–	–	–	–	–	1
Wife	1	–	1	–	–	–	–	–	1
6 to 11 months	5	–	4	–	–	1	–	–	3
Husband	1	–	1	–	–	–	–	–	3
Wife	4	–	3	–	–	1	–	–	–
1 to 4 years	74	15	45	6	–	8	–	–	–
Husband	21	9	6	6	–	–	–	–	–
Wife	53	6	39	–	–	8	–	–	–
5 to 9 years	117	58	38	8	4	8	1	–	–
Husband	37	28	2	6	–	–	1	–	–
Wife	80	30	36	2	4	8	–	–	–
10 to 19 years	124	52	54	7	4	7	–	–	–
Husband	36	24	7	4	1	–	–	–	–
Wife	88	28	47	3	3	7	–	–	–
20 to 29 years	30	24	5	–	1	–	–	–	–
Husband	15	13	2	–	–	–	–	–	–
Wife	15	11	3	–	1	–	–	–	–
30 years and over	12	10	2	–	–	–	–	–	–
Husband	5	5	–	–	–	–	–	–	–
Wife	7	5	2	–	–	–	–	–	–
Unknown	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Average number of years	10.9	13.8	8.7	8.0	12.0	7.3	8.6	–	.4

Number of libels for divorce pending January 1, 1936 (including all cases, whether decrees *nisi* had been entered or not)	868
Number of libels for divorce pending January 1, 1936, in which decrees *nisi* had been entered at that date	133
Number of libels for divorce filed during the year 1936	467
Number of libels for divorce in which decrees *nisi* were entered during the year 1936	378
Number of cases in which *nisi* decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1936	330
Number of cases finally determined in 1936	870
Number of petitions for annulment in 1936	5

[1] No libels were received from the Superior Court; eight hundred and seventy from the Probate Court. Five hundred and seven libels dismissed under Rule 43 of the Probate Court.

Table 57d

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: 1936.

LIBELS AND LIBELLANTS.	CAUSES.								ANNULMENTS.
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	
Dukes County.	5	3	2	–	–	–	–	–	–
Husband	2	2	–	–	–	–	–	–	–
Wife	3	1	2	–	–	–	–	–	–
Granted	5	3	2	–	–	–	–	–	–
Husband	2	2	–	–	–	–	–	–	–
Wife	3	1	2	–	–	–	–	–	–
Refused	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Dismissed	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Contested	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Not contested	5	3	2	–	–	–	–	–	–
Husband	2	2	–	–	–	–	–	–	–
Wife	3	1	2	–	–	–	–	–	–
DURATION OF MARRIAGE.									
Less than 6 months	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
6 to 11 months	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
1 to 4 years	1	–	1	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	1	–	1	–	–	–	–	–	–
5 to 9 years	1	1	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	1	1	–	–	–	–	–	–	–
10 to 19 years	3	2	1	–	–	–	–	–	–
Husband	2	2	–	–	–	–	–	–	–
Wife	1	–	1	–	–	–	–	–	–
20 to 29 years	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
30 years and over	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Unknown	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Average number of years	11.8	13.7	9.0	–	–	–	–	–	–

Number of libels for divorce pending January 1, 1936 (including all cases, whether decrees *nisi* had been entered or not)	11
Number of libels for divorce pending January 1, 1936, in which decrees *nisi* had been entered at that date	2
Number of libels for divorce filed during the year 1936	11
Number of libels for divorce in which decrees *nisi* were entered during the year 1936	6
Number of cases in which *nisi* decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1936	5
Number of cases finally determined in 1936	6
Number of petitions for annulment in 1936	–

[1] No libels were received from the Superior Court; six from the Probate Court. One libel dismissed under Rule 43 of the Probate Court.

Table 57e

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: 1936.

LIBELS AND LIBELLANTS.	CAUSES.								ANNULMENTS.
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	
Essex County.	500	214	236	24	18	5	2	1	–
Husband	126	81	24	18	1	–	2	–	–
Wife	374	133	212	6	17	5	–	1	–
Granted	444	200	201	18	18	4	2	1	–
Husband	97	74	7	13	1	–	2	–	–
Wife	347	126	194	5	17	4	–	1	–
Refused	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Dismissed	56	14	35	6	–	1	–	–	–
Husband	29	7	17	5	–	–	–	–	–
Wife	27	7	18	1	–	1	–	–	–
Contested	74	14	48	11	1	–	–	–	–
Husband	32	9	16	7	–	–	–	–	–
Wife	42	5	32	4	1	–	–	–	–
Not contested	426	200	188	13	17	5	2	1	–
Husband	94	72	8	11	1	–	2	–	–
Wife	332	128	180	2	16	5	–	1	–
DURATION OF MARRIAGE.									
Less than 6 months	2	–	2	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	2	–	2	–	–	–	–	–	–
6 to 11 months	1	–	1	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	1	–	1	–	–	–	–	–	–
1 to 4 years	99	21	69	5	3	1	–	–	–
Husband	23	9	9	4	1	–	–	–	–
Wife	76	12	60	1	2	1	–	–	–
5 to 9 years	150	62	74	8	2	1	2	1	–
Husband	40	27	3	8	–	–	2	–	–
Wife	110	35	71	–	2	1	–	1	–
10 to 19 years	169	88	64	8	9	–	–	–	–
Husband	44	31	7	6	–	–	–	–	–
Wife	125	57	57	2	9	–	–	–	–
20 to 29 years	62	30	23	2	4	3	–	–	–
Husband	12	8	4	–	–	–	–	–	–
Wife	50	22	19	2	4	3	–	–	–
30 years and over	17	13	3	1	–	–	–	–	–
Husband	7	6	1	–	–	–	–	–	–
Wife	10	7	2	1	–	–	–	–	–
Unknown	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Average number of years	11.2	13.4	9.2	11.6	14.0	15.2	5.5	6.0	–

Number of libels for divorce pending January 1, 1936 (including all cases, whether decrees *nisi* had been entered or not)	662
Number of libels for divorce pending January 1, 1936, in which decrees *nisi* had been entered at that date	218
Number of libels for divorce filed during the year 1936	625
Number of libels for divorce in which decrees *nisi* were entered during the year 1936	493
Number of cases in which *nisi* decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1936	445
Number of cases finally determined in 1936	1,402
Number of petitions for annulment in 1936	–

[1] No libels were received from the Superior Court; one thousand, four hundred and two from the Probate Court. Nine hundred and two libels dismissed under Rule 43 of the Probate Court.

Table 57f

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: 1936.

LIBELS AND LIBELLANTS.	CAUSES.								Annulments.
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	
Franklin County.	**45**[1]	**18**	**15**	**4**	**2**	**6**	–	–	–
Husband	12	10	–	2	–	–	–	–	–
Wife	33	8	15	2	2	6	–	–	–
Granted	44	17	15	4	2	6	–	–	–
Husband	11	9	–	2	–	–	–	–	–
Wife	33	8	15	2	2	6	–	–	–
Refused	1	1	–	–	–	–	–	–	–
Husband	1	1	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Dismissed	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Contested	5	1	–	2	1	1	–	–	–
Husband	2	1	–	1	–	–	–	–	–
Wife	3	–	–	1	1	1	–	–	–
Not contested	40	17	15	2	1	5	–	–	–
Husband	10	9	–	1	–	–	–	–	–
Wife	30	8	15	1	1	5	–	–	–
DURATION OF MARRIAGE.									
Less than 6 months	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
6 to 11 months	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
1 to 4 years	6	1	3	–	1	1	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	6	1	3	–	1	1	–	–	–
5 to 9 years	13	6	4	1	–	2	–	–	–
Husband	3	3	–	–	–	–	–	–	–
Wife	10	3	4	1	–	2	–	–	–
10 to 19 years	18	6	6	3	1	2	–	–	–
Husband	6	4	–	2	–	–	–	–	–
Wife	12	2	6	1	1	2	–	–	–
20 to 29 years	7	4	2	–	–	1	–	–	–
Husband	2	2	–	–	–	–	–	–	–
Wife	5	2	2	–	–	1	–	–	–
30 years and over	1	1	–	–	–	–	–	–	–
Husband	1	1	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Unknown	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Average number of years	12.2	14.3	11.1	10.0	11.5	10.7	–	–	–

Number of libels for divorce pending January 1, 1936 (including all cases, whether decrees *nisi* had been entered or not)	112
Number of libels for divorce pending January 1, 1936, in which decrees *nisi* had been entered at that date	17
Number of libels for divorce filed during the year 1936	53
Number of libels for divorce in which decrees *nisi* were entered during the year 1936	32
Number of cases in which *nisi* decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1936	42
Number of cases finally determined in 1936	102
Number of petitions for annulment in 1936	–

[1] No libels were received from the Superior Court; one hundred and two from the Probate Court. Fifty-seven libels dismissed under Rule 43 of the Probate Court.

Table 57g

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: 1936.

LIBELS AND LIBELLANTS.	CAUSES.								Annulments.
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	
Hampden County.	**434**[1]	**157**	**246**	**18**	**9**	**2**	**1**	**1**	–
Husband	133	74	45	13	1	–	–	–	–
Wife	301	83	201	5	8	2	1	1	–
Granted	367	138	205	14	8	–	1	1	–
Husband	102	62	30	10	–	–	–	–	–
Wife	265	76	175	4	8	–	1	1	–
Refused	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Dismissed	67	19	41	4	1	2	–	–	–
Husband	31	12	15	3	1	–	–	–	–
Wife	36	7	26	1	–	2	–	–	–
Contested	146	29	107	7	2	1	–	–	–
Husband	44	12	26	6	–	–	–	–	–
Wife	102	17	81	1	2	1	–	–	–
Not contested	288	128	139	11	7	1	1	1	–
Husband	89	62	19	7	1	–	–	–	–
Wife	199	66	120	4	6	1	1	1	–
DURATION OF MARRIAGE.									
Less than 6 months	4	–	3	–	1	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	4	–	3	–	1	–	–	–	–
6 to 11 months	3	–	3	–	–	–	–	–	–
Husband	1	–	1	–	–	–	–	–	–
Wife	2	–	2	–	–	–	–	–	–
1 to 4 years	74	11	58	1	2	1	1	–	–
Husband	16	5	10	1	–	–	–	–	–
Wife	58	6	48	–	2	1	1	–	–
5 to 9 years	124	44	69	9	–	1	–	1	–
Husband	31	18	8	5	–	–	–	–	–
Wife	93	26	61	4	–	1	–	1	–
10 to 19 years	168	69	88	6	5	–	–	–	–
Husband	58	33	19	6	–	–	–	–	–
Wife	110	36	69	–	5	–	–	–	–
20 to 29 years	47	26	19	1	1	–	–	–	–
Husband	20	15	4	–	1	–	–	–	–
Wife	27	11	15	1	–	–	–	–	–
30 years and over	14	7	6	1	–	–	–	–	–
Husband	7	3	3	1	–	–	–	–	–
Wife	7	4	3	–	–	–	–	–	–
Unknown	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Average number of years	11.5	13.8	10.3	10.6	9.7	3.5	4.0	6.0	–

Number of libels for divorce pending January 1, 1936 (including all cases, whether decrees *nisi* had been entered or not)	420
Number of libels for divorce pending January 1, 1936, in which decrees *nisi* had been entered at that date	175
Number of libels for divorce filed during the year 1936	507
Number of libels for divorce in which decrees *nisi* were entered during the year 1936	389
Number of cases in which *nisi* decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1936	366
Number of cases finally determined in 1936	681
Number of petitions for annulment in 1936	–

[1] Twenty-four libels were received from the Superior Court; six hundred and fifty-seven from the Probate Court. Two hundred and forty-seven libels dismissed under Rule 43 of the Probate Court.

Table 57h

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: 1936.

LIBELS AND LIBELLANTS.	CAUSES.								ANNULMENTS.
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	
Hampshire County.	**40**[1]	**15**	**17**	**4**	**3**	–	–	**1**	**2**
Husband	12	6	2	4	–	–	–	–	1
Wife	28	9	15	–	3	–	–	1	1
Granted	37	15	15	3	3	–	–	1	2
Husband	10	6	1	3	–	–	–	–	1
Wife	27	9	14	–	3	–	–	1	1
Refused	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Dismissed	3	–	2	1	–	–	–	–	–
Husband	2	–	1	1	–	–	–	–	–
Wife	1	–	1	–	–	–	–	–	–
Contested	11	–	7	3	1	–	–	–	1
Husband	4	–	1	3	–	–	–	–	1
Wife	7	–	6	–	1	–	–	–	–
Not contested	29	15	10	1	2	–	–	1	1
Husband	8	6	1	1	–	–	–	–	–
Wife	21	9	9	–	2	–	–	1	1
DURATION OF MARRIAGE.									
Less than 6 months	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
6 to 11 months	1	–	1	–	–	–	–	–	1
Husband	–	–	–	–	–	–	–	–	1
Wife	1	–	1	–	–	–	–	–	–
1 to 4 years	5	1	3	–	–	–	–	1	1
Husband	–	–	–	–	–	–	–	–	–
Wife	5	1	3	–	–	–	–	1	1
5 to 9 years	14	5	7	1	1	–	–	–	–
Husband	4	2	1	1	–	–	–	–	–
Wife	10	3	6	–	1	–	–	–	–
10 to 19 years	13	6	4	2	1	–	–	–	–
Husband	7	4	1	2	–	–	–	–	–
Wife	6	2	3	–	1	–	–	–	–
20 to 29 years	5	1	2	1	1	–	–	–	–
Husband	1	–	–	1	–	–	–	–	–
Wife	4	1	2	–	1	–	–	–	–
30 years and over	2	2	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	2	2	–	–	–	–	–	–	–
Unknown	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Average number of years	11.7	13.9	9.3	13.5	14.7	–	–	4 6	2.5

Number of libels for divorce pending January 1, 1936 (including all cases, whether decrees *nisi* had been entered or not)	115
Number of libels for divorce pending January 1, 1936, in which decrees *nisi* had been entered at that date	23
Number of libels for divorce filed during the year 1936	51
Number of libels for divorce in which decrees *nisi* were entered during the year 1936	31
Number of cases in which *nisi* decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1936	36
Number of cases finally determined in 1936	112
Number of petitions for annulment in 1936	2

[1] Two libels were received from the Superior Court; one hundred and ten from the Probate Court. One libel transferred. Seventy-one libels dismissed under Rule 43 of the Probate Court.

Table 57i

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: 1936.

LIBELS AND LIBELLANTS.	CAUSES.								ANNULMENTS.
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	
Middlesex County.	**1,002**[1]	**309**	**626**	**27**	**23**	**8**	–	**9**	**19**
Husband	255	123	107	21	4	–	–	–	9
Wife	747	186	519	6	19	8	–	9	10
Granted	862	277	524	23	22	7	–	9	13
Husband	172	95	56	17	4	–	–	–	5
Wife	690	182	468	6	18	7	–	9	8
Refused	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Dismissed	140	32	102	4	1	1	–	–	6
Husband	83	28	51	4	–	–	–	–	4
Wife	57	4	51	–	1	1	–	–	2
Contested	386	84	280	12	10	–	–	–	5
Husband	115	45	59	9	2	–	–	–	4
Wife	271	39	221	3	8	–	–	–	1
Not contested	616	225	346	15	13	8	–	9	14
Husband	140	78	48	12	2	–	–	–	5
Wife	476	147	298	3	11	8	–	9	9
DURATION OF MARRIAGE.									
Less than 6 months	8	–	8	–	–	–	–	–	6
Husband	1	–	1	–	–	–	–	–	3
Wife	7	–	7	–	–	–	–	–	3
6 to 11 months	18	–	18	–	–	–	–	–	4
Husband	2	–	2	–	–	–	–	–	3
Wife	16	–	16	–	–	–	–	–	1
1 to 4 years	248	40	190	5	7	4	–	2	7
Husband	55	19	31	4	1	–	–	–	2
Wife	193	21	159	1	6	4	–	2	5
5 to 9 years	286	96	169	9	5	1	–	6	–
Husband	83	44	30	8	1	–	–	–	–
Wife	203	52	139	1	4	1	–	6	–
10 to 19 years	311	120	175	9	5	1	–	1	2
Husband	84	46	31	6	1	–	–	–	1
Wife	227	74	144	3	4	1	–	1	1
20 to 29 years	116	44	61	4	5	2	–	–	–
Husband	27	12	11	3	1	–	–	–	–
Wife	89	32	50	1	4	2	–	–	–
30 years and over	13	8	4	–	1	–	–	–	–
Husband	2	1	1	–	–	–	–	–	–
Wife	11	7	3	–	1	–	–	–	–
Unknown	2	1	1	–	–	–	–	–	–
Husband	1	1	–	–	–	–	–	–	–
Wife	1	–	1	–	–	–	–	–	–
Average number of years	10.4	11.0	9.4	10.9	12.4	9.2	–	7.1	2.3

Number of libels for divorce pending January 1, 1936 (including all cases, whether decrees *nisi* had been entered or not)	2,497
Number of libels for divorce pending January 1, 1936, in which decrees *nisi* had been entered at that date	334
Number of libels for divorce filed during the year 1936	1,207
Number of libels for divorce in which decrees *nisi* were entered during the year 1936	877
Number of cases in which *nisi* decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1936	862
Number of cases finally determined in 1936	2,436
Number of petitions for annulment in 1936	55

[1] One libel was received from the Superior Court; two thousand, four hundred and thirty-five from the Probate Court. One libel transferred. One thousand, four hundred and thirty-three libels dismissed under Rule 43 of the Probate Court. Thirty-six petitions for annulment dismissed under Rule 43 of the Probate Court.

Table 57j

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: 1936.

LIBELS AND LIBELLANTS.	CAUSES.								ANNULMENTS.
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	
Nantucket County.	3[1]	3	–	–	–	–	–	–	–
Husband	1	1	–	–	–	–	–	–	–
Wife	2	2	–	–	–	–	–	–	–
Granted	2	2	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	2	2	–	–	–	–	–	–	–
Refused	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Dismissed	1	1	–	–	–	–	–	–	–
Husband	1	1	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Contested	3	3	–	–	–	–	–	–	–
Husband	1	1	–	–	–	–	–	–	–
Wife	2	2	–	–	–	–	–	–	–
Not contested	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
DURATION OF MARRIAGE.									
Less than 6 months	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
6 to 11 months	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
1 to 4 years	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
5 to 9 years	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
10 to 19 years	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
20 to 29 years	1	1	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	1	1	–	–	–	–	–	–	–
30 years and over	2	2	–	–	–	–	–	–	–
Husband	1	1	–	–	–	–	–	–	–
Wife	1	1	–	–	–	–	–	–	–
Unknown	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Average number of years	34.7	34.7	–	–	–	–	–	–	–

Number of libels for divorce pending January 1, 1936 (including all cases, whether decrees *nisi* had been entered or not)	1
Number of libels for divorce pending January 1, 1936, in which decrees *nisi* had been entered at that date	3
Number of libels for divorce filed during the year 1936	5
Number of libels for divorce in which decrees *nisi* were entered during the year 1936	2
Number of cases in which *nisi* decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1936	2
Number of cases finally determined in 1936	3
Number of petitions for annulment in 1936	–

[1] No libels were received from the Superior Court; three from the Probate Court.

Table 57k

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: **1936.**

LIBELS AND LIBELLANTS.	CAUSES.								ANNULMENTS.
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	
Norfolk County.	**326**[1]	**95**	**214**	**8**	**4**	**3**	–	**2**	**5**
Husband	85	39	39	6	1	–	–	–	1
Wife	241	56	175	2	3	3	–	2	4
Granted	292	89	187	8	3	3	–	2	4
Husband	74	35	32	6	1	–	–	–	1
Wife	218	54	155	2	2	3	–	2	3
Refused	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Dismissed	34	6	27	–	1	–	–	–	1
Husband	11	4	7	–	–	–	–	–	–
Wife	23	2	20	–	1	–	–	–	1
Contested	149	29	113	4	2	1	–	–	–
Husband	36	15	18	2	1	–	–	–	–
Wife	113	14	95	2	1	1	–	–	–
Not contested	177	66	101	4	2	2	–	2	5
Husband	49	24	21	4	–	–	–	–	1
Wife	128	42	80	–	2	2	–	2	4
DURATION OF MARRIAGE.									
Less than 6 months	2	–	1	1	–	–	–	–	–
Husband	1	–	–	1	–	–	–	–	–
Wife	1	–	1	–	–	–	–	–	–
6 to 11 months	5	–	5	–	–	–	–	–	1
Husband	–	–	–	–	–	–	–	–	–
Wife	5	–	5	–	–	–	–	–	1
1 to 4 years	60	14	42	1	1	1	–	1	–
Husband	12	6	5	1	–	–	–	–	–
Wife	48	8	37	–	1	1	–	1	–
5 to 9 years	106	30	72	–	1	2	–	1	1
Husband	29	16	13	–	–	–	–	–	–
Wife	77	14	59	–	1	2	–	1	1
10 to 19 years	106	33	68	5	–	–	–	–	1
Husband	31	9	18	4	–	–	–	–	1
Wife	75	24	50	1	–	–	–	–	–
20 to 29 years	32	13	18	–	1	–	–	–	–
Husband	9	5	3	–	1	–	–	–	–
Wife	23	8	15	–	–	–	–	–	–
30 years and over	15	5	8	1	1	–	–	–	–
Husband	3	3	–	–	–	–	–	–	–
Wife	12	2	8	1	1	–	–	–	–
Unknown	–	–	–	–	–	–	–	–	2
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	2
Average number of years	10.7	13.2	10.8	14.5	18.0	7.3	–	5.5	4.0

Number of libels for divorce pending January 1, 1936 (including all cases, whether decrees *nisi* had been entered or not)	58
Number of libels for divorce pending January 1, 1936, in which decrees *nisi* had been entered at that date	131
Number of libels for divorce filed during the year 1936	412
Number of libels for divorce in which decrees *nisi* were entered during the year 1936	304
Number of cases in which *nisi* decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1936	433
Number of cases finally determined in 1936	716
Number of petitions for annulment in 1936	11

[1] Two libels were received from the Superior Court, seven hundred and fourteen from the Probate Court. Three hundred and ninety libels dismissed under Rule 43 of the Probate Court. Six petitions for annulment dismissed under Rule 43 of the Probate Court.

Table 571

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: 1936.

LIBELS AND LIBELLANTS.	CAUSES.								ANNULMENTS.
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	
Plymouth County.	**202**[1]	**66**	**113**	**7**	**15**	**1**	–	–	**3**
Husband	48	27	16	4	1	–	–	–	1
Wife	154	39	97	3	14	1	–	–	2
Granted	180	62	97	5	15	1	–	–	2
Husband	37	23	11	2	1	–	–	–	1
Wife	143	39	86	3	14	1	–	–	1
Refused	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Dismissed	22	4	16	2	–	–	–	–	1
Husband	11	4	5	2	–	–	–	–	–
Wife	11	–	11	–	–	–	–	–	1
Contested	40	11	25	1	3	–	–	–	–
Husband	11	5	5	1	–	–	–	–	–
Wife	29	6	20	–	3	–	–	–	–
Not contested	162	55	88	6	12	1	–	–	3
Husband	37	22	11	3	1	–	–	–	1
Wife	125	33	77	3	11	1	–	–	2
DURATION OF MARRIAGE.									
Less than 6 months	2	–	2	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	2	–	2	–	–	–	–	–	–
6 to 11 months	2	–	2	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	2	–	2	–	–	–	–	–	–
1 to 4 years	43	3	30	2	7	1	–	–	2
Husband	10	1	6	2	1	–	–	–	1
Wife	33	2	24	–	6	1	–	–	1
5 to 9 years	61	21	36	–	4	–	–	–	1
Husband	13	10	3	–	–	–	–	–	–
Wife	48	11	33	–	4	–	–	–	1
10 to 19 years	69	29	34	3	3	–	–	–	–
Husband	17	10	5	2	–	–	–	–	–
Wife	52	19	29	1	3	–	–	–	–
20 to 29 years	19	12	5	1	1	–	–	–	–
Husband	7	6	1	–	–	–	–	–	–
Wife	12	6	4	1	1	–	–	–	–
30 years and over	6	1	4	1	–	–	–	–	–
Husband	1	–	1	–	–	–	–	–	–
Wife	5	1	3	1	–	–	–	–	–
Unknown	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Average number of years	11.0	13.9	9.7	14.5	7.3	3.0	–	–	2.7

Number of libels for divorce pending January 1, 1936 (including all cases, whether decrees *nisi* had been entered or not)	414
Number of libels for divorce pending January 1, 1936, in which decrees *nisi* had been entered at that date	89
Number of libels for divorce filed during the year 1936	237
Number of libels for divorce in which decrees *nisi* were entered during the year 1936	183
Number of cases in which *nisi* decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1936	180
Number of cases finally determined in 1936	356
Number of petitions for annulment in 1936	5

[1] Thirty-four libels were received from the Superior Court; three hundred and twenty-two from the Probate Court. One hundred and fifty-four libels dismissed under Rule 43 of the Probate Court. Two petitions for annulment dismissed under Rule 43 of the Probate Court.

Table 57m

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: 1936.

LIBELS AND LIBELLANTS.	CAUSES.								ANNULMENTS.
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	
Suffolk County.	**1,252**[1]	**429**	**723**	**31**	**24**	**37**	**1**	**7**	**30**
Husband	356	177	153	22	4	–	–	–	7
Wife	896	252	570	9	20	37	1	7	23
Granted	1,121	401	627	29	23	34	–	7	24
Husband	279	156	100	20	3	–	–	–	6
Wife	842	245	527	9	20	34	–	7	18
Refused	42	13	28	1	–	–	–	–	4
Husband	27	10	16	1	–	–	–	–	1
Wife	15	3	12	–	–	–	–	–	3
Dismissed	89	15	68	1	1	3	1	–	2
Husband	50	11	37	1	1	–	–	–	–
Wife	39	4	31	–	–	3	1	–	2
Contested	367	70	275	10	5	5	1	1	3
Husband	136	40	86	8	2	–	–	–	1
Wife	231	30	189	2	3	5	1	1	2
Not contested	885	359	448	21	19	32	–	6	27
Husband	220	137	67	14	2	–	–	–	6
Wife	665	222	381	7	17	32	–	6	21
DURATION OF MARRIAGE.									
Less than 6 months	21	1	19	–	–	–	1	–	6
Husband	2	1	1	–	–	–	–	–	–
Wife	19	–	18	–	–	–	1	–	6
6 to 11 months	30	–	27	1	–	2	–	–	7
Husband	7	–	6	1	–	–	–	–	2
Wife	23	–	21	–	–	2	–	–	5
1 to 4 years	281	44	212	4	6	14	–	1	12
Husband	75	22	49	2	2	–	–	–	2
Wife	206	22	163	2	4	14	–	1	10
5 to 9 years	386	127	233	8	6	9	–	3	4
Husband	107	54	47	6	–	–	–	–	2
Wife	279	73	186	2	6	9	–	3	2
10 to 19 years	388	177	179	10	10	9	–	3	1
Husband	110	64	38	6	2	–	–	–	1
Wife	278	113	141	4	8	9	–	3	–
20 to 29 years	113	57	44	8	2	2	–	–	–
Husband	44	27	10	7	–	–	–	–	–
Wife	69	30	34	1	2	2	–	–	–
30 years and over	33	23	9	–	–	1	–	–	–
Husband	11	9	2	–	–	–	–	–	–
Wife	22	14	7	–	–	1		–	–
Unknown	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Average number of years	10.3	13.6	8.5	12.8	10.0	8.3	.2	8.1	3.7

Number of libels for divorce pending January 1, 1936 (including all cases, whether decrees *nisi* had been entered or not)	1,772
Number of libels for divorce pending January 1, 1936, in which decrees *nisi* had been entered at that date	396
Number of libels for divorce filed during the year 1936	1,509
Number of libels for divorce in which decrees *nisi* were entered during the year 1936	1,077
Number of cases in which *nisi* decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1936	1,122
Number of cases finally determined in 1936	3,690
Number of petitions for annulment in 1936	114

[1] Four libels were received from the Superior Court; three thousand, six hundred and eighty-six from the Probate Court. Two thousand, four hundred and thirty-eight libels dismissed under Rule 43 of the Probate Court. Eighty-four petitions for annulment dismissed under Rule 43 of the Probate Court.

Table 57n

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: 1936.

LIBELS AND LIBELLANTS.	CAUSES.								ANNULMENTS.
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	
Worcester County.	**478**[1]	**167**	**250**	**25**	**26**	**8**	–	**2**	**17**
Husband	141	78	43	16	4	–	–	–	7
Wife	337	89	207	9	22	8	–	2	10
Granted	420	159	206	22	26	5	–	2	15
Husband	116	72	26	14	4	–	–	–	6
Wife	304	87	180	8	22	5	–	2	9
Refused	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Dismissed	58	8	44	3	–	3	–	–	2
Husband	25	6	17	2	–	–	–	–	1
Wife	33	2	27	1	–	3	–	–	1
Contested	179	38	118	10	7	6	–	–	4
Husband	59	25	25	6	3	–	–	–	4
Wife	120	13	93	4	4	6	–	–	–
Not contested	299	129	132	15	19	2	–	2	13
Husband	82	53	18	10	1	–	–	–	3
Wife	217	76	114	5	18	2	–	2	10
DURATION OF MARRIAGE.									
Less than 6 months	6	–	6	–	–	–	–	–	5
Husband	4	–	4	–	–	–	–	–	3
Wife	2	–	2	–	–	–	–	–	2
6 to 11 months	14	–	14	–	–	–	–	–	2
Husband	1	–	1	–	–	–	–	–	2
Wife	13	–	13	–	–	–	–	–	–
1 to 4 years	90	17	63	5	3	1	–	1	5
Husband	25	8	12	4	1	–	–	–	–
Wife	65	9	51	1	2	1	–	1	5
5 to 9 years	146	55	75	8	5	3	–	–	4
Husband	43	29	10	4	–	–	–	–	2
Wife	103	26	65	4	5	3	–	–	2
10 to 19 years	166	63	77	9	13	3	–	1	1
Husband	51	27	14	7	3	–	–	–	–
Wife	115	36	63	2	10	3	–	1	1
20 to 29 years	43	23	11	3	5	1	–	–	–
Husband	14	11	2	1	–	–	–	–	–
Wife	29	12	9	2	5	1	–	–	–
30 years and over	12	9	3	–	–	–	–	–	–
Husband	3	3	–	–	–	–	–	–	–
Wife	9	6	3	–	–	–	–	–	–
Unknown	1	–	1	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	1	–	1	–	–	–	–	–	–
Average number of years	10.7	13.3	8.7	10.6	13.8	11.9	–	6.5	3.7

Number of libels for divorce pending January 1, 1936 (including all cases, whether decrees *nisi* had been entered or not)	1,325
Number of libels for divorce pending January 1, 1936, in which decrees *nisi* had been entered at that date	203
Number of libels for divorce filed during the year 1936	619
Number of libels for divorce in which decrees *nisi* were entered during the year 1936	463
Number of cases in which *nisi* decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1936	435
Number of cases finally determined in 1936	1,254
Number of petitions for annulment in 1936	17

[1] One libel was received from the Superior Court; one thousand, two hundred and fifty-three from the Probate Court. Six libels discontinued. Seven hundred and seventy libels dismissed under Rule 43 of the Probate Court.

Table 58

Years.	Divorces Granted: 1912 to 1936.				
	Total number.	Granted to husband.		Granted to wife.	
		Number.	Per cent.	Number.	Per cent.
1912 to 1936	**80,142**	**21,417**	**26.7**	**58,725**	**73 3**
1912	1,927	557	28.9	1,370	71.1
1913	2,126	653	30.7	1,473	69.3
1914	2,200	591	26.9	1,609	73.1
1915	2,252	632	28.1	1,620	71.9
1916	2,301	650	28.2	1,651	71.8
1917	2,635	771	29.3	1,864	70.7
1918	2,351	704	29.9	1,647	70.1
1919	2,536	754	29.7	1,782	70.3
1920	3,647	1,061	29.1	2,586	70.9
1921	3,803	1,081	28.4	2,722	71.6
1922	3,277	869	26.5	2,408	73.5
1923	3,593	972	27.1	2,621	72.9
1924	3,845	1,074	27.9	2,771	72.1
1925	3,395	910	26.8	2,485	73.2
1926	3,363	908	27.0	2,455	73.0
1927	3,493	895	25.6	2,598	74.4
1928	3,663	939	25.6	2,724	74.4
1929	3,574	925	25.9	2,649	74.1
1930	3,746	988	26.4	2,758	73.6
1931	3,625	894	24.7	2,731	75.3
1932	3,543	938	26.5	2,605	73.5
1933	3,210	801	25.0	2,409	75.0
1934	3,645	858	23.5	2,787	76.5
1935	4,081	955	23.4	3,126	76.6
1936	4,311	1,037	24.1	3,274	75.9

Table 59

Period of Years.	Divorces Granted: 1910 to 1934.			Per cent increase in total population over preceding census.
	Total number.	Increase over preceding period.		
		Number.	Per cent.	
1910 to 1914	10,319	1,576	18.0	8.2
1915 to 1919	12,075	1,756	17.0	3.9
1920 to 1924	18,165	6,090	50.4	3.9
1925 to 1929	17,488	677 [1]	3.7 [1]	.2 [1]
1930 to 1934	17,769	281	1.6	.1

[1] Decrease.

Table 60

Census Years.	Comparison of Increase in Divorce with Increase in Population: 1910 to 1935.							
	Divorces.			Population.			Population to one divorce.	Divorces per 100,000 population.
	Total number.	Increase over preceding census year.		Total.	Increase over preceding census year.			
		Number.	Per cent.		Number.	Per cent.		
1910	1,929	375	24.1	3,366,416	362,736	12.1	1,745	57.3
1915	2,252	323	16.7	3,693,310	326,894	9.7	1,640	61.0
1920	3,647	1,395	61.9	3,852,356	159,046	4.3	1,056	94.7
1925	3,395	252 [1]	6.9 [1]	4,144,205	291,849	7.6	1,221	81.9
1930	3,746	351	10.3	4,249.614	105,409	2.5	1,134	88.1
1935	4,081	335	8.9	4,350,910	101,296	2.4	1,066	93.8

[1] Decrease.

Table 61

Census Years.	Divorce Rates based on Total Population and on Married Population: Census Years, 1905 to 1930.					
	Population.		Divorce: annual average. [1]		Married population to one divorce.	Divorces per 100,000 married population.
	Total.	Married. [2]	Number.	Per 100,000 population.		
1905	3,003,680	1,134,320	1,731	58	655	153
1910	3,366,416	1,300,271	1,900	56	684	146
1915	3,693,310	1,474,590	2,303	62	640	156
1920	3,852,356	1,534,584	3,123	81	491	204
1925	4,144,205	–	3,538	83	–	–
1930	4,249,614	1,740,235	3,630	85	479	209

[1] For the five-year period of which the census year is the median year.
[2] Married population for 1925 not available.

Table 62

Counties.	Annual Average[1] Number of Divorces in the State and in Each County: Census Years 1910 to 1930.				
	Number.				
	1930.	1925.	1920.	1915.	1910.
The State.	**4,433**	**4,064**	**3,123**	**2,303**	**1,900**
Barnstable	44	36	22	22	16
Berkshire	128	141	84	65	57
Bristol	348	321	262	184	140
Dukes	7	4	5	3	2
Essex	511	496	416	304	268
Franklin	40	42	39	28	27
Hampden	360	332	247	172	130
Hampshire	44	34	29	22	22
Middlesex	909	761	491	388	311
Nantucket	3	5	2	1	1
Norfolk	260	186	118	86	75
Plymouth	167	160	150	122	108
Suffolk	1,163	1,129	974	696	544
Worcester	449	417	284	209	200

[1] For the five-year period of which the census year is the median year.

Table 63

Statutory Causes.	Divorces Granted for Specified Causes for 25 Years: 1912 to 1936.								
	Total.			Granted to husband.			Granted to wife.		
	Number.	Per cent.	Per cent distribution.	Number.	Per cent.	Per cent distribution.	Number.	Per cent.	Per cent distribution.
All Causes.	**79,534[1]**	**100.0**	**100.0**	**21,175**	**26.6**	**100.0**	**58,359**	**73.4**	**100.0**
Desertion	35,972	100.0	45.2	14,000	38.9	66.1	21,972	61.1	37.6
Adultery	5,817	100.0	7.3	3,623	62.3	17.1	2,194	37.7	3.8
Cruel and abusive treatment	31,134	100.0	39.2	2,932	9.4	13.9	28,202	90.6	48.3
Intoxication	3,897	100.0	4.9	568	14.6	2.7	3,329	85.4	5.7
Non-support	2,316	100.0	2.9	–	–	–	2,316	100.0	4.0
Imprisonment	230	100.0	.3	4	1.7	–[2]	226	98.3	.4
Impotency	168	100.0	.2	48	28.6	.2	120	71.4	.2

[1] 932 Annulments not included.

[2] Less than one-tenth of one per cent.

Table 64

Years Divorces were granted.	Statutory Causes of Divorce: 1912 to 1936.								
	All causes.	Desertion.	Adultery.	Cruel and abusive treatment.	Intoxication.	Non-support.	Imprisonment.	Impotency.	Annulments.
1912	1,927	946	219	474	214	44	6	4	20
1913	2,126	1,002	259	501	260	79	4	4	17
1914	2,200	1,095	224	525	244	83	5	4	20
1915	2,252	1,124	235	571	214	72	4	11	21
1916	2,301	1,157	234	644	193	43	9	5	16
1917	2,635	1,345	268	687	236	68	5	5	21
1918	2,351	1,191	249	619	195	65	2	7	23
1919	2,536	1,328	228	748	158	45	3	5	21
1920	3,647	1,887	394	1,093	156	68	5	11	33
1921	3,803	1,970	356	1,242	117	71	4	11	32
1922	3,277	1,574	280	1,229	90	64	5	7	28
1923	3,593	1,622	271	1,442	123	87	9	9	30
1924	3,845	1,776	271	1,424	171	157	6	8	32
1925	3,395	1,558	240	1,272	146	111	11	9	48
1926	3,363	1,539	232	1,220	164	154	4	6	44
1927	3,493	1,580	254	1,363	123	119	9	5	40
1928	3,663	1,625	254	1,463	146	112	17	3	43
1929	3,574	1,482	222	1,555	138	114	11	12	40
1930	3,746	1,581	235	1,647	126	100	6	10	41
1931	3,625	1,488	183	1,675	112	114	8	7	38
1932	3,543	1,421	172	1,686	131	104	19	10	56
1933	3,210	1,212	146	1,632	91	110	14	5	61
1934	3,645	1,367	105	1,952	93	105	22	1	58
1935	4,081	1,527	133	2,149	122	126	19	5	70
1936	4,311	1,575	153	2,321	134	101	23	4	79

Table 65

Years of Application.	Applications for Divorce: 1912 to 1936.											
	Total.	Granted.		Refused.		Dismissed.		Contested.		Not contested.	
		Number.	Per cent.	Number.	Per cent.	Number.	Per cent.	Number.	Per cent.	Number.	Per cent.
1912 to 1936	**95,861**	**80,142**	**83.6**	**609**	**.6**	**15,110**	**15.8**	**18,696**	**19.5**	**77,165**	**80.5**
1912	2,532	1,927	76.1	12	.5	593	23.4	259	10.2	2,273	90.0
1913	2,640	2,126	80.5	30	1.1	484	18.3	237	9.0	2,403	91.0
1914	2,964	2,200	74.2	25	.8	739	24.9	267	9.0	2,697	91.0
1915	2,728	2,252	82.6	–	–	476	17.4	203	7.4	2,525	92.6
1916	2,789	2,301	82.5	23	.8	465	16.7	193	6.9	2,596	93.1
1917	3,221	2,635	81.8	24	.7	562	17.5	258	8.0	2,963	92.0
1918	3,077	2,351	76.4	31	1.0	695	22.6	366	11.9	2,711	88.1
1919	3,121	2,536	81.2	33	1.1	552	17.7	388	12.4	2,733	87.6
1920	4,376	3,647	83.3	33	.8	696	15.9	392	9.0	3,984	91.0
1921	4,556	3,803	83.5	38	.8	715	15.7	402	8.8	4,154	91.2
1922	3,733	3,277	87.8	28	.7	428	11.5	328	8.8	3,405	91.2
1923	4,116	3,593	87.3	42	1.0	481	11.7	508	12.3	3,608	87.7
1924	4,294	3,845	89.5	32	.7	417	9.7	895	20.8	3,399	79.1
1925	3,887	3,395	87.4	33	.8	459	11.8	923	23.7	2,964	76.3
1926	4,044	3,363	83.2	23	.6	658	16.2	919	22.7	3,125	77.3
1927	4,026	3,493	86.7	34	.8	499	12.5	1,044	26.0	2,982	74.0
1928	4,180	3,663	87.6	55	1.3	462	11.1	1,048	25.1	3,132	74.9
1929	5,028	3,574	71.1	40	.8	1,414	28.1	1,308	26.0	3,720	74.0
1930	4,560	3,746	82.1	12	.3	802	17.6	1,209	26.5	3,351	73.5
1931	4,303	3,625	84.2	4	.1	674	15.7	1,282	29.8	3,021	70.2
1932	4,095	3,543	86.5	7	.2	545	13.3	1,179	28.8	2,916	71.2
1933	3,731	3,210	86.0	3	.1	518	13.9	1,093	29.3	2,638	70.7
1934	4,238	3,645	86.0	1	–[1]	592	14.0	1,237	29.2	3,001	70.8
1935	4,727	4,081	86.3	3	.1	643	13.6	1,317	27.9	3,410	72.1
1936	4,895	4,311	88.1	43	.9	541	11.0	1,441	29.4	3,454	70.6

[1] Less than one-tenth of one per cent.

Table 66

Statutory Cause and Party to which Granted.	Divorces Granted classified by Statutory Cause and Party to which Granted: 1936.				
	Total Number.	Cases Contested.		Cases not Contested.	
		Number.	Per cent.	Number.	Per cent.
All Causes.	**4,311**	**1,092**	**25.3**	**3,219**	**74.7**
Husband	1,037	253	24.4	784	75.6
Wife	3,274	839	25.6	2,435	74.4
Desertion	1,575	220	14.0	1,355	86.0
Husband	627	97	15.5	530	84.5
Wife	948	123	13.0	825	87.0
Cruel and abusive treatment	2,321	780	33.6	1,541	66.4
Husband	285	116	40.7	169	59.3
Wife	2,036	664	32.6	1,372	67.4
Adultery	153	47	30.7	106	69.3
Husband	108	32	29.6	76	70.4
Wife	45	15	33.3	30	66.7
Intoxication	134	32	23.9	102	76.1
Husband	14	7	50.0	7	50.0
Wife	120	25	20.8	95	79.2
Non-support	101	11	10.9	90	89.1
Husband	–	–	–[1]	–	–[1]
Wife	101	11	10.9	90	89.1
Impotency	4	1	–[1]	3	–[1]
Husband	3	1	–[1]	2	–[1]
Wife	1	–	–[1]	1	–[1]
Imprisonment	23	1	–[1]	22	–[1]
Husband	–	–	–[1]	–	–[1]
Wife	23	1	–[1]	22	–[1]
Annulments	79	7	–[1]	72	–[1]
Husband	27	6	–[1]	21	–[1]
Wife	52	1	–[1]	51	–[1]

[1] Per cent not shown where the base is less than 100.

Table 67

Party to which Granted.	Libels for Divorce Granted and Not Granted, Contested and Not Contested, classified by Party to which Granted: 1936.							
	Total.		Granted.		Refused.		Dismissed.	
	Contested.	Not contested.	Contested.	Not contested.	Contested.	Not contested.	Contested.	Not contested.
Total.	**1,441**	**3,454**	**1,092**	**3,219**	**42**	**1**	**307**	**234**
Husband	472	871	253	784	27	1	192	86
Wife.	969	2,583	839	2,435	15	–	115	148

Table 68

Years of Application.	Number of Years Libellants were Married at Time of Application for Divorce: 1912 to 1936.								
	Total.[1]	Under 6 months.	6 to 11 months.	1 to 4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 years and over.	Average.
1912 . . .	2,532	3	21	501	820	823	304	60	10.5
1913 . . .	2,640	23	23	479	835	891	318	71	11.2
1914 . . .	2,963	20	1	809	910	850	307	66	10.9
1915 . . .	2,728	20	23	437	946	940	280	82	10.7
1916 . . .	2,789	20	32	548	917	887	316	69	10.6
1917 . . .	3,220	13	49	585	1,026	1,079	375	93	10.9
1918 . . .	3,077	26	41	567	937	1,035	382	89	11.1
1919 . . .	3,117	35	37	551	925	1,104	374	91	10.9
1920 . . .	4,373	43	48	939	1,370	1,431	430	112	10.7
1921 . . .	4,555	39	79	968	1,392	1,425	511	141	10.9
1922 . . .	3,727	40	57	841	1,073	1,190	405	121	10.9
1923 . . .	4,116	45	80	1,027	1,166	1,276	418	102	10.4
1924 . . .	4,286	41	71	990	1,287	1,351	456	90	10.6
1925 . . .	3,883	45	72	919	1,181	1,154	391	121	10.7
1926 . . .	4,044	44	67	979	1,225	1,195	430	104	10.6
1927 . . .	4,026	41	63	900	1,305	1,213	402	99	10.7
1928 . . .	4,180	40	79	975	1,371	1,232	385	98	10.2
1929 . . .	5,028	56	86	1,139	1,531	1,549	509	153	10.7
1930 . . .	4,560	55	75	1,070	1,403	1,346	493	116	10.6
1931 . . .	4,301	51	78	1,026	1,270	1,313	444	119	10.6
1932 . . .	4,094	43	76	941	1,214	1,306	433	81	10.5
1933 . . .	3,731	25	66	881	1,162	1,135	383	79	10.4
1934 . . .	4,238	32	74	960	1,280	1,336	456	100	10.6
1935 . . .	4,726	52	81	1,054	1,436	1,517	478	108	10.6
1936 . . .	4,892	49	83	1,045	1,473	1,615	493	134	10.7

[1] Exclusive of those for which duration of marriage was unknown.

PART II. D.

POPULATION STATISTICS

PAGE
Introductory 247
Estimated population 247
Statistical table 248

Introductory. — All vital statistics are based upon the population. The number of births, marriages, divorces and deaths is expressed in relation to the population, usually as rates giving the number occurring during the calendar year per 1,000 inhabitants or group of inhabitants, such as age groups, sex, nativity, race, marital condition, and occupation groups.

Information regarding population is obtained by a census enumeration, and in Massachusetts these enumerations are made every five years. The statistics for 1936 in this report are based on the Federal census taken as of April 1, 1930, and the State census taken as of January 1, 1935.

The population of any community or State is continually changing, in most cases increasing, and for this reason it becomes necessary to make estimates of the population for the periods between the census enumerations upon which to base rates for the various vital events, and especially for the accurate computation and expression of birth, marriage, divorce, and death rates. Such estimates are necessary for all dates except those on which the census enumerations are made, and are in all cases preferable to a repetition of the census returns for a certain year.

For non-census years the statistical tables in this book are based upon the estimated population as determined by the arithmetical method, which assumes a constant amount of increase between the census years.

Estimated Population. — The method of calculating estimates of population for the intercensal years is shown in the following example:

Massachusetts had a population of 4,350,910 at the State census of 1935 (January 1), and of 4,249,614 at the Federal census of 1930 (April 1). The increase during the intercensal period (57 months) was 101,296, and the monthly increase according to the arithmetical method of estimating population, was —

$$\frac{4{,}350{,}910 - 4{,}249{,}614}{57} = 1{,}777$$

The same annual increase is also assumed to occur until the next census shall have been taken. The population for June 30, 1936, is estimated by adding to the population as it existed at the preceding census (January 1, 1935), 1777 for each month intervening between the date of enumeration and the date for which the estimate is desired (June 30, 1936). There being 18 months between these dates, the calculation would be

$$4{,}350{,}910 + (18 \times 1777) = 4{,}382{,}896.$$

The census population for each municipality in the Commonwealth having over 15,000 inhabitants in 1935 is shown on page 248.

Table 69

Municipalities.	Census Population of Municipalities having over 15,000 Inhabitants in 1935: 1910 to 1935.					
	January 1, 1935.	April 1, 1930.	March 31, 1925.	January 1, 1920.	April 1, 1915.	April 15, 1910.
The State	**4,550,910**	**4,249,614**	**4,144,205**	**3,852,356**	**3,693,310**	**3,366,416**
Cities over 100,000.						
Boston[1]	817,713	781,188	779,620	748,060	745,439	670,585
Worcester	190,471	195,311	190,757	179,754	162,697	145,986
Springfield	149,642	149,900	142,065	129,614	102,971	88,926
Cambridge	118,075	113,643	119,669	109,694	108,822	104,839
Fall River	117,414	115,274	128,993	120,485	124,791	119,295
New Bedford	110,022	112,597	119,539	121,217	109,568	96,652
Lynn	100,909	102,320	103,081	99,148	95,803	89,336
Somerville	100,773	103,908	99,032	93,091	86,854	77,236
Lowell	100,114	100,234	110,296	112,759	107,978	106,294
50,000 to 100,000.						
Lawrence	86,785	85,068	93,527	94,270	90,259	85,892
Quincy	76,909	71,983	60,055	47,876	40,674	32,642
Newton	66,144	65,276	53,003	46,054	43,113	39,806
Brockton	62,407	63,797	65,343	66,254	62,288	56,878
Medford	61,444	59,714	47,627	39,038	30,509	23,150
Malden	57,277	58,036	51,789	49,103	48,907	44,404
Holyoke	56,139	56,537	60,335	60,203	60,816	57,730
Brookline (town)	50,319	47,490	42,681	37,748	33,490	27,792
25,000 to 50,000.						
Haverhill	49,516	48,710	49,232	53,884	49,450	44,115
Pittsfield	47,516	49,677	46,877	41,763	39,607	32,121
Everett	47,228	48,424	42,072	40,120	37,718	33,484
Salem[2]	43,472	43,353	42,821	42,529	37,200	43,697
Chelsea	42,673	45,816	47,247	43,184	43,426	32,452
Chicopee	41,952	43,930	41,882	36,214	30,138	25,401
Fitchburg	41,700	40,692	43,609	41,029	39,656	37,826
Waltham	40,557	39,247	34,746	30,915	30,154	27,834
Arlington (town)	38,539	36,094	24,943	18,665	14,889	11,187
Taunton	37,431	37,355	39,255	37,137	36,161	34,259
Watertown (town)	35,827	34,913	25,480	21,457	16,515	12,875
Revere	35,319	35,680	33,261	28,823	25,178	18,219
Beverly	25,871	25,086	22,685	22,561	22,959	18,650
15,000 to 25,000.						
Belmont (town)	24,831	21,748	15,256	10,749	8,081	5,542
Northampton	24,525	24,381	24,145	21,951	21,654	19,431
Melrose	24,256	23,170	20,165	18,204	16,880	15,715
Gloucester	24,164	24,204	23,375	22,947	24,478	24,398
Framingham (town)	22,651	22,210	21,078	17,033	15,860	12,948
North Adams	22,085	21,621	22,717	22,282	22,035	22,019
Peabody	22,082	21,345	19,870	19,552	18,625	15,721
Leominster	21,894	21,810	22,120	19,744	17,646	17,580
Attleboro	21,835	21,769	20,623	19,731	18,480	16,215
Weymouth (town)	21,748	20,882	17,253	15,057	13,969	12,895
Methuen (town)	21,073	21,069	20,606	15,189	14,007	11,448
Gardner	20,397	19,399	18,730	16,971	16,376	14,699
Woburn	19,695	19,434	18,370	16,574	16,410	15,308
Westfield	18,788	19,775	19,342	18,604	18,411	16,044
Milton (town)	18,147	16,434	12,861	9,382	8,600	7,924
Braintree (town)	17,122	15,712	13,193	10,580	9,343	8,066
West Springfield (town)	17,118	16,684	15,326	13,443	11,339	9,224
Winthrop (town)	17,001	16,852	16,158	15,455	12,758	10,132
Wakefield (town)	16,494	16,318	15,611	13,025	12,781	11,404
Greenfield (town)	15,903	15,500	15,246	15,462	12,618	10,427
Southbridge (town)	15,786	14,264	15,489	14,245	14,217	12,592
Marlborough	15,781	15,587	16,236	15,028	15,250	14,579
Norwood (town)	15,574	15,049	14,151	12,627	10,977	8,014
Dedham (town)	15,371	15,136	13,918	10,792	11,043	9,284
Saugus (town)	15,076	14,700	12,743	10,874	10,226	8,047
Milford (town)	15,008	14,741	14,781	13,471	13,684	13,055

[1]Hyde Park (in Norfolk County), annexed to Boston (in Suffolk County) in 1911, contained 15,507 inhabitants in 1910. No other counties have had their boundaries changed since 1874.
[2]Abnormal decrease between 1910 and 1915 due to conflagration of June 25, 1914.

APPENDIX

INTERNATIONAL CLASSIFICATION OF CAUSES OF DEATH
1. DETAILED INTERNATIONAL LIST
2. ABRIDGED INTERNATIONAL LIST

INTERNATIONAL CLASSIFICATION OF CAUSES OF DEATH.[1]

There are two separate and distinct classifications of causes of death embodied in the International List of Causes of Death: these are the detailed and abridged International Lists. The former, as indicated by its name, presents causes of death in greater detail than does the latter; that is, it shows separately certain diseases which in the abridged list are grouped together for presentation. The majority of the titles of the abridged list are therefore consolidations of certain titles of the detailed list. The shorter list is used as a basis for certain tables in this volume for which it is either unnecessary or impracticable to present data for each disease and cause of death shown in the detailed list.

The distinction between these lists should always be considered when using the tables of these reports. There are several cases in which the title headings in the two lists are identical, but the causes included are widely at variance. As an example of this, the title "Other infectious and parasitic diseases" of the detailed list (title No. 44) includes only such epidemic maladies as are not classified separately in titles 1 to 44 of that list; but "Other infectious and parasitic diseases" of the abridged list includes titles 4, 5, 12, 13, 15, 16, 17, 18, 19, 20, 21, 22, 33, 35, 36, 37, 39, 40, 41, 42, 43, and 44 of the detailed list.

An asterisk (*) denotes that, in the opinion of the committee appointed by the Section on Vital Statistics of the American Public Health Association, the titles are acceptable statements of causes of death without autopsy.

The following table shows each title of the Detailed International List:—

1. DETAILED INTERNATIONAL LIST.

I. INFECTIOUS AND PARASITIC DISEASES.

1. Typhoid fever.*
2. Paratyphoid fever.*
3. Typhus fever.*
4. Relapsing fever.[2]
5. Undulant fever.
6. Smallpox.*
7. Measles.*
8. Scarlet fever.*
9. Whooping cough.*
10. Diphtheria.*
11. Influenza.
    - (a) With respiratory complications specified.
    - (b) Without respiratory complications specified.
12. Cholera.

I. INFECTIOUS AND PARASITIC DISEASES.—*Cont.*

13. Dysentery.[3]
    - (a) Amebic.
    - (b) Bacillary.
    - (c) Unspecified or due to other causes.
14. Plague.*
    - (a) Bubonic.
    - (b) Pneumonic.
    - (c) Septicemic.
    - (d) Unspecified.
15. Erysipelas.*
16. Acute poliomyelitis and acute polioencephalitis.*
17. Lethargic or epidemic encephalitis.
18. Epidemic cerebrospinal meningitis.
19. Glanders.[4]

[1] The second decennial revision of the International Classification of Causes of Death was made at Paris, July 1 to 3, 1909. The next revision was also made at Paris, Oct. 11 to 14, 1920, and was used beginning with 1921. The causes of death as given in the third revision number 205, compared with 179 in the first, and 189 in the second classification. The fourth revision of the International List of Causes of Death is largely a revision of the previous edition and is based upon the translation of the official French version of the proceedings of the International Commission of 1929.

[2] This statement is a reliable one, without autopsy, only when the statement of the cause of death is accompanied or supported by a record of the finding of the etiological factor, that is, the *Spirillum* (*Spirochætal*) *obermeieri*, before death.

[3] Not a reliable statement of cause of death unless the specific cause of infection has been identified.

[4] Not a reliable statement of cause of death, without autopsy, unless there is an accompanying record of the finding of the etiological factor; *i.e.*, the *bacillus mallei*.

Detailed International List — *Continued.*

I. Infectious and Parasitic Diseases. —*Cont.*

20. Anthrax (bacillus anthracis) malignant pustule.[1]
21. Rabies.[2]
22. Tetanus.[3]
23. Tuberculosis of the respiratory system.*
24. Tuberculosis of the meninges and central nervous system.[4]
25. Tuberculosis of the intestines and peritoneum.[5]
26. Tuberculosis of the vertebral column.*
27. Tuberculosis of the bones and joints (vertebral column excepted).*[6]
    (*a*) Tuberculosis of the bones.
    (*b*) Tuberculosis of the joints.
28. Tuberculosis of the skin and subcutaneous cellular tissues.[6]
29. Tuberculosis of the lymphatic system (bronchial, mesenteric, and retroperitoneal glands excepted).[6]
30. Tuberculosis of the genitourinary system.[6]
31. Tuberculosis of the other organs.[6]
32. Disseminated tuberculosis.*
    (*a*) Acute.
    (*b*) Chronic.
    (*c*) Unspecified.
33. Leprosy.*
34. Syphilis.[7]
35. Gonococcus infection and other venereal diseases.[8]
36. Purulent infection, septicemia (nonpuerperal).
37. Yellow fever.*
38. Malaria.[9]
39. Other diseases due to protozoal parasites.
40. Ankylostomiasis.[10]
41. Hydatid cysts.
    (*a*) Of the liver.
    (*b*) Of other organs.
42. Other diseases caused by helminths.[11]
43. Mycoses.[12]
44. Other infectious and parasitic diseases.
    (*a*) Chicken-pox.
    (*b*) German measles.
    (*c*) Others under this title.

II. Cancers and other Tumors.

45. Cancer and other malignant tumors of the buccal cavity and pharynx.*
    (*a*) Cancer of the lip.
    (*b*) Cancer of the tongue.
    (*c*) Cancer of the mouth.
    (*d*) Cancer of the jaw.
    (*e*) Cancer of other and unspecified parts of the buccal cavity.
    (*f*) Cancer of the pharynx.

II. Cancers and other Tumors.—*Cont.*

46. Cancer of the digestive tract and peritoneum.[13]
    (*a*) Cancer of the esophagus.
    (*b*) Cancer of the stomach and duodenum.
    (*c*) Cancer of the intestines (except duodenum, rectum and anus).
    (*d*) Cancer of the rectum and anus.
    (*e*) Cancer of the liver and biliary passages.
    (*f*) Cancer of the pancreas.
    (*g*) Cancer of the mesentery and peritoneum.
    (*h*) Cancer of others under this title.
47. Cancer of the respiratory system.[13]
    (*a*) Cancer of the larynx.
    (*b*) Cancer of the lungs and pleura.
    (*c*) Cancer of other respiratory organs.
48. Cancer of the uterus.[13]
49. Cancer of other female genital organs.[13]
    (*a*) Cancer of the ovary and Fallopian tube.
    (*b*) Cancer of the vagina and vulva.
    (*c*) Cancer of other female genital organs.
50. Cancer of the breast.*
51. Cancer of the male genitourinary organs.[13]
    (*a*) Cancer of the kidneys and suprarenals (male).
    (*b*) Cancer of the bladder (male).
    (*c*) Cancer of the prostate.
    (*d*) Cancer of the testes.
    (*e*) Cancer of the scrotum.
    (*f*) Cancer of other male genitourinary organs.
52. Cancer of the skin.*
53. Cancer of other or unspecified organs.[13]
    (*a*) Cancer of the kidneys and suprarenals (female).
    (*b*) Cancer of the bladder (female).
    (*c*) Cancer of the brain.
    (*d*) Cancer of the bones (except jaw).
    (*e*) Cancer of other or unspecified organs.
54. Nonmalignant tumors.*[13]
    (*a*) Tumors of the ovary.
    (*b*) Tumors of the uterus.
    (*c*) Tumors of other female genital organs.
    (*d*) Tumors of the brain.
    (*e*) Tumors of other organs.
55. Tumors of which the nature is not specified.*[13]
    (*a*) Tumors of the ovary (nature unspecified).
    (*b*) Tumors of the uterus (nature unspecified).
    (*c*) Tumors of other female genital organs (nature unspecified).
    (*d*) Tumors of the brain (nature unspecified).
    (*e*) Tumors of other organs (nature unspecified).

---

[1] Not a reliable statement of cause of death, without autopsy, or without determination of the etiological factor; *i.e.*, the *bacillus anthracis.*

[2] Not a reliable statement of cause of death unless verified by autopsy, or proof that the infecting bite was by a proved rabid animal.

[3] A reliable statement of cause of death, without autopsy, when it is accompanied by information as to date, site, nature, and means of injury.

[4] A reliable statement of cause of death, without autopsy, for children under 10 years of age, but not for decedents of older groups, unless there is confirmatory bacteriological proof of the presence of the tubercle bacillus in the spinal fluid.

[5] An unreliable statement of cause of death, without autopsy, unless proof of an abdominal operation or recovery of tubercle bacillus from the abdominal fluid is presented.

[6] Statements of cause of death which relate to organs or parts of the body which are accessible to direct vision are reliable without autopsy.

[7] Not reliable as a statement of cause of death, without autopsy, unless diagnosis was based on lesions superficially situated or visible through body orifices, or confirmed by unquestioned specific test. A statement of the site, extent, and character of the lesion should be given.

[8] An unreliable statement of cause of death, without autopsy, unless a gonococcic lesion has been demonstrated by the recovery of the gonococcus from the site of the lesion, or by a specific serum reaction, and unless the lesion was an adequate cause of death.

[9] Not a reliable statement of cause of death without the supporting statement that the etiological factor, the *Plasmodium malariæ*, was found in the blood before death or at autopsy.

[10] A reliable statement of cause of death, without autopsy, *provided* the infectious parasite *ankylostoma duodenale* or its ova have been demonstrated.

[11] A reliable statement of cause of death, without autopsy, *only* with the demonstration of the parasite or its ova in the tissues or discharges.

[12] A reliable statement of cause of death, without autopsy, *only* when lesion is accessible to direct examination, or the etiological factor has been identified in the discharges before death.

[13] An unreliable statement of cause of death, without autopsy, unless an operation was performed or the neoplasm was otherwise visible or accessible for direct observation.

Detailed International List — *Continued.*

III. Rheumatic Diseases, Nutritional Diseases, Diseases of the Endocrine Glands and other General Diseases.

56. Acute rheumatic fever.*
57. Chronic rheumatism, osteoarthritis.
58. Gout.
59. Diabetes mellitus.*
60. Scurvy.*
61. Beriberi.*
62. Pellagra.*
63. Rickets.*
64. Osteomalacia.
65. Diseases of the pituitary body.
66. Diseases of the thyroid and parathyroid glands.
    (*a*) Simple goiter.
    (*b*) Exophthalmic goiter.
    (*c*) Myxedema and cretinism.
    (*d*) Tetany.
    (*e*) Other diseases of the thyroid and parathyroid glands.
67. Diseases of the thymus gland.
68. Diseases of the adrenals (Addison's disease not specified as tuberculous).*
69. Other general diseases.

IV. Diseases of the Blood and Blood-making Organs.

70. Hemorrhagic conditions.
    (*a*) Primary purpuras.
    (*b*) Hemophilia.
71. Anemias.[1]
    (*a*) Pernicious anemia.
    (*b*) Other anemias.
72. Leukemias and pseudoleukemias.[2]
    (*a*) True leukemias.
    (*b*) Pseudoleukemias (Hodgkin's disease).
73. Diseases of the spleen.
74. Other diseases of the blood and blood-making organs

V. Chronic Poisonings and Intoxications.

75. Alcoholism (acute or chronic).*
76. Chronic poisoning by other organic substances.[3]
    (*a*) Occupational.
    (*b*) Other chronic poisoning by organic substances
77. Chronic poisoning by mineral substances.
    (*a*) Lead.[4]
    (*b*) Occupational (except lead).[5]
    (*c*) Other chronic poisoning by mineral substances.[5]

VI. Diseases of the Nervous System and of the Organs of Special Sense.

78. Encephalitis (nonepidemic).
79. Meningitis.
    (*a*) Simple meningitis.
    (*b*) Nonepidemic cerebrospinal meningitis.
80. Progressive locomotor ataxia (tabes dorsalis).*
81. Other diseases of the spinal cord.

VI. Diseases of the Nervous System and of the Organs of Special Sense.—*Cont.*

82. Cerebral hemorrhage, cerebral embolism and thrombosis.
    (*a*) Cerebral hemorrhage.
    (*b*) Cerebral embolism and thrombosis.
    (*c*) Softening of the brain.
    (*d*) Hemiplegia and other paralysis, cause unspecified.
83. General paralysis of the insane.*
84. Dementia praecox and other psychoses.
85. Epilepsy.[6]
86. Convulsions (under 5 years of age).
87. Other diseases of the nervous system.*
    (*a*) Neuralgia and neuritis.
    (*b*) Other diseases of the nervous system.
88. Diseases of the organs of vision.*
89. Diseases of the ear and mastoid process.*
    (*a*) Diseases of the ear.
    (*b*) Diseases of the mastoid process.

VII. Diseases of the Circulatory System.

90. Pericarditis.[7]
91. Acute endocarditis.*
    (*a*) Specified as acute.
    (*b*) Unspecified (under 45 years of age).
92. Chronic endocarditis, valvular diseases.*
    (*a*) Endocarditis, specified as chronic, and other valvular diseases.
    (*b*) Endocarditis, unspecified (45 years and over).
93. Diseases of the myocardium.*
    (*a*) Acute myocarditis.
    (*b*) Myocarditis, unspecified (under 45 years).
    (*c*) Chronic myocarditis and myocardial degeneration.
    (*d*) Unspecified.
94. Diseases of the coronary arteries and angina pectoris.*
    (*a*) Angina pectoris.
    (*b*) Diseases of the coronary arteries.
95. Other diseases of the heart.*
    (*a*) Functional diseases of the heart.
    (*b*) Other and unspecified.
96. Aneurysm (except of the heart).
97. Arteriosclerosis (diseases of the coronary arteries excepted).
98. Gangrene.
99. Other diseases of the arteries.*
100. Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).[8]
101. Diseases of the lymphatic system (lymphangitis, etc.).*
102. Idiopathic anomalies of the blood-pressure.
103. Other diseases of the circulatory system.*

VIII. Diseases of the Respiratory System.

104. Diseases of the nasal fossæ and annexæ.*
105. Diseases of the larynx.*
106. Bronchitis.
    (*a*) Acute.
    (*b*) Chronic.*
    (*c*) Unspecified (under 5 years of age).
    (*d*) Unspecified (5 years and over).

---

[1] An unreliable statement of cause of death, without autopsy, unless an operation was performed.

[2] Not a reliable statement of cause of death unless verified by confirmatory blood examination.

[3] A reliable statement of cause of death, without autopsy, *only* when the source of the poison is specified, or when there is chemical or microscopic proof of the presence of the poison within the body.

[4] A reliable statement of cause of death, without autopsy, *if* there appears a statement of an occupation in which decedent would be subject to lead poisoning, or if the source of the poisoning is specified and complications accompanying, sufficient to cause death, are described.

[5] A reliable statement of cause of death, without autopsy, *only* in cases where the occupation or source of poison is specified and it is indicated that the poison was absorbed as a result of occupation; or the characteristic lesions are superficially located or accessible to direct inspection; or there is chemical or microscopic proof of the presence of poison within the body.

[6] An unreliable statement of cause of death, without autopsy, unless death occurred in an epileptic attack and was witnessed, and there was a previous history of epilepsy.

[7] An unreliable statement of cause of death, without autopsy, unless accompanied by a statement of primary cause or of the character of exudate obtained by paracentesis.

[8] A reliable statement of cause of death, without autopsy, if there is an accompanying statement of the site of the lesion or name of the vessel or vessels involved.

Detailed International List — *Continued.*

VIII. Diseases of the Respiratory System — *Cont.*

107. Bronchopneumonia (including capillary bronchitis).*
    (*a*) Bronchopneumonia.
    (*b*) Capillary bronchitis.
108. Lobar Pneumonia.
109. Pneumonia, unspecified.
110. Pleurisy.*
111. Congestion, edema, embolism, hemorrhagic infarct, and thrombosis of the lung.[1]
    (*a*) Pulmonary embolism and thrombosis.
    (*b*) Others under this title.
112. Asthma.
113. Pulmonary emphysema.*
114. Other diseases of the respiratory system (tuberculosis excepted).*
    (*a*) Chronic interstitial pneumonia, including occupational diseases of the respiratory system.
    (*b*) Others, including gangrene of the lung.

IX. Diseases of the Digestive System.

115. Diseases of the buccal cavity and annexa and of the pharynx and tonsils (including adenoid vegetations).*
    (*a*) Diseases of the pharynx and tonsils.
    (*b*) Others under this title.
116. Diseases of the esophagus.*
117. Ulcer of the stomach and duodenum.
    (*a*) Ulcer of the stomach.
    (*b*) Ulcer of the duodenum.
118. Other diseases of the stomach (cancer excepted).
119. Diarrhea and enteritis (under 2 years of age).*
120. Diarrhea and enteritis (2 years and over).
121. Appendicitis.
122. Hernia, intestinal obstruction.
    (*a*) Hernia.[2]
    (*b*) Intestinal obstruction.[3]
123. Other diseases of the intestines.
124. Cirrhosis of the liver.*
    (*a*) Specified as alcoholic.
    (*b*) Not specified as alcoholic.
125. Other diseases of the liver (including yellow atrophy of liver).*
    (*a*) Yellow atrophy of liver.
    (*b*) Others under this title.
126. Biliary calculi.*
127. Other diseases of the gall-bladder and biliary passages.
128. Diseases of the pancreas.
129. Peritonitis, cause not specified.

X. Diseases of the Genitourinary System.

130. Acute nephritis (including unspecified under 10 years of age).
131. Chronic nephritis.*
132. Nephritis, unspecified (10 years and over).*
133. Other diseases of the kidneys and ureters (puerperal diseases excepted).
134. Calculi of the urinary passages.*
135. Diseases of the bladder (tumors excepted).*
136. Diseases of the urethra, urinary abscess, etc.*
    (*a*) Stricture of the urethra.
    (*b*) Others under this title.
137. Diseases of the prostate.*
138. Diseases of the male genital organs, not specified as venereal.*

X. Diseases of the Genitourinary System — *Cont.*

139. Diseases of the female genital organs, not specified as venereal.*
    (*a*) Cysts of the ovary.
    (*b*) Other diseases of the ovaries and diseases of the tubes and parametrium.
    (*c*) Diseases of the uterus.
    (*d*) Nonpuerperal diseases of the breast (cancer excepted).
    (*e*) Other diseases of the female genital organs.

XI. Diseases of Pregnancy, Childbirth and the Puerperal State.

140. Abortion with septic conditions.*
141. Abortion without mention of septic conditions (to include hemorrhages).*
142. Ectopic gestation.*
    (*a*) Septic conditions specified.
    (*b*) Septic conditions not mentioned.
143. Other accidents of pregnancy (not to include hemorrhages).*
144. Puerperal hemorrhage.*
    (*a*) Placenta praevia.
    (*b*) Other puerperal hemorrhages.
145. Puerperal septicemia (not specified as due to abortion).*
    (*a*) Puerperal septicemia and pyemia.
    (*b*) Puerperal tetanus.
146. Puerperal albuminuria and eclampsia.*
147. Other toxemias of pregnancy.*
148. Puerperal phlegmasia alba dolens, embolus, sudden death (not specified as septic).*
149. Other accidents of childbirth.*
    (*a*) Cesarean operation.
    (*b*) Others under this title.
150. Other and unspecified conditions of the puerperal state.*

XII. Diseases of the Skin and Cellular Tissue.

151. Furuncle, carbuncle.[4]
152. Phlegmon, acute abscess.[4]
153. Other diseases of the skin and annexa, and of the cellular tissue.*

XIII. Diseases of the Bones and Organs of Locomotion.

154. Osteomyelitis.*
155. Other diseases of the bones (tuberculosis excepted).*
156. Diseases of the joints and other organs of locomotion.*
    (*a*) Diseases of the joints (tuberculosis and rheumatism excepted).
    (*b*) Diseases of other organs of locomotion.

XIV. Congenital Malformations.

157. Congenital malformations.*
    (*a*) Congenital hydrocephalus.
    (*b*) Spina bifida and meningocele.
    (*c*) Congenital malformations of the heart.
    (*d*) Other congenital malformations.

---

[1] Pulmonary congestion is considered a reliable statement of cause of death, without autopsy, only when the cause is specified; as, for example, *accidental inhalation of irritating fumes*, or accompanying lesions which are known to lead to congestion of the lungs.

[2] A reliable statement of cause of death if the hernia is external, or is exposed on operation or autopsy, when internal; also, when conditions adequate to cause of death, together with type and location of hernia, are specified.

[3] An unreliable statement of cause of death unless the obstruction is demonstrated on autopsy or operation, or is accessible by examination through the body orifices.

[4] A reliable statement of cause of death, without autopsy, *if* there is an accompanying statement of the site and nature of the original infection.

Detailed International List — *Continued.*

XV. Diseases of Early Infancy.

158. Congenital debility.
159. Premature birth.*
160. Injury at birth.*
    (*a*) Cesarean operation.
    (*b*) Without Cesarean operation.
161. Other diseases peculiar to early infancy.
    (*a*) Atelectasis.
    (*b*) Icterus of the new-born.
    (*c*) Sclerema.
    (*d*) Others under this title.

XVI. Senility.

162. enility.

XVII. Violent and Accidental Deaths.

163. Suicide by solid or liquid poisons or by absorption of corrosive substances.[1]
    (*a*) Arsenical group.
    (*b*) Barbituric acid and all derivatives.
    (*c*) Cresol compounds group.
    (*d*) Mercury compounds.
    (*e*) Nux vomica and strychnine.
    (*f*) Lye group.
    (*g*) Tobacco and derivatives.
    (*h*) Narcotic group.
    (*m*) Hydrocyanic acid and all cyanides except gases.
    (*o*) Carbolic acid and phenol.
    (*x*) All other poisons or kinds not stated.
164. Suicide by poisonous gas.[2]
165. Suicide by hanging or strangulation.*
166. Suicide by drowning.*
167. Suicide by firearms.*
168. Suicide by cutting or piercing instruments.*
169. Suicide by jumping from high places.*
170. Suicide by crushing.*
171. Suicide by other means.*
172. Homicide (Infanticide, murder of infants less than one year of age).*
173. Homicide by firearms.*
174. Homicide by cutting or piercing instruments.*
175. Homicide by other means.*
176. Attack by venomous animals.*
177. Poisoning by food.[3]
178. Accidental absorption of poisonous gas.
179. Other acute accidental poisonings (gas excepted).
    (*a*) Arsenical group.
    (*b*) Barbituric acid and all derivatives.
    (*c*) Cresol compounds group.
    (*d*) Mercury compounds.
    (*e*) Nux vomica and strychnine.
    (*f*) Lye group.
    (*g*) Tobacco and derivatives.
    (*h*) Narcotic group.
    (*m*) Menthanol, denatured, wood and other alcohols (not ethyl).
    (*o*) Carbolic acid and phenol.
    (*x*) All other poisons or kinds not stated.
180. Conflagration.*
181. Accidental burns (conflagration excepted).*
182. Accidental mechanical suffocation.*
183. Accidental drowning.*
184. Accidental traumatism by firearms (wounds of war excepted).
185. Accidental traumatism by cutting or piercing instruments(wounds of war excepted).[4]
186. Accidental traumatism by fall, crushing, landslide.*
    (*a*) Fall.
    (*b*) Crushing, landslide.
187. Cataclysm.
188. Injuries by animals.*
189. Hunger and thirst.*
190. Excessive cold.*
191. Excessive heat.*
192 Lightning.*
193. Accidents due to electric currents.
194. Other accidents.
    (*a*) Foreign bodies.
    (*b*) Others under this title.
195. Violent deaths of unknown nature.
196. Wounds of war.
197. Execution of civilians by belligerent armies.
198. Legal executions.*

XVIII. Ill-defined Causes of Death.

199. Sudden death.
200. Cause of death not specified or ill-defined.
    (*a*) Ill-defined.
    (*b*) Not specified or unknown

Supplement for Violent and Accidental Deaths.

201. Accidents in mines and quarries.*
    (*a*) Accidental absorption of poisonous gas.
    (*b*) Accidental burns (conflagration excepted).
    (*c*) Accidental mechanical suffocation.
    (*d*) Accidental drowning.
    (*e*) Accidental traumatism by cutting or piercing instruments.
    (*f*) Accidental traumatism by fall.
    (*g*) Accidental traumatism by crushing, landslide.
    (*h*) Accidents due to electric currents.
    (*k*) Foreign bodies.
    (*m*) Other accidents
202. Accidents from agricultural machinery.*
    (*a*) Accidental absorption of poisonous gas.
    (*b*) Accidental burns (conflagration excepted).
    (*c*) Accidental mechanical suffocation.
    (*d*) Accidental drowning.
    (*e*) Accidental traumatism by cutting or piercing instruments.
    (*f*) Accidental traumatism by fall.
    (*g*) Accidental traumatism by crushing, landslide.
    (*h*) Accidents due to electric currents.
    (*k*) Foreign bodies.
    (*m*) Other accidents.
203. Elevator accidents.*
    (*a*) Accidental absorption of poisonous gas.
    (*b*) Accidental burns (conflagration excepted).
    (*c*) Accidental mechanical suffocation.
    (*d*) Accidental drowning.
    (*e*) Accidental traumatism by cutting or piercing instruments.
    (*f*) Accidental traumatism by fall.
    (*g*) Accidental traumatism by crushing, landslide.
    (*h*) Accidents due to electric currents.
    (*k*) Foreign bodies.
    (*m*) Other accidents
204. Accidents from machinery used for recreation.*
    (*a*) Accidental absorption of poisonous gas.
    (*b*) Accidental burns (conflagration excepted).
    (*c*) Accidental mechanical suffocation.
    (*d*) Accidental drowning.
    (*e*) Accidental traumatism by cutting or piercing instruments.
    (*f*) Accidental traumatism by fall.
    (*g*) Accidental traumatism by crushing, landslide.
    (*h*) Accidents due to electric currents
    (*k*) Foreign bodies.
    (*m*) Other accidents.
205. Other machinery accidents.*
    (*a*) Accidental absorption of poisonous gas.
    (*b*) Accidental burns (conflagration excepted).
    (*c*) Accidental mechanical suffocation.
    (*d*) Accidental drowning.
    (*e*) Accidental traumatism by cutting or piercing instruments.
    (*f*) Accidental traumatism by fall.
    (*g*) Accidental traumatism by crushing, landslide.
    (*h*) Accidents due to electric currents.
    (*k*) Foreign bodies.
    (*m*) Other accidents.

---

[1] A reliable statement of cause of death, without autopsy, if the character of the solid or liquid is specified.
[2] A reliable statement of cause of death, without autopsy, if the character of the gas is specified.
[3] An unreliable statement of cause of death without supporting data as to a group of accompanying cases of the ingestion of the particular poisonous substances.
[4] An unreliable statement of cause of death without supporting data, such as site and extent of injury.

Detailed International List — *Continued.*

Supplement for Violent and Accidental Deaths— *Cont.*

206. Railroad and automobile collisions.*
   (*a*) Accidental absorption of poisonous gas.
   (*b*) Accidental burns (conflagration excepted).
   (*c*) Accidental mechanical suffocation.
   (*d*) Accidental drowning.
   (*e*) Accidental traumatism by cutting or piercing instruments.
   (*f*) Accidental traumatism by fall.
   (*g*) Accidental traumatism by crushing, landslide.
   (*h*) Accidents due to electric currents.
   (*k*) Foreign bodies.
   (*m*) Other accidents.
207. Other railroad accidents.*
   (*a*) Accidental absorption of poisonous gas.
   (*b*) Accidental burns (conflagration excepted).
   (*c*) Accidental mechanical suffocation.
   (*d*) Accidental drowning.
   (*e*) Accidental traumatism by cutting or piercing instruments.
   (*f*) Accidental traumatism by fall.
   (*g*) Accidental traumatism by crushing, landslide.
   (*h*) Accidents due to electric currents.
   (*k*) Foreign bodies.
   (*m*) Other accidents.
208. Street car and automobile collisions.*
   (*a*) Accidental absorption of poisonous gas.
   (*b*) Accidental burns (conflagration excepted).
   (*c*) Accidental mechanical suffocation.
   (*d*) Accidental drowning.
   (*e*) Accidental traumatism by cutting or piercing instruments.
   (*f*) Accidental traumatism by fall.
   (*g*) Accidental traumatism by crushing, landslide.
   (*h*) Accidents due to electric currents.
   (*k*) Foreign bodies.
   (*m*) Other accidents.
209. Other street car accidents.*
   (*a*) Accidental absorption of poisonous gas.
   (*b*) Accidental burns (conflagration excepted).
   (*c*) Accidental mechanical suffocation.
   (*d*) Accidental drowning.
   (*e*) Accidental traumatism by cutting or piercing instruments
   (*f*) Accidental traumatism by fall.
   (*g*) Accidental traumatism by crushing, landslide.
   (*h*) Accidents due to electric currents.
   (*k*) Foreign bodies.
   (*m*) Other accidents.
210. Automobile accidents (primary).*
   (*a*) Accidental absorption of poisonous gas.
   (*b*) Accidental burns (conflagration excepted).
   (*c*) Accidental mechanical suffocation.
   (*d*) Accidental drowning.
   (*e*) Accidental traumatism by cutting or piercing instruments.
   (*f*) Accidental traumatism by fall.
   (*g*) Accidental traumatism by crushing, landslide.
   (*h*) Accidents due to electric currents.
   (*k*) Foreign bodies.
   (*m*) Other accidents.

Supplement for Violent and Accidental Deaths—*Cont.*

211. Motorcycle accidents.*
   (*a*) Accidental absorption of poisonous gas
   (*b*) Accidental burns (conflagration excepted).
   (*c*) Accidental mechanical suffocation.
   (*d*) Accidental drowning.
   (*e*) Accidental traumatism by cutting or piercing instruments.
   (*f*) Accidental traumatism by fall.
   (*g*) Accidental traumatism by crushing, landslide.
   (*h*) Accidents due to electric currents.
   (*k*) Foreign bodies.
   (*m*) Other accidents.
212. Other land transportation accidents.*
   (*a*) Accidental absorption of poisonous gas.
   (*b*) Accidental burns (conflagration excepted).
   (*c*) Accidental mechanical suffocation.
   (*d*) Accidental drowning.
   (*e*) Accidental traumatism by cutting or piercing instruments.
   (*f*) Accidental traumatism by fall.
   (*g*) Accidental traumatism by crushing, landslide.
   (*h*) Accidents due to electric currents.
   (*k*) Foreign bodies.
   (*m*) Other accidents.
213. Water transportation accidents.*
   (*a*) Accidental absorption of poisonous gas.
   (*b*) Accidental burns (conflagration excepted).
   (*c*) Accidental mechanical suffocation.
   (*d*) Accidental drowning.
   (*e*) Accidental traumatism by cutting or piercing instruments.
   (*f*) Accidental traumatism by fall.
   (*g*) Accidental traumatism by crushing, landslide.
   (*h*) Accidents due to electric currents.
   (*k*) Foreign bodies.
   (*m*) Other accidents.
214. Air transportation accidents.*
   (*a*) Accidental absorption of poisonous gas.
   (*b*) Accidental burns (conflagration excepted).
   (*c*) Accidental mechanical suffocation.
   (*d*) Accidental drowning.
   (*e*) Accidental traumatism by cutting or piercing instruments.
   (*f*) Accidental traumatism by fall.
   (*g*) Accidental traumatism by crushing landslide.
   (*h*) Accidents due to electric currents.
   (*k*) Foreign bodies.
   (*m*) Other accidents.

2. Abridged International List

The following table shows each title of the Abridged International List. The numbers of the titles of the Detailed International List included in each title of the abridged list appear in parentheses.

Abridged Int. List Number.	Cause of Death.
1.	Typhoid and paratyphoid fever (1, 2).*
2.	Typhus fever (3).*
3.	Smallpox (6).*
4.	Measles (7).*
5.	Scarlet fever (8).*
6.	Whooping cough (9).*
7.	Diphtheria (10).*
8.	Influenza (11).
9.	Plague (14).*
10.	Tuberculosis of the respiratory system (23).*
11.	Other forms of tuberculosis (24, 25, 26, 27, 28, 29, 30, 31, 32).
12.	Syphilis (34).
13.	Malaria (38).
14.	Other infectious and parasitic diseases (4, 5, 12, 13, 15, 16, 17, 18, 19, 20, 21, 22, 33, 35, 36, 37, 39, 40, 41, 42, 43, 44).
15.	Cancer and other malignant tumors (45, 46, 47, 48, 49, 50, 51, 52, 53).
16.	Tumors, nonmalignant, or of which the nature is not specified (54, 55).*
17.	Chronic rheumatism and gout (57, 58).
18.	Diabetes mellitus (59).
19.	Alcoholism (acute or chronic) (75).
20.	Other general diseases and chronic poisonings (56, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 76, 77).
21.	Progressive locomotor ataxia and general paralysis of the insane (80, 83).
22.	Cerebral hemorrhage, cerebral embolism and thrombosis (82).
23.	Other diseases of the nervous system and of the organs of special sense (78, 79, 81, 84, 85, 86, 87, 88, 89)
24.	Diseases of the heart (90, 91, 92, 93, 94, 95).*
25.	Other diseases of the circulatory system (96, 97, 98, 99, 100, 101, 102, 103).
26.	Bronchitis (106).
27.	Pneumonias (107, 108, 109).
28.	Other diseases of the respiratory system (tuberculosis excepted) (104, 105, 110, 111, 112, 113, 114).
29.	Diarrhea and enteritis (119, 120).
30.	Appendicitis (121).
31.	Diseases of the liver and biliary passages (124, 125, 126, 127).
32.	Other diseases of the digestive system (115, 116, 117, 118, 122, 123, 128, 129).
33.	Nephritis (130, 131, 132).
34.	Other diseases of the genitourinary system (133, 134, 135, 136, 137, 138, 139).
35.	Puerperal septicemia (140, 145).*
36.	Other diseases of pregnancy, childbirth and the puerperal state (141, 142, 143, 144, 146, 147, 148, 149, 150).*
37.	Diseases of the skin and cellular tissue, and of the bones and organs of locomotion (151, 152, 153, 154, 155, 156).
38.	Congenital debility and malformations, premature birth and other diseases of early infancy (157, 158, 159, 160, 161).
39.	Senility (162).
40.	Suicide (163, 164, 165, 166, 167, 168, 169, 170, 171).*
41.	Homicide (172, 173, 174, 175).
42.	Violent and accidental deaths (suicide and homicide excepted) (176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198).
43.	Cause of death not specified or ill-defined (199, 200).

BOSTON PUBLIC LIBRARY
3 9999 06351 653 6